

**RESOLUTION BY THE REPUBLICAN RIVER COMPACT ADMINISTRATION  
REGARDING APPROVAL OF COLORADO'S AUGMENTATION PLAN AND  
RELATED ACCOUNTING PROCEDURES SUBMITTED UNDER SUBSECTION  
III.B.1.k OF THE FINAL SETTLEMENT STIPULATION**

August 12, 2009

**Whereas**, the States of Kansas, Nebraska, and Colorado entered into a Final Settlement Stipulation ("FSS") as of December 15, 2002, to resolve pending litigation in the United States Supreme Court regarding the Republican River Compact ("Compact") in the case of *Kansas v. Nebraska and Colorado*, No. 126 Original;

**Whereas**, the FSS was approved by the United States Supreme Court on May 19, 2003;

**Whereas**, the State of Colorado's Computed Beneficial Consumptive Use of the waters of the Republican River Basin exceeded Colorado's Compact Allocation using the five-year running average to determine Compact compliance from 2003 through 2007, as provided in Subsection IV.D of the FSS;

**Whereas**, the Republican River Water Conservation District is a water conservation district created by Colorado statute to assist the State of Colorado to comply with the Compact;

**Whereas**, the Republican River Water Conservation District, acting by and through its Water Activity Enterprise ("RRWCD WAE"), has contracted to acquire fifteen Compact Compliance Wells in the Republican River Basin in Colorado for the sole purpose of offsetting stream depletions in order to comply with the State of Colorado's Compact Allocations;

**Whereas**, the RRWCD WAE has contracted to purchase groundwater rights in the Republican River Basin within Colorado and proposes to pump the historical consumptive use of all or some of these water rights from the Compact Compliance Wells into a pipeline and deliver that water into the North Fork of the Republican River near the Colorado/Nebraska State Line to offset stream depletions in order to comply with Colorado's Compact Allocations ("Colorado Compact Compliance Pipeline");

**Whereas**, the States of Kansas, Nebraska, and Colorado adopted a Moratorium on New Wells in Subsection III.A of the FSS, with certain exceptions set forth in subsection III.B of the FSS;

**Whereas**, Subsection III.B.1.k of the FSS provides that the Moratorium shall not apply to wells acquired or constructed by a State for the sole purpose of offsetting stream depletions in order to

comply with its Compact Allocations, provided that such wells shall not cause any new net depletion to stream flow either annually or long term;

**Whereas**, Subsection III.B.1.k of the FSS further provides that augmentation plans and related accounting procedures submitted under this Subsection III.B.1.k shall be approved by the Republican River Compact Administration (“RRCA”) prior to implementation;

**Whereas**, Subsection I.F of the FSS also provides that: “The RRCA may modify the RRCA Accounting Procedures, or any portion thereof, in any manner consistent with the Compact and this Stipulation;” and

**Whereas**, the State of Colorado and the RRWCD WAE have submitted an augmentation plan and related accounting procedures to account for water delivered to the North Fork of the Republican River for the purpose of offsetting stream depletions in order to comply with Colorado’s Compact Allocations.

**Now, therefore**, it is hereby resolved that the RRCA approves the augmentation plan and the related accounting procedures submitted by the State of Colorado and the RRWCD WAE under Subsection III.B.1.k of the FSS, subject to the terms and conditions set forth herein. The augmentation plan is described in the application submitted by the State of Colorado and the RRWCD WAE, which is attached hereto as Exhibit 1. The related accounting procedures are included in the revised RRCA Accounting Procedures and Reporting Requirements (“revised RRCA Accounting Procedures”), which are attached hereto as Exhibit 2. This approval of the augmentation plan and the related accounting procedures shall be subject to the following terms and conditions:

1. The average annual historical consumptive use of the groundwater rights that will be diverted at the Compact Compliance Wells shall be as determined by the Colorado Ground Water Commission pursuant to its rules and regulations, provided that the average annual historical consumptive use of the groundwater rights listed on Exhibit 3 shall not exceed the 1998-2007 average annual amounts shown on Exhibit 3. Annual diversions during any calendar year under the groundwater rights included in the augmentation plan shall be limited to the total average annual historical consumptive use of the rights, except as provided in paragraph 3 below.
2. Net depletions from the Colorado Compact Compliance Wells shall be computed by the RRCA Groundwater Model and included in Colorado’s Computed Beneficial Consumptive Use of groundwater pursuant to paragraph III.D.1 of the revised RRCA Accounting Procedures. Groundwater pumping from the Compact Compliance Wells shall be measured by totalizing flow meters, and the measured groundwater pumping from such wells shall be included in the base “run” of the RRCA Groundwater Model in accordance with paragraph III.D.1 of the revised RRCA Accounting Procedures.

3. Diversions from any individual Compact Compliance Well shall be limited to no more than 2,500 acre feet per year. Banking of groundwater shall be permitted in accordance with the rules and regulations of the Colorado Ground Water Commission, subject to the limit on Augmentation Water Supply Credit in paragraph 4 below.
4. The Augmentation Water Supply Credit due to deliveries from the Colorado Compact Compliance Pipeline that will be applied against the Computed Beneficial Consumptive Use of water to offset stream depletions in order to comply with Colorado's Compact Allocations during any calendar year shall be limited as follows:

Calculation of Projected Augmentation Water Supply Delivery to Determine the Limit on Augmentation Water Supply Credit

Each year, using the procedures described below, Colorado will determine the Projected Augmentation Water Supply Delivery ("Projected Delivery") for the upcoming accounting year (the "subject accounting year") to estimate the volume of Augmentation Water Supply that will be delivered from the Colorado Compact Compliance Pipeline during the subject accounting year, with a minimum annual delivery of 4,000 acre-feet. The RRWCD WAE will begin deliveries from the Colorado Compact Compliance Pipeline during the subject accounting year based on the Projected Delivery, but actual deliveries will be adjusted during the course of the year based on hydrologic and climatic conditions and the need to offset stream depletions in order to comply with Colorado's Compact Allocations, subject to the limit on the Augmentation Water Supply Credit set forth below.

The steps to determine the Projected Delivery and the limit on the Augmentation Water Supply Credit are as follows:

- A. Step 1. By March 31<sup>st</sup> of each year, Colorado will calculate Colorado's total Allocation and Colorado's Computed Beneficial Consumptive Use ("CBCU") for the previous accounting year using the procedures described in the revised RRCA Accounting Procedures, but using preliminary data where necessary.
- B. Step 2. Colorado will determine the Projected Delivery, which shall be the largest annual deficit or difference between Colorado's total annual Allocation and Colorado's CBCU during the 10 accounting years immediately preceding the subject accounting year; provided, however, that accounting years in which Colorado's total annual Allocation exceeds Colorado's CBCU shall not be used in determining the Projected Delivery.
- C. Step 3. The Colorado RRCA Member shall provide notice of the Projected Delivery determination to the Kansas and Nebraska RRCA Members by April 1 of each year.

- D. Step 4. The Augmentation Water Supply Credit for the subject accounting year shall be limited to the Projected Delivery plus 4,000 acre-feet, or 140% of the Projected Delivery, whichever is greater.

Examples of how this limitation shall be applied are attached as Exhibit 4.

5. The preliminary design for the Colorado Compact Compliance Pipeline is described in the application attached hereto as Exhibit 1. The State of Colorado and the RRWCD WAE shall submit the final design for the Colorado Compact Compliance Pipeline to the RRCA and any changes to the final design after the Colorado Compact Compliance Pipeline has been constructed. If the final design or changes to the final design of the Colorado Compact Compliance Pipeline as constructed differ from the preliminary design in a way that would materially change the location of the Compact Compliance Wells or the river outlet structure, the RRCA may modify the terms and conditions of this approval.
6. The RRWCD WAE may acquire additional groundwater rights to be pumped through the Compact Compliance Wells upon the terms and conditions of this resolution. The State of Colorado and the RRWCD WAE shall file a notice with the RRCA identifying the additional groundwater rights and the historical consumptive use of the groundwater rights. The RRCA members shall have sixty days from the date the notice is given to review the information. If no objection is made within sixty days from the date the notice is given, the additional groundwater rights may be pumped through the Compact Compliance Wells upon the terms and conditions of this resolution. If an objection is made by any RRCA member, the objection shall be given in writing to the RRWCD WAE within 60 days from the date the notice is given and the notice shall be treated as an application for approval of an augmentation plan and related accounting procedures under Subsection III.B.1.k of the FSS and the State of Colorado and the RRWCD WAE may submit any additional information to address the objection.
7. The approval of this augmentation plan and the related accounting procedures shall not govern the approval of any future proposed augmentation plan and related accounting procedures submitted by any other State under Subsection III.B.1.k of the FSS.
8. The approval of this augmentation plan and the related accounting procedures shall not waive any State's rights to seek damages from any other State for violations of the Compact or the FSS subsequent to December 15, 2002.
9. Except for the approval of the augmentation plan and the related accounting procedures as provided herein, nothing in this Resolution shall relieve the State of Colorado from complying with the obligations set forth in the Compact or FSS.

Approved by the RRCA this 12<sup>th</sup> day of August, 2009.

---

Brian Dunnigan, P.E.  
Nebraska Member  
Chairman, RRCA

---

date

---

David Barfield, P.E.  
Kansas Member

---

date

---

Dick Wolfe, P.E.  
Colorado Member

---

date

**APPLICATION FOR APPROVAL OF AN AUGMENTATION  
PLAN AND RELATED ACCOUNTING PROCEDURES UNDER  
SUBSECTION III.B.I.K. OF THE FINAL SETTLEMENT  
STIPULATION IN KANSAS V. NEBRASKA AND COLORADO,  
NO. 126, ORIGINAL**

**The Republican River  
Compact Compliance Pipeline**

**Submitted by**

**The State of Colorado**

**And**

**The Republican River Water Conservation District, acting by and  
through its Water Activity Enterprise**

**March 2008**

STATE OF COLORADO  
DIVISION OF WATER RESOURCES  
1313 Sherman Street, Room 818  
Denver, Colorado 80203  
(303) 866-3581

Colorado Compact Commissioner  
Colorado Engineer Advisor

Dick Wolfe  
Ken Knox

REPUBLICAN RIVER WATER CONSERVATION DISTRICT  
410 MAIN STREET, SUITE 8  
WRAY, COLORADO 80758  
(970) 332-3552

#### BOARD MEMBERS

Dennis Coryell, President  
Kim Killin, Vice President  
Tim Pautler, Secretary  
Rick Seedorf, Treasurer  
Eugene Bauerle  
Grant Bledsoe  
Jack Dowell  
Raymond Enderson  
Jay Harris  
Garry Kramer  
Steve Kramer  
Bruce Latoski  
Stan Laybourn  
Wayne Skold  
Greg Terrell

#### MANAGEMENT AND STAFF

Stan Murphy, General Manager  
Dana Barnett, Administrative Assistant

## CONSULTING ENGINEERS

### Pipeline Design and Construction

Richard Westmore, P.E.  
Steven Townsley, P.E.  
GEI Consultants, Inc.  
6950 S. Potomac St., Suite 300  
Centennial, CO 80112-4050  
(303) 662-0100

### Water Rights and Hydrogeology

James E. Slattery, P.E.  
Slattery Aqua Engineering LLC  
8357 Windhaven Drive  
Parker, CO 80134  
(720) 851-1619

Randy Hendrix, P.E.  
Helton & Williamsen, P.C.  
384 Inverness Parkway, Suite 144  
Englewood, CO 80112  
(303) 792-2161

## TABLE OF CONTENTS

1.0	INTRODUCTION .....	1
1.1.	The Republican River Compact Compliance Pipeline .....	1
1.2.	Project Sponsor – The Republican River Water Conservation District, acting by and through its Water Activity Enterprise.....	2
2.0	AUGMENTATION PLAN AND RELATED ACCOUNTING PROCEDURES .....	3
3.0	ENGINEERING ANALYSIS FOR THE COMPACT COMPLIANCE PIPELINE.....	4
3.1.	Water Quality .....	5
3.2.	Pipeline Design.....	5
4.0	REQUEST FOR APPROVAL .....	7

**LIST OF TABLES (follow text)**

- Table 1: Rights to Designated Groundwater Purchased by the RRWCD WAE
- Table 2: Comparison of stream water quality in the North Fork to the ground water quality in the Ogallala Formation.
- Table 3: Cost Estimate for the Compact Compliance Pipeline Project
- Table 4: Compact Compliance Pipeline Key Milestone Dates.

**LIST OF FIGURES (follow Tables)**

- Figure 1: General Location Map
- Figure 2: Republican River Water Conservation District Boundaries
- Figure 3: Location Map of Irrigated Lands and Compact Compliance Pipeline
- Figure 4: Irrigated Lands and Alternate Points of Diversions

## **1.0 INTRODUCTION**

### **1.1. The Republican River Compact Compliance Pipeline**

Subsection III.B.1.k of the Final Settlement Stipulation in *Kansas v. Nebraska and Colorado*, No. 126, Original (U.S. Sup. Court) allows the acquisition or construction of wells for the purpose of offsetting stream depletions in order to comply with a State's Compact Allocations. Subsection III.B.1.k states that these wells "shall not cause any new net depletion to stream flow either annually or long-term." It further states: "The determination of net depletions from these Wells will be computed by the RRCA Groundwater Model and included in the State's Computed Beneficial Consumptive Use. Augmentation plans and related accounting procedures submitted under this Subsection III.B.1.k shall be approved by the RRCA [Republican River Compact Administration] prior to implementation."

The Republican River Water Conservation District (RRWCD) was formed in 2004 to assist the State of Colorado to comply with the Compact, and the RRWCD, acting through its Water Activity Enterprise (WAE), has entered into contracts to purchase rights to ground water located north of the North Fork of the Republican River in the Republican River Basin in Colorado. These rights have an historical consumptive use of approximately 15,000 acre-feet per year. The RRWCD WAE is currently in the process of completing the engineering design of a 12.7 mile Compact Compliance Pipeline to deliver this water to the North Fork of the Republican River to offset stream depletions in order to comply with Colorado's Compact Allocations. The general location of the compact compliance pipeline is shown in Figure 1. The design is scheduled for completion in August of this year. Selection of the construction contractor is anticipated to be finalized by the first of October and construction on the pipeline and related facilities will commence in November. Construction of the pipeline is scheduled for completion of June of 2009 and approximately 11,000 ac-ft will be delivered between June and December to allow Colorado to meet its compact obligation in 2009.

The RRWCD WAE has applied for, and received preliminary approval, a \$60.6 million loan from the Colorado Water Conservation Board Water Project Construction Fund to purchase these rights to and to construct the Compact Compliance Pipeline to offset stream depletions in order to comply within Colorado's Compact Allocations.

The State of Colorado on behalf of the RRWCD WAE requests that the RRCA approve an augmentation plan and related accounting procedures described in this

application under Subsection III.B.1.k of the Final Settlement Stipulation for the Republican River Compact Compliance Pipeline.

## **1.2. Project Sponsor – The Republican River Water Conservation District, acting by and through its Water Activity Enterprise**

The RRWCD is managed and controlled by a 15-member board of directors comprised of one member appointed by the county commissioners of each of the seven counties wholly or partially within the RRWCD, one member appointed by the boards of the seven ground water management districts within the RRWCD, and one member appointed by the Colorado Ground Water Commission. The RRWCD Board of Directors established the RRWCD Water Activity Enterprise (WAE) in October 2004.

The RRWCD Board of Directors imposed a use fee on the diversion of water within the District of \$5.50 per assessed irrigated acre on diversions of ground water for irrigation use by post-compact wells within the District. The RRWCD Board recently increased the use fee to \$14.50 per assessed irrigated acre to pay for the Republican River Compact Compliance Pipeline. There are approximately 500,500 assessed irrigated acres in the basin irrigated by post-compact wells and the RRWCD fee will generate approximately \$7.3 million per year for operating expenses and to pay back the loans used to acquire the water rights and construct the compact compliance pipeline.

The RRWCD WAE uses a portion of the revenues collected from use fees to provide local cost-sharing for federal programs designed to retire irrigated acreage in the basin, including the Republican River Conservation Reserve Enhancement Program (CREP) and the Environmental Quality Improvement Program (EQIP). To date, approximately 30,000 irrigated acres have been voluntarily retired in the basin under CREP and EQIP, or approximately five percent (5%) of the irrigated acreage in the basin. An amendment to the Republican River CREP designed to retire an additional 30,000 irrigated acres has been submitted to the U.S. Department of Agriculture for approval. The RRWCD WAE has committed to provide local cost-sharing for a second Republican River CREP amendment that is proposed to retire an additional 30,000 acres. The CREP program is an important part of the RRWCD efforts to implement conservation measures in the basin to reduce groundwater pumping in Colorado to assist in meeting compact compliance obligations.

The RRWCD is located in northeastern Colorado and includes all of Yuma and Phillips Counties and those portions of Kit Carson, Lincoln, Logan, Sedgwick, and Washington Counties that overlie the Ogallala Aquifer. The RRWCD encompasses about 7,761 square miles or about 7.5% of Colorado's 104,247 square miles. There is currently about 545,000 irrigated acres within the Ogallala Aquifer in Colorado with 500,500 irrigated acres located within the RRWCD boundaries. With the exception of approximately 3,000 acres irrigated by surface water, virtually all the acreage in the basin is irrigated with ground water from the Ogallala Aquifer. A map of the RRWCD boundaries is shown in Figure 2.

## **2.0 AUGMENTATION PLAN AND RELATED ACCOUNTING PROCEDURES**

The State of Colorado has exceeded its compact allocation by approximately 11,000 ac-ft/yr for period of 2003-2007. In order to comply with the State of Colorado's Compact Allocations, the RRWCD WAE has entered into contracts to acquire ground water rights that were historically used for irrigation in the Republican River Basin. The location of the lands that were historically irrigated with the water rights acquired by the RRWCD WAE is shown in Figures 3 and 4.

The RRWCD WAE will change the use of these existing rights and consolidate these rights at fifteen existing Republican River Compact Compliance Wells (Compact Compliance Wells) that will be used for the sole purpose of offsetting stream depletions in order to comply with the State of Colorado's Compact Allocations. Initially only eight of the wells will be active with an additional seven existing wells that will serve as backup if additional well capacity is needed in the future. The locations of the 15 wells are shown in Figure 4 (wells A1 through A8 are the initial wells, and the wells numbered B1 through B7 are the backup wells).

The compact compliance wells are located in the area of the Ogallala Aquifer in Colorado that has the greatest saturated thickness. The wells typically have 250 to 300 feet of saturated thickness. The well field is also located in the sand hills region of Colorado that has the highest recharge rates of any location in the Republican River Basin.

The Computed Beneficial Consumptive Use of the compact compliance wells, specifically the ground water impacts of these wells upon the stream system, will be

determined by use of the RRCA Groundwater Model as the difference in streamflows using two runs of the model that is consistent with Section III.D.1 of the Republican River Compact Administration Accounting Procedures and Reporting Requirements.

The historical consumptive use of the rights that will be diverted at the Compact Compliance Wells was determined based on irrigation system and pump efficiency tests, power records, and crop records for ten year period from 1998 to 2007 as summarized in Table 1. The procedures for changing the use of existing rights to designated ground water based on historical consumptive use are established in the current Colorado Ground Water Commission rules. The Compact Compliance Wells will cause no new net depletions because pumping will be limited to the historical consumptive use of the existing rights.

The pumping under this plan for augmentation will be limited to the historical consumptive use of existing groundwater rights as determined by the Colorado Ground Water Commission pursuant to its rules and regulations, which permit banking of ground water once a change has been based on historical consumptive use. Pumping from the Compact Compliance Wells will be metered and included in the RRCA Groundwater Motel. The groundwater pumped by the Compact Compliance Wells will be delivered by a pipeline to the North Fork of the Republican River a short distance upstream from the streamflow gage at the Colorado-Nebraska state line (USGS gaging station number 06823000, North Fork Republican River at the Colorado-Nebraska State Line). The augmentation discharge will be measured and subtracted from the gaged flow of the North Fork of the Republican River to calculate the Annual Virgin Water Supply. The augmentation discharge to the North Fork of the Republican River from the Compact Consumptive Pipeline will be the Augmentation Credit for the purpose of offsetting stream depletions to comply with the State of Colorado's Compact Allocations and shall be counted as a credit/offset against the Computed Beneficial Consumptive use of water allocated to Colorado

### **3.0 ENGINEERING ANALYSIS FOR THE COMPACT COMPLIANCE PIPELINE**

Approximately 11,000 acre-feet of water per year needs to be supplied by the compact compliance pipeline to meet Colorado's Compact obligation. The initial capacity of the main trunk of the pipeline will be 15,000 acre-feet per year using a nine-month delivery season. The pipeline is being designed so that it will be capable of

delivering up to 25,000 ac-ft/yr by adding a pumping facility to deliver the water under a higher pressure.

### **3.1. Water Quality**

All of the streamflow in the North Fork of the Republican River, with the exception of the occasional rainstorm event, is derived from groundwater inflow from the Ogallala Aquifer. The compact compliance pipeline will deliver groundwater from the Ogallala aquifer to the North Fork of the Republican River at the state line. Table 2 presents the ground water quality of the Ogallala aquifer relative to the water quality standards for the North Fork of the Republican River, as published by the Colorado Water Quality Control Commission. The water quality of the Ogallala Aquifer meets or exceeds drinking water standards. This is to be expected because the groundwater management districts in Colorado carefully monitor the water quality in the Ogallala Aquifer since the groundwater supplies agriculture uses along with domestic, municipal, and industrial uses. Thus, the water quality of ground water for the Republican River Compact Compliance Pipeline is appropriate for delivery to the North Fork of the Republican River to offset stream depletions.

### **3.2. Pipeline Design**

The RRWCD WAE contracted with GEI Consultants to perform a preliminary feasibility study for the design of a compact compliance pipeline. The \$50,000 study was completed in January of 2008. Based on the recommendations in this report, the RRWCD WAE has contracted with GEI Consultants to proceed with the final design of the compact compliance pipeline. The final design of the compact compliance pipeline is scheduled to be completion in August of 2008 and is budgeted to cost approximately \$1 million dollars.

The preliminary design of the Republican River Compact Compliance Pipeline has been completed and is summarized in the following paragraphs. This summary is based on the preliminary design and the design refinements made in the last two months. The final design is currently under way and the general description included in this report will probably somewhat in the next few months as the design is finalized.

The well field to pump the water will consist of 8 wells numbered A1 through A8 as shown in Figure 4. The design of the pipeline will also allow for an additional 7 wells

numbered B1 through B7 in Figure 4. These 7 additional wells will not initially be connected to the pipeline, but are available for future use if needed.

Water pumped from the individual wells will be collected in a series of pipes that will vary in size from 12" to 18" and the water will then be conveyed to a 1 million gallon re-regulating storage tank. The storage tank will provide reserve capacity allowing the main pipeline to operate for 2 hours at two-thirds capacity with no inflow to the tank from the well field. The storage tank will also provide protection of the main pipeline from surge and negative pressures that could develop if the main pipeline were connected directly to the well field collection system.

From the storage tank the water will flow by gravity through the main water 36-inch diameter conveyance pipeline approximately 12.7 miles to the North Fork of the Republican River following the general alignment shown on Figure 3. Releases from the tank will be regulated by a valve located near the tank, and an ultra-sonic flow meter will be provided approximately 30 feet downstream of the release valve. The main conveyance pipeline will be designed so that a pump could be added at the outlet of the storage tank to increase the capacity of the pipeline to approximately 25,000 ac-ft/yr in the future.

At this time, the most likely type of pipe material is PVC. The pipeline will be buried with minimum cover of three feet above the crown of the pipe. To assure integrity, the pipe will be properly bedded prior to filling the trench with well-compacted backfill. Access manholes, air release valves, and drain valves will be provided at appropriate locations along the pipeline, as determined during the final design and confirmed during construction.

Table 3 contains summaries of the preliminary cost estimates developed by GEI during the preliminary feasibility study for the Compact Compliance Pipeline project. The final cost estimates will be dependent upon the final design and the bids received by the contractors. The key milestone dates discussed in previous sections of this report are summarized Table 4. Achieving this schedule will enable full delivery of water to begin in the latter part of June 2009. The project should be able to deliver close to 11,000 acre-feet of water in by year-end 2009.

#### **4.0 REQUEST FOR APPROVAL**

The State of Colorado on behalf of the RRWCD WAE requests that RRCA approve an augmentation plan and related accounting procedures described above under Subsection III.B.1.k of the Final Settlement Stipulation for the Republican River Compact Compliance Pipeline.

# Republican River Compact Administration

## ACCOUNTING PROCEDURES

AND

## REPORTING REQUIREMENTS

Revised July 27, 2005

Updated November 7, 2008

Colorado Proposal  
Updated January 26, 2009

## Table of Contents

I. Introduction .....	5
II. Definitions.....	5
III. Basic Formulas.....	10
A. Calculation of Annual Virgin Water Supply.....	11
1. Sub-basin calculation: .....	11
2. Main Stem Calculation: .....	12
3. Imported Water Supply Credit Calculation: .....	12
4. <u>Augmentation Supply Credit</u> .....	
B. Calculation of Computed Water Supply .....	12
1. Flood Flows .....	13
C. Calculation of Annual Allocations.....	13
D. Calculation of Annual Computed Beneficial Consumptive Use .....	14
1. Groundwater .....	14
2. Surface Water.....	15
E. Calculation to Determine Compact Compliance Using Five-Year Running Averages .....	15
F. Calculations To Determine Colorado's and Kansas's Compliance with the Sub-basin Non-Impairment Requirement .....	15
G. Calculations To Determine Projected Water Supply .....	15
1. Procedures to Determine Water Short Years .....	16
2. Procedures to Determine 130,000 Acre Feet Projected Water Supply .....	17
H. Calculation of Computed Water Supply, Allocations and Computed Beneficial Consumptive Use Above and Below Guide Rock During Water-Short Administration Years.....	17
I. Calculation of Imported Water Supply Credits During Water-Short Year Administration Years. ....	18
1. Monthly Imported Water Supply Credits .....	18
2. Imported Water Supply Credits Above Harlan County Dam .....	18
3. Imported Water Supply Credits Between Harlan County Dam and Guide Rock During the Irrigation Season .....	18
4. Imported Water Supply Credits Between Harlan County Dam and Guide Rock During the Non-Irrigation Season .....	19
5. Other Credits .....	20
J. Calculations of Compact Compliance in Water-Short Year Administration Years.....	20
IV. Specific Formulas .....	21
A. Computed Beneficial Consumptive Use.....	21
1. Computed Beneficial Consumptive Use of Groundwater: .....	21
2. Computed Beneficial Consumptive Use of Surface Water: .....	21

a)	Non-Federal Canals .....	21
b)	Individual Surface Water Pumps .....	21
c)	Federal Canals.....	21
d)	Non-irrigation Uses.....	22
e)	Evaporation from Federal Reservoirs .....	22
(1)	Harlan County Lake, Evaporation Calculation.....	22
(2)	Evaporation Computations for Bureau of Reclamation Reservoirs.....	24
f)	Non-Federal Reservoir Evaporation: .....	25
B.	Specific Formulas for Each Sub-basin and the Main Stem.....	26
3.	North Fork of Republican River in Colorado .....	27
4.	Arikaree River 2 .....	27
5.	Buffalo Creek.....	28
6.	Rock Creek.....	28
7.	South Fork Republican River.....	29
8.	Frenchman Creek in Nebraska.....	29
9.	Driftwood Creek .....	30
10.	Red Willow Creek in Nebraska .....	30
11.	Medicine Creek .....	31
12.	Beaver Creek.....	32
13.	Sappa Creek .....	33
14.	Prairie Dog Creek .....	33
15.	The North Fork of the Republican River in Nebraska and the Main Stem of the Republican River between the junction of the North Fork and the Arikaree River and the Republican River near Hardy.....	34
V.	Annual Data/ Information Requirements, Reporting, and Verification.....	38
A.	Annual Reporting.....	38
1.	Surface water diversions and irrigated acreage: .....	38
2.	Groundwater pumping and irrigated acreage:.....	39
3.	Climate information:.....	39
4.	Crop Irrigation Requirements: .....	40
5.	Streamflow Records from State-Maintained Gaging Records: .....	40
6.	Platte River Reservoirs: .....	41
7.	Water Administration Notification: .....	41
8.	Moratorium: .....	41
9.	Non-Federal Reservoirs: .....	42
10.	<u>Augmentation Plans</u> .....	
B.	RRCA Groundwater Model Data Input Files.....	43
C.	Inputs to RRCA Accounting .....	43
1.	Surface Water Information .....	43
2.	Groundwater Information .....	45
3.	Summary .....	45

D. Verification .....	45
1. Documentation to be Available for Inspection Upon Request .....	45
2. Site Inspection.....	45
 TABLES .....	 46
Table 1: Annual Virgin and Computed Water Supply, Allocations and Computed Beneficial Consumptive Uses by State, Main Stem and Sub-basin .....	46
Table 2: Original Compact Virgin Water Supply and Allocations.....	47
Table 3A: Table to Be Used to Calculate Colorado's Five-Year Running Average Allocation and Computed Beneficial Consumptive Use for Determining Compact Compliance .....	48
Table 3B. Table to Be Used to Calculate Kansas's Five-Year Running Average Allocation and Computed Beneficial Consumptive Use for Determining Compact Compliance .....	48
Table 3C. Table to Be Used to Calculate Nebraska's Five-Year Running Average Allocation and Computed Beneficial Consumptive Use for Determining Compact Compliance .....	50
Table 4A: Colorado Compliance with the Sub-basin Non-impairment Requirement.....	51
Table 4B: Kansas Compliance with the Sub-basin Non-impairment Requirement .....	51
Table 5A: Colorado Compliance During Water-Short Year Administration .....	53
Table 5B: Kansas Compliance During Water-Short Year Administration.....	53
Table 5C: Nebraska Compliance During Water-Short Year Administration .....	54
Table 5D: Nebraska Compliance Under a Alternative Water-Short Year Administration Plan .	55
Table 5E: Nebraska Tributary Compliance During Water-Short Year Administration .....	55
 FIGURES .....	 56
Basin Map Attached to Compact that Shows the Streams and the Basin Boundaries.....	57
Line Diagram of Designated Drainage Basins Showing Federal Reservoirs and Sub-basin Gaging Stations.....	58
Map Showing Sub-basins, Streams, and the Basin Boundaries.....	59
 ATTACHMENTS.....	 60
Attachment 1: Sub-basin Flood Flow Thresholds .....	60
Attachment 2: Description of the Consensus Plan for Harlan County Lake .....	61
Attachment 3: Inflows to Harlan County Lake 1993 Level of Development.....	67
Attachment 4: Evaporation Loss Harlan County Lake 1993 Level of Development.....	70
Attachment 5: Projected Water Supply Spread Sheet Calculations.....	72
Attachment 6: Computing Water Supplies and Consumptive Use Above Guide Rock.....	74
Attachment 7: Calculations of Return Flows from Bureau of Reclamation Canals.....	75

## **I. Introduction**

This document describes the definitions, procedures, basic formulas, specific formulas, and data requirements and reporting formats to be used by the RRCA to compute the Virgin Water Supply, Computed Water Supply, Allocations, Imported Water Supply Credit, Augmentation Water Supply Credit, and Computed Beneficial Consumptive Use. These computations shall be used to determine supply, allocations, use and compliance with the Compact according to the Stipulation. These definitions, procedures, basic and specific formulas, data requirements and attachments may be changed by consent of the RRCA consistent with Subsection I.F of the Stipulation. This document will be referred to as the RRCA Accounting Procedures. Attached to these RRCA Accounting Procedures as Figure 1 is the map attached to the Compact that shows the Basin, its streams and the Basin boundaries.

## **II. Definitions**

The following words and phrases as used in these RRCA Accounting Procedures are defined as follows:

**Additional Water Administration Year** - a year when the projected or actual irrigation water supply is less than 130,000 Acre-feet of storage available for use from Harlan County Lake as determined by the Bureau of Reclamation using the methodology described in the Harlan County Lake Operation Consensus Plan attached as Appendix K to the Stipulation.

**Allocation(s)**: the water supply allocated to each State from the Computed Water Supply;

**Annual**: yearly from January 1 through December 31;

**Augmentation Plan**: a detailed program used by a State to offset stream depletions in order to comply with its Compact Allocations. An Augmentation Plan shall be approved by the RRCA prior to implementation in accordance with Subsection III.B.1.k of the Stipulation;

**Augmentation Water Supply**: the water supply developed through the acquisition or construction of wells for the sole purpose of offsetting stream depletions in order to comply with a State's Compact Allocations in conformance with an Augmentation Plan;

**Augmentation Water Supply Credit**: the amount of water measured and discharged to the stream flow of a Designated Drainage Basin due to the acquisition or construction of wells for the purpose of offsetting stream depletions to comply with a States' Compact Allocation in conformance with an Augmentation Plan. The Augmentation Water Supply Credit of a State shall not be included in the Virgin Water Supply in the Designated Drainage Basin and shall be counted as a credit/offset against the Computed Beneficial Consumptive Use of water allocated to that State;

**Basin:** the Republican River Basin as defined in Article II of the Compact;

**Beneficial Consumptive Use:** that use by which the Water Supply of the Basin is consumed through the activities of man, and shall include water consumed by evaporation from any reservoir, canal, ditch, or irrigated area;

**Change in Federal Reservoir Storage:** the difference between the amount of water in storage in the reservoir on December 31 of each year and the amount of water in storage on December 31 of the previous year. The current area capacity table supplied by the appropriate federal operating agency shall be used to determine the contents of the reservoir on each date;

**Compact:** the Republican River Compact, Act of February 22, 1943, 1943 Kan. Sess. Laws 612, codified at Kan. Stat. Ann. § 82a-518 (1997); Act of February 24, 1943, 1943 Neb. Laws 377, codified at 2A Neb. Rev. Stat. App. § 1-106 (1995), Act of March 15, 1943, 1943 Colo. Sess. Laws 362, codified at Colo. Rev. Stat. §§ 37-67-101 and 37-67-102 (2001); Republican River Compact, Act of May 26, 1943, ch. 104, 57 Stat. 86;

**Computed Beneficial Consumptive Use:** for purposes of Compact accounting, the stream flow depletion resulting from the following activities of man:

- Irrigation of lands in excess of two acres;
- Any non-irrigation diversion of more than 50 Acre-feet per year;
- Multiple diversions of 50 Acre-feet or less that are connected or otherwise combined to serve a single project will be considered as a single diversion for accounting purposes if they total more than 50 Acre-feet;
- Net evaporation from Federal Reservoirs;
- Net evaporation from Non-federal Reservoirs within the surface boundaries of the Basin;
- Any other activities that may be included by amendment of these formulas by the RRCA;

**Computed Water Supply:** the Virgin Water Supply less the Change in Federal Reservoir Storage in any Designated Drainage Basin, and less the Flood Flows;

**Designated Drainage Basins:** the drainage basins of the specific tributaries and the Main Stem of the Republican River as described in Article III of the Compact. Attached hereto as Figure 3 is a map of the Sub-basins and Main Stem;

**Dewatering Well:** a Well constructed solely for the purpose of lowering the groundwater elevation;

**Federal Reservoirs:**

Bonny Reservoir

Swanson Lake  
Enders Reservoir  
Hugh Butler Lake  
Harry Strunk Lake  
Keith Sebelius Lake  
Harlan County Lake  
Lovewell Reservoir

**Flood Flows:** the amount of water deducted from the Virgin Water Supply as part of the computation of the Computed Water Supply due to a flood event as determined by the methodology described in Subsection III.B.1.;

**Gaged Flow:** the measured flow at the designated stream gage;

**Guide Rock:** a point at the Superior-Courtland Diversion Dam on the Republican River near Guide Rock, Nebraska; the Superior-Courtland Diversion Dam gage plus any flows through the sluice gates of the dam, specifically excluding any diversions to the Superior and Courtland Canals, shall be the measure of flows at Guide Rock;

**Historic Consumptive Use:** that amount of water that has been consumed under appropriate and reasonably efficient practices to accomplish without waste the purposes for which the appropriation or other legally permitted use was lawfully made;

**Imported Water Supply:** the water supply imported by a State from outside the Basin resulting from the activities of man;

**Imported Water Supply Credit:** the accretions to stream flow due to water imports from outside of the Basin as computed by the RRCA Groundwater Model. The Imported Water Supply Credit of a State shall not be included in the Virgin Water Supply and shall be counted as a credit/offset against the Computed Beneficial Consumptive Use of water allocated to that State, except as provided in Subsection V.B.2. of the Stipulation and Subsections III.I. – J. of these RRCA Accounting Procedures;

**Main Stem:** the Designated Drainage Basin identified in Article III of the Compact as the North Fork of the Republican River in Nebraska and the main stem of the Republican River between the junction of the North Fork and the Arikaree River and the lowest crossing of the river at the Nebraska-Kansas state line and the small tributaries thereof, and also including the drainage basin Blackwood Creek;

**Main Stem Allocation:** the portion of the Computed Water Supply derived from the Main Stem and the Unallocated Supply derived from the Sub-basins as shared by Kansas and Nebraska;

**Meeting(s):** a meeting of the RRCA, including any regularly scheduled annual meeting or any special meeting;

**Modeling Committee:** the modeling committee established in Subsection IV.C. of the Stipulation;

**Moratorium:** the prohibition and limitations on construction of new Wells in the geographic area described in Section III. of the Stipulation;

**Non-federal Reservoirs:** reservoirs other than Federal Reservoirs that have a storage capacity of 15 Acre-feet or greater at the principal spillway elevation;

**Northwest Kansas:** those portions of the Sub-basins within Kansas;

**Replacement Well:** a Well that replaces an existing Well that a) will not be used after construction of the new Well and b) will be abandoned within one year after such construction or is used in a manner that is excepted from the Moratorium pursuant to Subsections III.B.1.c.-f. of the Stipulation;

**RRCA:** Republican River Compact Administration, the administrative body composed of the State officials identified in Article IX of the Compact;

**RRCA Accounting Procedures:** this document and all attachments hereto;

**RRCA Groundwater Model:** the groundwater model developed under the provisions of Subsection IV.C. of the Stipulation and as subsequently adopted and revised through action of the RRCA;

**State:** any of the States of Colorado, Kansas, and Nebraska;

**States:** the States of Colorado, Kansas and Nebraska;

**Stipulation:** the Final Settlement Stipulation to be filed in *Kansas v. Nebraska and Colorado*, No. 126, Original, including all Appendices attached thereto;

**Sub-basin:** the Designated Drainage Basins, except for the Main Stem, identified in Article III of the Compact. For purposes of Compact accounting the following Sub-basins will be defined as described below:

North Fork of the Republican River in Colorado drainage basin is that drainage area above USGS gaging station number 06823000, North Fork Republican River at the Colorado-Nebraska State Line,

Arikaree River drainage basin is that drainage area above USGS gaging station number 06821500, Arikaree River at Haigler, Nebraska,

Buffalo Creek drainage basin is that drainage area above USGS gaging station number 06823500, Buffalo Creek near Haigler, Nebraska,

Rock Creek drainage basin is that drainage area above USGS gaging station number 06824000, Rock Creek at Parks, Nebraska,

South Fork of the Republican River drainage basin is that drainage area above USGS gaging station number 06827500, South Fork Republican River near Benkelman, Nebraska,

Frenchman Creek (River) drainage basin in Nebraska is that drainage area above USGS gaging station number 06835500, Frenchman Creek in Culbertson, Nebraska,

Driftwood Creek drainage basin is that drainage area above USGS gaging station number 06836500, Driftwood Creek near McCook, Nebraska,

Red Willow Creek drainage basin is that drainage area above USGS gaging station number 06838000, Red Willow Creek near Red Willow, Nebraska,

Medicine Creek drainage basin is that drainage area above the Medicine Creek below Harry Strunk Lake, State of Nebraska gaging station number 06842500; and the drainage area between the gage and the confluence with the Main Stem,

Sappa Creek drainage basin is that drainage area above USGS gaging station number 06847500, Sappa Creek near Stamford, Nebraska and the drainage area between the gage and the confluence with the Main Stem; and excluding the Beaver Creek drainage basin area downstream from the State of Nebraska gaging station number 06847000 Beaver Creek near Beaver City, Nebraska to the confluence with Sappa Creek,

Beaver Creek drainage basin is that drainage area above State of Nebraska gaging station number 06847000, Beaver Creek near Beaver City, Nebraska, and the drainage area between the gage and the confluence with Sappa Creek,

Prairie Dog Creek drainage basin is that drainage area above USGS gaging station number 06848500, Prairie Dog Creek near Woodruff, Kansas, and the drainage area between the gage and the confluence with the Main Stem;

Attached hereto as Figure 2 is a line diagram depicting the streams, Federal Reservoirs and gaging stations;

**Test hole:** a hole designed solely for the purpose of obtaining information on hydrologic and/or geologic conditions;

**Trenton Dam:** a dam located at 40 degrees, 10 minutes, 10 seconds latitude and 101 degrees, 3 minutes, 35 seconds longitude, approximately two and one-half miles west of the town of Trenton, Nebraska;

**Unallocated Supply:** the “water supplies of upstream basins otherwise unallocated” as set forth in Article IV of the Compact;

**Upstream of Guide Rock, Nebraska:** those areas within the Basin lying west of a line proceeding north from the Nebraska-Kansas state line and following the western edge of Webster County, Township 1, Range 9, Sections 34, 27, 22, 15, 10 and 3 through Webster County, Township 2, Range 9, Sections 34, 27 and 22; then proceeding west along the southern edge of Webster County, Township 2, Range 9, Sections 16, 17 and 18; then proceeding north following the western edge of Webster County, Township 2, Range 9, Sections 18, 7 and 6, through Webster County, Township 3, Range 9, Sections 31, 30, 19, 18, 7 and 6 to its intersection with the northern boundary of Webster County. Upstream of Guide Rock, Nebraska shall not include that area in Kansas east of the 99° meridian and south of the Kansas-Nebraska state line;

**Virgin Water Supply:** the Water Supply within the Basin undepleted by the activities of man;

**Water Short Year Administration:** administration in a year when the projected or actual irrigation water supply is less than 119,000 acre feet of storage available for use from Harlan County Lake as determined by the Bureau of Reclamation using the methodology described in the Harlan County Lake Operation Consensus Plan attached as Appendix K to the Stipulation.

**Water Supply of the Basin or Water Supply within the Basin:** the stream flows within the Basin, excluding Imported Water Supply;

**Well:** any structure, device or excavation for the purpose or with the effect of obtaining groundwater for beneficial use from an aquifer, including wells, water wells, or groundwater wells as further defined and used in each State’s laws, rules, and regulations.

### **III. Basic Formulas**

The basic formulas for calculating Virgin Water Supply, Computed Water Supply, Imported Water Supply, Allocations and Computed Beneficial Consumptive Use are set forth below. The results of these calculations shall be shown in a table format as shown in Table 1.

Basic Formulas for Calculating Virgin Water Supply, Computed Water Supply, Allocations and Computed Beneficial Consumptive Use
--

Sub-basin VWS	=	Gage + All CBCU <u>- AWS</u> + ΔS - IWS
Main Stem VWS	=	Hardy Gage - Σ Sub-basin gages + All CBCU in the Main Stem + ΔS - IWS
CWS	=	VWS - Δ S - FF
Allocation for each State in each Sub-basin And Main Stem	=	CWS x %
State's Allocation	=	Σ Allocations for Each State
State's CBCU	=	Σ State's CBCUs in each Sub-basin and Main Stem

Abbreviations:

AWS = Augmentation Water Supply Credit

CBCU = Computed Beneficial Consumptive Use

FF = Flood Flows

Gage = Gaged Flow

IWS = Imported Water Supply Credit

CWS = Computed Water Supply

VWS = Virgin Water Supply

% = the ratio used to allocate the Computed Water Supply between the States. This ratio is based on the allocations in the Compact

Δ S = Change in Federal Reservoir Storage

## A. Calculation of Annual Virgin Water Supply

### 1. Sub-basin calculation:

The annual Virgin Water Supply for each Sub-basin will be calculated by adding: a) the annual stream flow in that Sub-basin at the Sub-basin stream gage designated in Section II., b) the annual Computed Beneficial Consumptive Use above that gaging station, and c) the Change in Federal Reservoir Storage in that Sub-basin; and from that total subtract any Imported Water Supply Credit and any Augmentation Water Supply Credit. The Computed Beneficial Consumptive Use will be calculated as described in Subsection III. D. Adjustments for flows diverted around stream gages and for Computed Beneficial Consumptive Uses in the Sub-basin between the Sub-basin stream gage and the confluence of the Sub-basin tributary and the Main Stem shall be made as described in Subsections III. D. 1 and 2 and IV. B.

## **2. Main Stem Calculation:**

The annual Virgin Water Supply for the Main Stem will be calculated by adding: a) the flow at the Hardy gage minus the flows from the Sub-basin gages listed in Section II, b) the annual Computed Beneficial Consumptive Use in the Main Stem, and c) the Change in Federal Reservoir Storage from Swanson Lake and Harlan County Lake; and from that total subtract any Imported Water Supply Credit for the Main Stem. Adjustments for flows diverted around Sub-basin stream gages and for Computed Beneficial Consumptive Uses in a Sub-basin between the Sub-basin stream gage and the confluence of the Sub-basin tributary and the Mains Stem shall be made as described in Subsections III. D. 1 and 2 and IV.B.,

## **3. Imported Water Supply Credit Calculation:**

The amount of Imported Water Supply Credit shall be determined by the RRCA Groundwater Model. The Imported Water Supply Credit of a State shall not be included in the Virgin Water Supply and shall be counted as a credit/offset against the Computed Beneficial Consumptive Use of water allocated to that State. Currently, the Imported Water Supply Credits shall be determined using two runs of the RRCA Groundwater Model:

- a. The “base” run shall be the run with all groundwater pumping, groundwater pumping recharge, and surface water recharge within the model study boundary for the current accounting year turned “on.” This will be the same “base” run used to determine groundwater Computed Beneficial Consumptive Uses.
- b. The “no NE import” run shall be the run with the same model inputs as the base run with the exception that surface water recharge associated with Nebraska’s Imported Water Supply shall be turned “off.”

The Imported Water Supply Credit shall be the difference in stream flows between these two model runs. Differences in stream flows shall be determined at the same locations as identified in Subsection III.D.1. for the “no pumping” runs. Should another State import water into the Basin in the future, the RRCA will develop a similar procedure to determine Imported Water Supply Credits.

## **4. Augmentation Water Supply Credit:**

The amount of Augmentation Water Supply Credit shall be the quantity of water delivered to the stream flow of a Designated Drainage Basin and shall be measured and subtracted from the Gaged Flow of the Designated Drainage Basin to calculate the Annual Virgin Water Supply. The Augmentation Water Supply Credit of a State shall not be included in the Annual Virgin Water Supply and shall be counted as a credit/offset against the Computed Beneficial Consumptive Use of water

allocated to that State.

## **B. Calculation of Computed Water Supply**

On any Designated Drainage Basin without a Federal Reservoir, the Computed Water Supply will be equal to the Virgin Water Supply of that Designated Drainage Basin minus Flood Flows.

On any Designated Drainage Basin with a Federal Reservoir, the Computed Water Supply will be equal to the Virgin Water Supply minus the Change in Federal Reservoir Storage in that Designated Drainage Basin and minus Flood Flows.

### **1. Flood Flows**

If in any calendar year there are five consecutive months in which the total actual stream flow<sup>1</sup> at the Hardy gage is greater than 325,000 Acre-feet, or any two consecutive months in which the total actual stream flow is greater than 200,000 Acre-feet, the annual flow in excess of 400,000 Acre-feet at the Hardy gage will be considered to be Flood Flows that will be subtracted from the Virgin Water Supply to calculate the Computed Water Supply, and Allocations. The Flood Flow in excess of 400,000 Acre-feet at the Hardy gage will be subtracted from the Virgin Water Supply of the Main Stem to compute the Computed Water Supply unless the Annual Gaged Flows from a Sub-basin were in excess of the flows shown for that Sub-basin in Attachment 1. These excess Sub-basin flows shall be considered to be Sub-basin Flood Flows.

If there are Sub-basin Flood Flows, the total of all Sub-basin Flood Flows shall be compared to the amount of Flood Flows at the Hardy gage. If the sum of the Sub-basin Flood Flows are in excess of the Flood Flow at the Hardy gage, the flows to be deducted from each Sub-basin shall be the product of the Flood Flows for each Sub-basin times the ratio of the Flood Flows at the Hardy gage divided by the sum of the Flood Flows of the Sub-basin gages. If the sum of the Sub-basin Flood Flows is less than the Flood Flow at the Hardy gage, the entire amount of each Sub-basin Flood Flow shall be deducted from the Virgin Water Supply to compute the Computed Water Supply of that Sub-basin for that year. The remainder of the Flood Flows will be subtracted from the flows of the Main Stem.

## **C. Calculation of Annual Allocations**

<sup>1</sup> These actual stream flows reflect Gaged Flows after depletions by Beneficial Consumptive Use and change in reservoir storage above the gage.

Article IV of the Compact allocates 54,100 Acre-feet for Beneficial Consumptive Use in Colorado, 190,300 Acre-feet for Beneficial Consumptive Use in Kansas and 234,500 Acre-feet for Beneficial Consumptive Use in Nebraska. The Compact provides that the Compact totals are to be derived from the sources and in the amounts specified in Table 2.

The Allocations derived from each Sub-basin to each State shall be the Computed Water Supply multiplied by the percentages set forth in Table 2. In addition, Kansas shall receive 51.1% of the Main Stem Allocation and the Unallocated Supply and Nebraska shall receive 48.9% of the Main Stem Allocation and the Unallocated Supply.

#### **D. Calculation of Annual Computed Beneficial Consumptive Use**

##### **1. Groundwater**

Computed Beneficial Consumptive Use of groundwater shall be determined by use of the RRCA Groundwater Model. The Computed Beneficial Consumptive Use of groundwater for each State shall be determined as the difference in streamflows using two runs of the model:

The “base” run shall be the run with all groundwater pumping, groundwater pumping recharge, and surface water recharge within the model study boundary for the current accounting year “on”.

The “no State pumping” run shall be the run with the same model inputs as the base run with the exception that all groundwater pumping and pumping recharge of that State shall be turned “off.”

An output of the model is baseflows at selected stream cells. Changes in the baseflows predicted by the model between the “base” run and the “no-State-pumping” model run is assumed to be the depletions to streamflows. i.e., groundwater computed beneficial consumptive use, due to State groundwater pumping at that location. The values for each Sub-basin will include all depletions and accretions upstream of the confluence with the Main Stem. The values for the Main Stem will include all depletions and accretions in stream reaches not otherwise accounted for in a Sub-basin. The values for the Main Stem will be computed separately for the reach above Guide Rock, and the reach below Guide Rock.

## **2. Surface Water**

The Computed Beneficial Consumptive Use of surface water for irrigation and non-irrigation uses shall be computed by taking the diversions from the river and subtracting the return flows to the river resulting from those diversions, as described in Subsections IV.A.2.a.-d. The Computed Beneficial Consumptive Use of surface water from Federal Reservoir and Non-Federal Reservoir evaporation shall be the net reservoir evaporation from the reservoirs, as described in Subsections IV.A.2.e.-f.

For Sub-basins where the gage designated in Section II. is near the confluence with the Main Stem, each State's Sub-basin Computed Beneficial Consumptive Use of surface water shall be the State's Computed Beneficial Consumptive Use of surface water above the Sub-basin gage. For Medicine Creek, Sappa Creek, Beaver Creek and Prairie Dog Creek, where the gage is not near the confluence with the Main Stem, each State's Computed Beneficial Consumptive Use of surface water shall be the sum of the State's Computed Beneficial Consumptive Use of surface water above the gage, and its Computed Beneficial Consumptive Use of surface water between the gage and the confluence with the Main Stem.

### **E. Calculation to Determine Compact Compliance Using Five-Year Running Averages**

Each year, using the procedures described herein, the RRCA will calculate the Annual Allocations by Designated Drainage Basin and total for each State, the Computed Beneficial Consumptive Use by Designated Drainage Basin and total for each State and the Imported Water Supply Credit [and the Augmentation Water Supply Credit](#) that a State may use for the preceding year. These results for the current Compact accounting year as well as the results of the previous four accounting years and the five-year average of these results will be displayed in the format shown in Table 3.

### **F. Calculations To Determine Colorado's and Kansas's Compliance with the Sub-basin Non-Impairment Requirement**

The data needed to determine Colorado's and Kansas's compliance with the Sub-basin non-impairment requirement in Subsection IV.B.2. of the Stipulation are shown in Tables 4.A. and B.

### **G. Calculations To Determine Projected Water Supply**

## **1. Procedures to Determine Water Short Years**

The Bureau of Reclamation will provide each of the States with a monthly or, if requested by any one of the States, a more frequent update of the projected or actual irrigation supply from Harlan County Lake for that irrigation season using the methodology described in the Harlan County Lake Operation Consensus Plan, attached as Appendix K to the Stipulation. The steps for the calculation are as follows:

Step 1. At the beginning of the calculation month (1) the total projected inflow for the calculation month and each succeeding month through the end of May shall be added to the previous end of month Harlan County Lake content and (2) the total projected 1993 level evaporation loss for the calculation month and each succeeding month through the end of May shall then be subtracted. The total projected inflow shall be the 1993 level average monthly inflow or the running average monthly inflow for the previous five years, whichever is less.

Step 2. Determine the maximum irrigation water available by subtracting the sediment pool storage (currently 164,111 Acre-feet) and adding the summer sediment pool evaporation (20,000 Acre-feet) to the result from Step 1.

Step 3. For October through January calculations, take the result from Step 2 and using the Shared Shortage Adjustment Table in Attachment 2 hereto, determine the preliminary irrigation water available for release. The calculation using the end of December content (January calculation month) indicates the minimum amount of irrigation water available for release at the end of May. For February through June calculations, subtract the maximum irrigation water available for the January calculation month from the maximum irrigation water available for the calculation month. If the result is negative, the irrigation water available for release (January calculation month) stays the same. If the result is positive the preliminary irrigation water available for release (January calculation month) is increased by the positive amount.

Step 4. Compare the result from Step 3 to 119,000 Acre-feet. If the result from Step 3 is less than 119,000 Acre-feet Water Short Year Administration is in effect.

Step 5. The final annual Water-Short Year Administration calculation determines the total estimated irrigation supply at the end of June (calculated in July). Use the result from Step 3 for the end of May irrigation release estimate, add the June computed inflow to Harlan County Lake and subtract the June computed gross evaporation loss from Harlan County Lake.

## **2. Procedures to Determine 130,000 Acre Feet Projected Water Supply**

To determine the preliminary irrigation supply for the October through June calculation months, follow the procedure described in steps 1 through 4 of the “Procedures to determine Water Short Years” Subsection III. G. 1. The result from step 4 provides the forecasted water supply, which is compared to 130,000 Acre-feet. For the July through September calculation months, use the previous end of calculation month preliminary irrigation supply, add the previous month’s Harlan County Lake computed inflow and subtract the previous month’s computed gross evaporation loss from Harlan County Lake to determine the current preliminary irrigation supply. The result is compared to 130,000 Acre-feet.

### **H. Calculation of Computed Water Supply, Allocations and Computed Beneficial Consumptive Use Above and Below Guide Rock During Water-Short Administration Years.**

For Water-Short-Administration Years, in addition to the normal calculations, the Computed Water Supply, Allocations, Computed Beneficial Consumptive Use and Imported Water Supply Credits, and Augmentation Water Supply Credits shall also be calculated above Guide Rock as shown in Table 5C. These calculations shall be done in the same manner as in non-Water-Short Administration years except that water supplies originating below Guide Rock shall not be included in the calculations of water supplies originating above Guide Rock. The calculations of Computed Beneficial Consumptive Uses shall be also done in the same manner as in non-Water-Short Administration years except that Computed Beneficial Consumptive Uses from diversions below Guide Rock shall not be included. The depletions from the water diverted by the Superior and Courtland Canals at the Superior-Courtland Diversion Dam shall be included in the calculations of Computed Beneficial Consumptive Use above Guide Rock. Imported Water Supply Credits and Augmentation Water Supply Credits above Guide Rock, as described in Sub-section III.I., may be used as offsets against the Computed Beneficial Consumptive Use above Guide Rock by the State providing the Imported Water Supply Credits or Augmentation Water Supply Credits.

The Computed Water Supply of the Main Stem reach between Guide Rock and the Hardy gage shall be determined by taking the difference in stream flow at Hardy and Guide Rock, adding Computed Beneficial Consumptive Uses in the reach (this does not include the Computed Beneficial Consumptive Use from the Superior and Courtland Canal diversions), and subtracting return flows from the Superior and Courtland Canals in the reach. The Computed Water Supply above Guide Rock shall be determined by subtracting the Computed Water Supply of the Main Stem reach between Guide Rock and the Hardy gage from the total Computed Water Supply. Nebraska’s Allocation above Guide Rock shall be determined by subtracting 48.9% of the Computed Water Supply of the Main Stem reach between Guide Rock and the Hardy gage from Nebraska’s total Allocation.

Nebraska's Computed Beneficial Consumptive Uses above Guide Rock shall be determined by subtracting Nebraska's Computed Beneficial Consumptive Uses below Guide Rock from Nebraska's total Computed Beneficial Consumptive Use.

### **I. Calculation of Imported Water Supply Credits During Water-Short Year Administration Years.**

Imported Water Supply Credit during Water-Short Year Administration years shall be calculated consistent with Subsection V.B.2.b. of the Stipulation.

The following methodology shall be used to determine the extent to which Imported Water Supply Credit, as calculated by the RRCA Groundwater Model, can be credited to the State importing the water during Water-Short Year Administration years.

#### **1. Monthly Imported Water Supply Credits**

The RRCA Groundwater Model will be used to determine monthly Imported Water Supply Credits by State in each Sub-basin and for the Main Stem. The values for each Sub-basin will include all depletions and accretions upstream of the confluence with the Main Stem. The values for the Main Stem will include all depletions and accretions in stream reaches not otherwise accounted for in a Sub-basin. The values for the Main Stem will be computed separately for the reach 1) above Harlan County Dam, 2) between Harlan County Dam and Guide Rock, and 3) between Guide Rock and the Hardy gage. The Imported Water Supply Credit shall be the difference in stream flow for two runs of the model: a) the "base" run and b) the "no State import" run.

During Water-Short Year Administration years, Nebraska's credits in the Sub-basins shall be determined as described in Section III. A. 3.

#### **2. Imported Water Supply Credits Above Harlan County Dam**

Nebraska's Imported Water Supply Credits above Harlan County Dam shall be the sum of all the credits in the Sub-basins and the Main Stem above Harlan County Dam.

#### **3. Imported Water Supply Credits Between Harlan County Dam and Guide Rock During the Irrigation Season**

- a. During Water-Short Year Administration years, monthly credits in the reach between Harlan County Dam and Guide Rock shall be determined as the differences in the stream flows between the two runs at Guide Rock.
- b. The irrigation season shall be defined as starting on the first day of release of water from Harlan County Lake for irrigation use and ending on the last day of release of water from Harlan County Lake for irrigation use.
- c. Credit as an offset for a State's Computed Beneficial Consumptive Use above Guide Rock will be given to all the Imported Water Supply accruing in the reach between Harlan County Dam and Guide Rock during the irrigation season. If the period of the irrigation season does not coincide with the period of modeled flows, the amount of the Imported Water Supply credited during the irrigation season for that month shall be the total monthly modeled Imported Water Supply Credit times the number of days in the month occurring during the irrigation season divided by the total number of days in the month.

#### **4. Imported Water Supply Credits Between Harlan County Dam and Guide Rock During the Non-Irrigation Season**

- a. Imported Water Supply Credit shall be given between Harlan County Dam and Guide Rock during the period that flows are diverted to fill Lovewell Reservoir to the extent that imported water was needed to meet Lovewell Reservoir target elevations.
- b. Fall and spring fill periods shall be established during which credit shall be given for the Imported Water Supply Credit accruing in the reach. The fall period shall extend from the end of the irrigation season to December 1. The spring period shall extend from March 1 to May 31. The Lovewell target elevations for these fill periods are the projected end of November reservoir level and the projected end of May reservoir level for most probable inflow conditions as indicated in Table 4 in the current Annual Operating Plan prepared by the Bureau of Reclamation.
- c. The amount of water needed to fill Lovewell Reservoir for each period shall be calculated as the storage content of the reservoir at its target elevation at the end of the fill period minus the reservoir content at the start of the fill period plus the amount of net evaporation during this period minus White Rock Creek inflows for the same period.

- d. If the fill period as defined above does not coincide with the period of modeled flows, the amount of the Imported Water Supply Credit during the fill period for that month shall be the total monthly modeled Imported Water Supply Credit times the number of days in the month occurring during the fill season divided by the total number of days in the month.
- e. The amount of non-imported water available to fill Lovewell Reservoir to the target elevation shall be the amount of water available at Guide Rock during the fill period minus the amount of the Imported Water Supply Credit accruing in the reach during the same period.
- f. The amount of the Imported Water Supply Credit that shall be credited against a State's Consumptive Use shall be the amount of water imported by that State that is available in the reach during the fill period or the amount of water needed to reach Lovewell Reservoir target elevations minus the amount of non-imported water available during the fill period, whichever is less.

## 5. Other Credits

Kansas and Nebraska will explore crediting Imported Water Supply that is otherwise useable by Kansas.

## J. Calculations of Compact Compliance in Water-Short Year Administration Years

During Water-Short Year Administration, using the procedures described in Subsections III.A-D, the RRCA will calculate the Annual Allocations for each State, the Computed Beneficial Consumptive Use by each State, ~~the and~~ Imported Water Supply Credit, and the Augmentation Water Supply Credit that a State may use to offset Computed Beneficial Consumptive Use in that year. The resulting annual and average values will be calculated as displayed in Tables 5 A-C and E.

If Nebraska is implementing an Alternative Water-Short-Year Administration Plan, data to determine Compact compliance will be shown in Table 5D. Nebraska's compliance with the Compact will be determined in the same manner as Nebraska's Above Guide Rock compliance except that compliance will be based on a three-year running average of the current year and previous two year calculations. In addition, Table 5 D. will display the sum of the previous two-year difference in Allocations above Guide Rock and Computed Beneficial Consumptive Uses above Guide Rock minus any Imported Water Credits and compare the result with the Alternative Water-Short-Year Administration Plan's expected decrease in Computed Beneficial Consumptive Use above Guide Rock. Nebraska will be within compliance with the Compact as long as the three-year running average difference

in Column 8 is positive and the sum of the previous year and current year deficits above Guide Rock are not greater than the expected decrease in Computed Beneficial Consumptive Use under the plan.

#### **IV. Specific Formulas**

##### **A. Computed Beneficial Consumptive Use**

###### **1. Computed Beneficial Consumptive Use of Groundwater:**

The Computed Beneficial Consumptive Use caused by groundwater diversion shall be determined by the RRCA Groundwater Model as described in Subsection III.D.1.

###### **2. Computed Beneficial Consumptive Use of Surface Water:**

The Computed Beneficial Consumptive Use of surface water shall be calculated as follows:

a) Non-Federal Canals

Computed Beneficial Consumptive Use from diversions by non-federal canals shall be 60 percent of the diversion; the return flow shall be 40 percent of the diversion

b) Individual Surface Water Pumps

Computed Beneficial Consumptive Use from small individual surface water pumps shall be 75 percent of the diversion; return flows will be 25 percent of the diversion unless a state provides data on the amount of different system types in a Sub-basin, in which case the following percentages will be used for each system type:

Gravity Flow.	30%
Center Pivot	17%
LEPA	10%

c) Federal Canals

Computed Beneficial Consumptive Use of diversions by Federal canals will be calculated as shown in Attachment 7. For each Bureau of

Reclamation Canal the field deliveries shall be subtracted from the diversion from the river to determine the canal losses. The field delivery shall be multiplied by one minus an average system efficiency for the district to determine the loss of water from the field. Eighty-two percent of the sum of the field loss plus the canal loss shall be considered to be the return flow from the canal diversion. The assumed field efficiencies and the amount of the field and canal loss that reaches the stream may be reviewed by the RRCA and adjusted as appropriate to insure their accuracy.

d) Non-irrigation Uses

Any non-irrigation uses diverting or pumping more than 50 acre-feet per year will be required to measure diversions. Non-irrigation uses diverting more than 50 Acre-feet per year will be assessed a Computed Beneficial Consumptive Use of 50% of what is pumped or diverted, unless the entity presents evidence to the RRCA demonstrating a different percentage should be used.

e) Evaporation from Federal Reservoirs

Net Evaporation from Federal Reservoirs will be calculated as follows:

(1) Harlan County Lake, Evaporation Calculation

April 1 through October 31:

Evaporation from Harlan County Lake is calculated by the Corps of Engineers on a daily basis from April 1 through October 31. Daily readings are taken from a Class A evaporation pan maintained near the project office. Any precipitation recorded at the project office is added to the pan reading to obtain the actual evaporation amount. The pan value is multiplied by a pan coefficient that varies by month. These values are:

March	.56
April	.52
May	.53
June	.60
July	.68
August	.78
September	.91

October 1.01

The pan coefficients were determined by studies the Corps of Engineers conducted a number of years ago. The result is the evaporation in inches. It is divided by 12 and multiplied by the daily lake surface area in acres to obtain the evaporation in Acre-feet. The lake surface area is determined by the 8:00 a.m. elevation reading applied to the lake's area-capacity data. The area-capacity data is updated periodically through a sediment survey. The last survey was completed in December 2000.

November 1 through March 31

During the winter season, a monthly total evaporation in inches has been determined. The amount varies with the percent of ice cover. The values used are:

#### HARLAN COUNTY LAKE

Estimated Evaporation in Inches  
Winter Season -- Monthly Total

#### PERCENTAGE OF ICE COVER

	0%	10%	20%	30%	40%	50%	60%	70%	80%	90%	100%
JAN	0.88	0.87	0.85	0.84	0.83	0.82	0.81	0.80	0.78	0.77	0.76
FEB	0.90	0.88	0.87	0.86	0.85	0.84	0.83	0.82	0.81	0.80	0.79
MAR	1.29	1.28	1.27	1.26	1.25	1.24	1.23	1.22	1.21	1.20	1.19
OCT	4.87			NO ICE							
NOV	2.81			NO ICE							
DEC	1.31	1.29	1.27	1.25	1.24	1.22	1.20	1.18	1.17	1.16	1.14

The monthly total is divided by the number of days in the month to obtain a daily evaporation value in inches. It is divided by 12 and multiplied by the daily lake surface area in acres to obtain the evaporation in Acre-feet. The lake surface area is determined by the 8:00 a.m. elevation reading applied to the lake's area-capacity data. The area-capacity data is updated periodically through a sediment survey. The last survey was completed in December 2000.

To obtain the net evaporation, the monthly precipitation on the lake is subtracted from the monthly gross evaporation. The monthly precipitation is calculated by multiplying the sum of the month's daily precipitation in inches by the average of the end of the month lake surface area for the previous month and the end of the month lake surface area for the current month in acres and dividing the result by 12 to obtain the precipitation for the month in acre feet.

The total annual net evaporation (Acre-feet) will be charged to Kansas and Nebraska in proportion to the annual diversions made by the Kansas Bostwick Irrigation District and the Nebraska Bostwick Irrigation District during the time period each year when irrigation releases are being made from Harlan County Lake. For any year in which no irrigation releases were made from Harlan County Lake, the annual net evaporation charged to Kansas and Nebraska will be based on the average of the above calculation for the most recent three years in which irrigation releases from Harlan County Lake were made. In the event Nebraska chooses to substitute supply for the Superior Canal from Nebraska's allocation below Guide Rock in Water-Short Year Administration years, the amount of the substitute supply will be included in the calculation of the split as if it had been diverted to the Superior Canal at Guide Rock.

## (2) Evaporation Computations for Bureau of Reclamation Reservoirs

The Bureau of Reclamation computes the amount of evaporation loss on a monthly basis at Reclamation reservoirs. The following procedure is utilized in calculating the loss in Acre-feet.

An evaporation pan reading is taken each day at the dam site. This measurement is the amount of water lost from the pan over a 24-hour period in inches. The evaporation pan reading is adjusted for any precipitation recorded during the 24-hour period. Instructions for determining the daily pan evaporation are found in the "National Weather Service Observing Handbook No. 2 – Substation Observations." All dams located in the Kansas River Basin with the exception of Bonny Dam are National Weather Service Cooperative Observers. The daily evaporation pan readings are totaled at the end of each month and converted to a "free water surface" (FWS) evaporation, also referred to as "lake" evaporation. The FWS evaporation is determined by multiplying the observed pan evaporation by a coefficient of .70 at each of the reservoirs. This coefficient can be affected by several factors including water and air

temperatures. The National Oceanic and Atmospheric Administration (NOAA) has published technical reports describing the determination of pan coefficients. The coefficient used is taken from the “NOAA Technical Report NWS 33, Map of coefficients to convert class A pan evaporation to free water surface evaporation”. This coefficient is used for the months of April through October when evaporation pan readings are recorded at the dams. The monthly FWS evaporation is then multiplied by the average surface area of the reservoir during the month in acres. Dividing this value by twelve will result in the amount of water lost to evaporation in Acre-feet during the month.

During the winter months when the evaporation pan readings are not taken, monthly evaporation tables based on the percent of ice cover are used. The tables used were developed by the Corps of Engineers and were based on historical average evaporation rates. A separate table was developed for each of the reservoirs. The monthly evaporation rates are multiplied by the .70 coefficient for pan to free water surface adjustment, divided by twelve to convert inches to feet and multiplied by the average reservoir surface area during the month in acres to obtain the total monthly evaporation loss in Acre-feet.

To obtain the net evaporation, the monthly precipitation on the lake is subtracted from the monthly gross evaporation. The monthly precipitation is calculated by multiplying the sum of the month's daily precipitation in inches by the average of the end of the month lake surface area for the previous month and the end of the month lake surface area for the current month in acres and dividing the result by 12 to obtain the precipitation for the month in acre feet.

f) Non-Federal Reservoir Evaporation:

For Non-Federal Reservoirs with a storage capacity less than 200 Acre-feet, the presumptive average annual surface area is 25% of the area at the principal spillway elevation. Net evaporation for each such Non-Federal Reservoir will be calculated by multiplying the presumptive average annual surface area by the net evaporation from the nearest climate and evaporation station to the Non-Federal Reservoir. A State may provide actual data in lieu of the presumptive criteria.

Net evaporation from Non-Federal Reservoirs with 200 Acre-feet of storage or greater will be calculated by multiplying the average annual surface area (obtained from the area-capacity survey) and the net evaporation from the nearest evaporation and climate station to the reservoir. If the average annual surface area is not available, the Non-Federal Reservoirs with 200 Acre-feet of storage or greater will be presumed to be full at the principal spillway elevation.

## B. Specific Formulas for Each Sub-basin and the Main Stem

All calculations shall be based on the calendar year and shall be rounded to the nearest 10 Acre-feet using the conventional rounding formula of rounding up for all numbers equal to five or higher and otherwise rounding down.

Abbreviations:

<u>AWS</u>	= <u>Augmentation Water Supply Credit</u>
CBCU	= Computed Beneficial Consumptive Use
CWS	= Computed Water Supply
D	= Non-Federal Canal Diversions for Irrigation
Ev	= Evaporation from Federal Reservoirs
EvNFR	= Evaporation from Non-Federal Reservoirs
FF	= Flood Flow
GW	= Groundwater Computed Beneficial Consumptive Use (includes irrigation and non-irrigation uses)
IWS	= Imported Water Supply Credit from Nebraska
M&I	= Non-Irrigation Surface Water Diversions (Municipal and Industrial)
P	= Small Individual Surface Water Pump Diversions for Irrigation
RF	= Return Flow
VWS	= Virgin Water Supply
c	= Colorado
k	= Kansas
n	= Nebraska
$\Delta S$	= Change in Federal Reservoir Storage
%	= Average system efficiency for individual pumps in the Sub-basin
% BRF	= Percent of Diversion from Bureau Canals that returns to the stream
###	= Value expected to be zero

### 3. North Fork of Republican River in Colorado <sup>2</sup>

$$\text{CBCU Colorado} = 0.6 \times \text{Haigler Canal Diversion Colorado} + 0.6 \times D_c + \% \times P_c + 0.5 \times M\&I_c + EvNFR_c + GW_c$$

$$\text{CBCU Kansas} = GW_k$$

$$\text{CBCU Nebraska} = 0.6 \times \text{Haigler Canal Diversion Nebraska} + GW_n$$

Note: The diversion for Haigler Canal is split between Colorado and Nebraska based on the percentage of land irrigated in each state

$$\text{VWS} = \text{North Fork of the Republican River at the State Line, Stn. No. 06823000} + \text{CBCU}_c + \text{CBCU}_k + \text{CBCU}_n + \text{Nebraska Haigler Canal RF} - \text{IWS} - \text{AWS}$$

Note: The Nebraska Haigler Canal RF returns to the Main Stem

$$\text{CWS} = \text{VWS} - \text{FF}$$

$$\text{Allocation Colorado} = 0.224 \times \text{CWS}$$

$$\text{Allocation Nebraska} = 0.246 \times \text{CWS}$$

$$\text{Unallocated} = 0.53 \times \text{CWS}$$

### 4. Arikaree River <sup>2</sup>

$$\text{CBCU Colorado} = 0.6 \times D_c + \% \times P_c + 0.5 \times M\&I_c + EvNFR_c + GW_c$$

$$\text{CBCU Kansas} = 0.6 \times D_k + \% \times P_k + 0.5 \times M\&I_k + EvNFR_k + GW_k$$

$$\text{CBCU Nebraska} = 0.6 \times D_n + \% \times P_n + 0.5 \times M\&I_n + EvNFR_n + GW_n$$

$$\text{VWS} = \text{Arikaree Gage at Haigler Stn. No. 06821500} + \text{CBCU}_c + \text{CBCU}_k + \text{CBCU}_n - \text{IWS}$$

<sup>2</sup> The RRCA will investigate whether return flows from the Haigler Canal diversion in Colorado may return to the Arikaree River, not the North Fork of the Republican River, as indicated in the formulas. If there are return flows from the Haigler Canal to the Arikaree River, these formulas will be changed to recognize those returns.

$$\begin{aligned} \text{CWS} &= \text{VWS} - \text{FF} \\ \text{Allocation Colorado} &= 0.785 \times \text{CWS} \\ \text{Allocation Kansas} &= 0.051 \times \text{CWS} \\ \text{Allocation Nebraska} &= 0.168 \times \text{CWS} \\ \text{Unallocated} &= -0.004 \times \text{CWS} \end{aligned}$$

### 5. Buffalo Creek

$$\begin{aligned} \text{CBCU Colorado} &= 0.6 \times \text{Dc} + \% \times \text{Pc} + 0.5 \times \text{M\&In} + \text{EvNFRc} + \text{GWc} \\ \text{CBCU Kansas} &= \text{GWk} \\ \text{CBCU Nebraska} &= 0.6 \times \text{Dn} + \% \times \text{Pn} + 0.5 \times \text{M\&In} + \text{EvNFRn} + \text{GWn} \\ \text{VWS} &= \text{Buffalo Creek near Haigler Gage Stn. No. 06823500} + \\ &\quad \text{CBCUc} + \text{CBCUk} + \text{CBCUn} - \text{IWS} \\ \text{CWS} &= \text{VWS} - \text{FF} \\ \text{Allocation Nebraska} &= 0.330 \times \text{CWS} \\ \text{Unallocated} &= 0.670 \times \text{CWS} \end{aligned}$$

### 6. Rock Creek

$$\begin{aligned} \text{CBCU Colorado} &= \text{GWc} \\ \text{CBCU Kansas} &= \text{GWk} \\ \text{CBCU Nebraska} &= 0.6 \times \text{Dn} + \% \times \text{Pn} + 0.5 \times \text{M\&In} + \text{EvNFRn} + \text{GWn} \\ \text{VWS} &= \text{Rock Creek at Parks Gage Stn. No. 06824000} + \text{CBCUc} + \\ &\quad \text{CBCUk} + \text{CBCUn} - \text{IWS} \\ \text{CWS} &= \text{VWS} - \text{FF} \end{aligned}$$

Allocation Nebraska = 0.400 x CWS

Unallocated = 0.600 x CWS

### 7. South Fork Republican River

CBCU Colorado = 0.6 x Hale Ditch Diversion + 0.6 x Dc + % x Pc + 0.5 x M&Ic + EvNFRc + Bonny Reservoir Ev + GWc

CBCU Kansas = 0.6 x Dk + % x Pk + 0.5 x M&Ik + EvNFRk + GWk

CBCU Nebraska = 0.6 x Dn + % x Pn + 0.5 x M&In + EvNFRn + GWn

VWS = South Fork Republican River near Benkelman Gage Stn. No. 06827500 + CBCUc + CBCUk + CBCUn + ΔS Bonny Reservoir – IWS

CWS = VWS - ΔS Bonny Reservoir - FF

Allocation Colorado = 0.444 x CWS

Allocation Kansas = 0.402 x CWS

Allocation Nebraska = 0.014 x CWS

Unallocated = 0.140 x CWS

### 8. Frenchman Creek in Nebraska

CBCU Colorado = GWc

CBCU Kansas = GWk

CBCU Nebraska = Culbertson Canal Diversions x (1-%BRF) + Culbertson Extension x (1-%BRF) + 0.6 x Champion Canal Diversion + 0.6 x Riverside Canal Diversion + 0.6 x Dn + % x Pn + 0.5 x M&In + EvNFRn + Enders Reservoir Ev + GWn

VWS = Frenchman Creek in Culbertson, Nebraska Gage Stn. No.

06835500 + CBCUc + CBCUk + CBCUn + 0.17 x  
Culbertson Diversion RF + Culbertson Extension RF + ΔS  
Enders Reservoir – IWS

Note: 17% of the Culbertson Diversion RF and 100% of the  
Culbertson Extension RF return to the Main Stem

CWS = VWS - ΔS Enders Reservoir – FF

Allocation Nebraska = 0.536 x CWS

Unallocated = 0.464 x CWS

### 9. Driftwood Creek

CBCU Colorado = GWc

CBCU Kansas = 0.6 x Dk + % x Pk + 0.5 x M&Ik + EvNFRk + GWk

CBCU Nebraska = 0.6 x Dn + % x Pn + 0.5 x M&In + EvNFRn + GWn

VWS = Driftwood Creek near McCook Gage Stn. No. 06836500 +  
CBCUc + CBCUk + CBCUn – 0.24 x Meeker Driftwood  
Canal RF - IWS

Note: 24 % of the Meeker Driftwood Canal RF returns to  
Driftwood Creek

CWS = VWS – FF

Allocation Kansas = 0.069 x CWS

Allocation Nebraska = 0.164 x CWS

Unallocated = 0.767 x CWS

### 10. Red Willow Creek in Nebraska

CBCU Colorado = GWc

CBCU Kansas = GWk

$$\text{CBCU Nebraska} = 0.1 \times \text{Red Willow Canal CBCU} + 0.6 \times \text{Dn} + \% \times \text{Pn} + 0.5 \times \text{M\&In} + \text{EvNFRn} + 0.1 \times \text{Hugh Butler Lake Ev} + \text{GWn}$$

Note:

Red Willow Canal CBCU = Red Willow Canal Diversion x (1- % BRF)

90% of the Red Willow Canal CBCU and 90% of Hugh Butler Lake Ev charged to Nebraska's CBCU in the Main Stem

$$\text{VWS} = \text{Red Willow Creek near Red Willow Gage Stn. No. 06838000} + \text{CBCUc} + \text{CBCUk} + \text{CBCUn} + 0.9 \times \text{Red Willow Canal CBCU} + 0.9 \times \text{Hugh Butler Lake Ev} + 0.9 \times \text{Red Willow Canal RF} + \Delta\text{S Hugh Butler Lake} - \text{IWS}$$

Note: 90% of the Red Willow Canal RF returns to the Main Stem

$$\text{CWS} = \text{VWS} - \Delta\text{S Hugh Butler Lake} - \text{FF}$$

$$\text{Allocation Nebraska} = 0.192 \times \text{CWS}$$

$$\text{Unallocated} = 0.808 \times \text{CWS}$$

## 11. Medicine Creek

$$\text{CBCU Colorado} = \text{GWc}$$

$$\text{CBCU Kansas} = \text{GWk}$$

$$\text{CBCU Nebraska} = 0.6 \times \text{Dn above and below gage} + \% \times \text{Pn above and below gage} + 0.5 \times \text{M\&In above and below gage} + \text{EvNFRn above and below gage} + \text{GWn}$$

Note: Harry Strunk Lake Ev charged to Nebraska's CBCU in the Main Stem.

CU from Harry Strunk releases in the Cambridge Canal is charged to the Main stem (no adjustment to the VWS)

formula is needed as this water shows up in the Medicine Creek gage).

$$\text{VWS} = \text{Medicine Creek below Harry Strunk Lake Gage Stn. No. 06842500} + \text{CBCUc} + \text{CBCUk} + \text{CBCUn} - 0.6 \times \text{Dn below gage} - \% \times \text{Pn below gage} - 0.5 * \text{M\&In below gage} - \text{EvNFRn below gage} + \text{Harry Strunk Lake Ev} + \Delta\text{S Harry Strunk Lake} - \text{IWS}$$

Note: The CBCU surface water terms for Nebraska which occur below the gage are added in the VWS for the Main Stem

$$\text{CWS} = \text{VWS} - \Delta\text{S Harry Strunk Lake} - \text{FF}$$

$$\text{Allocation Nebraska} = 0.091 \times \text{CWS}$$

$$\text{Unallocated} = 0.909 \times \text{CWS}$$

## 12. Beaver Creek

$$\text{CBCU Colorado} = 0.6 \times \text{Dc} + \% \times \text{Pc} + 0.5 \times \text{M\&Ic} + \text{EvNFRc} + \text{GWc}$$

$$\text{CBCU Kansas} = 0.6 \times \text{Dk} + \% \times \text{Pk} + 0.5 \times \text{M\&Ik} + \text{EvNFRk} + \text{GWk}$$

$$\text{CBCU Nebraska} = 0.6 \times \text{Dn above and below gage} + \% \times \text{Pn above and below gage} + 0.5 \times \text{M\&In above and below gage} + \text{EvNFRn above and below gage} + \text{GWn}$$

$$\text{VWS} = \text{Beaver Creek near Beaver City gage Stn. No. 06847000} + \text{BCUc} + \text{CBCUk} + \text{CBCUn} - 0.6 \times \text{Dn below gage} - \% \times \text{Pn below gage} - 0.5 * \text{M\&In below gage} - \text{EvNFRn below gage} - \text{IWS}$$

Note: The CBCU surface water terms for Nebraska which occur below the gage are added in the VWS for the Main Stem

$$\text{CWS} = \text{VWS} - \text{FF}$$

$$\text{Allocation Colorado} = 0.200 \times \text{CWS}$$

$$\text{Allocation Kansas} = 0.388 \times \text{CWS}$$

$$\text{Allocation Nebraska} = 0.406 \times \text{CWS}$$

$$\text{Unallocated} = 0.006 \times \text{CWS}$$

### 13. Sappa Creek

$$\text{CBCU Colorado} = \text{GWc}$$

$$\text{CBCU Kansas} = 0.6 \times \text{Dk} + \% \times \text{Pk} + 0.5 \times \text{M\&Ik} + \text{EvNFRk} + \text{GWk}$$

$$\text{CBCU Nebraska} = 0.6 \times \text{Dn above and below gage} + \% \times \text{Pn above and below gage} + 0.5 \times \text{M\&In above and below gage} + \text{EvNFRn above and below gage} + \text{GWn}$$

$$\begin{aligned} \text{VWS} &= \text{Sappa Creek near Stamford gage Stn. No. 06847500} - \\ &\text{Beaver Creek near Beaver City gage Stn. No. 06847000} + \\ &\text{CBCUc} + \text{CBCUk} + \text{CBCUn} - 0.6 \times \text{Dn below gage} - \% \times \\ &\text{Pn below gage} - 0.5 \times \text{M\&In below gage} - \text{EvNFRn below gage} - \text{IWS} \end{aligned}$$

Note: The CBCU surface water terms for Nebraska which occur below the gage are added in the VWS for the Main Stem

$$\text{CWS} = \text{VWS} - \text{FF}$$

$$\text{Allocation Kansas} = 0.411 \times \text{CWS}$$

$$\text{Allocation Nebraska} = 0.411 \times \text{CWS}$$

$$\text{Unallocated} = 0.178 \times \text{CWS}$$

### 14. Prairie Dog Creek

$$\text{CBCU Colorado} = \text{GWc}$$

$$\begin{aligned} \text{CBCU Kansas} &= \text{Almena Canal Diversion} \times (1 - \% \text{BRF}) + 0.6 \times \text{Dk} + \% \times \text{Pk} \\ &+ 0.5 \times \text{M\&Ik} + \text{EvNFRk} + \text{Keith Sebelius Lake Ev} + \text{GWk} \end{aligned}$$

CBCU Nebraska =  $0.6 \times Dn \text{ below gage} + \% \times Pn \text{ below gage} + 0.5 \times M\&In \text{ below gage} + EvNFRn + GWn \text{ below gage}$

VWS = Prairie Dog Creek near Woodruff, Kansas USGS Stn. No. 06848500 + CBCUc + CBCUk + CBCUn -  $0.6 \times Dn \text{ below gage} - \% \times Pn \text{ below gage} - 0.5 \times M\&In \text{ below gage} - EvNFRn \text{ below gage} + \Delta S \text{ Keith Sebelius Lake} - IWS$

Note: The CBCU surface water terms for Nebraska which occur below the gage are added in the VWS for the Main Stem

CWS = VWS -  $\Delta S \text{ Keith Sebelius Lake} - FF$

Allocation Kansas =  $0.457 \times CWS$

Allocation Nebraska =  $0.076 \times CWS$

Unallocated =  $0.467 \times CWS$

**15. The North Fork of the Republican River in Nebraska and the Main Stem of the Republican River between the junction of the North Fork and the Arikaree River and the Republican River near Hardy**

CBCU Colorado =  $GWc$

CBCU Kansas =  
 (Deliveries from the Courtland Canal to Kansas above Lovewell) x (1-%BRF)  
 + Amount of transportation loss of Courtland Canal deliveries to Lovewell that does not return to the river, charged to Kansas  
 + (Diversion of Republican River water from Lovewell Reservoir by the Courtland Canal below Lovewell) x (1-%BRF)  
 +  $0.6 \times Dk$   
 +  $\% \times Pk$   
 +  $0.5 \times M\&Ik$   
 +  $EvNFRk$   
 + Harlan County Lake Ev charged to Kansas  
 + Lovewell Reservoir Ev charged to the Republican River

+ GWk

CBCU Nebraska =

- Deliveries from Courtland Canal to Nebraska lands x (1- %BRF)
- + Superior Canal x (1- %BRF)
- + Franklin Pump Canal x (1- %BRF)
- + Franklin Canal x (1- %BRF)
- + Naponee Canal x (1- %BRF)
- + Cambridge Canal x (1- %BRF)
- + Bartley Canal x (1- %BRF)
- + Meeker-Driftwood Canal x (1- %BRF)
- + 0.9 x Red Willow Canal CBCU
- + 0.6 x Dn
- + % x Pn
- + 0.5 x M&In
- + EvNFRn
- + 0.9 x Hugh Butler Lake Ev
- + Harry Strunk Lake Ev
- + Swanson Lake Ev
- + Harlan County Lake Ev charged to Nebraska
- + GWn

Notes:

The allocation of transportation losses in the Courtland Canal above Lovewell between Kansas and Nebraska shall be done by the Bureau of Reclamation and reported in their "Courtland Canal Above Lovewell" spreadsheet. Deliveries and losses associated with deliveries to both Nebraska and Kansas above Lovewell shall be reflected in the Bureau's Monthly Water District reports. Losses associated with delivering water to Lovewell shall be separately computed.

Amount of transportation loss of the Courtland Canal deliveries to Lovewell that does not return to the river, charged to Kansas shall be 18% of the Bureau's estimate of losses associated with these deliveries.

Red Willow Canal CBCU = Red Willow Canal Diversion x (1- % BRF)

10% of the Red Willow Canal CBCU is charged to Nebraska's CBCU in Red Willow Creek sub-basin

10% of Hugh Butler Lake Ev is charged to Nebraska's  
CBCU in the Red Willow Creek sub-basin

None of the Harry Strunk Lake EV is charged to Nebraska's  
CBCU in the Medicine Creek sub-basin

VWS

=

Republican River near Hardy Gage Stn. No. 06853500  
- North Fork of the Republican River at the State Line, Stn.  
No. 06823000  
- Arikaree Gage at Haigler Stn. No. 06821500  
- Buffalo Creek near Haigler Gage Stn. No. 06823500  
- Rock Creek at Parks Gage Stn. No. 06824000  
- South Fork Republican River near Benkelman Gage Stn.  
No. 06827500  
- Frenchman Creek in Culbertson Stn. No. 06835500  
- Driftwood Creek near McCook Gage Stn. No. 06836500  
- Red Willow Creek near Red Willow Gage Stn. No.  
06838000  
- Medicine Creek below Harry Strunk Lake Gage Stn. No.  
06842500  
- Sappa Creek near Stamford Gage Stn. No. 06847500  
- Prairie Dog Creek near Woodruff, Kansas Stn. No. 68-  
485000

+ CBCUc

+ CBCUn

+ 0.6 x Dk

+ % x Pk

+ 0.5 x M&Ik

+ EvNFRk

+ Harlan County Lake Ev charged to Kansas

+ Amount of transportation loss of the Courtland Canal above  
the Stateline that does not return to the river, charged to  
Kansas

- 0.9 x Red Willow Canal CBCU

- 0.9 x Hugh Butler Ev

- Harry Strunk Ev

+ 0.6 x Dn below Medicine Creek gage  
+ % x Pn below Medicine Creek gage  
+ 0.5 \* M&In below Medicine Creek gage  
+ EvNFRn below Medicine Creek gage

+ 0.6 x Dn below Beaver Creek gage  
+ % x Pn below Beaver Creek gage  
+ 0.5 \* M&In below Beaver Creek gage  
+ EvNFRn below Beaver Creek gage

+ 0.6 x Dn below Sappa Creek gage  
+ % x Pn below Sappa Creek gage  
+ 0.5 \* M&In below Sappa Creek gage  
+ EvNFRn below Sappa Creek gage

+ 0.6 x Dn below Prairie Dog Creek gage  
+ % x Pn below Prairie Dog Creek gage  
+ 0.5 \* M&In below Prairie Dog Creek gage  
+ EvNFRn below Prairie Dog Creek gage

+ Change in Storage Harlan County Lake  
+ Change in Storage Swanson Lake

- Nebraska Haigler Canal RF  
- 0.17 x Culbertson Canal RF  
- Culbertson Canal Extension RF to Main Stem  
+ 0.24 x Meeker Driftwood Canal RF which returns to  
Driftwood Creek  
- 0.9 x Red Willow Canal RF

+ Courtland Canal at Kansas-Nebraska State Line Gage Stn  
No. 06852500  
- Courtland Canal RF in Kansas above Lovewell Reservoir

-IWS

Notes:

None of the Nebraska Haigler Canal RF returns to the North  
Fork of the Republican River

83% of the Culbertson Diversion RF and none of the  
Culbertson Extension RF return to Frenchman Creek

24 % of the Meeker Driftwood Canal RF returns to Driftwood Creek.

10% of the Red Willow Canal RF returns to Red Willow Creek

Courtland Canal RF in Kansas above Lovewell Reservoir =  
 $0.015 \times$  (Courtland Canal at Kansas-Nebraska State Line  
Gage Stn No. 06852500)

CWS = VWS - Change in Storage Harlan County Lake - Change in  
Storage Swanson Lake - FF

Allocation Kansas =  $0.511 \times$  CWS

Allocation Nebraska =  $0.489 \times$  CWS

## **V. Annual Data/ Information Requirements, Reporting, and Verification**

The following information for the previous calendar year shall be provided to the members of the RRCA Engineering Committee by April 15<sup>th</sup> of each year, unless otherwise specified.

All information shall be provided in electronic format, if available.

Each State agrees to provide all information from their respective State that is needed for the RRCA Groundwater Model and RRCA Accounting Procedures and Reporting Requirements, including but not limited to the following:

### **A. Annual Reporting**

#### **1. Surface water diversions and irrigated acreage:**

Each State will tabulate the canal, ditch, and other surface water diversions that are required by RRCA annual compact accounting and the RRCA Groundwater Model on a monthly format (or a procedure to distribute annual data to a monthly basis) and will forward the surface water diversions to the other States. This will include available diversion, wasteway, and farm delivery data for canals diverting from the Platte River that contribute to Imported Water Supply into the Basin. Each State will provide the water right number, type of use, system type, location, diversion amount, and acres irrigated.

## 2. Groundwater pumping and irrigated acreage:

Each State will tabulate and provide all groundwater well pumping estimates that are required for the RRCA Groundwater Model to the other States.

**Colorado** – will provide an estimate of pumping based on a county format that is based upon system type, Crop Irrigation Requirement (CIR), irrigated acreage, crop distribution, and irrigation efficiencies. Colorado will require installation of a totalizing flow meter, installation of an hours meter with a measurement of the pumping rate, or determination of a power conversion coefficient for 10% of the active wells in the Basin by December 31, 2005. Colorado will also provide an annual tabulation for each groundwater well that measures groundwater pumping by a totalizing flow meter, hours meter or power conversion coefficient that includes: the groundwater well permit number, location, reported hours, use, and irrigated acreage.

**Kansas** - will provide an annual tabulation by each groundwater well that includes: water right number, groundwater pumping determined by a meter on each well (or group of wells in a manifold system) or by reported hours of use and rate; location; system type (gravity, sprinkler, LEPA, drip, etc.); and irrigated acreage. Crop distribution will be provided on a county basis.

**Nebraska** – will provide an annual tabulation through the representative Natural Resource District (NRD) in Nebraska that includes: the well registration number or other ID number; groundwater pumping determined by a meter on each well (or group of wells in a manifold system) or by reported hours of use and rate; wells will be identified by; location; system type (gravity, sprinkler, LEPA, drip, etc.); and irrigated acreage. Crop distribution will be provided on a county basis.

## 3. Climate information:

Each State will tabulate and provide precipitation, temperature, relative humidity or dew point, and solar radiation for the following climate stations:

State	Identification	Name
Colorado		
Colorado	C050109	Akron 4 E
Colorado	C051121	Burlington
Colorado	C054413	Julesburg
Colorado	C059243	Wray
Kansas	C140439	Atwood 2 SW
Kansas	C141699	Colby 1SW
Kansas	C143153	Goodland
Kansas	C143837	Hoxie

Kansas	C145856	Norton 9 SSE
Kansas	C145906	Oberlin1 E
Kansas	C147093	Saint Francis
Kansas	C148495	Wakeeny
Nebraska	C250640	Beaver City
Nebraska	C250810	Bertrand
Nebraska	C252065	Culbertson
Nebraska	C252690	Elwood 8 S
Nebraska	C253365	Gothenburg
Nebraska	C253735	Hebron
Nebraska	C253910	Holdredge
Nebraska	C254110	Imperial
Nebraska	C255090	Madrid
Nebraska	C255310	McCook
Nebraska	C255565	Minden
Nebraska	C256480	Palisade
Nebraska	C256585	Paxton
Nebraska	C257070	Red Cloud
Nebraska	C258255	Stratton
Nebraska	C258320	Superior
Nebraska	C258735	Upland
Nebraska	C259020	Wauneta 3 NW

#### **4. Crop Irrigation Requirements:**

Each State will tabulate and provide estimates of crop irrigation requirement information on a county format. Each State will provide the percentage of the crop irrigation requirement met by pumping; the percentage of groundwater irrigated lands served by sprinkler or flood irrigation systems, the crop irrigation requirement; crop distribution; crop coefficients; gain in soil moisture from winter and spring precipitation, net crop irrigation requirement; and/or other information necessary to compute a soil/water balance.

#### **5. Streamflow Records from State-Maintained Gaging Records:**

Streamflow gaging records from the following State maintained gages will be provided:

Station No	Name
00126700	Republican River near Trenton
06831500	Frenchman Creek near Imperial
06832500	Frenchman Creek near Enders

06835000	Stinking Water Creek near Palisade
06837300	Red Willow Creek above Hugh Butler Lake
06837500	Red Willow Creek near McCook
06841000	Medicine Creek above Harry Strunk Lake
06842500	Medicine Creek below Harry Strunk Lake
06844000	Muddy Creek at Arapahoe
06844210	Turkey Creek at Edison
06847000	Beaver Creek near Beaver City
	Republican River at Riverton
06851500	Thompson Creek at Riverton
06852000	Elm Creek at Amboy
	Republican River at the Superior-Courtland Diversion Dam

#### **6. Platte River Reservoirs:**

The State of Nebraska will provide the end-of-month contents, inflow data, outflow data, area-capacity data, and monthly net evaporation, if available, from Johnson Lake; Elwood Reservoir; Sutherland Reservoir; Maloney Reservoir; and Jeffrey Lake.

#### **7. Water Administration Notification:**

The State of Nebraska will provide the following information that describes the protection of reservoir releases from Harlan County Lake and for the administration of water rights junior in priority to February 26, 1948:

Date of notification to Nebraska water right owners to curtail their diversions, the amount of curtailment, and length of time for curtailment.

The number of notices sent.

The number of diversions curtailed and amount of curtailment in the Harlan County Lake to Guide Rock reach of the Republican River.

#### **8. Moratorium:**

Each State will provide a description of all new Wells constructed in the Basin Upstream of Guide Rock including the owner, location (legal description), depth and diameter or dimension of the constructed water well, casing and screen information, static water level, yield of the water well in gallons per minute or gallons per hour, and intended use of the water well.

Designation whether the Well is a:

- a. Test hole;
- b. Dewatering Well with an intended use of one year or less;
- c. Well designed and constructed to pump fifty gallons per minute or less;
- d. Replacement Water Well, including a description of the Well that is replaced providing the information described above for new Wells and a description of the historic use of the Well that is replaced;
- e. Well necessary to alleviate an emergency situation involving provision of water for human consumption, including a brief description of the nature of the emergency situation and the amount of water intended to be pumped by and the length of time of operation of the new Well;
- f. Transfer Well, including a description of the Well that is transferred providing the information described above for new Wells and a description of the Historic Consumptive Use of the Well that is transferred;
- g. Well for municipal and/or industrial expansion of use;

Wells in the Basin in Northwest Kansas or Colorado. Kansas and Colorado will provide the information described above for new Wells along with copies of any other information that is required to be filed with either State or local agencies under the laws, statutes, rules and regulations in existence as of April 30, 2002, and;

Any changes in State law in the previous year relating to existing Moratorium.

#### **9. Non-Federal Reservoirs:**

Each State will conduct an inventory of Non Federal Reservoirs by December 31, 2004, for inclusion in the annual Compact Accounting. The inventory shall include the following information: the location, capacity (in Acre-feet) and area (in acres) at the principal spillway elevation of each Non-Federal Reservoir. The States will annually provide any updates to the initial inventory of Non-Federal Reservoirs, including enlargements that are constructed in the previous year.

Owners/operators of Non-Federal Reservoirs with 200 Acre-feet of storage capacity or greater at the principal spillway elevation will be required to provide an area-capacity survey from State-approved plans or prepared by a licensed professional engineer or land surveyor.

## **10. Augmentation Plan:**

Each State will provide a description of the wells, measuring devices, conveyance structure(s), and other infrastructure to describe the physical characteristics, water diversions, and consumptive use associated with each augmentation plan. The States will provide any updates to the plan on an annual basis.

### **B. RRCA Groundwater Model Data Input Files**

1. Monthly groundwater pumping, surface water recharge, groundwater recharge, and precipitation recharge provided by county and indexed to the one square mile cell size.
2. Potential Evapotranspiration rate is set as a uniform rate for all phreatophyte vegetative classes – the amount is X at Y climate stations and is interpolated spatially using kriging.

### **C. Inputs to RRCA Accounting**

#### **1. Surface Water Information**

- a. Streamflow gaging station records: obtained as preliminary USGS or Nebraska streamflow records, with adjustments to reflect a calendar year, at the following locations:

Arikaree River at Haigler, Nebraska  
North Fork Republican River at Colorado-Nebraska state line  
Buffalo Creek near Haigler, Nebraska  
Rock Creek at Parks, Nebraska  
South Fork Republican River near Benkelman, Nebraska  
Frenchman Creek at Culbertson, Nebraska  
Red Willow Creek near Red Willow, Nebraska  
Medicine Creek below Harry Strunk Lake, Nebraska\*  
Beaver Creek near Beaver City, Nebraska\*  
Sappa Creek near Stamford, Nebraska  
Prairie Dog Creek near Woodruff, Kansas  
Courtland Canal at Nebraska-Kansas state line  
Republican River near Hardy, Nebraska  
Republican River at Superior-Courtland Diversion Dam near Guide Rock,  
Nebraska (new)\*

- b. Federal reservoir information: obtained from the United States Bureau of Reclamation:

Daily free water surface evaporation, storage, precipitation, reservoir release information, and updated area-capacity tables.

Federal Reservoirs:

Bonny Reservoir

Swanson Lake

Harry Strunk Lake

Hugh Butler Lake

Enders Reservoir

Keith Sebelius Lake

Harlan County Lake

Lovewell Reservoir

- c. Non-federal reservoirs obtained by each state: an updated inventory of reservoirs that includes the location, surface area (acres), and capacity (in Acre-feet), of each non-federal reservoir with storage capacity of fifteen (15) Acre-feet or greater at the principal spillway elevation. Supporting data to substantiate the average surface water areas that are different than the presumptive average annual surface area may be tendered by the offering State.

- d. Diversions and related data from USBR

Irrigation diversions by canal, ditch, and pumping station that irrigate more than two (2) acres

Diversions for non-irrigation uses greater than 50 Acre-feet

Farm Deliveries

Wasteway measurements

Irrigated acres

- e. Diversions and related data – from each respective State

Irrigation diversions by canal, ditch, and pumping station that irrigate more than two (2) acres

Diversions for non-irrigation uses greater than 50 Acre-feet

Wasteway measurements, if available

## 2. Groundwater Information

(From the RRCA Groundwater model as output files as needed for the accounting procedures)

- a. Imported water - mound credits in amount and time that occur in defined streamflow points/reaches of measurement or compliance – ex: gaging stations near confluence or state lines
- b. Groundwater depletions to streamflow (above points of measurement or compliance – ex: gaging stations near confluence or state lines)

## 3. Summary

The aforementioned data will be aggregated by Sub-basin as needed for RRCA accounting.

## D. Verification

### 1. Documentation to be Available for Inspection Upon Request

- a. Well permits/ registrations database
- b. Copies of well permits/ registrations issued in calendar year
- c. Copies of surface water right permits or decrees
- d. Change in water right/ transfer historic use analyses
- e. Canal, ditch, or other surface water diversion records
- f. Canal, ditch, or other surface water measurements
- g. Reservoir storage and release records
- h. Irrigated acreage
- i. Augmentation Plan well pumping and augmentation delivery records

### 2. Site Inspection

- a. Accompanied – reasonable and mutually acceptable schedule among representative state and/or federal officials.
- b. Unaccompanied – inspection parties shall comply with all laws and regulations of the State in which the site inspection occurs.



Table 2: Original Compact Virgin Water Supply and Allocations

Designated Drainage Basin	Virgin Water Supply	Colorado Allocation	% of Total Drainage Basin Supply	Kansas Allocation	% of Total Drainage Basin Supply	Nebraska Allocation	% of Total Drainage Basin Supply	Unallocated	% of Total Drainage Basin Supply
North Fork - CO	44,700	10,000	22.4			11,000	24.6	23,700	53.0
Arikaree River	19,610	15,400	78.5	1,000	5.1	3,300	16.8	-90	-0.4
Buffalo Creek	7,890					2,600	33.0	5,290	67.0
Rock Creek	11,000					4,400	40.0	6,600	60.0
South Fork	57,200	25,400	44.4	23,000	40.2	800	1.4	8,000	14.0
Frenchman Creek	98,500					52,800	53.6	45,700	46.4
Driftwood Creek	7,300			500	6.9	1,200	16.4	5,600	76.7
Red Willow Creek	21,900					4,200	19.2	17,700	80.8
Medicine Creek	50,800					4,600	9.1	46,200	90.9
Beaver Creek	16,500	3,300	20.0	6,400	38.8	6,700	40.6	100	0.6
Sappa Creek	21,400			8,800	41.1	8,800	41.1	3,800	17.8
Prairie Dog Creek	27,600			12,600	45.7	2,100	7.6	12,900	46.7
Sub-total Tributaries	384,400							175,500	
Main Stem + Blackwood Creek	94,500								
Main Stem + Unallocated	270,000			138,000	51.1	132,000	48.9		
Total	478,900	54,100		190,300		234,500			

Table 3A: Table to Be Used to Calculate Colorado's Five-Year Running Average Allocation and Computed Beneficial Consumptive Use for Determining Compact Compliance

Colorado				
	Col. 1	Col. 2	Col. 3	Col. 4
Year	Allocation	Computed Beneficial Consumptive	Imported Water Supply Credit <u>and/or Augmentation Water Supply Credit</u>	Difference between Allocation and the Computed Beneficial Consumptive Use offset by Imported Water Supply Credit <u>and/or Augmentation Water Supply Credit</u> Col 1 – (Col 2- Col 3)
Year t= -4				
Year t= -3				
Year t= -2				
Year t= -1				
Current Year t= 0				
Average				

Table 3B. Table to Be Used to Calculate Kansas's Five-Year Running Average Allocation and Computed Beneficial Consumptive Use for Determining Compact Compliance

Kansas				
	Col. 1	Col. 2	Col. 3	Col. 4
Year	Allocation	Computed Beneficial Consumptive	Imported Water Supply Credit	Difference between Allocation and the Computed Beneficial Consumptive Use offset by Imported Water Supply Credit Col 1 – (Col 2- Col 3)
Year t= -4				
Year t= -3				
Year t= -2				
Year t= -1				

Current Year t=0				
Average				

Table 3C. Table to Be Used to Calculate Nebraska's Five-Year Running Average Allocation and Computed Beneficial Consumptive Use for Determining Compact Compliance

Nebraska				
	Col. 1	Col. 2	Col. 3	Col. 4
Year	Allocation	Computed Beneficial Consumptive	Imported Water Supply Credit	Difference between Allocation and the Computed Beneficial Consumptive Use offset by Imported Water Supply Credit Col 1 – (Col 2- Col 3)
Year T= -4				
Year T= -3				
Year T= -2				
Year T= -1				
Current Year T= 0				
Average				

Table 4A: Colorado Compliance with the Sub-basin Non-impairment Requirement

	Col 1	Col 2	Col 3	Col 4	Col 5	Col 6
Sub-basin	Colorado Sub-basin Allocation (5-year running average)	Unallocated Supply (5-year running average)	Credits from Imported Water Supply <u>and/or Augmentation Water Supply</u> (5-year running average)	Total Supply Available = Col 1+ Col 2 + Col 3 (5-year running average)	Colorado Computed Beneficial Consumptive Use (5-year running average)	Difference Between Available Supply and Computed Beneficial Consumptive Use = Col 4 – Col 5 (5-year running average)
North Fork Republican River Colorado						
Arikaree River						
South Fork Republican River						
Beaver Creek						

Table 4B: Kansas Compliance with the Sub-basin Non-impairment Requirement

	Col 1	Col 2	Col 3	Col 4	Col 5	Col 6	Col 7
Sub-basin	Kansas Sub-basin Allocation (5-year running average)	Unallocated Supply (5-year running average)	Unused Allocation from Colorado (5-year running average)	Credits from Imported Water Supply (5-year running average)	Total Supply Available = Col 1+ Col 2+ Col 3 + Col 4 (5-year running average)	Kansas Computed Beneficial Consumptive Use (5-year running average)	Difference Between Available Supply and Computed Beneficial Consumptive Use = Col 5 – Col 6 (5-year running average)
Arikaree River							
South Fork Republican River							
Driftwood Creek							
Beaver Creek							
Sappa Creek							
Prairie Dog Creek							



Table 5A: Colorado Compliance During Water-Short Year Administration

Colorado				
	Col. 1	Col. 2	Col. 3	Col 4
Year	Allocation minus Allocation for Beaver Creek	Computed Beneficial Consumptive minus Computed Beneficial Consumptive Use for Beaver Creek	Imported Water Supply Credit <u>and/or Augmentation Water Supply Credit</u> excluding Beaver Creek	Difference between Allocation and the Computed Beneficial Consumptive Use offset by Imported Water Supply Credit <u>and/or Augmentation Water Supply Credit</u> for All Basins Except Beaver Creek Col 1 – (Col 2 – Col 3)
Year T= -4				
Year T= -3				
Year T= -2				
Year T= -1				
Current Year T= 0				
Average				

Table 5B: Kansas Compliance During Water-Short Year Administration

Kansas						
Year	Allocation			Computed Beneficial Consumptive Use`	Imported Water Supply Credit	Difference Between Allocation and the Computed Beneficial Consumptive Use offset by Imported Water Supply Credit
Column	1	2	3	4	5	6
	Sum Sub-basins	Kansas's Share of the Unallocated Supply	Total Col 1 + Col 2			Col 3 – (Col 4 – Col 5)
Previous Year						
Current Year						
Average						




Table 5D: Nebraska Compliance Under a Alternative Water-Short Year Administration Plan

Year	Allocation			Computed Beneficial Consumptive Use			Imported Water Supply Credit	Difference Between Allocation and the Computed Beneficial Consumptive Use offset by Imported Water Supply Credit Above Guide Rock
Column	Col 1	Col 2	Col 3	Col 4	Col 5	Col 6	Col 7	Col 8
	State Wide Allocation	Allocation below Guide Rock	State Wide Allocation above Guide Rock	State Wide CBCU	CBCU below Guide Rock	State Wide CBCU above Guide Rock	Credits above Guide Rock	Col 3 – (Col 6- Col 7)
Year = -2								
Year = -1								
Current Year								
Three-Year Average								
Sum of Previous Two-year Difference								
Expected Decrease in CBCU Under Plan								

Table 5E: Nebraska Tributary Compliance During Water-Short Year Administration

Year	Sum of Nebraska Sub-basin Allocations	Sum of Nebraska's Share of Sub-basin Unallocated Supplies	Total Available Water Supply for Nebraska	Computed Beneficial Consumptive Use	Imported Water Supply Credit	Difference between Allocation And the Computed Beneficial Consumptive Use offset by Imported Water Supply Credit
	Col 1	Col 2	Col 3	Col 4	Col 5	Col 6
Previous Year						Col 3 -(Col 4-Col 5)
Current Year						
Average						

Figure 1




894

-106

APPENDIX

-106

Figure 1




894

APPENDIX


Basin Map Attached to Compact that Shows the Streams and the Basin Boundaries

Figure 2



Line Diagram of Designated Drainage Basins Showing Federal Reservoirs and Sub-basin Gaging Stations

Update of Figure 3 - Map Showing Sub-basins, Streams, and the Basin Boundaries  
 RRCA Accounting Procedures and Reporting Requirements  
 January 12, 2005



Map Showing Sub-basins, Streams, and the Basin Boundaries

Attachment 1: Sub-basin Flood Flow Thresholds

Sub-basin	Sub-basin Flood Flow Threshold Acre-feet per Year <sup>3</sup>
Arikaree River	16,400
North Fork of Republican River	33,900
Buffalo Creek	4,800
Rock Creek	9,800
South Fork of Republican River	30,400
Frenchman Creek	51,900
Driftwood Creek	9,400
Red Willow Creek	15,100
Medicine Creek	55,100
Beaver Creek	13,900
Sappa Creek	26,900
Prairie Dog	15,700

<sup>3</sup> Flows considered to be Flood Flows are flows in excess of the 94% flow based on a flood frequency analysis for the years 1971-2000. The Gaged Flows are measured after depletions by Beneficial Consumptive Use and change in reservoir storage. For the purpose of compliance with III.B.1, the Gaged Flows shall not include Augmentation Water Supply Credits delivered in any calendar year.

## Attachment 2: Description of the Consensus Plan for Harlan County Lake

The Consensus Plan for operating Harlan County Lake was conceived after extended discussions and negotiations between Reclamation and the Corps. The agreement shaped at these meetings provides for sharing the decreasing water supply into Harlan County Lake. The agreement provides a consistent procedure for: updating the reservoir elevation/storage relationship, sharing the reduced inflow and summer evaporation, and providing a January forecast of irrigation water available for the following summer.

During the interagency discussions the two agencies found agreement in the following areas:

- The operating plan would be based on current sediment accumulation in the irrigation pool and other zones of the project.
- Evaporation from the lake affects all the various lake uses in proportion to the amount of water in storage for each use.
- During drought conditions, some water for irrigation could be withdrawn from the sediment pool.
- Water shortage would be shared between the different beneficial uses of the project, including fish, wildlife, recreation and irrigation.

To incorporate these areas of agreement into an operation plan for Harlan County Lake, a mutually acceptable procedure addressing each of these items was negotiated and accepted by both agencies.

### 1. Sediment Accumulation.

The most recent sedimentation survey for Harlan County project was conducted in 1988, 37 years after lake began operation. Surveys were also performed in 1962 and 1972; however, conclusions reached after the 1988 survey indicate that the previous calculations are unreliable. The 1988 survey indicates that, since closure of the dam in 1951, the accumulated sediment is distributed in each of the designated pools as follows:

Flood Pool	2,387 Acre-feet
Irrigation Pool	4,853 Acre-feet
Sedimentation Pool	33,527 Acre-feet

To insure that the irrigation pool retained 150,000 Acre-feet of storage, the bottom of the irrigation pool was lowered to 1,932.4 feet, msl, after the 1988 survey.

To estimate sediment accumulation in the lake since 1988, we assumed similar conditions have occurred at the project during the past 11 years. Assuming a consistent rate of deposition since 1988, the irrigation pool has trapped an additional 1,430 Acre-feet.

A similar calculation of the flood control pool indicates that the flood control pool has captured an additional 704 Acre-feet for a total of 3,090 Acre-feet since construction.

The lake elevations separating the different pools must be adjusted to maintain a 150,000-acre-foot irrigation pool and a 500,000-acre-foot flood control pool. Adjusting these elevations results in the following new elevations for the respective pools (using the 1988 capacity tables).

Top of Irrigation Pool	1,945.70 feet, msl
Top of Sediment Pool	1,931.75 feet, msl

Due to the variability of sediment deposition, we have determined that the elevation capacity relationship should be updated to reflect current conditions. We will complete a new sedimentation survey of Harlan County Lake this summer, and new area capacity tables should be available by early next year. The new tables may alter the pool elevations achieved in the Consensus Plan for Harlan County Lake.

## 2. Summer Evaporation.

Evaporation from a lake is affected by many factors including vapor pressure, wind, solar radiation, and salinity of the water. Total water loss from the lake through evaporation is also affected by the size of the lake. When the lake is lower, the surface area is smaller and less water loss occurs. Evaporation at Harlan County Lake has been estimated since the lake's construction using a Weather Service Class A pan which is 4 feet in diameter and 10 inches deep. We and Reclamation have jointly reviewed this information and assumed future conditions to determine an equitable method of distributing the evaporation loss from the project between irrigation and the other purposes.

During those years when the irrigation purpose expected a summer water yield of 119,000 Acre-feet or more, it was determined that an adequate water supply existed and no sharing of evaporation was necessary. Therefore, evaporation evaluation focused on the lower pool elevations when water was scarce. Times of water shortage would also generally be times of higher evaporation rates from the lake.

Reclamation and we agreed that evaporation from the lake during the summer (June through September) would be distributed between the irrigation and sediment pools based on their relative percentage of the total storage at the time of evaporation. If the sediment pool held 75 percent of the total storage, it would be charged 75 percent of the evaporation. If the sediment pool held 50 percent of the total storage, it would be charged 50 percent of the evaporation. At the bottom of the irrigation pool (1,931.75 feet, msl) all of the evaporation would be charged to the sediment pool.

Due to downstream water rights for summer inflow, neither the irrigation nor the sediment pool is credited with summer inflow to the lake. The summer inflows would be assumed passed through the lake to satisfy the water right holders. Therefore, Reclamation and we did not distribute the summer inflow between the project purposes.

As a result of numerous lake operation model computer runs by Reclamation, it became apparent that total evaporation from the project during the summer averaged about 25,000 Acre-feet during times of lower lake elevations. These same models showed that about 20 percent of the evaporation should be charged to the irrigation pool, based on percentage in storage during the summer months. About 20 percent of the total lake storage is in the irrigation pool when the lake is at elevation 1,935.0 feet, msl. As a result of the joint study, Reclamation and we agreed that the irrigation pool would be credited with 20,000 Acre-feet of water during times of drought to share the summer evaporation loss.

Reclamation and we further agreed that the sediment pool would be assumed full each year. In essence, if the actual pool elevation were below 1,931.75 feet, msl, in January, the irrigation pool would contain a negative storage for the purpose of calculating available water for irrigation, regardless of the prior year's summer evaporation from sediment storage.

### 3. Irrigation withdrawal from sediment storage.

During drought conditions, occasional withdrawal of water from the sediment pool for irrigation is necessary. Such action is contemplated in the Field Working Agreement and the Harlan County Lake Regulation Manual: "Until such time as sediment fully occupies the allocated reserve capacity, it will be used for irrigation and various conservation purposes, including public health, recreation, and fish and wildlife preservation."

To implement this concept into an operation plan for Harlan County Lake, Reclamation and we agreed to estimate the net spring inflow to Harlan County Lake. The estimated inflow would be used by the Reclamation to provide a firm projection of water available for irrigation during the next season.

Since the construction of Harlan County Lake, inflows to the lake have been depleted by upstream irrigation wells and farming practices. Reclamation has recently completed an in-depth study of these depleted flows as a part of their contract renewal process. The study concluded that if the current conditions had existed in the basin since 1931, the average spring inflow to the project would have been 57,600 Acre-feet of water. The study further concluded that the evaporation would have been 8,800 Acre-feet of water during the same period. Reclamation and we agreed to use these values to calculate the net inflow to the project under the current conditions.


In addition, both agencies also recognized that the inflow to the project could continue to decrease with further upstream well development and water conservation farming. Due to these

concerns, Reclamation and we determined that the previous 5-year inflow values would be averaged each year and compared to 57,600 Acre-feet. The inflow estimate for Harlan County Lake would be the smaller of these two values.

The estimated inflow amount would be used in January of each year to forecast the amount of water stored in the lake at the beginning of the irrigation season. Based on this forecast, the irrigation districts would be provided a firm estimate of the amount of water available for the next season. The actual storage in the lake on May 31 would be reviewed each year. When the actual water in storage is less than the January forecast, Reclamation may draw water from sediment storage to make up the difference.

4. Water Shortage Sharing.

A final component of the agreement involves a procedure for sharing the water available during times of shortage. Under the shared shortage procedure, the irrigation purpose of the project would remove less water than otherwise allowed and alleviate some of the adverse effects to the other purposes. The procedure would also extend the water supply during times of drought by “banking” some water for the next irrigation season. The following graph illustrates the shared shortage releases.



5. Calculation of Irrigation Water Available

Each January, the Reclamation would provide the Bostwick irrigation districts a firm estimate of the quantity of water available for the following season. The firm estimate of water available for irrigation would be calculated by using the following equation and shared shortage adjustment:

$\text{Storage} + \text{Summer Sediment Pool Evaporation} + \text{Inflow} - \text{Spring Evaporation} = \text{Maximum Irrigation Water Available}$
--

The variables in the equation are defined as:

- **Maximum Irrigation Water Available.** Maximum irrigation supply from Harlan County Lake for that irrigation season.
- **Storage.** Actual storage in the irrigation pool at the end of December. The sediment pool is assumed full. If the pool elevation is below the top of the sediment pool, a negative irrigation storage value would be used.
- **Inflow.** The inflow would be the smaller of the past 5-year average inflow to the project from January through May, or 57,600 Acre-feet.
- **Spring Evaporation.** Evaporation from the project would be 8,800 Acre-feet which is the average January through May evaporation.
- **Summer Sediment Pool Evaporation.** Summer evaporation from the sediment pool during June through September would be 20,000 Acre-feet. This is an estimate based on lower pool elevations, which characterize the times when it would be critical to the computations.

#### 6. Shared Shortage Adjustment

To ensure that an equitable distribution of the available water occurs during short-term drought conditions, and provide for a “banking” procedure to increase the water stored for subsequent years, a shared shortage plan would be implemented. The maximum water available for irrigation according to the above equation would be reduced according to the following table. Linear interpolation of values will occur between table values.

Shared Shortage Adjustment Table

Irrigation Water Available (Acre-feet)	Irrigation Water Released (Acre-feet)
0	0
17,000	15,000
34,000	30,000
51,000	45,000
68,000	60,000

85,000	75,000
102,000	90,000
119,000	100,000
136,000	110,000
153,000	120,000
170,000	130,000

7. Annual Shutoff Elevation for Harlan County Lake

The annual shutoff elevation for Harlan County Lake would be estimated each January and finally established each June.

The annual shutoff elevation for irrigation releases will be estimated by Reclamation each January in the following manner:

1. Estimate the May 31 Irrigation Water Storage (IWS) (Maximum 150,000 Acre-feet) by taking the December 31 irrigation pool storage plus the January-May inflow estimate (57,600 Acre-feet or the average inflow for the last 5-year period, whichever is less) minus the January-May evaporation estimate (8,800 Acre-feet).
2. Calculate the estimated Irrigation Water Available, including all summer evaporation, by adding the Estimated Irrigation Water Storage (from item 1) to the estimated sediment pool summer evaporation (20,000 AF).
3. Use the above Shared Shortage Adjustment Table to determine the acceptable Irrigation Water Release from the Irrigation Water Available.
4. Subtract the Irrigation Water Release (from item 3) from the Estimated IWS (from item 1). The elevation of the lake corresponding to the resulting irrigation storage is the Estimated Shutoff Elevation. The shutoff elevation will not be below the bottom of the irrigation pool if over 119,000 AF of water is supplied to the districts, nor below 1,927.0 feet, msl. If the shutoff elevation is below the irrigation pool, the maximum irrigation release is 119,000 AF.

The annual shutoff elevation for irrigation releases would be finalized each June in accordance with the following procedure:

1. Compare the estimated May 31 IWS with the actual May 31 IWS.
2. If the actual end of May IWS is less than the estimated May IWS, lower the shutoff elevation to account for the reduced storage.
3. If the actual end of May IWS is equal to or greater than the estimated end of May IWS, the estimated shutoff elevation is the annual shutoff elevation.
4. The shutoff elevation will never be below elevation 1,927.0 feet, msl, and will not be below the bottom of the irrigation pool if more than 119,000 Acre-feet of water is supplied to the districts.

Attachment 3: Inflows to Harlan County Lake 1993 Level of Development

BASELINE RUN - 1993 LEVEL INFLOW TO HARLAN COUNTY RESERVOIR													
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
1931	10.2	10.8	13.4	5.0	18.8	15.8	4.3	1.8	1.8	0.0	0.1	0.1	82.1
1932	6.8	16.6	18.5	4.6	3.8	47.6	3.8	2.8	4.8	0.0	0.0	0.4	109.7
1933	0.4	0.0	3.9	30.2	31.0	5.4	1.8	0.0	10.4	0.0	2.6	5.5	91.2
1934	2.1	0.0	3.2	1.8	0.7	7.3	0.8	0.0	1.3	0.0	2.2	0.0	19.4
1935	0.3	0.1	0.7	4.2	0.8	389.3	6.1	19.1	26.1	2.4	5.2	0.9	455.2
1936	0.3	0.0	11.9	0.0	35.9	4.7	0.4	0.0	1.8	0.0	1.6	3.8	60.4
1937	4.8	12.9	6.0	2.5	0.0	12.6	6.3	6.9	2.4	0.0	0.0	12.4	66.8
1938	9.9	7.8	8.7	10.4	18.7	8.6	7.3	7.8	4.9	0.2	0.0	4.7	89.0
1939	2.7	7.5	9.6	12.2	6.6	13.3	5.0	4.1	0.0	0.0	0.0	0.0	61.0
1940	0.0	0.0	12.2	5.2	4.6	23.7	2.8	3.2	0.0	3.6	0.0	1.4	56.7
1941	0.0	10.6	10.6	7.7	17.2	67.1	28.9	19.7	14.9	8.3	6.7	7.1	198.8
1942	3.3	10.6	0.5	34.1	30.8	83.9	11.7	10.9	36.5	3.1	8.7	0.3	234.4
1943	1.2	11.2	14.6	31.4	4.7	28.3	4.8	0.3	0.9	0.0	0.0	11.8	109.2
1944	0.1	4.3	9.0	43.1	31.9	63.9	26.6	15.4	0.5	0.3	3.0	4.5	202.6
1945	4.3	7.8	5.7	9.5	4.1	53.5	5.0	0.9	1.5	5.0	6.0	6.3	109.6
1946	5.9	11.2	9.3	4.9	7.0	3.1	1.6	11.4	28.1	129.9	25.0	12.1	249.5
1947	1.1	3.2	10.4	8.2	11.9	195.4	22.3	5.9	2.9	0.2	0.3	0.3	262.1
1948	6.2	9.8	24.1	5.4	0.2	39.8	13.5	6.8	4.2	0.0	0.1	0.1	110.2
1949	2.0	1.5	25.2	16.3	49.0	57.4	9.2	5.5	2.1	3.0	2.8	0.3	174.3
1950	0.3	5.7	10.8	10.9	28.9	10.1	12.7	9.3	7.8	7.2	3.8	3.1	110.6
1951	3.8	3.4	7.1	5.3	42.0	39.9	42.1	10.1	36.0	15.5	14.8	8.9	228.9
1952	16.4	21.4	26.3	23.8	34.6	4.0	9.3	3.1	1.5	11.7	4.3	0.1	156.5
1953	1.8	4.6	5.3	3.3	15.1	9.5	1.8	0.2	0.0	0.0	2.8	0.1	44.5
1954	1.0	6.8	1.9	3.2	7.1	2.4	0.0	1.2	0.0	0.0	0.0	0.0	23.6
1955	0.0	4.0	6.3	4.8	2.9	6.4	2.7	0.0	1.4	0.0	0.0	0.0	28.5
1956	1.6	3.4	2.9	2.4	1.3	1.5	0.0	0.6	0.0	0.0	0.0	0.0	13.7
1957	0.0	4.1	6.2	12.8	3.5	62.4	21.3	1.2	2.0	3.4	4.5	4.7	126.1
1958	0.8	3.0	14.2	14.0	18.7	1.3	3.4	2.2	0.0	0.4	0.0	0.6	58.6
1959	1.9	15.4	16.4	8.5	13.6	4.2	1.4	1.2	0.0	4.3	1.0	4.5	72.4
1960	1.4	12.3	71.4	23.9	21.7	53.7	14.1	3.2	0.0	0.0	0.2	2.8	204.7
1961	2.3	6.4	7.7	7.4	26.5	24.0	7.2	4.9	0.0	2.3	4.8	1.7	95.2

Attachment 3: Inflows to Harlan County Lake 1993 Level of Development

BASELINE RUN - 1993 LEVEL INFLOW TO HARLAN COUNTY RESERVOIR													
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
1962	4.5	9.1	16.2	9.9	14.4	42.6	41.6	21.1	2.3	8.7	8.3	5.7	184.4
1963	3.4	18.2	18.2	15.0	12.7	14.7	3.4	6.1	8.7	0.8	5.3	1.8	108.3
1964	5.4	7.6	8.3	8.4	9.9	11.9	7.2	6.5	2.4	1.9	1.4	2.3	73.2
1965	6.0	8.1	11.1	12.8	32.8	40.0	22.9	6.5	37.2	53.7	19.5	11.0	261.6
1966	8.9	21.4	15.7	11.4	12.0	34.7	12.4	2.5	3.5	5.4	6.8	5.7	140.4
1967	7.2	11.5	11.5	12.9	9.1	75.3	43.7	15.3	4.4	7.3	6.9	5.4	210.5
1968	3.9	10.2	8.5	11.6	10.8	12.5	3.1	2.7	1.6	2.0	4.3	3.4	74.6
1969	4.2	10.8	24.5	15.1	18.9	17.5	17.0	12.6	16.6	9.2	11.8	9.9	168.1
1970	3.5	8.7	8.5	10.5	11.1	7.7	4.6	3.2	0.5	3.3	4.7	4.5	70.8
1971	4.1	10.3	12.4	12.8	18.3	7.2	8.4	6.2	1.9	4.2	7.3	7.1	100.2
1972	5.5	8.1	9.2	8.3	14.8	8.5	6.5	4.4	0.1	2.9	7.6	4.1	80.0
1973	11.4	14.2	19.0	16.2	17.4	20.9	9.1	1.9	8.4	19.6	11.9	13.2	163.2
1974	13.2	13.4	12.0	14.3	15.4	17.2	5.5	0.0	0.0	0.0	4.9	5.5	101.4
1975	7.2	8.2	13.6	14.8	12.0	48.1	11.6	7.4	0.1	3.0	6.2	7.3	139.5
1976	7.0	10.2	10.1	16.0	12.1	3.5	2.2	1.8	0.9	1.0	3.2	3.1	71.1
1977	4.4	9.6	12.9	21.2	31.5	12.1	5.9	1.9	10.6	4.1	5.5	5.3	125.0
1978	5.0	6.5	20.6	12.9	11.8	3.8	0.0	1.0	0.0	0.0	0.3	1.6	63.5
1979	1.3	7.6	21.5	18.8	15.9	5.4	10.4	10.6	1.6	0.9	3.6	6.2	103.8
1980	5.7	9.3	11.6	15.2	10.4	2.1	2.5	0.0	0.0	0.0	2.5	2.2	61.5
1981	5.5	6.0	11.6	14.9	22.5	6.4	11.5	16.3	4.3	2.5	6.7	6.2	114.4
1982	5.3	12.5	17.9	14.3	26.8	27.1	8.9	2.7	0.0	6.5	6.3	15.5	143.8
1983	6.5	9.7	27.2	16.4	41.4	74.2	10.7	7.6	3.8	3.1	6.7	5.2	212.5
1984	6.8	14.6	17.2	32.9	40.6	15.5	8.1	4.5	0.0	5.5	4.8	6.2	156.7
1985	6.9	14.1	13.6	11.9	27.4	9.9	10.0	2.0	6.0	8.5	5.6	5.8	121.7
1986	9.1	9.4	12.2	11.7	34.3	13.0	13.5	4.6	3.3	5.9	5.4	7.1	129.5
1987	5.9	9.2	19.7	24.1	24.3	11.7	19.0	5.7	2.3	2.7	8.2	7.0	139.8
1988	6.2	13.7	11.6	15.2	15.2	7.0	17.9	10.4	0.6	2.0	5.9	5.4	111.1
1989	5.4	5.9	10.5	9.1	11.4	11.8	14.0	6.2	0.2	3.1	3.1	3.5	84.2
1990	6.6	7.7	13.2	9.7	15.5	1.4	4.3	10.7	0.6	3.2	2.0	2.7	77.6
1991	2.4	8.0	9.0	10.6	15.2	3.9	1.9	0.5	0.0	0.0	2.7	4.8	59.0
1992	8.0	8.8	12.7	8.5	4.5	6.1	6.5	9.4	2.4	6.9	6.7	5.2	85.7
1993	5.2	14.4	71.6	22.7	21.0	17.0	68.0	37.5	23.3	16.8	30.1	17.7	345.3

Avg	4.5	8.8	14.1	13.0	17.2	30.6	11.0	6.2	5.4	6.3	5.0	4.7	126.8
-----	-----	-----	------	------	------	------	------	-----	-----	-----	-----	-----	-------

Attachment 4: Evaporation Loss Harlan County Lake 1993 Level of Development

BASELINE - 1993 LEVEL FLOWS - HARLAN COUNTY EVAPORATION

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
1931	0.7	0.9	1.6	2.9	4.2	7.4	6.9	5.2	2.7	2.1	1.2	0.4	36.2
1932	0.6	0.8	1.5	2.7	4.1	5.0	6.8	5.0	2.7	2.1	1.2	0.4	32.9
1933	0.6	0.8	1.4	2.5	3.8	7.8	6.1	4.2	2.7	2.1	1.2	0.4	33.6
1934	0.6	0.8	1.4	2.4	4.5	6.5	8.0	6.2	2.7	2.0	1.2	0.4	36.7
1935	0.6	0.8	1.3	2.3	2.2	3.6	9.7	6.2	3.1	2.5	1.4	0.5	34.2
1936	0.7	0.9	1.6	2.9	5.5	6.8	8.7	6.5	2.7	2.1	1.2	0.4	40.0
1937	0.6	0.8	1.4	2.5	3.6	4.0	6.2	6.5	2.7	2.1	1.2	0.4	32.0
1938	0.6	0.9	1.5	2.7	3.4	4.9	6.5	5.7	2.7	2.1	1.2	0.4	32.6
1939	0.6	0.8	1.4	2.6	4.3	4.9	6.8	4.6	2.7	2.1	1.2	0.4	32.4
1940	0.6	0.8	1.4	2.4	3.5	5.0	6.5	4.6	2.7	2.1	1.2	0.4	31.2
1941	0.6	0.8	1.4	2.5	3.9	4.2	6.7	5.3	2.8	2.1	1.3	0.5	32.1
1942	0.6	0.9	1.5	2.8	4.0	5.2	8.3	5.1	3.2	2.5	1.5	0.5	36.1
1943	0.7	1.0	1.8	3.2	4.3	5.7	7.9	6.3	2.7	2.1	1.2	0.4	37.3
1944	0.6	0.8	1.4	2.7	4.2	5.3	7.0	5.8	3.5	2.6	1.5	0.5	35.9
1945	0.7	1.0	1.8	3.1	3.8	3.0	6.7	5.7	2.9	2.2	1.3	0.5	32.7
1946	0.6	0.9	1.6	2.8	3.5	5.1	5.6	4.4	2.9	2.7	1.8	0.6	32.5
1947	1.0	1.5	2.9	3.2	3.4	-1.2	5.8	5.3	3.7	1.7	0.5	0.1	27.9
1948	0.8	0.7	1.5	3.6	3.1	2.4	4.2	4.7	3.0	2.7	0.8	0.3	27.8
1949	0.1	0.9	0.7	1.8	1.1	0.7	6.5	4.1	3.1	1.7	1.5	0.4	22.6
1950	0.7	0.1	0.8	2.8	2.0	5.6	0.8	2.8	4.5	2.3	1.6	0.6	24.6
1951	0.5	0.2	2.1	0.7	-0.1	1.9	3.5	4.1	0.4	3.1	2.2	0.9	19.5
1952	1.1	1.2	1.9	2.5	5.2	6.2	1.5	3.4	3.6	2.9	1.1	-0.1	30.5
1953	0.5	1.0	1.5	2.9	4.7	4.5	4.6	6.6	5.3	3.3	0.1	0.0	35.0
1954	0.7	0.6	2.2	3.6	0.3	4.9	6.7	1.6	3.6	1.6	1.5	0.6	27.9
1955	0.5	1.0	2.1	4.6	3.4	-0.5	7.3	6.9	2.7	2.6	1.4	0.4	32.4
1956	0.6	1.1	1.9	2.8	3.9	4.5	5.0	3.7	4.7	3.7	1.3	0.5	33.7
1957	0.7	1.0	1.3	0.5	-0.6	-1.1	6.1	3.7	2.3	1.7	1.2	0.4	17.2
1958	0.7	0.1	1.0	0.6	2.3	4.4	1.0	1.9	3.3	3.3	1.0	0.6	20.2
1959	0.4	1.0	1.1	2.1	1.0	3.5	5.0	4.8	2.3	0.7	1.5	0.6	24.0
1960	0.1	0.7	2.0	2.7	0.9	0.1	4.9	3.6	3.9	2.0	1.3	0.4	22.6
1961	0.9	1.0	1.4	2.7	-1.1	0.6	5.1	2.9	1.2	2.4	0.7	0.1	17.9

Attachment 4: Evaporation Loss Harlan County Lake 1993 Level of Development

BASELINE - 1993 LEVEL FLOWS - HARLAN COUNTY EVAPORATION

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
1962	0.6	0.6	0.9	3.7	3.4	1.5	0.3	1.6	2.0	2.0	1.7	0.3	18.6
1963	0.7	1.4	1.3	4.5	4.6	6.3	6.1	3.1	-0.8	2.7	1.5	0.4	31.8
1964	0.8	0.8	1.7	3.2	5.6	1.2	6.9	3.0	3.0	3.3	1.2	0.6	31.3
1965	0.4	0.7	1.2	2.8	1.5	-0.5	2.0	2.8	-3.9	1.7	2.1	0.4	11.2
1966	0.9	0.8	2.9	2.7	7.5	2.8	5.8	3.7	2.7	2.8	1.5	0.4	34.5
1967	0.7	1.2	2.5	3.0	2.0	-2.9	1.6	4.5	3.5	2.0	1.6	0.4	20.1
1968	0.9	1.2	2.8	2.6	3.2	4.9	4.7	1.8	2.3	0.7	1.2	0.2	26.5
1969	0.4	0.6	2.4	3.3	0.1	3.8	-0.7	2.9	2.2	-1.0	1.5	0.4	15.9
1970	0.7	1.4	2.3	2.8	4.7	4.4	6.5	5.9	0.9	1.0	1.5	0.7	32.8
1971	0.7	0.2	2.0	2.9	0.7	5.1	3.4	4.5	1.4	1.5	0.2	0.5	23.1
1972	0.8	1.3	2.0	1.7	1.1	0.0	3.3	1.8	2.1	1.7	-0.4	0.1	15.5
1973	0.5	1.1	-0.7	2.5	3.4	6.7	-1.7	4.2	-3.0	0.2	0.2	0.2	13.6
1974	0.7	1.5	2.6	1.5	3.7	2.5	9.1	2.6	3.4	1.4	1.1	0.3	30.4
1975	0.7	0.7	2.0	2.1	0.8	1.1	4.3	2.7	3.0	3.4	0.7	0.6	22.1
1976	0.8	1.2	1.7	0.7	1.5	5.0	5.9	5.7	-0.2	1.4	1.4	0.7	25.8
1977	0.7	1.3	0.2	1.1	0.0	4.6	4.0	0.6	2.0	1.6	1.0	0.4	17.5
1978	0.5	0.7	1.2	3.4	3.9	6.2	7.1	4.5	4.5	3.0	1.1	0.5	36.6
1979	0.5	0.6	1.1	3.9	4.4	4.6	3.5	5.1	4.1	2.8	1.4	0.7	32.7
1980	0.5	0.6	1.2	3.4	3.7	4.7	6.8	6.0	3.9	2.7	1.3	0.6	35.4
1981	0.5	0.6	1.2	3.8	3.2	4.8	4.2	3.7	2.9	1.7	1.3	0.7	28.6
1982	0.5	0.7	1.2	3.9	3.8	3.9	5.1	3.8	2.9	2.2	1.4	0.8	30.2
1983	0.5	0.7	1.4	2.9	4.2	5.3	8.6	7.2	4.6	1.8	1.5	0.6	39.3
1984	0.6	0.8	1.4	2.9	4.2	5.8	7.2	5.7	4.7	1.4	1.4	0.7	36.8
1985	0.5	0.7	1.3	2.3	4.0	4.5	5.6	3.5	3.8	1.5	1.5	0.7	29.9
1986	0.6	0.7	1.3	2.8	4.4	5.8	6.7	4.0	2.7	1.3	1.4	0.7	32.4
1987	0.5	0.8	1.3	3.1	4.2	6.2	6.9	3.5	3.1	2.2	1.4	0.7	33.9
1988	0.5	0.7	1.3	3.5	4.9	6.6	4.6	4.8	3.5	2.2	1.4	0.7	34.7
1989	0.5	0.7	1.2	4.2	4.5	4.4	4.8	3.6	3.0	2.5	1.4	0.7	31.5
1990	0.5	0.7	1.2	3.0	3.5	5.6	6.4	4.0	5.0	3.4	1.4	0.6	35.3
1991	0.5	0.7	1.2	2.8	3.3	5.5	6.0	5.0	5.1	3.2	1.3	0.6	35.2
1992	0.6	0.7	1.2	1.8	3.2	2.2	4.1	3.5	4.2	2.9	1.9	1.0	27.3



Attachment 5: Projected Water Supply Spread Sheet Calculations

<b>Year 2002</b>				
<b>Jul - Sep</b>				
<b>Final Trigger and</b>				
<b>Total Irrigation Supply</b>				
<b>Calculation</b>				
Calculation Month		<b>Jul</b>	<b>Aug</b>	<b>Sep</b>
Previous EOM Irrigation Release Est.		116.8	116.0	109.7
Previous Month Inflow		5.5	0.5	1.3
Previous Month Evap		6.3	6.8	6.6
Irrigation Release Estimate		116.0	109.7	104.4
Final Trigger - Yes/No		YES		
130 kAF Irrigation Supply - Yes/No		NO	NO	NO

Attachment 6: Computing Water Supplies and Consumptive Use Above Guide Rock

A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
Total Main Stem VWS	Hardy gage	Superior-Courtland Diversion Dam Gage	Courtland Canal Diversions	Superior Canal Diversions	Courtland Canal Returns	Superior Canal Returns	Total Bostwick Returns Below Guide Rock	NE CBCU Below Guide Rock	KS CBCU Below Guide Rock	Total CBCU Below Guide Rock	Gain Guide Rock to Hardy	VWS Guide Rock to Hardy	Main Stem Virgin Water Supply Above Guide Rock	Nebraska Main Stem Allocation Above Hardy	Kansas Main Stem Allocation Above Hardy	Nebraska Guide Rock to Hardy Allocation	Kansas Guide Rock to Hardy Allocation
							Col F+ Col G			Col I + Col J	+ Col B - Col C+ Col K - Col H	+ Col L + Col K	Col A - Col M	.489 x Col N	.511 x Col N	.489 x Col M	.511 x Col M

Attachment 7: Calculations of Return Flows from Bureau of Reclamation Canals

Col 1	Col 2	Col 3	Col 4	Col 5	Col 6	Col 7	Col 8	Col 9	Col 10	Col 11
Canal	Canal Diversion	Spill to Waste-way	Field Deliveries	Canal Loss	Average Field Loss Factor	Field Loss	Total Loss from District	Percent Field and Canal Loss That Returns to the Stream	Total Return to Stream from Canal and Field Loss	Return as Percent of Canal Diversion
Name Canal	Headgate Diversion	Sum of measured spills to river	Sum of deliveries to the field	+Col 2 - Col 4	1 -Weighted Average Efficiency of Application System for the District*	Col 4 x Col 6	Col 5 + Col 7	Estimated Percent Loss*	Columns 8 x Col 9	Col 10/Col 2
Example	100	5	60	40	30%	18	58	82%	48	48%
Culbertson					30%					
Culbertson Extension					30%					
Meeker-Driftwood					30%					
Red Willow					30%					
Bartley					30%					
Cambridge					30%					
Naponne					35%					
Franklin					35%					
Franklin Pump					35%					
Almena					30%					
Superior					31%					
Nebraska Courtland					23%					
Courtland Canal Above Lovewell (KS)					23%					
Courtland Canal Below Lovewell					23%					

\*The average field efficiencies for each district and percent loss that returns to the stream may be reviewed and, if necessary, changed by the RRCA to improve the accuracy of the estimates.

## Exhibit 3

### Rights to Designated Groundwater

Field Number (1)	Permit #1 (2)	Permit #2 (3)	1998-2007 Average Irrigated Acres (4)	1998-2007 Average Annual Historical Consumptive Use (ac-ft/yr) (5)
1-1	12967-FP	16920-FP	194	345
1-2	14403-FP		181	279
1-3	14019-FP		133	217
1-4	14018-FP		164	252
1-5	19372-FP		136	218
1-6 and 1-7	18780-FP		127	192
<b>Subtotal</b>			<b>935</b>	<b>1,503</b>
2-1	14396-FP		130	192
2-2	13858-FP		133	228
2-3	13859-FP	16069-FP	188	270
2-4	13857-FP		147	229
2-5	14398-FP		144	240
2-6	13856-FP	16067-FP	164	249
<b>Subtotal</b>			<b>906</b>	<b>1,408</b>
3-1	14397-FP		127	192
3-2	14027-FP		153	251
3-3	14022-FP		180	289
3-4	14023-FP		133	219
3-5	14600-FP		124	197
3-6	15285-FP		98	161
3-7	20896-FP		107	169
<b>Subtotal</b>			<b>922</b>	<b>1,478</b>
4-1	13513-FP	16074-FP	186	302
4-2	14028-FP		146	218
4-3	14753-FP		185	310
4-4	13522-FP		135	204
4-5	14024-FP		93	141
4-6	13509-FP	16075-FP	179	284
4-7	13511-FP		123	192
4-8	18781-FP		128	216
4-9	21476-FP		88	144
5-1	18783-FP		173	273
<b>Subtotal</b>			<b>1,437</b>	<b>2,284</b>
6-0	19004-FP		82	141
6-1	19005-FP		124	178
6-2	18966-FP		94	172
6-3	18018-FP		148	230
6-4,6-5	18017-FP	19001-FP	245	361
6-6, 6-7	23222-FP		148	230
6-8	18019-FP		107	173
6-9, 6-10	18014-FP		176	259
6-11,12,13,14	18013-FP		250	350
6-15, 6-16	18011-FP		244	431
6-17, 6-18, 6-19	18015-FP		329	549

## Exhibit 3

### Rights to Designated Groundwater

Field Number (1)	Permit #1 (2)	Permit #2 (3)	1998-2007 Average Irrigated Acres (4)	1998-2007 Average Annual Historical Consumptive Use (ac-ft/yr) (5)
6-20, 6-21	18012-FP	19000-FP	208	322
<b>Subtotal</b>			<b>2,155</b>	<b>3,396</b>
7-1	13813-FP	16923-FP	126	206
7-2, 7-2A	13814-FP		219	334
7-3, 7-3a	13815-FP		197	291
7-13, 7-14	14718-FP		358	526
7-15, 7-16	14121-FP		285	437
7-17, 7-18	14719-FP		263	455
7-19 <sup>b)</sup>	14122-FP		131	215
7-21, 7-21A	12589-FP		251	376
7-23	12567-FP		126	201
<b>Subtotal</b>			<b>1,957</b>	<b>3,041</b>
Wiley	4319-FP	4922-FP	65	75
Wilder1	20198-FP		124	194
Wilder2	20196-FP		163	249
<b>Subtotal</b>			<b>352</b>	<b>518</b>
<b>Total</b>			<b>8,664</b>	<b>13,629</b>

#### Footnotes

- a) Change of use approved amounts on March 19, 2008.
- b) Permit allows for irrigation of parcels 7-19 and 7-20. Only the portion of permit historically used to irrigate parcel 7-19 is included in this table.

#### Explanation of Columns

- (1) Field Number.
- (2) Final permit for the Northern High Plains Designated Ground Water Basin.
- (3) Second permit associated with the permit shown in column 2. Typically, these are permits for additional acreage, but see permit for details.
- (4) Average acreage reported in change of use form used to determine values in Column 5.
- (5) Historical consumptive use determined from irrigated acreage, crop records and power records. Values as specified in March 19, 2008 and December 8, 2008 DWR Publication letters.

