

CHECK SHEET Short Change

(To be completed and attached to each application)

File No. 7,180

Field Office No. 2

GMD No. 5

1. **Plugging agreement obtained for GMD?** Yes No Non Applicable
2. **Is Landowner correct as currently shown in WRIS?** Yes No Address Change? NO
If applicable, list Place of Use Overlap File Nos. none

3. **Is Water Use Correspondent correct as currently shown in WRIS?** Yes No Address Change? NO
Name of Former WUC n/a Name of New WUC n/a

4. a. **Point of diversion computer ID No(s).** ID #1 for point(s) being changed.

- b. **Show feet distances from the** SE **corner of the section for the new point(s) of diversion:**

Action	PDIV ID	Geo Ctr?	Sec	Twp	Rng	'N	'W	County	Qualifiers
ENT		N/A	13	25S	17W	3,957	1,418	Edwards	NC NE
DEL	18849	N/A							

- c. **If multiple points of diversion exist and rates and quantities are individually assigned, show:**

Old PDIV ID	Authorized Rate	Additional Rate	Authorized Quantity	Additional Quantity
_____	_____ gpm/cfs	_____ gpm/cfs	_____ af/mgy	_____ af/mgy
_____	_____ gpm/cfs	_____ gpm/cfs	_____ af/mgy	_____ af/mgy
_____	_____ gpm/cfs	_____ gpm/cfs	_____ af/mgy	_____ af/mgy

- d. **Name of Drainage Basin** Rattlesnake Creek **Is this correctly shown in WRIS?** Yes No

- e. **Formation Name & No.** Undiff Kansan/Nebraksan (180) **Special Use Area** none

5. **Distances from the previous/original p/d:** 13 ' S 1065 ' E

6. WATER RIGHT ACTION TRAIL COMMENTS

8/12/16 Change Application Received (date accepted for priority)
8/29/16 Change Approved
 Notice and Proof by 12/31/16
 _____/_____/_____ Completion Requirement Removed (Change No. C_____)

7. METER ACTION TRAIL COMMENTS

8/29/16 DWR Meter Required by 12/31/16
 _____/_____/_____ Anti-Reverse Meter Required by _____/_____/_____
 _____/_____/_____ Meter Seal Required by _____/_____/_____

8. Base Acres not determined for this change Year not determined Minimum Reasonable Quantity not determined
 Date Created 8/29/16 by CRC
 Date Entered _____ by _____

CHECK SHEET ATTACHMENT

File Number 7,180

9. Changes to the place of use will be:

Action	Owner Person ID	Place Use ID #	Sec. Twp. Range		NE¼				NW¼				SW¼				SE¼				TOTAL ACRES
					NE¼	NW¼	SW¼	SE¼													
NO CHG	18686	10105		Acres Authorized																	
				New Acres																	
				Acres Authorized																	
				New Acres																	
				Acres Authorized																	
				New Acres																	
				Acres Authorized																	
				New Acres																	

Names and Address:

1. Person ID # <u>18686</u> Elmer V & Marlene L Wagner 1547 250 th Avenue Belpre, KS 67519	2. Person ID # _____ _____ _____ _____ _____	3. Person ID # _____ _____ _____ _____ _____
--	--	--

GENERAL INSTRUCTIONS

1. Give to Applicant:
 - a. Original application/approval
 - b. Original receipt (one for each application)
 - c. Information packet containing:
 - Notice and Proof form
 - Water Meter Specifications
 - Acceptable Meter list
 - Water level measurement tube specifications
 - Check Valve specifications
 - Pink Sheet - K.S.A. 82a-728 letter
 - Form stating to record in Register of Deeds Office (OPTIONAL AS NEEDED)

2. Send to headquarters:
 - a. Good, scannable copy of application and/or approval and this check sheet
 - b. Original check and copy of receipt
 - c. Test hole log
 - d. GMD recommendation, if any
 - e. Map or aerial photograph, if any
3. Send to KDHE: Letter (KDHE.LT) advising of location of abandoned well.

CONDITIONS

1. Insert notice and proof date.
2. Type or print applicant's/owner's name on line.
3. Complete notary statement.

4. Date stamp received and approved.
5. Complete ownership and WUC change information.

ADDITIONAL PHOTOCOPIES

HQ _____

Driller _____

GMD#5 _____

Submit completed application to:
 Kansas Department of Agriculture
 Division of Water Resources
 Field Office for your area.
 Call for address:

Topeka -- (785) 296-5733
 Stafford -- (620) 234-5311
 Stockton -- (785) 425-6787
 Garden City -- (620) 276-2901
<http://agriculture.ks.gov/dwr>

**DWR FIELD OFFICE
 APPLICATION FOR APPROVAL
 TO CHANGE THE PLACE OF
 USE AND/OR THE
 POINT OF DIVERSION**



WATER METER REQUIRED STATE OF KANSAS

Filing Fee Must Accompany the Application, K.S.A. 82a-708b(b), as amended.
 Fee Schedule is on the third page of this application form.

Paragraph Nos. 1, 2, 3 & 5 must be completed. Complete all other applicable portions. If change in point of diversion is greater than 100 feet, or if place of use will be changed, include a topographic map or detailed plat showing the authorized and proposed point(s) of diversion and/or place of use.

File No. 7180

RECEIVED
 10:40 am
 AUG 12 2016

1. Application is hereby made for approval of the Chief Engineer to change the (check one or both):

Place of Use Point of Diversion

under the water right which is the subject of this application in accordance with the conditions described below.

The source of supply is: Groundwater Surface water

Stafford Field Office
 Division of Water Resources

2. Name and address of Applicant: Elmer Wagner

1547 250th Ave, Belpre KS 67519-1904

Phone Number: (620)995-3375 Email address: _____

Name and address of Water Use Correspondent: Elmer Wagner

1547 250th Ave, Belpre KS 67519-1904

Phone Number: (620)995-3375 Email address: _____

3. The presently authorized place of use is:

Owner of Land ---- NAME: Elmer V & Marlene L Wagner

ADDRESS: 1547 250th Ave, Belpre KS 67519-1904

(If there is more than one landowner, attach supplemental sheets as necessary.)

Sec.	Twp.	Range	NE¼				NW¼				SW¼				SE¼				TOTAL ACRES
			NE¼	NW¼	SW¼	SE¼													
No	Change																		

4. If this application is for a change in place of use, it is proposed that the place of use be changed to:

Owner of Land ---- NAME: _____

ADDRESS: _____

(If there is more than one landowner, attach supplemental sheets as necessary.)

Sec.	Twp.	Range	NE¼				NW¼				SW¼				SE¼				TOTAL ACRES
			NE¼	NW¼	SW¼	SE¼													

For Office Use Only: Code _____ Fee \$ 200 - TR # _____ Receipt Date _____ Check # 3390

5. **Presently authorized point of diversion:**
 One in the --- Quarter of the --- Quarter of the NC N2 Quarter
 of Section 13, Township 25 South, Range 17 W,
 in Edwards County, Kansas, --- feet North --- feet West of Southeast corner of section.
 Authorized Rate 880 gpm Authorized Quantity 291 AF Depth of well 72 (feet)
 (DWR use only: Computer ID No. 1 GPS 3,970 feet North 2,483 feet West)
 This point will not be changed This point will be changed as follows:
Proposed point of diversion: (Complete only if change is requested)
 One in the --- Quarter of the --- Quarter of the NC NE Quarter
 of Section 13, Township 25 South, Range 17 W,
 in Edwards County, Kansas, 3,957 feet North 1,418 feet West of Southeast corner of section.
 Proposed Rate no change Proposed Quantity no change Proposed well depth (feet) ~153
 This point is: Additional Well Geo Center List other water rights that will use this point none

6. **Presently authorized point of diversion:**
 One in the --- Quarter of the --- Quarter of the --- Quarter
 of Section ---, Township --- South, Range --- (E/W),
 in --- County, Kansas, --- feet North --- feet West of Southeast corner of section.
 Authorized Rate --- Authorized Quantity --- Depth of well --- (feet)
 (DWR use only: Computer ID No. --- GPS --- feet North --- feet West)
 This point will not be changed This point will be changed as follows:
Proposed point of diversion: (Complete only if change is requested)
 One in the --- Quarter of the --- Quarter of the --- Quarter
 of Section ---, Township --- South, Range --- (E/W),
 in --- County, Kansas, --- feet North --- feet West of Southeast corner of section.
 Proposed Rate --- Proposed Quantity --- Proposed well depth (feet) ---
 This point is: Additional Well Geo Center List other water rights that will use this point ---

7. Why do you need a new point of diversion? Current well
is loosing production

8. If a well, is the test hole log attached? Yes No


9. When do you propose to complete the new point of diversion?
ASAP

10. If the point of diversion is a well:
 (a) What are you going to do with the old well?
Plug it
 (b) When will this be done? when new well drilled

11. Groundwater Management District recommendation attached? Yes No
8/25/16 CRC

12. Assisted by EKF/SFFO

13a. If the proposed point of diversion will be relocated within 100 feet of the existing point of diversion, indicate its location on the diagram below in relation to the existing point of diversion. (PLEASE NOTE: The "X" in center of diagram below represents presently authorized point of diversion.)



13b. If the proposed point of diversion will be relocated more than 100 feet but within 2640 feet from the existing point of diversion, attach a topographic map or aerial photograph. For groundwater sources, show all wells (including domestic) within one-half mile of the proposed point of diversion and the names and mailing addresses of the owners. For surface water sources, show the names and addresses of the landowner(s) one-half mile downstream and one-half mile upstream from your property lines.

14. If the proposed groundwater point of diversion is 300 or fewer feet from existing point of diversion, complete the following:

- (a) Does the undersigned represent all owners of the currently authorized place(s) of use identified in this application?
 Yes No (If no, all owners must sign this application.)
- (b) Will the ownership interest of any owner of the currently authorized place(s) of use identified in this application be adversely affected if this application is approved as requested?
 Yes No (If yes, all owners must sign this application.)
- (c) If this application is not approved expeditiously, will there be substantial damage to property, public health or safety?
 Yes No (If no, all owners must sign this application.)

If the application proposes a surface water change in point of diversion, a groundwater change in point of diversion greater than 300 feet, or a change in place of use, the application must be signed by all owners of the currently authorized place of use, or their duly authorized agent (attach notarized statement authorizing representation).

I hereby verify, being first duly sworn upon my oath or affirmation and under penalty of perjury, that I am of lawful age and the owner, the spouse of the owner, or a duly authorized agent of the owner(s) to make this application on their behalf, in regard to the water right(s) to which this application pertains. I further verify that the statements contained in this application are true, correct and complete.

Dated at Stafford, Kansas, this 12th day of August, 2016.

Elmer V Wagner
(Owner)

Marlene L Wagner
(Spouse)

(Please Print)

(Please Print)

(Owner)

(Spouse)

(Please Print)

(Please Print)

(Owner)

(Spouse)


(Please Print)

(Please Print)

State of Kansas }
County of Stafford } SS

I hereby certify that the foregoing application was signed in my presence and sworn to before me this 12th day of August, 2016 by Elmer V Wagner and Marlene L Wagner.

My Commission Expires 10/12/17



Elizabeth K. Fitch
Notary Public

ONLY COMPLETE APPLICATIONS WILL BE PROCESSED. To be complete, all of the applicable portions of the application form must be completed with accurate information; maps, if necessary, must be included; signatures of all the appropriate owners' must be affixed to the application and notarized; and the appropriate fee must be paid.

FEE SCHEDULE

Each application to change the place of use or the point of diversion under this section shall be accompanied by the application fee set forth in the schedule below: Make checks payable to: **Kansas Department of Agriculture**

- (1) Application to change a point of diversion 300 feet or less \$100
- (2) Application to change a point of diversion more than 300 feet \$200
- (3) Application to change the place of use \$200

RECEIVED

AUG 12 2016

SUMMARY ORDER APPROVING APPLICATION FOR CHANGE AND IMPOSING CONDITIONS

This Summary Order is issued under authority of K.S.A. 82a-708b, as amended, and K.A.R. 5-14-3 and other applicable provisions of the *Kansas Water Appropriation Law, K.S.A. 82a-701 et. seq.*, and rules and regulations promulgated thereunder, K.A.R. 5-1-1 *et. seq.* With the exception of those conditions expressly contained herein, this Summary Order does not change the terms, conditions and limitations of File No. 7180.

1. A change application was received on August 12, 2016 requesting that the place of use and / or point of diversion authorized under the above-referenced file number be changed as described in the application.
2. On and after the effective date of this summary order, the authorized place(s) of use shall be located substantially as shown on the topographic map accompanying the application to change the place of use. Applicable Not Applicable
3. The change in point of diversion shall not impair existing rights and shall be limited to the same source or sources of water as previously authorized. The point of diversion authorized by this summary order shall be located within a 300 foot radius of the authorized point(s) of diversion. Applicable Not Applicable *This is NOT a Dakota/Cheyenne Sandstone well. CDC 8/29/16*
4. The point(s) of diversion authorized herein shall not actually be located more than 1365 feet from the previously authorized point(s) of diversion. Applicable Not Applicable
5. As required by K.A.R. 5-3-5d, if the works for diversion is a well with a diversion rate of 100 gallons per minute or more, a tube or other device suitable for making water level measurements shall be installed, operated and maintained in accordance with K.A.R. 5-6-13. Applicable Not Applicable
6. **The owner of the authorized place(s) of use shall properly install an acceptable water flow meter on or before December 31, 2016**, or before the first use of water, whichever occurs first. The water flow meter shall be installed, operated and maintained in accordance with K.A.R. 5-1-4 through 5-1-12. As required by K.S.A. 82a-732, as amended, and K.A.R. 5-3-5e, the owner shall maintain records and report the reading of the water flow meter and the total quantity of water diverted annually to the Chief Engineer by March 1 following the end of each calendar year. Applicable Not Applicable
7. **Installation of the works for diversion of water shall be completed on or before December 31, 2016**, or within any authorized extension of time. By March 1, 2017 the applicant shall notify the Chief Engineer that construction of the works for diversion has been completed, on the form provided by the Chief Engineer, as required by K.A.R. 5-8-4e. Applicable Not Applicable
8. **The completed well log shall be submitted with the required notice.** Applicable Not Applicable
9. All diversion works into which any type of chemical or other foreign substance will be injected into the water shall be equipped with an in-line, automatic, quick-closing check valve capable of preventing pollution of the source of the water supply. The check valve(s) shall be installed, operated and maintained in accordance with K.A.R. 5-3-5c. Applicable Not Applicable
10. Additional Conditions are attached. Yes No
11. In accordance with K.S.A. 82a-708a, as amended, and K.A.R. 5-5-14, all of the owners of the authorized place(s) of use of water appropriated under the above-referenced file number are responsible for compliance with its terms, conditions and limitations, as amended and/or supplemented by this Summary Order, and with applicable provisions of the *Kansas Water Appropriation Law* and the *Rules and Regulations* promulgated thereunder. Failure to comply with these provisions may result in civil penalties pursuant to K.S.A. 82a-737, as amended, and/or the suspension or revocation and dismissal of the water or appropriation right or any other enforcement actions authorized by law.

Administrative Appeal and Effective Date of Order

You have the right to a hearing in accordance with K.A.R. 5-14-3 before this Summary Order becomes final action of the Kansas Department of Agriculture. Any request for a hearing must be filed with the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, 1320 Research Park Drive, Topeka, Kansas 66502, within 15 days after the date shown on the Certificate of Service attached hereto. If a hearing is not requested in accordance with K.A.R. 5-14-3, this Summary Order will become effective on the 15th day after the date shown on the Certificate of Service.

For Use by Register of Deeds

FOR OFFICE USE ONLY
APPLICATION APPROVED AND *AUG 12 2016*
SUMMARY ORDER ISSUED
 Standard Field Office
 Division of Water Resources


By: Cameron R. Corant
 Duly Authorized Designee of the Chief Engineer
 (Print Name): Cameron R. Corant
 Division of Water Resources - Kansas Department of Agriculture

Date of Issuance: 8/29/16

State of Kansas)
 County of Stafford) SS

Acknowledged before me on 8/29/16
 by Cameron Corant

Signature: Jessica Engelbrecht



My commission expires _____
 (Notary Seal)

ADDITIONAL CONDITION TO
SUMMARY ORDER APPROVING APPLICATION FOR CHANGE
AND IMPOSING CONDITIONS


The effective date of the change shall be the date this order is executed by the Chief Engineer, after which the following condition is included as a condition of the approval of this application for change in point of diversion for Water Right, File No. 7,180.

- 10a. That the completed point of diversion shall maintain the minimum spacing requirement of 1,320 feet from all non-domestic and non-temporary wells located in the same source of supply.

RECEIVED

AUG 12 2016

Stafford Field Office
Division of Water Resources



Legend

- Water Appropriations
- Actual Point of Diversion
- ★ Domestic Well
- ⊕ Section Corner
- Half Mile Circle
- Section Line

Water Right, File No. 7180

Change in Point of Diversion Application Map
13-25-17W
Edwards County

To the best of my knowledge, all of the domestic wells within 1/2 mile of the proposed point of diversion have been shown.

Elmer V Wagner
Signature





Stafford Field Office
300 S. Main Street
Stafford, Kansas 67578-1521

Jackie McClaskey, Secretary
David W. Barfield, Chief Engineer
Jeff Lanterman, Water Commissioner

Phone: (620) 234-5311
Fax: (620) 234-6900
www.agriculture.ks.gov
Sam Brownback, Governor

August 29, 2016

ELMER V WAGNER
1547 250TH AVE
BELPRE KS 67519-1904

Re: Water Right, File No(s). 7180

Dear Water Right Owner:

Enclosed is the order executed by the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, approving the application for change under the above referenced file number(s).

Your attention is directed to the enclosures and to the terms, conditions and limitations specified in this approval for change. An acceptable water flow meter must be installed on your well before any water is applied as authorized under this change approval. A copy of the approved list of Certified Water Flowmeters as well as the regulations regarding the installation of flowmeters, measurement tubes and check valves can be found at <http://agriculture.ks.gov/divisions-programs/dwr/water-appropriation/water-flowmeters>. If you do not have access to the internet, please contact this office and we will send you a paper copy of the referenced information.

Since this order modifies the original document referred to above, it should be recorded with the Register of Deeds as other instruments affecting real estate.

This order requires that a notice and completion of works form be submitted once the diversion works are completed, including a properly installed flowmeter. This form is available at the referenced website.

Any abandoned well must be plugged in accordance with the requirements of Article 30 of the Rules and Regulations as adopted by the Kansas Department of Health and Environment.

Should you have any questions, please feel free to contact this office. If you wish to refer to a specific file, please reference it when you contact us.

Sincerely,

A handwritten signature in black ink, appearing to read "Jeff Lanterman".

Jeff Lanterman
Water Commissioner

Enclosures

pc: Water Rights Section
Ground Water Management District 5

CERTIFICATE OF SERVICE

On this **29 August 2016**, I hereby certify that the attached Change in Point of Diversion, File No. 7180 dated August 29, 2016 was mailed to the following:

ELMER V WAGNER
1547 250TH AVE
BELPRE KS 67519-1904

pc: Water Rights Section
GMD #5



Staff

Darrell Wood - Edwards (Pres.)
Fred Grunder - Pratt (V Pres.)
John Janssen - Kiowa (Treas.)
Curtis Tobias - Rice (Sec.)
Justin Gatz - Reno
Kent Lamb - Stafford
Phil Martin - Barton
Bob Standish - Pawnee
Tom Taylor - At-Large



Orrin Feril, Manager
125 South Main Street
Stafford, Kansas 67578
ph: (620) 234-5352
fx: (620) 234-5718
gmd5@gmd5.org
www.gmd5.org

August 25, 2016

Cameron Conant
Division of Water Resources
Kansas Department of Agriculture
300 S. Main Street
Stafford, Kansas 67578-1342

RE: Water Right File No. 7180
Change in the Point of Diversion

Dear Mr. Conant,

Big Bend Groundwater Management District #5 has reviewed the above referenced application to change the point of diversion. Based upon information received in the District office, the application appears to be consistent with 5-25-20(b) and is therefore recommended for approval.

It should be noted, the spacing to the nearby well authorized by Water Right File No. 29774 to the North is very close to the minimum of 1320 feet. The proposed location identified on the application meets this spacing by less than 50 feet. Special attention should be taken to maintain the minimum spacing when siting the new well.

The application to change is subject to the District's well equipment regulation K.A.R. 5-25-5 for a required flow meter.

Please feel free to give me a call if you have any questions.

Sincerely,

Orrin Feril
Manager

RECEIVED

AUG 25 2016

Stafford Field Office
Division of Water Resources

Conant, Cameron

From: Conant, Cameron
Sent: Friday, August 19, 2016 10:37 AM
To: Feril, Orrin (oferil@gmd5.org)
Subject: recommendation request-Water Right, File No. 7180
Attachments: 7180 recommendation request.pdf; 7180 surrounding notification memo.pdf; 7180 pd change app.pdf

Orrin, I've attached a cover letter, a memo, and an application to change the point of diversion for Water Right, File No. 7180. Please provide a GMD recommendation by no later than September 8, 2016.

Let me know if you have any questions.

Cameron Conant, Assistant Water Commissioner
Kansas Department of Agriculture
Division of Water Resources
Stafford Field Office
(620)234-5311
www.agriculture.ks.gov

please be advised that my email address has changed to cameron.conant@ks.gov


Kansas
Department of Agriculture
Division of Water Resources

Stafford Field Office
300 S. Main Street
Stafford, Kansas 67578-1521
Jackie McClaskey, Secretary
David W. Barfield, Chief Engineer
Jeff Lanterman, Water Commissioner

Phone: (620) 234-5311
Fax: (620) 234-6900
www.agriculture.ks.gov
Sam Brownback, Governor

August 19, 2016

Orrin Feril
Big Bend – GMD No. 5
125 S Main
Stafford, KS 67578

Re: Point of Diversion Change Application,
File No. 7180


Dear Mr. Feril,

We are enclosing a copy of the application, as referenced above, for your review and recommendations. At this time, the application appears to be in proper form. One letter was sent to the only surrounding landowner notifying them of the proposed change. Please review the included memo detailing the conversation with the notified party.

This office will delay any further action on this file for a period of 15 business days from the date of this letter to allow you time to submit your recommendations concerning the application. Please submit your recommendations within the allotted time, or any authorized extension of time.

If you have any questions, please feel free to contact the office.

Sincerely,



Cameron R. Conant
Assistant Water Commissioner
Stafford Field Office

enc: change application

KANSAS DEPARTMENT OF AGRICULTURE
Division of Water Resources

M E M O R A N D U M

TO: Files

DATE: August 19, 2016

FROM: Cameron R. Conant

RE: Water Right, File Nos. 7,180

On August 17, 2016, Jeff Ary, tenant for Water Right, File No. 29774 contacted the Stafford Field Office about the nearby notification letter he recently received. Jeff said he had reviewed the proposed change and discussed it with the owners of File No. 29774, Kenneth Keen Rev Trust. Jeff said they do not have an issue with approval of this change application providing the well will be located more than the 1320' of required minimum spacing to the recently re-drilled well authorized by 29774. I believe Jeff also discussed the proposed change with the applicant. Jeff said he was aware that they will drill the well south of the existing pivot point and if so, spacing should be ok.

I told Jeff that we had also put an additional condition on the proposed change application that further documents and requires the completed well to meet all spacing, so there would be no issues with the normally allowed 300' radius to complete the well in. Jeff understood and said the last thing either party wants is two competing wells. Based on Jeff's experience with wells in the area, he believes the minimum spacing of 1320' in this area should be sufficient to protect both wells use in years of normal operation.

No other wells were identified within ½ mile of the proposed point of diversion. The application will be sent on to GMD#5 for their review and recommendation.

If necessary, Jeff's contact # is (620) 338-4694.

Kansas

Department of Agriculture
Division of Water Resources

Stafford Field Office
300 S. Main Street
Stafford, Kansas 67578-1521
Jackie McClaskey, Secretary
David W. Barfield, Chief Engineer
Jeff Lanteman, Water Commissioner

Phone: (620) 234-5311
Fax: (620) 234-6900
www.agriculture.ks.gov
Sam Brownback, Governor

August 12, 2016

Kenneth & Charlene Keen Rev Trusts
2591 S Road
Lewis, KS 67552

RE: Water Right, File No. 7,180

Dear water right owner,

This is to advise you that Elmer Wagner has filed an application for approval of the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, to change the point of diversion under the above referenced file number. You are being notified of the proposed change because it appears you have a groundwater well within one-half mile of the proposed point of diversion. As such, you may provide this office any comments or other information you may want to submit regarding the proposed change. Such comments or other information must be received in this office within 15 days of the date of this letter, or any authorized extension of time.

You can find the complete application posted by the water right file number(s) as referenced above at www.agriculture.ks.gov/divisions-programs/dwr/water-appropriation/notices. If you do not have access to the internet and would like a copy of the application, please contact the Stafford Field Office. If you have any additional questions about the application, please contact the Stafford Field Office at (620) 234-5311.

Sincerely,



Cameron R. Conant
Assistant Water Commissioner
cameron.conant@ks.gov

pc: GMD#5

Jeff Ary
1971 Fatzer ST
Lewis, KS 67552

FAX COVER SHEET

ROSENCRANTZ- BEMIS ENT. INC.

P.O. Box 713

1115 281 By- Pass

Great Bend, Ks. 67530

620-793-5512

620-793-5176 Fax

R-Bwater@hotmail.com

Send to: Stafford Water Resources	From: Bobbie
Attention: Elizabeth	Date: Aug 10, 2016
Office location:	Office location:
Fax number: 620-234-6900	Phone number: 620-792-2488

Urgent Reply ASAP Please comment Please review For your information

Total pages including cover: 2

Test hole log for:

Elmer Wagner/ Mark Kettrel NE 13-25-17

RECEIVED

AUG 10 2016

Stafford Field Office
Division of Water Resources

DRILLER'S TEST LOG

Customer Name: Elmer Wagner/ Mark Kettrel Date: 8/9/2016
 Address: _____ Test No: #2-16
 County: Edwards Quarter: NE Section: 13 Township: 25 Range: 17

Drilled Footage		Description of Strata	Indicate Test Location by an X			
From	To					
0	3	Top soil				
3	12	Soft sandy clay				
12	40	Soft sandy clay w/ caliche				X
40	55	Sand & gravel- small to med, coarse, clean				
55	58	Tan & yellow clay				
58	80	Sand & gravel- med, clean, loose				
80	86	Sand & gravel w/ tan clay streaks				
86	112	Tan clay				
112	120	Sand & gravel- small, med				
120	130	Sand & gravel w/ white clay				
130	153	sand & gravel w/ small streaks of cemented sand				
			Static Water Level: _____ Ft			
		<i>Discussed proposed depth w/ Jeff Lanterman on 8/29/16, with regard to 2012 change under 29774. That change's best log appeared to show Dakota/Cheyenne Sandstone around the 130-140' mark. This log shows nothing of the sort & based on log can be approved @ proposed 153' depth providing source is not changed. Currently considered (180) Underiff Kans/NeB or potential (144) Underiff. No Sandstone allowed in completed well.</i>	Remarks: <u>Placed bag of hole plug over hole</u>			
			Garmin GPS- Nad 83			
			Latitude: 37.879902 N			
			Longitude: 99.137559 W			
			Elevation: _____			
			Driller: <u>Luis Luna</u>			
			Spot Location: <u>NC/ NE</u>			

ROSENCRANTZ-BEMIS EQUIPMENT CO., INC
 Telephone (620) 792-2488 or (620) 793-5512
 P.O. Box 713, Great Bend, KS 67530

RECEIVED

AUG 10 2016

Stafford Field Office
 Division of Water Resources

County
Edwards

Tax year
2016

File No. 7180

Section	Township	Range
13	25	17

Legal

NE4 N2 NW & N2 SE4 LESS RD R/W SECTION 13 TOWNSHIP 25 RANGE 17

Total Acres	Irrigated	Total Parcel
317	0	318.10001

Name and Address

WAGNER, MARLENE L & ELMER V
1547 250TH AVE

BELPRE KS 67519

Formatted address

1547 250TH AVE
BELPRE, KS 67519

Property ID
2929

Property number
024-096-13-0-00-00-001.00-0

Water Rights and Points of Diversion Within .50 miles of point defined as:

3957 ft N and 1418 ft W of the SE Corner of Section 13, T 25S, R 17W

Located at: 99.137175 West Longitude and 37.879779 North Latitude

GROUNDWATER ONLY

```

=====
File Number      Use ST SR Dist (ft) Q4 Q3 Q2 Q1 FeetN FeetW Sec Twp Rng ID Batt Auth_Quan Add_Quan Unit
A__      7180 00 IRR NK G      1225 -- -- NC N2 ----- ----- 13 25 17W 1      291.00 291.00 AF
A__      29774 00 IRR NK G      1368 -- -- NC S2 SE 45 1300 12 25 17W 3      185.00 185.00 AF
=====
    
```

```

=====
Total Net Quantities Authorized:   Direct           Storage
Total Requested Amount (AF) =           .00           .00
Total Permitted Amount (AF) =           .00           .00
Total Inspected Amount (AF) =           .00           .00
Total Pro_Cert Amount (AF) =           .00           .00
Total Certified Amount (AF) =        476.00           .00
Total Vested Amount (AF) =           .00           .00
TOTAL AMOUNT (AF) =        476.00           .00
=====
    
```

An * after the source of supply indicates a pending application for change for the file number.
 An * after the ID indicates a 15 AF exemption was granted for the file number.
 A "G" in the Batt column indicates the GEO CTR of a battery. A "B" indicates a well in the battery.
 The number in the Batt column is the number of wells in the battery.

Water Rights and Points of Diversion Within .50 miles of point defined as:

99.137175 West Longitude and 37.879779 North Latitude

GROUNDWATER ONLY

WATER USE CORRESPONDENTS:

```

=====
File Number      Use ST SR
A__      7180 00 IRR NK G
> ELMER V WAGNER
>
> 1547 250TH AVE
> BELPRE KS 67519
>-----
A__      29774 00 IRR NK G
> JEFF ARY
>
> 1971 FATZER ST
> LEWIS KS 67552
>-----
=====
    
```

INPUTS	
Target Section Definition	
Section	13
Township	25
Range	17
Range Direction	w
Target Point Coordinates (<i>NAD27</i> or <i>NAD83</i>)	
Target Longitude	-99.140865
Target Latitude	37.879814

Load Data and Compute

Instructions

1. Enter values for section, township, range and range direction.
2. Enter *NAD27* or *NAD83* longitude and latitude of target point.
3. Click "Load Data and Compute" button.
4. Use feet distances corresponding to datum of target point.

Water Right, File No. 7180

Loaded Section Data From LEOBASE using <i>NAD83</i>		
Corner	Corner Latitudes	Corner Longitudes
SW	37.86871401	-99.15088216
NW	37.88327086	-99.15105013
NE	37.88340782	-99.13257139
SE	37.86892791	-99.13264749
Degrees Longitude per Foot		3.46433574E-06
Degrees Latitude per Foot		2.74614908E-06
Target Point Distances from Corners using <i>NAD83</i>		
Corner	Feet North(+)/South(-)	Feet East(-)/West(+)
SW	4042	-2892
NW	-1259	-2940
NE	-1309	2394
SE	3964	2372

Loaded Section Data From LEOBASE using <i>NAD27</i>		
Corner	Corner Latitudes	Corner Longitudes
SW	37.86869800	-99.15049700
NW	37.88325500	-99.15066500
NE	37.88339200	-99.13218700
SE	37.86891200	-99.13226300
Degrees Longitude per Foot		3.46433499E-06
Degrees Latitude per Foot		2.74598553E-06
Target Point Distances from Corners using <i>NAD27</i>		
Corner	Feet North(+)/South(-)	Feet East(-)/West(+)
SW	4048	-2780
NW	-1253	-2829
NE	-1303	2505
SE	3970	2483

INPUTS	
Target Section Definition	
Section	13
Township	25
Range	17
Range Direction	w
Target Point Coordinates (<i>NAD27</i> or <i>NAD83</i>)	
Target Longitude	-99.137177
Target Latitude	37.879779

Load Data and Compute

- Instructions**
1. Enter values for section, township, range and range direction.
 2. Enter *NAD27* or *NAD83* longitude and latitude of target point.
 3. Click "Load Data and Compute" button.
 4. Use feet distances corresponding to datum of target point.

Water Right, File No. 7180
Proposed Well

Loaded Section Data From LEOBASE using <i>NAD83</i>		
Corner	Corner Latitudes	Corner Longitudes
SW	37.86871401	-99.15088216
NW	37.88327086	-99.15105013
NE	37.88340782	-99.13257139
SE	37.86892791	-99.13264749
Degrees Longitude per Foot		3.46433574E-06
Degrees Latitude per Foot		2.74614908E-06
Target Point Distances from Corners using <i>NAD83</i>		
Corner	Feet North(+)/South(-)	Feet East(-)/West(+)
SW	4029	-3956
NW	-1272	-4005
NE	-1321	1329
SE	3951	1307

Loaded Section Data From LEOBASE using <i>NAD27</i>		
Corner	Corner Latitudes	Corner Longitudes
SW	37.86869800	-99.15049700
NW	37.88325500	-99.15066500
NE	37.88339200	-99.13218700
SE	37.86891200	-99.13226300
Degrees Longitude per Foot		3.46433499E-06
Degrees Latitude per Foot		2.74598553E-06
Target Point Distances from Corners using <i>NAD27</i>		
Corner	Feet North(+)/South(-)	Feet East(-)/West(+)
SW	4035	-3845
NW	-1266	-3893
NE	-1316	1440
SE	3957	1418