



Phone: (620) 276-2901 Fax: (620) 276-9315 www.agriculture.ks.gov

Sam Brownback, Governor

Jackie McClaskey, Secretary David W. Barfield, Chief Engineer Michael A. Meyer, Water Commissioner

July 7, 2017

Southwest Kansas Groundwater Management District No 3 409 Campus Drive, Suite 106 Garden City KS 67846

Re: Water Right file number 15506

Dear Mr. Norquest;

Jake Clark has applied to relocate the well authorized by the above water right number. There is one other well within ½ mile of the requested location.

We are delaying action for 15 days on the change application to allow you time to review and provide a recommendation if you feel one is warranted.

Thank you and as always feel free to call or write us at any time.

Sincerely;

Thomas P Makens

TPM:tpm enc

Submit completed application to: Kansas Department of Agriculture Division of Water Resources Field Office for your area. Call for address:

Topeka -- (785) 296-5733 Stafford -- (620) 234-5311 Stockton -- (785) 425-6787 Garden City -- (620) 276-2901 http://agriculture.ks.gov/dwr

DWR FIELD OFFICE APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF USE AND/OR THE POINT OF DIVERSION



STATE OF KANSAS

Filing Fee Must Accompany the Application, K.S.A. 82a-708b(b), as amended. Fee Schedule is on the third page of this application form.

Paragraph Nos. 1, 2, 3 & 5 must be completed. Complete all other applicable portions. If change in point of diversion is greater

poini	100 feel (s) of div	ersion	and/or	place	of use.			F	•		nta nasasat Namang pantan na	· ·		·				RECE	2 am 2 am
						F	ile No	. <u>1550</u>	6								J	UL 0	7 2017
1. 7	Applicatio	on is he	reby n	nade fo	or appr		f the C lace of		nginee			the (ch		ne or b	oth):				Field Office to Resource
(under the	water	right w	hich is	the s	ubject	of this	applic	ation i	n acco	rdance	e with t	the cor	ndition	s desc	ribed b	oelow.		
•	The sour	ce of su	ipply is	s:		⊠G	iround	water			Surfac	ce wat	er						
	Name an											LLC							
	4601 WII																		
	Phone N										*****		חבטיו						
-	<u>4601 WII</u> Phone N							ON NO											
									Linai	addie	JJ								
	The presently authorized place of use is: Owner of Land NAME: CLARK FAMILY FARM PROPERTIES LLC																		
,	ADDRESS: 4601 WINGED FOOT DR APT 4_HUTCHINSON KS 67502-8064																		
	(If there is			•															
	NE½					NW% SW%						SE¼			TOTAL				
Sec	. Тwp.	Range	NE14			SE¼	NE¼	NW1/4	SW¼	SE¼	NE%	NW¼	sw¼	SE¼	NE¼	NW¼	SW1/4	SE¼	ACRES
							-												
																		 	
							<u> </u>	<u> </u>	<u> </u>	<u> </u>		<u> </u>			<u> </u>	<u> </u>	<u> </u>	<u> </u>	
4.	If this ap	olicatio	n is for	a cha	nge in	place	of use	, it is p	ropose	ed that	the pi	ace of	use be	e chan	ged to	:			
	Owner of				-	•		-			-								
		,	ADDRI	ESS:															
1	(If there is	more th	an one	landov	vner, at	tach su	ppleme	ental sh	eets as	neces	sary.)								
	NE¼		NW¼			SW¼			SE¼			TOTAL							
	T	Range	NE¼	NW¼	SW1/4	SE¼	NE%	NW14	SW1/4	SE¼	NE1/4	NW1/4	SW1/4	SE¼	NE1/4	NW14	SW1/4	SE¼	ACRES
Sec	. Twp.								i i	E .	11	I	§ .	ľ	II.	1		1 11	
Sec	, тwp.								ļ		 		<u> </u>				<u> </u>		
Sec	, тwp.																		

5.	Presently authorized point of diversion:				
	One in the Quarter of the				
	of Section, Township				
	in Gray County, Kansas, 3353				
	Authorized Rate Authorized Quantity		Depth of well		_ (feet)
	(DWR use only: Computer ID No. 2 GP	'S <u>3410</u>	feet North	5188 fee	et West)
	☐ This point will not be changed ☐ This point will	I be changed	l as follows:		
	Proposed point of diversion: (Complete only if change	<u>qe is request</u>	<u>ed)</u>		
	One in the Quarter of the				
	of Section 12, Township				
	in <u>Gray</u> County, Kansas, <u>3946</u>				
	Proposed Rate Proposed Quantity _				
Į	This point is: Additional Well Geo Center List of	ther water rig	hts that will use this po	oint	
r					
6.	Presently authorized point of diversion:				
	One in the Quarter of the				
	of Section, Township				
	in <u>Gray</u> County, Kansas, <u>3386</u>				
	Authorized Rate Authorized Quantity	0.140	Depth of well		_ (feet)
	(DWR use only: Computer ID No. 1 GP			2441 tee	et West)
	☐ This point will not be changed ☐ This point will				
	Proposed point of diversion: (Complete only if change				
	One in the Quarter of the		Quarter of the		Quarter
	of Section, Township	foot North	South, Range _	e of Courth cook	(E/VV),
	in County, Kansas, Proposed Rate Proposed Quantity _				
	This point is: Additional Well Geo Center List of				
L	This point is. Additional Well Geo Certier List of	MILE WATER IN	into that will use this pe	Ont	•
7.	Why do you need a new point of diversion?	13a. If t	he proposed point of di	iversion will be	relocated within 100
		tee	et of the existing point of diagram below in relati	of diversion, inc	dicate its location on
	old well needs to be replaced	(PI	LEASE NOTE: The '	"X" in center	of diagram below
		rep	presents presently aut		of diversion.)
				North	100
8.	If a well, is the test hole log attached? X Yes No		100 50	U 5U	10U
9.	When do you propose to complete the new point	of	F '''	' + ''''	'
Ð.	diversion?	OI.			⇉
	July 15, 2017		50 📙 🗡	_ +	⊣ 50
	<u>July</u> 10, 2017		E	_	\exists
10.	If the point of diversion is a well:	\ /1	Vest 0 -	3 7	ıı∃n Faet
	(a) What are you going to do with the old well?	٧	Yesi 0 - 1111111	1211111	, , c r r as
			F	_	7
	plug		50 🗀 +	_ +	 50
	(LA Millian will this to done 2 204.7		F		
	(b) When will this be done? 2017		<u> </u>	1+1111	
4.4	Groundwater Management District recommendati	on	100 50	0 50	100
II.	Groundwater Management District recommendati attached? X Yes No	OH		South	100
	attached. 24 100 110			le 1" = 100'	
12.	Assisted by tpm	13b. If t	he proposed point of di 0 feet but within 132	iversion will be 'O feet from th	relocated more than ne existing point of
		div	version, attach a topog r groundwater sources,	graphic map or	r aerial photograph.
		wit	hin one-half mile of the	proposed point	of diversion and the
		na	mes and mailing addre	esses of the o	wners. For surface
		wa lar	iter sources, show th idowner(s) one-half m	ie names and ile downstream	addresses of the
		up	stream from your prope	rty lines.	3110 1100 11110



SUMMARY ORDER APPROVING APPLICATION FOR CHANGE AND IMPOSING CONDITIONS

This Summary Order is issued under authority of K.S.A. 82a-708b, as amended, and K.A.R. 5-14-3 and other applicable provisions of the *Kansas Water Appropriation Law, K.S.A. 82a-701 et. seq.*, and rules and regulations promulgated thereunder, K.A.R. 5-1-1 *et.seq.* With the exception of those conditions expressly contained herein, this Summary Order does not change the terms, conditions and limitations of File No. 15506 A change application was received on _____ requesting that the place of use and / or point of diversion authorized under the above-referenced file number be changed as described in the application. On and after the effective date of this summary order, the authorized place(s) of use shall be located substantially as shown on the topographic map accompanying the application to change the place of use.

Applicable
Not Applicable The change in point of diversion shall not impair existing rights and shall be limited to the same source or sources of water as previously authorized. The point of diversion authorized by this summary order shall be located within a ______ foot radius of the authorized point(s) of diversion.

Applicable

Not Applicable The point(s) of diversion authorized herein shall not actually be located more than ______ feet from the previously authorized point(s) of diversion. ☐ Applicable ☐ Not Applicable As required by K.A.R. 5-3-5d, if the works for diversion is a well with a diversion rate of 100 gallons per minute or more, a tube or other device suitable for making water level measurements shall be installed, operated and maintained in accordance with K.A.R. 5-6-13. Applicable ☐ Not Applicable The owner of the authorized place(s) of use shall properly install an acceptable water flow meter on or before December 31, 2017, or before the first use of water, whichever occurs first. The water flow meter shall be installed, operated and maintained in accordance with K.A.R. 5-1-4 through 5-1-12. As required by K.S.A. 82a-732, as amended, and K.A.R. 5-3-5e, the owner shall maintain records and report the reading of the water flow meter and the total quantity of water diverted annually to the Chief Engineer by March 1 following the end of each calendar year.


Applicable

Not Applicable Installation of the works for diversion of water shall be completed on or before December 31, 2017, or within any authorized extension of time. By March 1, 2018 the applicant shall notify the Chief Engineer that construction of the works for diversion has been completed, on the form provided by the Chief Engineer, as required by K.A.R. 5-8-4e.

Applicable

Not Applicable The completed well log shall be submitted with the required notice. ☐ Applicable ☐ Not Applicable All diversion works into which any type of chemical or other foreign substance will be injected into the water shall be equipped with an in-line, automatic, quick-closing check valve capable of preventing pollution of the source of the water supply. The check valve(s) shall be installed, operated and maintained in accordance with K.A.R. 5-3-5c.

Applicable
Not Applicable Additional Conditions are attached. ☐ Yes ΠNo 11. In accordance with K.S.A. 82a-708a, as amended, and K.A.R. 5-5-14, all of the owners of the authorized place(s) of use of water appropriated under the above-referenced file number are responsible for compliance with its terms, conditions and limitations, as amended and/or supplemented by this Summary Order, and with applicable provisions of the *Kansas Water Appropriation Law* and the *Rules and Regulations* promulgated thereunder. Failure to comply with these provisions may result in civil penalties pursuant to K.S.A. 82a-737, as amended, and/or the suspension or revocation and dismissal of the water or appropriation right or any other enforcement actions authorized by law. FOR OFFICE USE ONLY Administrative Appeal and Effective Date of Order APPLICATION APPROVED AND You have the right to a hearing in accordance with K.A.R. 5-14-3 SUMMARY ORDER ISSUED before this Summary Order becomes final action of the Kansas Department of Agriculture. Any request for a hearing must be filed with the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, 1320 Research Park Drive, Topeka, Kansas 66502, within 15 days after the date shown on the Certificate of Service attached hereto. If a hearing Duly Authorized Designee of the Chief Engineer is not requested in accordance with K.A.R. 5-14-3, this Summary Order will become effective on the 15th day after the date shown Division of Water Resources - Kansas Department of Agriculture on the Certificate of Service. Date of Issuance: __ For Use by Register of Deeds State of Kansas) SS County of ____ Acknowledged before me on Signature: ____ Notary Public My commission expires: _____ (Notary Seal) File No. ____ DWR 1-121 (Revised 06/16/2014) Page 4



3795 W. Jones Ave. Garden City, KS 67846 PH: 620-277-2389

280

455





PO Box 639 Garden City, KS 67846 Fax: 620-277-0224

Customer	Name: (Clark Family Form	s. 11C		WO#: 11920	Date: <u>6-29-17</u>	4
Street Add	dress:				Test #: 🛂	E LOG: Yes	
City, State	e:				Driller: Dale Gui		-
County:	Gray	Quarter: N L/	Section: /	2	Township: 25	Range: 30	
Location:	7			GPS:	N37,89676 W 100.5	7224	11 \$10,000
Rig #:	10002		Elevation: 28 ५	1'	Static WL: 213' well	Estimated?	-
		· · · · · · · · · · · · · · · · · · ·			Proposed Well Depth	_305 - ^	
						20' Sixon	

				Proposed Well Depth 305 - 2						
				20' somo						
	1_	Footage								
%	From	Pay	То	Description of Strata						
	0		12	Top Soil						
	2		7	Brown Sandy Clay						
·····	7		32	Brown Sandy Clay Brown Sandy clay w / Some fine sond strips						
	32		37	Callen						
	37		43	Brown Clay						
	43		61	Bed Sandy clay W/ Some lime rock strips						
	61		70	Sand fine to mad w/lima ruck stoips . Ovilled Tight -						
····	70		80	Sund fine to med course small some ined gravel-couple tight ledge						
	80		91	Brown Sandy Clay w/many Sand strips						
	91		150	Sand fire to med course - couple tight ledges-						
· · · · · · · · · · · · · · · · · · ·	150		169	Brown Sandy Clay w / few small sand strins						
	169		198	Fine Sand w/few clay stringers - comented in places -						
	198		206.	Brown Sandy Clay						
20	206	14	227	Fint Sand						
	227		230	Brown Clay						
25	230	10	240	Sand fine to med course w some brown of ter rock						
15	240	20	260	Sand fine few med w/comple clay stringers						
10	260	10	270	Sand fine few med w/comple clay stringers Sand fine to med w/some clay stringers						
35	270	15	285	Sand fine to mad conver w/brown & for rock						
				Super Gel X -2						
				Bent, Plug 2/4 -5						
				Perma Plug -1						
<u> </u>	·									
	i i									
·										
• • • • • • • • • • • • • • • • • • • •	 									