Kansas Department of Agriculture Division of Water Resources CHANGE: P/U WORKSHEET

1. File Number:	2. Status Change Date:	3. Change Num:	4. Field Office:	5. GMD:
19987	6/7/18	c1	04	03
6. Status: Approved ☐ Den	ied by DWR/GMD	Dismiss by Reques	t/Failure to Return	7. Filing Date of Change:
				4/10/2018
8a. Applicant(s) New to system □	Person ID 13753 Add Seq# 1	8c. Landown New to sy	- ·	Person ID Add Seq#
VICTOR V & LOUISE M 1 PO BOX 381 MONTEZUMA KS 67867				
8b. Landowner(s) New to system □ VICTOR V & LOUISE M 1 PO BOX 381 MONTEZUMA KS 67867		РО ВО	R V & LOUISE M	Person ID 13753 Add Seq# 1 THOMAS TR ET AL 7-0381
9. Documents and Enclosure(s): 🛛 D\	VR Meter(s) Date to Comp	ly: 12/31/18	N & P Date to	Comply:
☐ Anti-Reverse Meter ☐ Meter	Seal	□ N & P Form	☐ Water Tube ☐ D	riller Copy
☐ Conservation Plan Date Requi	ed: Da	te Approved:	Date to	Comply:
10. Use Made of Water From:		To: _		
			Date Prepared: 5/15/ 1 Date Entered:	I8 ву: ТРМ Ву:

File No. 19987	11. County: GY	} }	⁶⁶	Basin: ark	ark					S	Stream:							For	Formation Code:	ioi	Special Use:	
12. Points of Diversion CHK														Rate and Quantity	and Quant	antify		700	٨ م م الذور و و ال			
DEL PDIV Qualifier	· ω	⊦	œ	Q		ŝ	<u></u>	W	Con	ттепі	Comment (AKA Line)	-ine)	O)	Auu Rate gpm/cfs	<u></u>	Zeu Quantity af/mgy	>	Rate gpm/cfs	Quantity af/mgy		Overlap PD Files	
nc																,						
13. Storage: Rate	Z 	11_	ď	Quantity.					ac/fit		Additional Rate	al Rat	60				½ 	Additi	Additional Quantity		ac	ac/ft
14. Limitation:	af/yr at) mdg -				cfs) w	hen cc	mbine	ofs) when combined with file number(s)	file nui	mber(s				A THE PERSON OF			
Limitation:	af/yr at					db				cfs) w	hen cc	mbine	cfs) when combined with file number(s)	file nui	mber(
15. 5YR Allocation: Allocation Type	ın Type	Sta	Start Year	<u>a</u>		5 YI	5 YR Amount	unt 		Am	Amount Unit	 	"	Base Acres	cres .		රි 1	Comment				
16. Place of Use CHK				NE%			2	NW74			NS	SW1/4			S	SE1/4	- Constitution of the Cons	Total	Owner (Chg?	Overlap Files	
اد د	Я О	A A	WN X	NS.	S. %	₩ ₩	Ν×	SW %	S'X	N.	WN %	SW %	S≍	ñ'.	WN %	SW %	R×					
NC 18351 28 27 2	28W	31.5	31.5	5 31.5	5 31.5	5 31.5	3	.5 31.5	31.5	31.5	31.5	31.5	31.5	31.5	31.5	31.5	31.5	504	8B y	yes 1	12045, 12429, 19987	87
ENT 13753 33 27 2	28W					40	40	40	40	40	40	40	40					320	8B n	no 1	12045, 12429, 19987	187
Base Acres: Year:		nimun	r Rea	ssonak	Minimum Reasonable Quantity:	antity:																
Comments:																						

DEPARTMENT OF AGRICULTURE
DIVISION OF WATER RESOURCES
GARDEN CITY FIELD OFFICE
2508 JOHNS STREET
GARDEN CITY, KS 67846-2804

STATE OF KANSAS

PHONE: (620) 276-2901 Fax: (620) 276-9315 www.agriculture.ks.gov



June 7, 2018

VICTOR V & LOUISE M THOMAS TR ET AL PO BOX 381 MONTEZUMA KS 67867-0381

RE: Change the Place of Use, File Nos 12045 12429 19987

Dear Mr. & Mrs. Thomas;

Enclosed you will find a *Summary Order Approving Application for Change in Place of Use* for the above referenced files. Since these orders modify the original documents, it should be recorded at the County Register of Deeds.

These orders modify the authorized acres that can be irrigated by these files. The authorized place of use is as shown on the plats within the change approvals.

A condition of this order is that an acceptable flow meter must be properly installed on the diversion works authorized under the referenced file number in accordance with the Kansas Administrative Regulations 5-1-4 through 5-1-12. This water flow meter shall be used to provide information required on the annual water use report (including the meter reading at the beginning and end of the report year).

This order shall become final if a request for a hearing is not filed with the Chief Engineer within 15 days of the date of service of this order. The date of service is the date listed on the enclosed *Certificate of Service*.

Should you have any questions, please feel free to call this office or arrange an appointment for additional assistance. Please refer to the file number when you contact us if you wish to discuss a specific file.

Sincerely,

Thomas P. Makens

Assistant Water Commissioner

TPM:tpm Enclosures GMD#3

CERTIFICATE OF SERVICE

On this day of June 2018, I hereby certify that the attached original Approval of Application to Change the Place of Use under Water Right File 12045 12429 19987 dated June 7, 2018, was mailed postage prepaid, first class, US mail to the following:

VICTOR V & LOUISE M THOMAS TR ET AL PO BOX 381 MONTEZUMA KS 67867-0381

Scanned copy provided to GMD#3

Division of Water Resources

Submit completed application to: Kansas Department of Agriculture Division of Water Resources Field Office for your area. Call for address:

Topeka -- (785) 862-6300 Stafford -- (620) 234-5311 Stockton -- (785) 425-6787 Garden City -- (620) 276-2901 www.ksda.gov/dwr

DWR FIELD OFFICE APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF USE AND/OR THE POINT OF DIVERSION



STATE OF KANSAS

Filing Fee Must Accompany the Application, K.S.A. 82a-708b(b), as amended. Fee Schedule is on the third page of this application form.

than	100 fee	los. 1, 2 et, or if p version a	olace o	f use	will be	omplet chan	t ed. C ged, ir	omple clude	ete all a topo	other ograph	applic	able poor de	oortio etailed	n s. I f plats	chang howin	e in po g the	author RE 1°C	oelV Signal Signal	- PCM
						F	ile No.	<u>19987</u>	7								APF	10	2018
1.	Applica	ion is he	reby m	ade fo	r appr		the C		iginee			ne (che of Dive		e or bo	oth):	G: Divi	arden sion o	City Fi f Water	eld Office Resources
	under ti	ie water	right w	hich is	the su	bject o	of this	applica	ation in	accor	dance	with th	ne con	ditions	descr	ibed b	elow.		
	The sou	rce of su	ipply is	:		⊠ G	roundv	vater			Surfac	e wate	er .						
	PO Box	nd addre 381, Mo	ntezur	na, KS	6786	7	& Loui			addres	s;								
	Name a	nd addre	ess of \	Vater 1	Use C	orresp	onden					Reed							
		Number:						4-5-	Email	addres	s:							····	
3.		sently a																	
	Owner of Land NAME: Victor V & Louise Thomas TR ET AL																		
			ADDRE																
	(If there	is more th	an one	landov	ner, at	ach su	ppleme	ntal sh	eets as	necess	sary.)							<u> </u>	
	- 70		NE1/4	NW¼	5W1/4	SE1/4	NE¼		V¼ SW¼	SE1/4	NE¼		V¼ SW¼	SE¼	NE¼	SE NW1/4	5W1/4	SE1/4	TOTAL ACRES
Se	4000	*******	31.5	31.5			31.5				31.5			31.5	31.5	31.5	31.5	31.5	504.0
											<u> </u>								
4.		pplicatio of Land			_					ed that	the pla	ace of	use be	chan	ged to:				
			ADDRI										- House v						
	(If there	is more t	nan one	landov	vner, at	tach su	ippleme	ental sh	eets as	neces	sary.)				ı				
	_		11544		E¼	051/	NET	Y	N¼	CE1/	NEIZ	SV NW1/4	N¼ SMIA	SE1/4	NEW		SW1/4	SE1/4	TOTAL ACRES
Se	ec. Twj 3 27:	. Range 28w	NE%	NW¼	SW1/4	SE%	40.0	NW¼ 40.0	40.0	SE1/4 40.0	40.0	40.0	40.0	40.0	INC/4	1447/4	34474	UL/4	320.0
	8 27		31.5	31.5	31.5	31.5	31.5	31.5	31.5	31.5	31.5	i —	31.5	T	31.5	31.5	31.5	31.5	504.0
	<u> </u>																		
	For Of	fice Use	Only:	Code		Fe	e \$_Z	00	TR	#		Re	ceipt	Date _	4/10	/18	Chec	:k#_9	512

feet of the existing point of diversion, indicate its location on the diagram below in relation to the existing point of diversion. (PLEASE NOTE: The "X" in center of diagram below represents presently authorized point of diversion.) North 100 50 0 50 100 9. When do you propose to complete the new point of diversion? NA 10. If the point of diversion is a well: (a) What are you going to do with the old well? NA (b) When will this be done? 11. Groundwater Management District recommendation attached? Yes No 12. Assisted by GMD3/JLN 13b. If the proposed point of diversion will be relocated more than 100 feet but within 1320 feet from the existing poptograph.	5.	Presently authorized point of diver				· · · · · · · · · · · · · · · · · · ·	
Authorized Rate Quarter of the Quart	-	One in theNE	Quarter of the	NE	Quarter of the	SW	Quarter
Authorized Rate Quarter of the Quart		of Section 28	, Township	27	South, Range	28	W
Authorized Rate Quarter of the Quart		in Gray County.	Kansas, 2600	feet North	2850 feet West	t of Southeast corn	er of section
Course only: Computer ID No. GPS Feet North Feet West)		Authorized Rate 1000gpm A	uthorized Quantity		Depth of well	lfe.	eet)
This point will not be changed This point will be changed as follows:		(DWR use only: Computer ID No.	2 GF	PS	feet North	feet W	/est)
Proposed point of diversion: (Complete only If change is requested) One in the		☑ This point will not be changed	This point wi	ll be change	ed as follows:		,
of Section		_		_			
of Section		One in the	Quarter of the		Quarter of the		Quarter
In		of Section	Township		South, Range		W.
Proposed Rate	$ldsymbol{ld}}}}}}$	in County,	Kansas,	feet North	n feet West	t of Southeast com	er of section
This point is: Additional Well Geo Center Ust other water rights that will use this point		Proposed RateP	roposed Quantity _		Proposed well de	pth (feet)	
6. Presently authorized point of diversion: One in the Quarter of the Quarter of the Get North Feet West of Southeast corner of section. Authorized Rate Authorized Quantity Depth of well (feet) (DWR use only: Computer ID No. GPS Feet North Feet West of Southeast corner of section. Authorized Rate Authorized Quantity Depth of well (feet) (DWR use only: Computer ID No. GPS Feet North Feet West of Southeast corner of section. This point will not be changed This point will be changed as follows: Proposed point of diversion: (Complete only if change is requested) One in the Quarter of the Quarter of Section Township South, Range (E/W), in County, Kansas, Feet North Feet West of Southeast corner of section. Proposed Rate Proposed Quantity Proposed well depth (feet) This point is: Additional Well Geo Center List other water rights that will use this point. 7. Why do you need a new point of diversion? NA 13a. If the proposed point of diversion will be relocated within 100 feet of the existing point of diversion, indicate its location on the diversion? 14a. If a well, is the test hole log attached? Yes No 15b. If the proposed point of diversion will be relocated within 100 feet of the existing point of diversion. North 10 If the point of diversion is a well: (a) What are you going to do with the old well? NA (b) When will this be done? 11. Groundwater Management District recommendation attached? Yes No 12. Assisted by GMD3/JLN 13b. If the proposed point of diversion will be relocated more than 100 feet but willin 1320 feet from the existing point of diversion and the names and mailing addresses of the owners. For surface of the proposed point of diversion and the names and mailing addresses of the owners. For surface of the proposed point of diversion and the names and mailing addresses of the owners. For surface of the proposed point of diversion and the names and mailing addresses of the owners. For surface		This point is: Additional Well	Geo Center List	other water r	ights that will use this p	oint	
One in theQuarter of theQuarter of theQuarter of Section							
of Section	6.	Presently authorized point of diver	sion:				
of Section		One in the	Quarter of the		Quarter of the		Quarter
Authorized Rate Authorized Quantity Depth of well (feet) Mathorized Rate Authorized Quantity Depth of well (feet)		of Section	, Township		South, Range		
Clay Computer ID No. GPS Feet North Feet West)		in County, i	Kansas,	feet North	n feet West	t of Southeast corn	er of section.
Clay Computer ID No. GPS Feet North Feet West)		Authorized Rate A	uthorized Quantity		Depth of well	(fe	eet)
Proposed point of diversion: (Complete only if change is requested) One in the Quarter of the Quarter of the of Section Township South, Range (E/W), in County, Kansas, feet North feet West of Southeast corner of section. Proposed Rate Proposed Quantity Proposed well depth (feet) This point is: Additional Well Geo Center List other water rights that will use this point 7. Why do you need a new point of diversion? NA 13a. If the proposed point of diversion will be relocated within 100 feet of the existing point of diversion indicate its location on the diagram below in relation to the existing point of diversion. 8. If a well, is the test hole log attached? Yes No 100 50 0 50 100 9. When do you propose to complete the new point of diversion? North 10. If the point of diversion is a well: West 0		(DWR use only: Computer ID No.	GF	'S	feet North	feet W	lest)
One in the		-	•	•			
of Section							
in County, Kansas, feet North feet West of Southeast corner of section. Proposed Rate Proposed Quantity Proposed well depth (feet) This point is: □ Additional Well □ Geo Center List other water rights that will use this point □ 7. Why do you need a new point of diversion? NA feet of the existing point of diversion will be relocated within 100 feet of the existing point of diversion, indicate its location on the diagram below in relation to the existing point of diversion.) 8. If a well, is the test hole log attached? □ Yes □ No North 9. When do you propose to complete the new point of diversion? NA 10. If the point of diversion is a well: (a) What are you going to do with the old well? NA 50 + - + 50 West 0 -		One in the	Quarter of the		Quarter of the		Quarter
Proposed Rate Proposed Quantity Proposed well depth (feet) This point is: Additional Well Geo Center List other water rights that will use this point 7. Why do you need a new point of diversion? NA 13a. If the proposed point of diversion will be relocated within 100 feet of the existing point of diversion, indicate its location on the diagram below in relation to the existing point of diversion.) North 100 50 0 50 100							
This point is: Additional Well Geo Center List other water rights that will use this point 7. Why do you need a new point of diversion? NA 13a. If the proposed point of diversion will be relocated within 100 feet of the existing point of diversion, indicate its location on the diagram below in relation to the existing point of diversion, indicate its location on the diagram below in relation to the existing point of diversion, indicate its location on the diagram below in relation to the existing point of diversion, indicate its location on the diagram below in relation to the existing point of diversion. 13a. If the proposed point of diversion will be relocated within 100 feet of the existing point of diversion.		in County,	Kansas,	feet North	reet West	of Southeast corn	er of section.
7. Why do you need a new point of diversion? NA 13a. If the proposed point of diversion will be relocated within 100 feet of the existing point of diversion, indicate its location on the diagram below in relation to the existing point of diversion.) North		Proposed Rate P	oposed Quantity _		Proposed well de	pth (feet)	
feet of the existing point of diversion, indicate its location on the diagram below in relation to the existing point of diversion. 8. If a well, is the test hole log attached? Yes No 9. When do you propose to complete the new point of diversion? NA 10. If the point of diversion is a well: (a) What are you going to do with the old well? NA (b) When will this be done? 11. Groundwater Management District recommendation attached? Yes No 12. Assisted by GMD3/JLN 13b. If the proposed point of diversion will be relocated more than 100 feet but within 1320 feet from the existing point of diversion, indicate its location on the diagram below in relation to the existing point of diversion, will be relocated more than 100 feet but within 1320 feet from the existing point of diversion will be relocated more than 100 feet but within 1320 feet from the existing point of diversion and the names and mailing addresses of the owners. For surface management point of diversion and the names and mailing addresses of the owners. For surface		inis point is: Additional Well	Geo Center List of	other water r	ights that will use this p	oint	•
feet of the existing point of diversion, indicate its location on the diagram below in relation to the existing point of diversion. 8. If a well, is the test hole log attached? Yes No 9. When do you propose to complete the new point of diversion? NA 10. If the point of diversion is a well: (a) What are you going to do with the old well? NA (b) When will this be done? 11. Groundwater Management District recommendation attached? Yes No 12. Assisted by GMD3/JLN 13b. If the proposed point of diversion will be relocated more than 100 feet but within 1320 feet from the existing point of diversion, indicate its location on the diagram below in relation to the existing point of diversion, will be relocated more than 100 feet but within 1320 feet from the existing point of diversion will be relocated more than 100 feet but within 1320 feet from the existing point of diversion and the names and mailing addresses of the owners. For surface management point of diversion and the names and mailing addresses of the owners. For surface	7	Why do you need a new point of diversi	on2 NA	13a If	the proposed point of di	iversion will be relo	cated within 100
PLEASE NOTE: The "X" in center of diagram below represents presently authorized point of diversion.) North	••	Trily do you need a new point of diversi	011: 1471	fe	eet of the existing point o	of diversion, indicat	e its location on
represents presently authorized point of diversion.) 8. If a well, is the test hole log attached? \[\text{Yes} \] No 9. When do you propose to complete the new point of diversion? NA 10. If the point of diversion is a well: (a) What are you going to do with the old well? NA (b) When will this be done? 11. Groundwater Management District recommendation attached? \[\text{Yes} \] No 12. Assisted by \(\text{GMD3/JLN} \) 13b. If the proposed point of diversion will be relocated more than 100 feet but within 1320 feet from the existing point of diversion, attach a topographic map or aerial photograph. For groundwater sources, show all wells (including domestic) within one-half mile of the proposed point of diversion and the names and mailing addresses of the owners. For surface within one-half mile of the proposed point of diversion and the names and mailing addresses of the owners. For surface				tr (i	ne diagram below in relat	ion to the existing p "X" in center of	oint of diversion.
8. If a well, is the test hole log attached? Yes No 9. When do you propose to complete the new point of diversion? NA 10. If the point of diversion is a well: (a) What are you going to do with the old well? NA (b) When will this be done? 11. Groundwater Management District recommendation attached? Yes No 12. Assisted by GMD3/JLN 13b. If the proposed point of diversion will be relocated more than 100 feet but within 1320 feet from the existing point of diversion, attach a topographic map or aerial photograph. For groundwater sources, show all wells (including domestic) within non-half mile of the proposed point of diversion and the names and mailing addresses of the owners. For surface are made and mailing addresses of the owners. For surface names and mailing addresses of the owners. For surface				re	epresents presently aut	thorized point of d	iversion.)
9. When do you propose to complete the new point of diversion? NA 10. If the point of diversion is a well: (a) What are you going to do with the old well? NA (b) When will this be done? 11. Groundwater Management District recommendation attached? Yes No 12. Assisted by GMD3/JLN 13b. If the proposed point of diversion will be relocated more than 100 feet but within 1320 feet from the existing point of diversion, attach a topographic map or aerial photograph. For groundwater sources, show all wells (including domestic) within one-half mile of the proposed point of diversion and the names and mailing addresses of the owners. For surface						North	
9. When do you propose to complete the new point of diversion? NA 10. If the point of diversion is a well: (a) What are you going to do with the old well? NA (b) When will this be done? 11. Groundwater Management District recommendation attached? ☑ Yes ☐ No 12. Assisted by GMD3/JLN 13b. If the proposed point of diversion will be relocated more than 100 feet but within 1320 feet from the existing point of diversion, attach a topographic map or aerial photograph. For groundwater sources, show all wells (including domestic) within one-half mile of the proposed point of diversion and the names and mailing addresses of the owners. For surface	8.	If a well, is the test hole log attached?	☐ Yes ☐ No		10 <u>0</u> 50	0 50	100
diversion? NA 10. If the point of diversion is a well: (a) What are you going to do with the old well? NA (b) When will this be done? 11. Groundwater Management District recommendation attached? Yes No 12. Assisted by GMD3/JLN 13b. If the proposed point of diversion will be relocated more than 100 feet but within 1320 feet from the existing point of diversion, attach a topographic map or aerial photograph. For groundwater sources, show all wells (including domestic) within one-half mille of the proposed point of diversion and then names and mailing addresses of the owners. For surface	_	MAII 1					7
10. If the point of diversion is a well: (a) What are you going to do with the old well? NA (b) When will this be done? 11. Groundwater Management District recommendation attached? ☑ Yes ☐ No 12. Assisted by GMD3/JLN 13b. If the proposed point of diversion will be relocated more than 100 feet but within 1320 feet from the existing point of diversion, attach a topographic map or aerial photograph. For groundwater sources, show all wells (including domestic) within one-half mile of the proposed point of diversion and the names and mailing addresses of the owners. For surface	9.		e the new point	of	F		╡
10. If the point of diversion is a well: (a) What are you going to do with the old well? NA (b) When will this be done? 11. Groundwater Management District recommendation attached? Yes No 12. Assisted by GMD3/JLN 13b. If the proposed point of diversion will be relocated more than 100 feet but within 1320 feet from the existing point of diversion, attach a topographic map or aerial photograph. For groundwater sources, show all wells (including domestic) within one-half mile of the proposed point of diversion and the names and mailing addresses of the owners. For surface					50 - +	_ + _	d ₅₀
(a) What are you going to do with the old well? NA (b) When will this be done? 11. Groundwater Management District recommendation attached? Yes No 12. Assisted by GMD3/JLN 13b. If the proposed point of diversion will be relocated more than 100 feet but within 1320 feet from the existing point of diversion, attach a topographic map or aerial photograph. For groundwater sources, show all wells (including domestic) within one-half mile of the proposed point of diversion and the names and mailing addresses of the owners. For surface		NA			<u> </u>	= :	╡~~
NA (b) When will this be done? 11. Groundwater Management District recommendation attached? ☐ Yes ☐ No 12. Assisted by GMD3/JLN 13b. If the proposed point of diversion will be relocated more than 100 feet but within 1320 feet from the existing point of diversion, attach a topographic map or aerial photograph. For groundwater sources, show all wells (including domestic) within one-half mile of the proposed point of diversion and the names and mailing addresses of the owners. For surface	10.	If the point of diversion is a well:				Ξ :	
NA (b) When will this be done? 11. Groundwater Management District recommendation attached? ∑ Yes ☐ No 12. Assisted by GMD3/JLN 13b. If the proposed point of diversion will be relocated more than 100 feet but within 1320 feet from the existing point of diversion, attach a topographic map or aerial photograph. For groundwater sources, show all wells (including domestic) within one-half mile of the proposed point of diversion and the names and mailing addresses of the owners. For surface		(a) What are you going to do with the r	ild well?	j	West 0 - 1	1 <u>X</u> 1111111-	_O East
(b) When will this be done? 11. Groundwater Management District recommendation attached? ☐ Yes ☐ No 12. Assisted by GMD3/JLN 13b. If the proposed point of diversion will be relocated more than 100 feet but within 1320 feet from the existing point of diversion, attach a topographic map or aerial photograph. For groundwater sources, show all wells (including domestic) within one-half mile of the proposed point of diversion and the names and mailing addresses of the owners. For surface		(L) Trible and you going to do may the			L	<u></u> .	_
(b) When will this be done? 11. Groundwater Management District recommendation attached? ☐ Yes ☐ No 12. Assisted by GMD3/JLN 13b. If the proposed point of diversion will be relocated more than 100 feet but within 1320 feet from the existing point of diversion, attach a topographic map or aerial photograph. For groundwater sources, show all wells (including domestic) within one-half mile of the proposed point of diversion and the names and mailing addresses of the owners. For surface		NA			50 L _]]50
11. Groundwater Management District recommendation attached? ☑ Yes ☐ No 12. Assisted by GMD3/JLN 13b. If the proposed point of diversion will be relocated more than 100 feet but within 1320 feet from the existing point of diversion, attach a topographic map or aerial photograph. For groundwater sources, show all wells (including domestic) within one-half mile of the proposed point of diversion and the names and mailing addresses of the owners. For surface					- T		700
attached? Yes No South Scale: 1" = 100' 12. Assisted by GMD3/JLN 13b. If the proposed point of diversion will be relocated more than 100 feet but within 1320 feet from the existing point of diversion, attach a topographic map or aerial photograph. For groundwater sources, show all wells (including domestic) within one-half mile of the proposed point of diversion and the names and mailing addresses of the owners. For surface		(b) When will this be done?			F,	- -	7
attached? Yes No South Scale: 1" = 100' 12. Assisted by GMD3/JLN 13b. If the proposed point of diversion will be relocated more than 100 feet but within 1320 feet from the existing point of diversion, attach a topographic map or aerial photograph. For groundwater sources, show all wells (including domestic) within one-half mile of the proposed point of diversion and the names and mailing addresses of the owners. For surface						<u> </u>	
12. Assisted by GMD3/JLN 13b. If the proposed point of diversion will be relocated more than 100 feet but within 1320 feet from the existing point of diversion, attach a topographic map or aerial photograph. For groundwater sources, show all wells (including domestic) within one-half mile of the proposed point of diversion and the names and mailing addresses of the owners. For surface	11.		ct recommendati	on	100 50	_050 ·	100
100 feet but within 1320 feet from the existing point of diversion, attach a topographic map or aerial photograph. For groundwater sources, show all wells (including domestic) within one-half mile of the proposed point of diversion and the names and mailing addresses of the owners. For surface		attached? 🔀 Yes 🔲 No			Scal	.e. 1 = 100 ,	
diversion, attach a topographic map or aerial photograph. For groundwater sources, show all wells (including domestic) within one-half mile of the proposed point of diversion and the names and mailing addresses of the owners. For surface	12.	Assisted by GMD3/JLN		13b. If	the proposed point of di	version will be relo	cated more than
For groundwater sources, show all wells (including domestic) within one-half mile of the proposed point of diversion and the names and mailing addresses of the owners. For surface				1(di	00 feet but within 132 iversion attach a topoc	0 feet from the e	xisting point of
within one-half mile of the proposed point of diversion and the names and mailing addresses of the owners. For surface				F	or groundwater sources,	show all wells (incl	uding domestic)
Water sources, show the names and addresses of the				W n:	itnin one-half mile of the ames and mailing addra	proposed point of d	iversion and the
tendence of the tendence of th				W	ater sources, show th	e names and ad	dresses of the
landowner(s) one-half mile downstream and one-half mile upstream from your property lines.				la uı	ndowner(s) one-halt mi pstream from vour probei	ie downstream an rty lines.	d one-half mile

14. If the proposed groundwater point of diversion is 500 of lewer leet ito	in existing point of diversion, complete the rollowing.
(a) Does the undersigned represent all owners of the currently autho ☐ Yes ☐ No (If no, all owners must sign this applic	orized place(s) of use identified in this application? cation.)
 (b) Will the ownership interest of any owner of the currently author affected if this application is approved as requested? Yes No (If yes, all owners must sign this application) 	
(c) If this application is not approved expeditiously, will there be sub ☐ Yes ☐ No (If no, all owners must sign this applic	stantial damage to property, public health or safety? cation.)
If the application proposes a surface water change in point of diversion, a or a change in place of use, the application must be signed by all owners agent (attach notarized statement authorizing representation).	groundwater change in point of diversion greater than 300 feet, of the currently authorized place of use, or their duly authorized
I hereby verify, being first duly sworn upon my oath or affirm age and the owner, the spouse of the owner, or a duly author their behalf, in regard to the water right(s) to which this appropriation are true, correct and complete.	ized agent of the owner(s) to make this application on
Dated at 4-9-18 , Kansas, this	<u>4</u> day of <u>9 - 7 \$,</u> 20
(Owner) Victor V. Thomas	Seerie M. Thamas (Spouse)
(Owner)	
Weter V. Thomas	Louise M. Thomas (Please Print)
(Please Print)	(Please Print)
(Owner)	(Spouse)
(Please Print)	(Please Print)
(Owner)	(Spouse)
(Please Print)	(Please Print)
State of Kansas County of County of Ss	
I hereby certify that the foregoing application was signed in m	ny presence and sworn to before me this day of
OTAGY.	Notary Public
My Commission Expires 3/1/20 A. STACY D. NOTARY PUBLIC - ST	, —
ONLY COMPLETE APPLICATIONS WILL BE PROCESSED. MyAmphropies, a accurate information; maps, if necessary, must be included; signatures of all the athe appropriate fee must be paid.	of the particable portions of the application form must be completed with
FEE SCHED	
Each application to change the place of use or the point of diversion und forth in the schedule below: Make checks payable to: Kansas Departm (1) Application to change a point of diversion 300 feet or less (2) Application to change a point of diversion more than 300 feet (3) Application to change the place of use	nent of Agriculture
Environment Medical Community of the Com	

SUMMARY ORDER APPROVING APPLICATION FOR CHANGE AND IMPOSING CONDITIONS

This Summary Order is issued under authority of K.S.A. 82a-708b, as amended, and K.A.R. 5-14-3 and other applicable provisions of the *Kansas Water Appropriation Law, K.S.A. 82a-701 et. seq.*, and rules and regulations promulgated thereunder, K.A.R. 5-1-1 et.seq. With the exception of those conditions expressly contained herein, this Summary Order does not change the terms, conditions and limitations of File No. 19997 A change application was received on April 10, 2018 requesting that the place of diversion authorized under the above-referenced file number be changed as described in the application. requesting that the place of use and / or point of On and after the effective date of this summary order, the authorized place(s) of use shall be located substantially as shown on the topographic map accompanying the application to change the place of use. Applicable ☐ Not Applicable The change in point of diversion shall not impair existing rights and shall be limited to the same source or sources of water as previously authorized. The point of diversion authorized by this summary order shall be located within a radius of the authorized point(s) of diversion. Applicable Not Applicable The point(s) of diversion authorized herein shall not actually be located more than feet from the previously authorized point(s) of diversion. Applicable Not Applicable As required by K.A.R. 5-3-5d, if the works for diversion is a well with a diversion rate of 100 gallons per minute or more, a tube or other device suitable for making water level measurements shall be installed, operated and maintained in accordance with K.A.R. 5-6-13.

Applicable The owner of the authorized place(s) of use shall properly install an acceptable water flow meter on or before December 31, 20 \ \(\begin{align*} \) or before the first use of water, whichever occurs first. The water flow meter shall be installed, operated and maintained in accordance with K.A.R. 5-1-4 through 5-1-12. As required by K.S.A. 82a-732, as amended, and K.A.R. 5-3-5e, the owner shall maintain records and report the reading of the water flow meter and the total quantity of water diverted annually to the Chief Engineer by March 1 following the end of each calendar year. Applicable ☐ Not Applicable Installation of the works for diversion of water shall be completed on or before December 31, 20_____, or within any authorized extension of time. By March 1, 20____ the applicant shall notify the Chief Engineer that construction of the works for diversion has been completed, on the form provided by the Chief Engineer, as required by K.A.R. 5-8-4e. Applicable Not Applicable The completed well log shall be submitted with the required notice. ☐ Applicable Not Applicable All diversion works into which any type of chemical or other foreign substance will be injected into the water shall be equipped with an in-line, automatic, quick-closing check valve capable of preventing pollution of the source of the water supply. The check valve(s) shall be installed, operated and maintained in accordance with K.A.R. 5-3-5c. Applicable Not Applicable No Additional Conditions are attached. ☐ Yes 11. In accordance with K.S.A. 82a-708a, as amended, and K.A.R. 5-5-14, all of the owners of the authorized place(s) of use of water appropriated under the above-referenced file number are responsible for compliance with its terms, conditions and limitations, as amended and/or supplemented by this Summary Order, and with applicable provisions of the Kansas Water Appropriation Law and the Rules and Regulations promulgated thereunder. Failure to comply with these provisions may result in civil penalties pursuant to K.S.A. 82a-737, as amended, and/or the suspension or revocation and dismissal of the water or appropriation right or any other enforcement actions authorized by law. Administrative Appeal and Effective Date of Order FOR OFFICE USE ONLY You have the right to a hearing in accordance with K.A.R. 5-APPLICATION APPROVED AND 14-3 before this Summary Order becomes final action of the Kansas Department of Agriculture. Any request for a hearing must be filed with the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, 109 SW **SUMMARY ORDER ISSUED** 9th Street, Topeka, Kansas 66612, within 15 days after the date shown on the Certificate of Service attached hereto. If a Duly Authorized Designee of the Chief Engineer hearing is not requested in accordance with K.A.R. 5-14-3, this Summary Order will become effective on the 15th day P. MAKEN (Print Name): THOMAS after the date shown on the Certificate of Service. Division of Water Resources - Kansas Department of Agriculture For Use by Register of Deeds Date of Issuance: しいんぼ 2018 State of Kansas SS County of Finner Acknowledged before me on Signature: een Notary Public w Wife of SUE KEENY NOTARY My Appointment Expires

My commission expire

Page 4

DWR 1-121 (Revised 01/05/2010)

June 8, 2018 File No.


A


DEW

DOM

REC

12429 & 19987 Change App; PU






Sections

jason GIS Workshop, LLC.

the GIS User Community



Southwest Kansas Groundwater Management District No. 3 2009 E. Spruce Street

Garden City, Kansas 67846

(620) 275-7147 phone (620) 275-1431 fax www.gmd3.org

March 27, 2018

Michael A. Meyers Division of Water Resources 2508 N Johns Street Garden City, Kansas 67846

RE: Applications for Change in Place of Use 1998 7 Trem.

Water Right, File Nos. 12045, 12429 & 19942-

Dear Mike:

We have assisted with the applications for the above referenced water rights. The proposal is not in conflict with the Management Program of the Southwest Kansas Groundwater Management District No. 3 (GMD3). The proposed change in place of use for irrigation is in accordance with K.A.R. 5-5-11, to create a complete overlap. It is therefore recommended that the applications be approved at this time.

Thank you for the opportunity to review the applications and to provide a recommendation. If you have any questions, please don't hesitate to contact us.

Sincerely,

Jason L. Norquest Assistant Manager