NOTICE

This scan only represents the application as filed. The information contained herein meets the requirements of K.A.R. 5-3-1 or K.A.R. 5-5-1, and has been found acceptable for filing in the office of the Chief Engineer. The application should not be considered to be a complete application as per K.A.R. 5-3-1b or K.A.R. 5-5-2a.

Submit completed application to: Kansas Department of Agriculture Division of Water Resources Field Office for your area. Call for address:

Topeka -- (785) 296-5733 Stafford -- (620) 234-5311 Stockton -- (785) 425-6787 Garden City -- (620) 276-2901 http://agriculture.ks.gov/dwr

DWR FIELD OFFICE APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF USE AND/OR THE POINT OF DIVERSION




STATE OF KANSAS

Filing Fee Must Accompany the Application, K.S.A. 82a-708b(b), as amended. Fee Schedule is on the third page of this application form.

Paragraph Nos. 1, 2, 3 & 5 must be completed. Complete all other applicable portions. If change in point of diversion is greater than 100 feet, or if place of use will be changed, include a topographic map or detailed plat showing the authorized and proposed point(s) of diversion and/or place of use.

WATER RESOURCES
RECEIVED

						I	File No	o. <u>2221</u>	8				····				A	AUG 1	0 2018 : 4 \$
1. A	Applicati	ion is he	ereby r	nade f	or app		of the (ingine		-	the (ch		ne or b	oth):	K	S DEP	T OF A	.4> GRICULTUI
u	ınder th	e water	riaht v	vhich i	s the s	ubiect	of this	apolic	ation	in acco	ordanc	e with	the co	ndition	s desc	cribed !	below.		
	he sou							water				ce wat							
'	116 300	100 01 3	uppiy i	3 .		23 0	Journa	Water		L	Julia	ce wat	Cı						
2. N	lame ar	nd addr	ess of	Applic	ant: C	LAWS	ON LA	AND P	ARTN	ERSH	IP								
	о вох																		
P	hone N	lumber:	()					Email	addre	SS:								
N	lame ar	nd addr	ess of	Water	Use C	orresp	onder												
Р	о вох	279 F	PLAINS	s KS	37869														
Р	hone N	lumber:	()					Email	addre	ss:								
	he pres																		
С	wner o	f Land	NA	AME:	see su	pplem	ental p	oage											
			ADDR	ESS:															
(1	f there is	more th	nan one	landov	vner, at	tach su	ppleme	ental sh	eets as	s neces	sary.)								
				N	Ξ¼			N/v	N¼			SV	V¼			SI	Ξ¼	1	TOTAL
Sec.	. Twn	Range	NE¼		T	SE1/4	NE%	NW%		SE1/4	NE1/4	7	SW1/4	SE1/4	NE1/4		sw ₁ / ₄	SE¼	ACRES
			1	111171		33,7		11117	0	JULIA	1	1,1,1,7,1	U.1.7.1		11.274	111111	01174	1	
			1		l						i						\vdash		
			 		 -		ļ	 	<u> </u>		 	 						1	
			<u> </u>		<u> </u>			l	<u> </u>	1	JL		<u></u>		IL.,	1	<u> </u>	L	
1. If	this ap	plication	n is for	a cha	nae in	nlace	of use	it is n	ronose	ed that	the pl	ace of	use be	e chan	aed to				
	wner o														900 10	•			
_			ADDRI																
a	f there is	•					ppleme	ental sh	eets as	neces	sarv.)								
`					= <u>-</u>		<u> </u>		V¼		<u> </u>		V¼				-17		
Caa	Tuum	Danua	NEW		SW1/4	SE¼	NEW			CEY	NE¼	1		SE14	A15-1/	NW1/4	SIAW.	CEV.	TOTAL ACRES
Sec.	TWP.	Range	NE74	144474	30074	SE74	NE 74	1900 %	300%	SE74	NE 74	100074	30074	3E%	NE%	INVV 74	500%	SE%	
			 								 								
									<u> </u>		 	 							
			<u> </u>	<u> </u>	<u></u>		<u></u>		<u></u>	<u> </u>	<u> </u>				L	<u> </u>	L	<u></u> ا	
F	or Offic	ce Use	Only:	Code		Fe	e \$		_ TR	#		Re	ceipt	Date _			Chec	k#	
	,															· —			
4	1	3		$\mathcal{I}_{\mathcal{A}}$	2R		5	W	•	H	•								
WR 1	1-121 (R	evised ()	4/5/201	8)						Page 1								File No.	
				-,						9- '									



5.	Presently authorized point of diversion:								
٠.	One in the Quarter of the	Quarter of the	Quarter						
	of Section, Township	South Range (FM)							
	in County Kansas fee	North feet West of Southeast corner of section							
l	Authorized Rate Authorized Quantity	Depth of well	(feet)						
	(DWR use only: Computer ID No GPS								
	☐This point will not be changed ☐This point will be changed as								
	Proposed point of diversion: (Complete only if change is								
	One in theQuarter of the								
.	of Section, Township								
	in County, Kansas, fee								
	Proposed Rate Proposed Quantity								
- 1	This point is: Additional Well Geo Center List other								
6.	Presently authorized point of diversion:								
	One in the Quarter of the	Quarter of the	Quarter						
	of Section, Township								
	in County, Kansas, fee	et North feet West of Southeas	st corner of section.						
	Authorized Rate Authorized Quantity								
	(DWR use only: Computer ID No GPS								
	☐This point will not be changed ☐This point will be changed as								
	Proposed point of diversion: (Complete only if change is	requested or if existing point is better d	escribed by GPS)						
	One in the Quarter of the	Quarter of the	Quarter						
	of Section, Township								
	in County, Kansas, fee								
	Proposed Rate Proposed Quantity								
	This point is: Additional Well Geo Center List other								
•									
7.	the shanger horself are assured to the following reasons.								
	(please be specific) no chnage to wells, want	North 300 200 100 0 100	200 300						
	to overlap the place off use for the hitch trust rights	300 200 100 00 100 Eminimum	موسلسلسلسل						
		F = -	<u>-</u> =						
8.	If a well, is the test hole log attached? Yes No	200 - + + + + + - + + + + + + + + + + + +	1 + 1 = 200						
^	The sharped (week) (week) and the sharped state of		1 1 3 200						
9.	The change(s) (was)(will be) completed by?		- 1						
	upon approval	100 = 1 + 1 + 1 = 1 +	十 - 1100						
10	If the point of diversion is a well:	<u> </u>	_ 4						
10.			مارين المسلطم وحم						
	(a) What are you going to do with the old well?	- wesco Emiliari initiani initiani manifumi initiani	dest of East						
		E = -							
	(b) When will this be done?	100 + + = + + = + + = + +	十 -						
	(n) Assign min mis of doug.		_ 4						
44	Croundwater Management District assessment dation attacks at		,,						
17.	Groundwater Management District recommendation attached?	w _[+ + + +] + + + + + + + + + + + + + +	1十十十章200						
	☐ 1e2 図 IA0	F	_ =						
12.	Assisted by tpm								
		300 200 100 0 100 South <i>Scale</i>	200 300 :: 1 hashmark=10 ft						
13a	. If the proposed point of diversion will be relocated <u>more than 300</u> <u>feet but within 2,640 feet</u> of the existing point of diversion, attach	13h If the proposed point of diversion will be a	alocated within 200 foot						
	a topographic map or aerial photograph. For groundwater	of the existing point of diversion, indic	ate its location on the						
	sources, show all wells (including domestic) within one-half mile of the proposed point of diversion and the names and mailing	diagram shown above in relation to	the existing point of						
	addresses of the owners. For surface water sources, show the	diversion. (PLEASE NOTE: The "X" above represents the presently	in cenier of diagram authorized point of						
	names and addresses of the landowner(s) one-half mile	diversion.)							
	downstream and one-half mile upstream from your property lines								
		WATER RESOURCES							
DWI	R 1-121 (Revised 04/5/2018) Page	RECEIVED 2	File No.						
		AUG 1 0 2018							
		AUU I U LUIU							

APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF USE AND/OR POINT OF DIVERSION SUPPLEMENTAL SHEET

FILE NO. 20991 22218_ MAKE ADDITIONAL COPIES AS NECESSARY

		ed: The	N		HENF	Y Ċ H	ITCH	RANC	H TRU K 739	IST ¶						-			
•		•	İ	N	NE¼			NWX			sw¼				SE¼				TOTAL
Sec.	Twp.	Range	NE%	T	sw/4	SE%	NE%	1	SW%	SE1/4	NE%			SE%	NE%	1	T	SE%	ACRES
23	32	34w													40	40	40	40	160
24	32	34w									40	40	40	40					160
																		l	
Ö	wner o	f Land	N					··········											
				L00.			1				1				I				
See	T	Danna	NEX	T-	E¼ SW¼	SE1/4	NE%	T	N% SW%	SE%	NE1/4	NW1/2	sw/4	SE1/4	NE%	1	E% SW%	SE14	TOTAL ACRES
Sec.	Twp.	Range	NE%	NVV	50074	SE%	NE%	NVV2	300%	SEM	NE%	NVV2	311/4	SE/A	NE/4	1447/4	311/4	JL/4	
			 	 	_	1	 	†	 	†			 						
			╂		 		-	 	 	 			<u> </u>			-	 		
			<u> </u>	<u> </u>			11			ļ	ll <u> </u>	<u> </u>	<u></u>		<u> </u>	<u> </u>		<u>. </u>	
0	wner o	f Land ·				··													
			ADDR	E00:															
			<u></u>	N	E¼		<u> </u>	N/	N%	,		SV	V¼			SI	<u> </u>		TOTAL
Sec.	Twp.	Range	NE%	NW1/4	SW%	SE1/4	NE%	NW%	SW%	SE1/4	NE1/4	NM.	SW1/4	SE1/4	NE%	NW%	SW1/4	SE1/4	ACRES
										ļ							<u> </u>	ļ	
				<u> </u>			ļ			<u> </u>	<u> </u>				ļ				
					<u> </u>	<u> </u>	<u> </u>	<u> </u>		<u> </u>	<u>L</u>	<u> </u>	<u> </u>		<u> </u>	<u> </u>	<u> </u>		
		ed: If the	N/		HENR	YCH	ITCH I	RANCI	H TRU	ST T	ropose	d that	the pla	ace of	use be	chan	ged to:		
					DOX .		0		700		1				1				
Sec.	Twp.	Range	NE%	T	SW%	SE%	NE%	T	w% sw%	SE%	NE%	SV NW1/4	5W%	SE1/4	NE%	SI NW1/4	5W%	SE1/4	TOTAL ACRES
23	32	34w	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	640
24	32	34w					40	40	40	40	40	40	40	40					320
25	32	34w		40	40		40			40	40	40	40	40		40			360
		f Land -			HENR														
			1								1								
					E%		_	l The second	V¼	T	-		V¼				24	Γ	TOTAL ACRES
Sec.	Twp.	Range	NE%	NW%	SW1/4	SE¼	NE%	NW%	SW%	SE%	NE%	NW%	SW1/4	SE%	NE%	NW%		SE%	200
	32	34w	40	40	40	40	ļ	 			<u> </u>				40	40	40	40	320
35	32	34w	40	40	40	40	ļ	<u> </u>		-									160
36	32	34w	40	40	40	40	40	40	40	40	<u></u>		L		L	<u> </u>		<u> </u>	320
O	wner o	f Land -		AME: ESS:															
				M	=1/				N'/4			SV				SI	Ξ%		TOTAL
Can	Tues	Donas	NEW		5W%	SE1/4	NE%	NW1/4	SW1/4	SE%	NE%	NW%	SW1/4	SE1/4	NE%	NW%	T	SE1/4	ACRES
Sec.	.Twp.	Range	NE%	144774	347/4	JE 74	11574	1444.74	G4474	JE/4		1117/4	0.174	JL/4		1	2.7,74		
					 			 											,
				 	 	<u> </u>		 			<u> </u>		W	ATER	RES	DURC	ES	\vdash	
			L	<u> </u>	<u> </u>		L	<u></u>	<u> </u>	<u> </u>	<u></u>			- R	ECEN	ED.	<u> </u>	<u></u>	
DWR 1	-121-2 (Rev. 04	/24/201	8)					Pa	ge				AUG	310	2018	3	File No	o

14. If the proposed groundwater point of diversion is 300 or for	ewer feet fror	n the existing point of divers	sion, complete the following:
(a) Does the undersigned represent all owners of the cu ☐ Yes ☐ No (If no, all owners must sig			ed in this application?
(b) Will the ownership interest of any owner of the curraffected if this application is approved as requested? ☐ Yes ☐ No (If yes, all owners must si	?		d in this application be adversely
(c) If this application is not approved expeditiously, will t ☐ Yes ☐ No (If no, all owners must sig			public health or safety?
If the application proposes a surface water change in point of or a change in place of use, the application must be signed by agent (attach notarized statement authorizing representation)	y all owners o	groundwater change in poin of the currently authorized p	t of diversion greater than 300 feet, lace of use, or their duly authorized
I hereby verify, being first duly sworn upon my oatlage and the owner, the spouse of the owner, or a dutheir behalf, in regards to the water right(s) to whice contained in this application are true, correct and contained at Behalf MD.	uly authoriz th this applomplete.	ed agent of the owner(ication pertains. I furt	s) to make this application on her verify that the statements
Clastandents Tructo	P		•
Chrickens (1 Stan Genber	rov	(Spouse)
(Please Print)	<i>3</i> -	(Ple	ease Print)
(Owner)		(:	Spouse)
(Please Print)		(Ple	ease Print)
(Owner)	l No	TARY PUBLIC	Spouse)
(Please Print) State of Kansas Maryland County of Montgomery SS	MY COMMIS	SION EXPIRES MAY 15, 2019	ease Print)
I hereby certify that the foregoing application was sof, 20_/ S	signed in m	y presence and sworn t	o before me this day
		Jeres -	& Frere
My Commission Expires 5/18/2019.		Nota	ry Public
ONLY COMPLETE APPLICATIONS WILL BE PROCESSED. To be accurate information; maps, if necessary, must be included; signature the appropriate fee must be paid.			
Each application to change the place of use or the point of div forth in the schedule below: Make checks payable to: Kansa (1) Application to change a point of diversion 300 fee (2) Application to change a point of diversion more the (3) Application to change the place of use	s Department or less nan 300 feet .	this section shall be accomnt of Agriculture	\$100 \$200
DWR 1-121 (Revised 04/5/2018)	Page 3	WATER RESOU RECEIVED	RCES File No. <u>22218</u>

SUMMARY ORDER APPROVING APPLICATION FOR CHANGE AND IMPOSING CONDITIONS

prov Wit	s Summary Order is issued under authority of K.S.A. 82a visions of the <i>Kansas Water Appropriation Law, K.S.A. 8</i> . In the exception of those conditions expressly contained he tations of File No. 22218	2a-701 et. sea and rules and re	equiations promulgated thereunder,
1.	A change application was received on diversion authorized under the above-referenced file no	requesting tha umber be changed as described in	at the place of use and / or point of n the application.
2.	On and after the effective date of this summary order, the the topographic map accompanying the application to o	authorized place(s) of use shall b change the place of use.	e located substantially as shown on pplicable Not Applicable
3.	The change in point of diversion shall not impair existing previously authorized. The point of diversion authorize radius of the authorized point(s) of diversion. ☐ Applie	ed by this summary order shall be	same source or sources of water as located within a foot
4.	The point(s) of diversion described herein is administrated Positioning System (GPS), as described in the applications.	atively corrected to be more acciding the street at the last section. Applicable Not Application in the street acciding the street acciding to the street accidi	urately described using the Global able
5.	The point(s) of diversion authorized herein shall not actua authorized point(s) of diversion. Applicable	ally be located more than Not Applicable	feet from the previously
6.	As required by K.A.R. 5-3-5d, if the works for diversion is or other device suitable for making water level measure K.A.R. 5-6-13. Applicable Not Applicable	ements shall be installed, operated	gallons per minute or more, a tube and maintained in accordance with
7.	The owner of the authorized place(s) of use shall December 31, 2018, or before the first use of water, wh and maintained in accordance with K.A.R. 5-1-4 through 5-3-5e, the owner shall maintain records and report the annually to the Chief Engineer by March 1 following the Applicable Not Applicable	ichever occurs first. The water flo gh 5-1-12. As required by K.S.A. reading of the water flow meter an	w meter snall be installed, operated 82a-732, as amended, and K.A.R.
8.	Installation of the works for diversion of water shall authorized extension of time. By March 1, 20 tworks for diversion has been completed, on the form p Applicable Not Applicable	be completed on or before Dec the applicant shall notify the Chie rovided by the Chief Engineer, as	cember 31, 20, or within any of Engineer that construction of the required by K.A.R. 5-8-4e.
9.	The completed well log shall be submitted with the re	equired notice. Applicable	Not Applicable
10.	All diversion works into which any type of chemical or oth with an in-line, automatic, quick-closing check valve cacheck valve(s) shall be installed, operated and maintain	apable of preventing pollution of t	he source of the water supply. I he
11.	Additional Conditions are attached.		
12.	In accordance with K.S.A. 82a-708a, as amended, and water appropriated under the above-referenced file nulimitations, as amended and/or supplemented by this Sappropriation Law and the Rules and Regulations procesult in civil penalties pursuant to K.S.A. 82a-737, as water or appropriation right or any other enforcement as	umber are responsible for compli Summary Order, and with applica omulgated thereunder. Failure to amended, and/or the suspensior	ance with its terms, conditions and ble provisions of the <i>Kansas Water</i> comply with these provisions may
If you you End	Administrative Appeal and Effective Date of Order ou are aggrieved by this order, pursuant to K.S.A. 82a-1901, may request an evidentiary hearing before the Chief pineer or request administrative review by the Secretary of	APPLICATION SUMMARY	FICE USE ONLY N APPROVED AND ORDER ISSUED
Agri filed adn day revi File Leg	iculture. A request for hearing by the Chief Engineer must be a within 15 days of service of this Order and a request for ninistrative review by the Secretary must be filed within 30 so pursuant to K.S.A. 77-531. Any request for administrative ew must state a basis for review pursuant to K.S.A. 77-527. any request with Kansas Department of Agriculture, all Division, 1320 Research Park Drive, Manhattan, KS	Duly Authorized D (Print Name):	Designee of the Chief Engineer ses - Kansas Department of Agriculture
665 pre	02. Failure to timely request a hearing or review may clude review under the Kansas Judicial Review Act.	State of Kansas)
	For Use by Register of Deeds	County of) SS)
			n
		by	•
		Signature:	
		-	Notary Public
		My commission expires:	
		WATER RESO	
DWI	R 1-121 (Revised 04/5/2018)	Page 4	File No.

AUG 1 0 2018

STATE OF KANSAS

DEPARTMENT OF AGRICULTURE 1320 RESEARCH PARK DRIVE MANHATTAN, KS 66502 PHONE: (785) 564-6700 FAX: (785) 564-6777



900 SW Jackson, Room 456 Topeka, KS 66612 Phone: (785) 296-3556 www.agriculture.ks.gov

GOVERNOR JEFF COLYER, M.D.

JACKIE McClaskey, Secretary of Agriculture

CLAWSON LAND PARTNERSHIP PO BOX 279 August 13, 2018

PLAINS, KS 67869

RE: File No 22218

Dear Sir or Madam:

An application for approval of	the Chief Engineer to	change the	following	condition or	conditions	of the file	number
referred to above has been received:							

place of use	PU
point of diversion	
use made of water	

As a matter of record, the Division of Water Resources has on hand a large number of applications awaiting processing. Therefore, to be fair to all concerned, and so that we can process those applications on hand in the order they were received, we intend to concentrate on the backlog of applications until the issue is resolved. You will be contacted regarding this application as soon as it has been examined.

In accordance with the provisions of the Kansas Water Appropriation Act, a portion of which is included below, the use of water prior to approval of the application is unlawful. You should not proceed and divert water as indicated by your plans in your application for a change for this file until you receive approval for this change from the Chief Engineer. Once approved, compliance with the terms, conditions and limitations of the permit is necessary. Conservation of the water resources of Kansas is required.

Section 82a-728 of the Kansas Water Appropriation Act, provides (a) except for the appropriation of water for the purpose of domestic use, . . . it shall be unlawful for any person to appropriate or threaten to appropriate water from any source without first applying for and obtaining a permit to appropriate water in accordance with the provisions of the Water Appropriation Act or for any person to violate any condition of a vested right, appropriation right or an approved application for a permit to appropriate water for beneficial use.

(b) (1) The violation of any provision of this section by any person is a class C misdemeanor...

A class C misdemeanor is punishable by a fine not to exceed \$500 and/or a term of confinement not to exceed one month in the county jail. Each day that the violation occurs constitutes a separate offense.

If you have any questions, please contact me at (785) 564-6645. If you wish to discuss a specific file, please have the file number ready so that we may help you more efficiently.

Sincerely,

Brent Tourney, L.G.

Change Applications Unit Supervisor

Water Appropriation Program

mont A. Juney

BAT: DLW

pc: GARDEN CITY Field Office GMD3