Submit completed application to: Kansas Department of Agriculture Division of Water Resources Field Office for your area. Call for address:

Topeka -- (785) 862-6300 Stafford -- (620) 234-5311 Stockton -- (785) 425-6787 Garden City -- (620) 276-2901 www.ksda.gov/dwr

DWR FIELD OFFICE APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF USE AND/OR THE POINT OF DIVERSION



STATE OF KANSAS

Filing Fee Must Accompany the Application, K.S.A. 82a-708b(b), as amended. Fee Schedule is on the third page of this application form.

Paragraph Nos. than 100 feet, or point(s) of diversion	if place	of use	will b	e char											autho R	rized a ECE	
				F	File No	. <u>2771</u>	4								Αl	JG 2 (2018
Application is under the war The source o	er right v	which is		⊠ P ubject	lace o	f Use applic		n acco	Point	of Dive	ersion the cor			Di	vision :	n City I of Wate	Field Office er Resources
2. Name and ad PO BOX 953 Phone Numb Name and ad	dress of GARDE	Applica N CIT	Y, KS	/HEAT 67840	LAND	ELEC	Email	COOP addre	ERAT	IVE IN	C.		·				
Phone Numb 3. The presently Owner of Lan	authoriz d N/ ADDR	ed pla AME: ESS:	ce of u WHEA PO BO	ise is: <u>(TLAN</u>)X 953	D ELE 5, GAR	CTRIC DEN (COO	PERA	TIVE 7846								
		NE	Ξ1/4			NV	V1/4			SV	V1/4			SI	=1/4		TOTAL
Sec. Twp. Ran 20 23S 32V		NW¼ 24	SW1/4 40	SE1/4 36	NE¾	NW¼	SW1/4 40	SE1/4 38	NE1/4 30	NW1/4 37	SW1/4 30	SE1/4 36	NE¼ 37	NW¼ 35	SW1/4 38	SE¼ 39	484
20 233 320	V 24	24	40	30			40	30	30	31	30	30	31	30	30	39	404
4. If this applica Owner of Lan	d NA ADDR	AME: ESS:	WHEA PO BO	TLAN OX 953	D ELE , GAR	CTRIC DEN C	COO CITY, I	PERA	TIVE I 7846				_				
		NE	<u> </u>			NV	V¼	Ι		1	V¼			T	<u> </u>		TOTAL ACRES
Sec. Twp. Ran		NW1/4				NW¼					SW1/4				SW1/4		
20 23\$ 32\	V 27	38	40	37	23	2	40	31	34	30	29	36	8	33	38	38	484
For Office U	se Only:	Code		Fe	e \$ <u> </u>	.00.0	<u>ੂੰ</u> TR	#		Re	eceipt	Date _	8÷2	U-18	Chec	k#	15a676


5.	Presently authorized point of diversion:			
	One in the Quarter of the		Quarter of the	Quarter
	of Section, Township		South, Range	(E/W),
	in County, Kansas,	feet No	rth feet West of Souther	ast corner of section.
	Authorized Rate Authorized Quantity		Depth of well	(feet)
	(DWR use only: Computer ID No GPS		feet North	feet West)
	☐ This point will not be changed ☐ This point will b			
	Proposed point of diversion: (Complete only if change	is requ	ested)	
	One in the Quarter of the		Quarter of the	Quarter
	of Section, Township			
	in County, Kansas,			
	Proposed Rate Proposed Quantity			
	This point is: ☐ Additional Well ☐ Geo Center List oth	er wate	r rights that will use this point	•
_				
6.	Presently authorized point of diversion:			
	One in the Quarter of the			
	of Section, Township		South, Range	(E/W),
	in County, Kansas,	feet No	rth feet West of Souther	ast corner of section.
	Authorized Rate Authorized Quantity		Depth of well	(feet)
	(DWR use only: Computer ID No GPS		feet North	feet West)
	\square This point will not be changed \square This point will be	e chan	ged as follows:	
	Proposed point of diversion: (Complete only if change	is requ	rested)	
	One in the Quarter of the		Quarter of the	Quarter
	of Section, Township		South, Range	(E/W),
	in County, Kansas,	feet No	rth feet West of Souther	ast corner of section.
	Proposed Rate Proposed Quantity		Proposed well depth (feet) _	
	This point is: Additional Well Geo Center List oth	er wate	r rights that will use this point	·
7.	Why do you need a new point of diversion?	13a.	If the proposed point of diversion will feet of the existing point of diversion the diagram below in relation to the e (PLEASE NOTE: The "X" in cer represents presently authorized po	, indicate its location on xisting point of diversion. Iter of diagram below
8.	If a well, is the test hole log attached? Yes No			50 100
9.	When do you propose to complete the new point of	f		<u> </u>
	diversion?		50 - + -	÷ ∃ ₅₀
			~ E	
40	If the point of diversion is a well-			_
TU.	If the point of diversion is a well:		- West 0	- O East
	(a) What are you going to do with the old well?		_	
				=
			50 - + -	+ = 50
	(b) When will this be done?		<u> </u>	
	(-)		<u> </u>	
11	Groundwater Management District recommendation	1	100 50 0 5	50 100
, ,,	attached? Yes No	•	South	
		401-	Scale: 1" = 100	
12.	Assisted by	13b.	If the proposed point of diversion will 100 feet but within 1320 feet fror diversion, attach a topographic ma For groundwater sources, show all within one-half mile of the proposed pames and mailing addresses of the water sources, show the names landowner(s) one-half mile downstrupstream from your property lines.	n the existing point of p or aerial photograph. rells (including domestic) point of diversion and the e owners. For surface and addresses of the

14. If the proposed groundwater point of diversion is	300 or fewer feet fro	m existin	g point of dive	rsion, complete the	following:
(a) Does the undersigned represent all owners ☐ Yes ☐ No (If no, all owners	of the currently authornust sign this applic		ce(s) of use id	entified in this app	ication?
(b) Will the ownership interest of any owner of affected if this application is approved as red ☐ Yes ☐ No (If yes, all owners	the currently author quested? s must sign this appl		e(s) of use ide	entified in this app	ication be adversely
(c) If this application is not approved expeditiou ☐ Yes ☐ No (If no, all owners	sly, will there be sub must sign this applic		amage to prop	erty, public health	or safety?
If the application proposes a surface water change in or a change in place of use, the application must be agent (attach notarized statement authorizing representations)	signed by all owners	groundw of the cu	ater change ir rently authori:	n point of diversion zed place of use, c	greater than 300 feet, r their duly authorized
I hereby verify, being first duly sworn upon age and the owner, the spouse of the owner, their behalf, in regard to the water right(s) t contained in this application are true, correct	, or a duly authori to which this app it and complete.	zed age lication	nt of the ow pertains. I	rner(s) to make further verify t	this application on
Dated at Danden City Jule Mr	, Kansas, this	2 2	day of <u></u>	tengu	, 20 <u>}</u> 3
(Owner)				(Spouse)	
(Please Print)				(Please Print)	
(Owner)				(Spouse)	
(Please Print)				(Please Print)	
(Owner)				(Spouse)	
(Please Print)				(Please Print)	
State of Kansas County of Figure 3					2 mg
I hereby certify that the foregoing application 20 SUE KEENY My Appointment Expires June 8, 2022		y presen		Notary Public	tris <u>& </u>
ONLY COMPLETE APPLICATIONS WILL BE PROCESSE accurate information; maps, if necessary, must be included the appropriate fee must be paid.	D. To be complete, all ; signatures of all the a	of the applopropriate	icable portions owners' must be	of the application for e affixed to the applic	n must be completed wit ation and notarized; and
	FEE SCHEDU				
Each application to change the place of use or the posterior in the schedule below: Make checks payable to	oint of diversion unde	er this sec	tion shall be a	ccompanied by th	e application fee set
(1) Application to change a point of diversio (2) Application to change a point of diversio (3) Application to change the place of use .	in 300 feet or less in more than 300 fee	 t			\$200

SUMMARY ORDER APPROVING APPLICATION FOR CHANGE AND IMPOSING CONDITIONS

pro K.A	s Summary Order is issued under authority of K.S.A. 82 visions of the <i>Kansas Water Appropriation Law, K.S.A.</i> 82a .R. 5-1-1 et.seq. With the exception of those conditions exp ns, conditions and limitations of File No	-701 et. seg., and rules and red	gulations promulgated thereunder.
1.	A change application was received on diversion authorized under the above-referenced file number	requesting that er be changed as described in th	the place of use and / or point of e application.
2.	On and after the effective date of this summary order, the on the topographic map accompanying the application to ch	authorized place(s) of use shall nange the place of use.	be located substantially as shown plicable
3.	The change in point of diversion shall not impair existing rig previously authorized. The point of diversion authorized by radius of the authorized point(s) of diversion.	this summary order shall be loca	ame source or sources of water as ated within afoot
4.	The point(s) of diversion authorized herein shall not actually authorized point(s) of diversion. Applicable No.	be located more than of Applicable	feet from the previously
5.	As required by K.A.R. 5-3-5d, if the works for diversion is tube or other device suitable for making water level measur with K.A.R. 5-6-13. Applicable Not Applicable	a well with a diversion rate of rements shall be installed, opera	100 gallons per minute or more, a ted and maintained in accordance
6.	The owner of the authorized place(s) of use shall pr December 31, 20 , or before the first use of water, operated and maintained in accordance with K.A.R. 5-1-4 t K.A.R. 5-3-5e, the owner shall maintain records and report diverted annually to the Chief Engineer by March 1 following Applicable Not Applicable	roperly install an acceptable whichever occurs first. The was hrough 5-1-12. As required by the reading of the water flow me	ater flow meter shall be installed, K.S.A. 82a-732, as amended, and eter and the total quantity of water
7.	Installation of the works for diversion of water shall be authorized extension of time. By March 1, 20 the works for diversion has been completed, on the form provid ☐ Applicable ☐ Not Applicable	e completed on or before Dece applicant shall notify the Chief ed by the Chief Engineer, as req	ember 31, 20, or within any Engineer that construction of the uired by K.A.R. 5-8-4e.
8.	The completed well log shall be submitted with the requ	ired notice.	☐ Not Applicable
9.	All diversion works into which any type of chemical or other with an in-line, automatic, quick-closing check valve capab check valve(s) shall be installed, operated and maintained in	foreign substance will be injecte le of preventing pollution of the n accordance with K.A.R. 5-3-5c	d into the water shall be equipped source of the water supply. The . Applicable Not Applicable
10.	Additional Conditions are attached.		
	In accordance with K.S.A. 82a-708a, as amended, and K.J. water appropriated under the above-referenced file numbilimitations, as amended and/or supplemented by this Sum Appropriation Law and the Rules and Regulations promul result in civil penalties pursuant to K.S.A. 82a-737, as amwater or appropriation right or any other enforcement action	er are responsible for complian mary Order, and with applicable gated thereunder. Failure to c ended, and/or the suspension c	ce with its terms, conditions and e provisions of the <i>Kansas Water</i> omply with these provisions may
1	Administrative Appeal and Effective Date of Order		FICE USE ONLY
14-3 Kan mus Res	have the right to a hearing in accordance with K.A.R. 5- before this Summary Order becomes final action of the sas Department of Agriculture. Any request for a hearing t be filed with the Chief Engineer, Division of Water ources, Kansas Department of Agriculture, 109 SW		N APPROVED AND ORDER ISSUED
date	Street, Topeka, Kansas 66612, within 15 days after the shown on the Certificate of Service attached hereto. If a	Duly Authorized De	signee of the Chief Engineer
hea this	ring is not requested in accordance with K.A.R. 5-14-3, Summary Order will become effective on the 15 th day	(Print Name)	s - Kansas Department of Agriculture
afte	the date shown on the Certificate of Service.	Date of Issuance:	S - Nansas Department of Agriculture
	For Use by Register of Deeds	State of Kansas	`
		County of) ss
		·	
			· · · · · · · · · · · · · · · · · · ·
		Signature:	Notary Public
			посату г ирпо
		My commission expires:	
		my commission expires.	(Notary Seal)
DWF	R 1-121 (Revised 01/05/2010) Pag	ge 4	File No

Change in Place of Use for Water Rights Fl 18, 802, 15639, and 27714 Section 20, Township 23 South, Range 32 West, Finney County



STATE OF KANSAS

DEPARTMENT OF AGRICULTURE 1320 RESEARCH PARK DRIVE MANHATTAN, KS 66502 PHONE: (785) 564-6700 FAX: (785) 564-6777



900 SW Jackson, Room 456 Topeka, KS 66612 Phone: (785) 296-3556 www.agriculture.ks.gov

August 20, 2018

THOMAS WIESNER PO BOX 1562 GARDEN CITY KS 67846-1562

RE: Water Right FI 18 802 15639 27714

Dear Sir:

This is to advise you that the Wheatland Electric has filed an application for approval of the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, to change the place of use under the above referenced application.

You are notified on this proposed change in place of use so that you may furnish this office with any comments or other information you may want to submit.

You can find the complete application posted by water right file number as referenced above at www.agriculture.ks.gov/divisions-programs/dwr/water-appropriation/notices Should you have any questions, please feel free to call this office. If you would prefer, an appointment could be arranged for additional assistance. Please refer to the file number when you contact us if you wish to discuss a specific file.

Sincerely,

Thomas P. Makens

Environmental Scientist III

pc: GMD#3

DEPARTMENT OF AGRICULTURE
1320 RESEARCH PARK DRIVE
MANHATTAN KS 66502

1320 Research Park Drive Manhattan, KS 66502 Phone: (785) 564-6700 Fax: (785) 564-6777



900 SW Jackson, Room 456 Topeka, KS 66612 Phone: (785) 296-3556 www.agriculture.ks.gov

GOVERNOR JEFF COLYER, M.D.

JACKIE McClaskey, Secretary of Agriculture

August 20, 2018

MIKE & MARK RAMSEY 7410 N CAMPUS DR GARDEN CITY KS 67846-9449

RE: Water Right FI 18 802 15639 27714

Dear Mr. Ramsey:

This is to advise you that the Wheatland Electric has filed an application for approval of the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, to change the place of use under the above referenced application.

You are notified on this proposed change in place of use so that you may furnish this office with any comments or other information you may want to submit.

You can find the complete application posted by water right file number as referenced above at www.agriculture.ks.gov/divisions-programs/dwr/water-appropriation/notices Should you have any questions, please feel free to call this office. If you would prefer, an appointment could be arranged for additional assistance. Please refer to the file number when you contact us if you wish to discuss a specific file.

Sincerely,

Thomas P. Makens
Environmental Scientist III

pc: GMD#3