Kansas Department of Agriculture Division of Water Resources

CHANGE: P/D WORKSHEET

1. File Number: 11923	2. Status Change Date:	3. Change Num:	4. Field Office:	5. GMD:
6. Status: ☐ Approved ☐ Der	nied by DWR/GMD	Dismiss by Reques	t/Failure to Return	7. Filing Date of Change: 6/24/2019
8a. Applicant(s) New to system LAYNE ANGELL P O BOX 249 PLAINS KS 67869	Person ID 25811 Add Seq#	303 MA	stem □ Y INVESTMENT	
8b. Landowner(s) New to system 8a	Person ID Add Seq#	8d. WUC New to sy	stem □	Person IDAdd Seq#
9. Documents and Enclosure(s): Documents and Enclosure(s): Documents and Enclosure(s): Documents Documents and Enclosure(s): Documents and Enc		⊠ N & P Form	☑ Water Tube ☑	Driller Copy
10. Use Made of Water From:		To: _		
			Date Prepared: 7/11 Date Entered:	/2019 By: AM By:



File No. 11923	11. County	: ME	Bas	sin: CF	ROOK	ED CF	REEK			S	tream:							Fo	rmation Code:	Special Use:
12. Points of Diversion CHK MOD DEL PDIV ENT Qualifier	S	Т	R	ID		N	'W		Com	ıment	(AKA	Line)			Authori	uantity zed Quantit af/mgy	y	Ad Rate gpm/d		Overlap PD Files
DEL 49515																				
ENT NE NW I	NE 31	32S 2	29W		5	231	181	2						167	0	540		1670	540	NONE
3							e de la companya de l													
		10														빌				
							Such													
13. Storage: Rate		NF	Quar	ntity					_ac/ft	A	dditior	nal Rat	e				NF	Addi	tional Quantity _	ac/ft
14. Limitation:	af/yr	at	οŌ			gpm (_	6.			cfs) w	hen co	mbine	ed with	file n	umber	(s)				
Limitation:	af/yr	at	28.6-			gpm (_				cfs) w	hen co	mbine	ed with	file n	umber	(s)				
15. 5YR Allocation: Alloca	tion Type	_ Sta	art Year			5 YR	Amou	nt		Amo	ount U	nit	_	Base	Acres		_ Co	omment _		923
16. Place of Use CHK		NE1/4				NW1/4			SW1/4				SE1/4			Total	Owner Ch	g? Overlap Files		
MOD DEL ENT PUSE S T	R ID	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4			305
CHK 68649														L. Y			300			
CHK 20349			15								14						5 1	a		
CHK 68055																				
	11.3																			
Base Acres: Yea	ar: N	Minimun	n Reas	onable	Quar	ntity:														

Garden City Field Office 4532 W. Jones, Suite B Garden City, KS 67846



Phone: 620-276-2901 Fax: 620-276-9315 www.agriculture.ks.gov

Mike Beam, Secretary

Laura Kelly, Governor

July 11, 2019

LAYNE ANGELL P O BOX 249 PLAINS KS 67869

RE: Water Right, File No. 11923

Dear Sir or Madam:

Enclosed is the order executed by the designee of the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, approving the application for change under the above referenced file number.

Your attention is directed to the enclosures and to the terms, conditions, and limitations specified in this approval for change. A condition of this approval is that an acceptable water flow meter must be installed on the diversion works authorized under the referenced file number and meet current specifications. Please return the required notification of completion of the diversion works and installation of the required meter as soon as these actions are completed.

Since the order modifies the original document referred to above, it should be recorded with the Register of Deeds as other instruments affecting real estate.

Should you have any questions, please feel free contact this office. If you would prefer, you could arrange an appointment for additional assistance.

Sincerely.

Austin J. McColloch

Assistant Water Commissioner

AM: enclosures

pc: Parity Investments INC

GROUNDWATER MANAGEMENT DISTRICT NO. 3



CERTIFICATE OF SERVICE

On this 11th day of July, 2019, I hereby certify that the foregoing Approval of Application for Change in Point of Diversion, Water Right, File No. 11,923 dated 11th day of July, 2019 was mailed postage prepaid, first class, US mail to the following:

LAYNE ANGELL P O BOX 249 PLAINS KS 67869

Pc:

PARITY INVESTMENTS INC
303 MAIN
KISMET KS 67859-9612

GROUNDWATER MANAGEMENT DISTRICT NO. 3

Division of Water Resources Staff

the mount against the adding to be during the law with an

Submit completed application to: Kansas Department of Agriculture Division of Water Resources Field Office for your area. Call for address:

> Topeka -- (785) 296-5733 Stafford -- (620) 234-5311 Stockton -- (785) 425-6787

Garden City -- (620) 276-2901 http://agriculture.ks.gov/dwr

DWR FIELD OFFICE APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF USE AND/OR THE POINT OF DIVERSION



STATE OF KANSAS

Filing Fee Must Accompany the Application, K.S.A. 82a-708b(b), as amended. Fee Schedule is on the third page of this application form.

Paragraph Nos. 1, 2, 3 & 5 must be completed. Complete all other applicable portions. If change in point of diversion is greater than 100 feet, or if place of use will be changed, include a topographic map or detailed plat showing the authorized and proposed point(s) of diversion and/or place of use.

						File No	. 1192	.3				THE STATE					(RECEIVED 1:30 N 24 2
Applicat	ion is he	ereby r	nade f	or app	roval c	of the C	hief E	ngine	er to ch	nange	the (ch	eck or	ne or b	oth):			JU	NZ4 ZI
					□ P	lace o	f Use			Point	of Dive	ersion				Ē		en City Field OF WATER R
under th	e water	right v	vhich is	s the s	ubject	of this	applic	ation i	n acco	rdance	e with t	he cor	ndition	s desc	ribed l		AVIBION	OF WATER K
The sou	rce of su	upply is	s:		\boxtimes C	Ground	water			Surfac	ce wate	er						
Name a				and the														
Name a					AYNE	ANGE	LL					1911						
P O BOX	President	The state of the	ni (tentro	7869		1			addra			Case P				1.5		- I-H
Phone N Name ar		-		Lleo C	orroor	ondon					6.3							
ivallie al	iu auure	255 01	vvalei	USE C	onesp	onden	t. <u>SAI</u>	VIL AS	ABO		N.C.	12-16				7 2 1	0	-
Phone N	lumber:	()					Email	addre	ss:	. 4. 4.	05D				4.1-1.		1 100
The pres				ce of u	se is:							340		5 , I A				12 12 M
Owner o						ELL				// F	PARITY	INVE	STME	NTS II	NC			at the second
	-	ADDRI	ESS:	РОВ	OX 24	9 PLAI	NS KS	6786	69 /	/ 3	03 MA	IN KIS	MET I	KS 678	359-96	312		
(If there is	s more th	an one	landov	vner, at	tach su	ppleme	ntal sh	eets as	neces	sary.)								
			NE	=1/4			NV	V1/4	Tring L	344	SV	V1/4			SE	=1/4		TOTAL
ec. Twp.	Range	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NVW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	ACRES
	2 2 3							NO.		/								147
144									/							4		
				6 511	isotas)	Marie Sal	16.2	/			Ç.	Maria I		T. ST.		1		
If this ap Owner o	f Land -	NA ADDRI	AME:					Op t			ace of	use be	e chan	ged to	11/181-			
Owner o	f Land -	NA ADDRI	AME: ESS: landov				ental sh	Op t			ISSEC I	use be	e chan	ged to		=1/4		TOTAL
Owner of	f Land -	NA ADDRI	AME: ESS: landov	vner, at			ental sh	eets as	neces		SV	V ¹ / ₄	e chan	ged to		51/4 SW1/4	SE1/4	TOTAL ACRES
Owner of	f Land -	ADDRI	AME: ESS: landov	vner, at	tach su	ppleme	ental sh	eets as	neces	sary.)	SV	V ¹ / ₄	1 2		SE		SE½	
Owner of	f Land -	ADDRI	AME: ESS: landov	vner, at	tach su	ppleme	ental sh	eets as	neces	sary.)	SV	V ¹ / ₄	1 2		SE		SE¼	
Owner o	f Land -	ADDRI	AME: ESS: landov	vner, at	tach su	ppleme	ental sh	eets as	neces	sary.)	SV	V ¹ / ₄	1 2		SE		SE¼	

5.	Presently authorize	zed point o	of diversion:	f .			
	One in the	SW	Quarter of the	SW	Quarter of the	NE	Quarter
	of Section	31	, Township	32	South, Range	29	(W),
	in MEADE	C	County, Kansas, <u>3042</u>	_feet North _	2636 feet Wes	t of Southeast corn	er of section.
	Authorized Rate		Authorized Quantity _		Depth of well	(fe	eet)
	(DWR use only: 0	Computer I	D No. 1 GP:	s 37. 22/3	feet North ~//	0.51598 feet W	/est)
			: (Complete only if chang				
			Quarter of the				
	of Section	31	, Township	32	South, Range	29	(W),
	in MEADE	C	County, Kansas, 5231	_ feet North _	feet Wes	t of Southeast corn	er of section.
1-4-			Proposed Quantity				a di dia masa.
	This point is: A	dditional W	ell Geo Center List of	ther water righ			
						* GND3 GAS	9-15-17+1
6.	Presently authorize						
iz	One in the		Quarter of the		Quarter of the		Quarter
	of Section		, Township County, Kansas,		South, Range	Acres de la companya della companya de la companya de la companya della companya	(E/W),
	in	C	County, Kansas,	_ feet North _	feet Wes	t of Southeast corr	ner of section.
1.4	Authorized Rate _	/23 44	Authorized Quantity _		Depth of well	(fe	eet)
1			D No GP				
			☐This point will be change	Marie and the second se			
			: (Complete only if chang				
			Quarter of the				
			, Township				
*			County, Kansas				
			Proposed Quantity _				
	This point is: A	dditional W	ell ☐ Geo Center List of	ther water righ	nts that will use this p	ooint	THE STREET
_	- 10000			0			
7.			ed for the following reasons PRODUCTION	5?	dayat a	North	
	(picase be specific)	<u>L000 01 1</u>	TABLE TO THE TABLE	300	200 100	0 100 200	300
				E	ահավյահայկահո	'' <u>‡</u> '''' '''	111111111111111111111111111111111111111
0	If a well is the test l	aala laa atta	ahada 🗖 Vaa 🔲 Na	E			<u> </u>
8.	if a well, is the test i	noie log atta	nched? Xes No	200	- + +	= 1 + 1 +	200
9.	The change(s) (was	s)(will be) co	empleted by?			4 – – – –	. 4
	UPON APPROVAL	A MALE		100		直 アエフェ	- - 100
	OFONAFFROVAL			100			1 3 100
10.	If the point of divers	ion is a wel		: New E			
	(a) What are you g	oing to do v	vith the old well?	West 0	ա վասիոսիոսիութի		111 1++ <u>1</u> 0 East
				, <u>,</u> [<u> </u>	. 4
	PLUG/CAP	4	litte and the state of	100		<u> </u>	- = 100
	(b) When will this b	oe done? UI	PON APPROVAL	100			3100
				[,- F]		= QP4	1
11.	Groundwater Manag	gement Dist	rict recommendation attached	d? 200 E	-1+1+1	= 1 + 1 +	200
	☐ Ye	s 🛛 No		E		I	. 3
					intimbuntum kiritu	الساسيلساليساسية	El
12.	Assisted by AM/GC	FO	The second secon	300	200 100	0 100 200	
13=	If the proposed poin	t of diversio	n will be relocated more than	300		South Scale: 1 hash	mark=10 ft
. 00	feet but within 2,640	feet of the	existing point of diversion, att	ach 13b.If the	proposed point of dive	ersion will be relocat	ed within 300 fee
	a topographic mar	or aerial	photograph. For groundwa	ater of th	e existing point of di	version, indicate its	s location on the

diagram shown above in relation to the existing point of diversion. (PLEASE NOTE: The "X" in center of diagram above represents the presently authorized point of diversion.)

of the proposed point of diversion and the names and mailing addresses of the owners. For surface water sources, show the names and addresses of the landowner(s) one-half mile downstream and one-half mile upstream from your property

14 If the r	proposed groundwater point of diversion is 300 or fewer f	eat from the existing point of diversion, complete the	following
	oes the undersigned represent all owners of the currently	[2] : [2] [2] [2] : [2]	
(a) D	Yes No (If no, all owners must sign this		ion?
af	/ill the ownership interest of any owner of the currently ffected if this application is approved as requested? Yes □ No (If yes, all owners must sign thi		ion be adversely
	this application is not approved expeditiously, will there based on the second state of the second state o	pe substantial damage to property, public health or sapplication.)	afety?
or a change	cation proposes a surface water change in point of divers e in place of use, the application must be signed by all o ch notarized statement authorizing representation).	sion, a groundwater change in point of diversion grewners of the currently authorized place of use, or the	ater than 300 feet, eir duly authorized
age and t	verify, being first duly sworn upon my oath or a the owner, the spouse of the owner, or a duly au alf, in regards to the water right(s) to which thi d in this application are true, correct and comple	athorized agent of the owner(s) to make this s application pertains. I further verify that ete.	application on
Dated at	CARDEN CITY , Kansas	this 21 ST day of TUNE	.20 19
	en en la displacación frança en en en el propertion de la companya en el companya	ko si Visi abrubanata ya masa k	
7	ay Inle		
orto company	(Owner)	(Spouse)	
1	ayne Araull		
	(Please Print)	(Please Print)	
gid a s	(Owner)	(Spouse)	1 16 17 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	(Please Print)	(Please Print)	AND CONTROL PARTY
	(Owner)	(Spouse)	<u>(2) 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2</u>
1	(Please Print)	(Please Print)	
State of Ka	Finney ss ss	TAMMY FLOWERS NOTARY PUBLIC STATE OF KANSAS	
of	certify that the foregoing application was weighed	in my presence x and sworn to before me the	nis <u>2</u> day
	igniged (as to sold), over not a way to those the sold in a	Dammy House	til i i i i i i i i i i i i i i i i i i
My Commis	ssion Expires $5-28-2021$.	Notary Public	Chesales With
	A PACES OF THE PROPERTY OF THE		1 000 TEL 60 TEL
accurate info	<u>PLETE APPLICATIONS WILL BE PROCESSED</u> . To be comple ormation; maps, if necessary, must be included; signatures of all ate fee must be paid.	te, all of the applicable portions of the application form mu the appropriate owners' must be affixed to the application	st be completed with and notarized; and
	FEE SC	HEDULE	
forth in the (1)	cation to change the place of use or the point of diversion schedule below: Make checks payable to: Kansas Dep Application to change a point of diversion 300 feet or le	under this section shall be accompanied by the appartment of Agriculture	\$100
	Application to change a point of diversion more than 30 Application to change the place of use		
nt Expires	SUE KEI NAYAppointmen Auto 8, 2	SCANII.	

Page 3

File No.

DWR 1-121 (Revised 04/5/2018)

SUMMARY ORDER APPROVING APPLICATION FOR CHANGE AND IMPOSING CONDITIONS


prov With limit	visions of the Kansas Water Appropriation Law, K.S.A. 82and the exception of those conditions expressly contained herein tations of File No. 11923	08b, as amended, and K.A.R. 5-5-1, et seq. and other applicable -701 et. seq., and rules and regulations promulgated thereunder, in, this Summary Order does not change the terms, conditions and				
1.	A change application was received on diversion authorized under the above-referenced file numbers.	requesting that the place of use and / or point of ober be changed as described in the application.				
2.	On and after the effective date of this summary order, the authe topographic map accompanying the application to cha	uthorized place(s) of use shall be located substantially as shown on ange the place of use. Applicable Not Applicable				
3.	The change in point of diversion shall not impair existing rig previously authorized. The point of diversion authorized radius of the authorized point(s) of diversion. Application	hts and shall be limited to the same source or sources of water as by this summary order shall be located within a foot ole Not Applicable				
4.	The point(s) of diversion described herein is administrative Positioning System (GPS), as described in the application	rely corrected to be more accurately described using the Global n. Applicable Not Applicable				
5.	The point(s) of diversion authorized herein shall not actually authorized point(s) of diversion. Applicable	be located more than feet from the previously Not Applicable				
6.	As required by K.A.R. 5-3-5d, if the works for diversion is a contract of or other device suitable for making water level measurement K.A.R. 5-6-13. Applicable \text{Not Applicable}	well with a diversion rate of 100 gallons per minute or more, a tube ents shall be installed, operated and maintained in accordance with				
7.	December 31, 20, or before the first use of water operated and maintained in accordance with K.A.R. 5-1-4	operly install an acceptable water flow meter on or before, whichever occurs first. The water flow meter shall be installed, through 5-1-12. As required by K.S.A. 82a-732, as amended, and it the reading of the water flow meter and the total quantity of water ving the end of each calendar year.				
8.	Installation of the works for diversion of water shall be completed on or before December 31, 20 1, or within any authorized extension of time. By March 1, 20 1 the applicant shall notify the Chief Engineer that construction of the works for diversion has been completed, on the form provided by the Chief Engineer, as required by K.A.R. 5-8-4e. Applicable Not Applicable					
9.	The completed well log shall be submitted with the requ	uired notice.				
10.	with an in-line, automatic, quick-closing check valve capa	foreign substance will be injected into the water shall be equipped able of preventing pollution of the source of the water supply. The in accordance with K.A.R. 5-3-5c. Applicable Not Applicable				
11.	Additional Conditions are attached. Yes You					
12.	water appropriated under the above-referenced file num limitations, as amended and/or supplemented by this Su Appropriation Law and the Rules and Regulations prom	A.R. 5-5-14, all of the owners of the authorized place(s) of use of ober are responsible for compliance with its terms, conditions and mmary Order, and with applicable provisions of the <i>Kansas Water</i> ulgated thereunder. Failure to comply with these provisions may mended, and/or the suspension or revocation and dismissal of the ions authorized by law.				
1.2	Administrative Appeal and Effective Date of Order	FOR OFFICE USE ONLY				
If w	NOTARY PUBLIC	APPLICATION APPROVED AND				
you	ou are aggrieved by this order, pursuant to K.S.A. 82a-1901, may request an evidentiary hearing before the Chief	SUMMARY ORDER ISSUED				
Eng	gineer or request administrative review by the Secretary of	But to Malle				
filed	iculture. A request for hearing by the Chief Engineer must be divithin 15 days of service of this Order and a request for	By: Duly Authorized Designee of the Chief Engineer				
adn	ninistrative review by the Secretary must be filed within 30	(Print Name): Austin McCollock				
	es pursuant to K.S.A. 77-531. Any request for administrative ew must state a basis for review pursuant to K.S.A. 77-527.	Division of Water Resources - Kansas Department of Agriculture				
File	any request with Kansas Department of Agriculture,	Date of Issuance: July 11, 2019				
665	gal Division, 1320 Research Park Drive, Manhattan, KS 02. Failure to timely request a hearing or review may clude review under the Kansas Judicial Review Act.	State of Kansas)				
-	For Use by Register of Deeds	County of Figure) SS				
		X				
		Acknowledged before me on 11, 2019				
		by Aystin Mc Collock				
		Signature: Sue Keem				
		Notary Public				
		My commission expires: SUE KEENY (No May Appointment Expires				
		June 8, 2022				

Page 4

DWR 1-121 (Revised 04/5/2018)

File No.

Change in Point of Diversion Water Right, File No. 11923




3795 W. Jones Ave. Garden City, KS 67846 PH: 620-277-2389



PO Box 639 Garden City, KS 67846 Fax: 620-277-0224

LATNE ANGELL 620-629-0124

Customer	Name:	Lavne A	Angell		WO#: 12024	Date: 11-13 - 17
Street Add	lress:	P.0	. Box 8	149	Test #:/	E LOG:
City, State		P	LAINCH	67869	Driller: Dale Gu	inn
County:	Mende	Quarter	NE	Section: 3/	Township: 32	
Location:				GF	S: N37,22756 W 100,513	315
Rig #:	10002			Elevation: 2701'	Static WL: 240'	Estimated?
					Proposed Well Depth	521
				WELL	-OCATION	· 20'Sump
		Footage				
%	From	Pay	То		Description of Strata	
	0		2	Top Soil		The second second second
	2		40	Brown Sandy Clay	course w/ couple su	1
	40		47	Sand fine to med	course w/ couple su	yall gravel
	47		70	Brown Clay		
	70		89	Sand fine to med	course	
	89		198	Brown Sandy clay	w/comple sand lada	-5
	98		130	Sand fine to med	course	
	130		133	Brown Clay		
	133		213	Sand fine to mad	some course	
The second	213		226	Brown Sandy clay	w I couple sand ledg	~5
30	226	40	280	Sand fine to meet	Course-Used some wat	er-Drilled bose
25	280	80	360			me water - Doilled loase
15	360	29	389	Sand fine to mad f	ew convse w/ Some c/a,	120/925
25	389	64	453	Sand fine to med	1 - Drilled loose - us.	ed wrter
30	453	8	461		course -used water	
5	461	17	478	Brown sandy clay	w/few line rock +s	some fine send stoips
15	478	23	501	Fine Sand w/ few /	ine rock strips + coupl	- clay stringers
15	1,,,	~~		-Drilled loose in		
	501		520	Bed Bed		
		261				
		76				
			1000			
					Super Gel X	-1
		P			Grout Bent, Plug ³ /4 Perma Plug	-5
					Bent, Plug 3/41	-6
					Perma Plug	-/
					43/4 Drag 13/1/e	-
	The second					
		Mark Live out				





Southwest Kansas Groundwater Management District No. 3 2009 E. Spruce Street Garden City, Kansas 67846

(620) 275-7147 phone (620) 275-1431 fax www.gmd3.org

July 9, 2019

Michael A. Meyer Division of Water Resources 4532 W Jones Ave., Suite B Garden City, Kansas 67846

RE:

Application for Change in Point of Diversion

Water Right, File No. 11923

Dear Mike:

We have completed a review of the application for the above referenced water right. The proposed change in point of diversion is in accordance with current area rules, K.A.R. 5-23-3, as it pertains to distance moved and minimum spacing to neighboring wells.

Well evaluations were conducted to estimate possible effects of the proposal on the supply of other wells with water rights prior to the proposal per K.S.A. 82a-708b, and the draft revised management program. Under K.S.A. 82a-708b, an applicant requesting a change in point of diversion must demonstrate to the chief engineer that any proposed change is reasonable and will not impair. The enclosed report is an analysis performed by the GMD on behalf of our membership. Under this analysis, the proposed change is considered to be reasonable and unlikely to impair if either the net in-season well-to-well effect of the proposed change is less than a strict maximum allowable threshold (4 ft in cases where saturated thickness is greater than 200 ft), or if no well with a net well-to-well effect exceeding the threshold is identified as critical. Critical wells are identified as wells that are expected to either lose or greatly diminish water supply over the next 25 years. The attached review information is based on a Theis analysis using inputs from the GMD3 aquifer model, which is considered to be the best information on well and aquifer data readily and easily available to the public. If either the applicant or the neighbors believe they have better data that might change the result of the analysis, they should contact GMD3. Conclusions of the well analysis may change if better information on well and aquifer data can be made available.

Every neighboring well within 1 mile of the proposed move was evaluated. Evaluations showed that none of the wells exceeded the 4.0 ft maximum allowable threshold. The results were based on the proposed well pumping at full authority. There were no responses from the neighbors. Therefore, GMD3 sees this move as reasonable and unlikely to impair neighboring wells. It is therefore recommended that the application be approved.

Thank you for the opportunity to review the applications and to provide a recommendation. If you have any questions, please don't hesitate to contact us.

Sincerely,

Jason L. Norquest

Assistant Manager

GMD3 Change Review

File No(s).: 11923. DWR office: GC.

App filed to change: PD.

Is Landowner(s) correct in WRIS: <u>Layne Angell</u>.

If NO, is documentation included?

Is Water Use Correspondent correct in WRIS? Yes.

If NO, is documentation included?

Regulation(s) Reviewed: KAR 5-23-3

Point of diversion ID No(s) 01 being changed.

	ft. North	ft. West		
Authorized PD	3042	2636	Sect31-32-29	
Proposed PD	5231	1812		
Difference	-2189 n	824 e		
a2 + b2 = c2	4791721	678976	2338.952 foot move NE	
GPS for proposed	PD: Lat: 37.22	2756	Long: -100.51315.	
Is proposed PD st	acking on existi	ng WRs? 1	No .	
Is Proposed PU or	verlapping exist	ing WRs?	No change .	
Land Owner(s) no	otified:			
Name	Nar	ne		
Address	Add	lress		
Zip	Zip	, adamini soleta		
Neighboring certi	fied well(s) noti	fied:		
Name	Nan	ne		
Address	Add	lress		
Zip	Zip			
Domestic well(s)	notified:			
Name	Nar	ne		
Address	Add	lress		RECEIVED
Zip	Zip	o Chartelle		
Base Acres:				JUL 0 9 2019
Perfected Acres:			bernagel	orden City Field Co
Irr. Return-Flow_	%		Div	arden City Field Offi ision of Water Resou

Loss of production in current well.

Running the analysis on the proposed.

Is a waiver needed: No. Distance moved less than half mile. Spacing is more than met to neighboring wells, which is only one within a mile and the proposed well is moving away from it. Only 2 domestics within mile and one of them is owned by applicant.

Recommendation: After review of all available information, it appears current area rules are met. The well analysis shows very little effect to neighboring wells. Notices were sent and we received no response. Staff therefore recommends approval of the application.



Southwest Kansas Groundwater Management District No. 3 2009 E. Spruce Street

Garden City, Kansas 67846

(620) 275-7147 phone (620) 275-1431 fax www.gmd3.org

June 26, 2019

Dan Pace 22002 S Partridge RD Pretty Prairie, Kansas 67570

RE:

Application for Change in Point of Diversion

Water Right, File No. 11923

Dear Dan Pace:

This is to inform you that Layne Angell has applied to relocate their well 2338 feet NE of their current well location in Section 31, Township 32s, Range 29w, in Meade county. The proposed change in point of diversion is in accordance with current area rules, K.A.R. 5-23-3, as it pertains to distance moved and minimum spacing to neighboring wells.

Well evaluations were conducted to estimate possible effects of the proposal on the supply of other wells with water rights prior to the proposal per K.S.A. 82a-708b, and the draft revised management program. Under K.S.A. 82a-708b, an applicant requesting a change in point of diversion must demonstrate to the chief engineer that any proposed change is reasonable and will not impair. An analysis was performed by the GMD on behalf of our membership. Under this analysis, the proposed change is considered to be reasonable and unlikely to impair if either the net in-season well-to-well effect of the proposed change is less than a strict maximum allowable threshold (4 ft in cases where saturated thickness is greater than 200 ft), or if no well with a net well-to-well effect exceeding the threshold is identified as critical. Critical wells are identified as wells that are expected to either lose or greatly diminish water supply over the next 25 years. Review information is based on a Theis analysis using inputs from the GMD3 aquifer model, which is considered to be the best information on well and aquifer data readily and easily available to the public. If either the applicant or the neighbors believe they have better data that might change the result of the analysis, they should contact GMD3. Conclusions of the well analysis may change if better information on well and aquifer data can be made available.

A copy of the full change application can be found on the Division of Water Resources site, https://sftp.kda.ks.gov:4443/Notices/Garden_City_Field_Office/2019/. The results of the analysis can be found at https://www.gmd3.org/what-we-do/well-to-well-analysis/. Please review the analysis for the proposed change to Water Right 11923. If you have any questions or wish to provide better information, please contact our office by July 5, 2019. If no response is provided to our office, we will proceed with our recommendation to the Chief Engineer.

Thank you for the for your time to review the application and to provide any information. If you have any questions, please don't hesitate to contact us.

Sincerely,

Jason L. Norquest Assistant Manager



Southwest Kansas Groundwater Management District No. 3 2009 E. Spruce Street Garden City, Kansas 67846

(620) 275-7147 phone (620) 275-1431 fax www.gmd3.org

June 26, 2019

Richard Roberts 9109 R Road Plains, Kansas 67869

RE: Application for Change in Point of Diversion

Water Right, File No. 11923

Dear Richard Roberts:

This is to inform you that Layne Angell has applied to relocate their well 2338 feet NE of their current well location in Section 31, Township 32s, Range 29w, in Meade county. The proposed change in point of diversion is in accordance with current area rules, K.A.R. 5-23-3, as it pertains to distance moved and minimum spacing to neighboring wells.

Well evaluations were conducted to estimate possible effects of the proposal on the supply of other wells with water rights prior to the proposal per K.S.A. 82a-708b, and the draft revised management program. Under K.S.A. 82a-708b, an applicant requesting a change in point of diversion must demonstrate to the chief engineer that any proposed change is reasonable and will not impair. An analysis was performed by the GMD on behalf of our membership. Under this analysis, the proposed change is considered to be reasonable and unlikely to impair if either the net in-season well-to-well effect of the proposed change is less than a strict maximum allowable threshold (4 ft in cases where saturated thickness is greater than 200 ft), or if no well with a net well-to-well effect exceeding the threshold is identified as critical. Critical wells are identified as wells that are expected to either lose or greatly diminish water supply over the next 25 years. Review information is based on a Theis analysis using inputs from the GMD3 aquifer model, which is considered to be the best information on well and aquifer data readily and easily available to the public. If either the applicant or the neighbors believe they have better data that might change the result of the analysis, they should contact GMD3. Conclusions of the well analysis may change if better information on well and aquifer data can be made available.

A copy of the full change application can be found on the Division of Water Resources site, https://sftp.kda.ks.gov:4443/Notices/Garden City Field Office/2019/. The results of the analysis can be found at http://www.gmd3.org/what-we-do/well-to-well-analysis/. Please review the analysis for the proposed change to Water Right 11923. If you have any questions or wish to provide better information, please contact our office by July 5, 2019. If no response is provided to our office, we will proceed with our recommendation to the Chief Engineer.

Thank you for the for your time to review the application and to provide any information. If you have any questions, please don't hesitate to contact us.

Sincerely,


Jason L. Norquest Assistant Manager

RECEIVED

JUL 0 9 2019

Evaluation of proposed move for Water Right No 11923

Proposed: Move water right no. 11923 to a new location 2344 ft to the northeast.



Wells within 1 mile: 29841, a domestic well located in section 31-32-29, and a domestic well located in section 29-32-29.

The saturated thickness at the proposed well location is estimated to be 259 ft, based upon the driller's log and an observation well located in section 35-32-30. For saturated thicknesses greater than 200 ft, the maximum allowable Theis drawdown to neighboring critical wells is 4.0 ft.

50 year Theis Analysis: The following values were used to run the analysis:

S = 0.1764, T = 17,756 ft²/day, tp_{current} = 250 days (based upon observed rate and average reported quantity), $Q_{current} = 471.5$ gpm (observed during 2017 field inspection), tp_{proposed} = 73 days, $Q_{proposed} = 1670$ gpm

Theis drawdowns were calculated as follows:

29841:

Drawdown from current location = 1.83 ft

Drawdown from proposed location = 1.69 ft

Net drawdown = -0.1 ft

RECEIVED

JUL 0 9 2019

Garden City Field Office
Division of Water Resources

Domestic 31-32-29: Drawdown from current location = 1.93 ft

Drawdown from proposed location = 1.88 ft

Net drawdown = -0.1 ft

Domestic 29-32-29: Drawdown from current location = 1.39 ft

Drawdown from proposed location = 1.81 ft


Net drawdown = 0.4 ft

Net drawdown does not exceed the drawdown allowance of 4.0 ft for any wells within one mile, so critical well evaluation is not necessary.

Conclusion:

No neighboring wells are likely to be impaired by the proposed move. Two neighboring wells should see less drawdown effect from the new location, and the domestic well in 29-32-29 will only see a minimal effect even if the water right is exercised at its full rate and quantity every year.

GMD3 staff recommends the application be approved.



WELL TEST ANALYSIS

Data Set: C:\Users\trevora\Documents\2019_moves\11923\11923 Current.aqt

Date: 06/25/19

Time: 13:54:56

PROJECT INFORMATION

Company: GMD 3 Project: 11923

Location: Meade County

Test Well: 11923

WELL DATA

P	umping Wells		Observa	tion Wells	
Well Name	X (ft)	Y (ft)	Well Name	X (ft)	Y (ft)
11923	82662	126253	0	82662	126253
			· 29841	79878	124581
			Domestic 31-32-29	84718	124267
			 Domestic 29-32-29 	88010	128883
					A lamin land

SOLUTION

Aquifer Model: Unconfined

 $= 1.776E + 4 ft^2/day$


Kz/Kr = 1.

Solution Method: Theis

JUL 0 9 2019

S = 0.1764= 259. ft b

Garden City Field Office Division of Water Resources



WELL TEST ANALYSIS

Data Set: C:\Users\trevora\Documents\2019_moves\11923\11923 Proposed.aqt

Date: 06/25/19 Time: 13:55:02

PROJECT INFORMATION

Company: GMD 3 Project: 11923

Location: Meade County

Test Well: 11923

WELL DATA

F	Pumping Wells		Observation Wells				
Well Name	X (ft)	Y (ft)	Well Name	X (ft)	Y (ft)		
11923	83358	128490		83358	128490		
			⁻ 29841	79878	124581		
			Domestic 31-32-29	84718	124267		
			Domestic 29-32-29	88010	128883		

SOLUTION

Aquifer Model: Unconfined


 $T = 1.776E+4 \text{ ft}^2/\text{day}$

Kz/Kr = 1.

Solution Method: Theis

S = 0.1764b = 259. ft

11923 PD Change



INPUTS	
Target Section Definition	September 1
Section	31
Township	32
Range	29
Range Direction	W
Target Point Coordinates (NA	D27 or NAD83)
Target Longitude	-100.513150
Target Latitude	37.227560

Load Data and Compute

Instructions

- 1. Enter values for section, township, range and range direction.
- 2. Enter NAD27 or NAD83 longitude and latitude of target point.
- 3. Click "Load Data and Compute" button.
- 4. Use feet distances corresponding to datum of target point.

Loaded Section Data From LEOBASE using NAD83

Corner	Corner Latitudes	Corner Longitudes				
SW	37.21321884	-100.52617075				
NW	37.22783671	-100.52613957				
NE	37.22777586	-100.50731013				
SE	37.21321917	-100.50735522				
Degree:	s Longitude per Foot	3.43412898E-06				
Degrees	s Latitude per Foot	2.74645984E-06				

Target Point Distances from Corners using NAD83 Corner Feet North(+)/South(-) Feet Fast(-)/West(+)

Conner	reet worth () south (-)	iortif foodtiff reet Lastf-fivestf f				
SW	5222	-3792				
NW	-101	-3782				
NE	-79	1701				
SE	5222	1687				

Target point is In Section

Loaded Section Data From LEOBASE using NAD27

Corner	Corner Latitudes	Corner Longitudes
SW	37.21319600	-100.52574200
NW	37.22781400	-100.52571100
NE ·	37.22775300	-100.50688200
SE	37.21319600	-100.50692700
Degrees	s Longitude per Foot	3.43412794E-06
Degrees	s Latitude per Foot	2.74598553E-06

Target Point Distances from Corners using NAD27 Corner Feet North(+)/South(-) Feet East(-)/West(+)

Collier 1 cer in	orting ' producting-)	cet Last(-)/west(')
SW	5231	-3667
NW	-92	-3658
NE	-70	1825
SE	5231	1812

Target point is In Section

Difference (NAD83 Minus NAD27)

Corner	Corner Latitudes	Corner Longitudes		
SW	0.00002284	-0.00042875		
NW	0.00002271	-0.00042857		
NE	0.00002286	-0.00042813		
SE	0.00002317	-0.00042822		

Difference (NAD83 Minus NAD27)

Corner	Feet North(+)/South(-)	Feet East(-)/West(+)		
SW	-9.21953379	-124.84859986		
NW	-8.25285209	-124.79618755		

SWATER WELL RECORD FORM WWO GEN A 82a-1212

A1 A			4-		Section Number	Township		Ran	-	-
unty: Mend		312 V4		500 V4	29	T 32	<u> </u>	R	29	EN
tance and direct	ion from nearest town			located within	city?					
27+5	E from C	olland				Carlon and Section				
WATER WELL	OWNER: Richard	Robert	8							
#, St. Address,	Box # :					Board o	of Agriculture, I	Division of	Water F	Resource
, State, ZIP Co	de : Plains	KS 6	7864			Applicat	tion Number:			
OCATE WELL'S	S LOCATION WITH	DEPTH OF C	OMPLETED WE	11366	2 ft. ELEVAT	TION:				
AN "X" IN SECT	TONI BOY.				tt. 2					
					ft. below land surf					
- i	1 1 "									
NW -	NE				ft. af					
	! 6	st. Held	eter 83/4	in water was	6.0 ft., a					
w			TO BE USED AS			B Air condition				
	W	THE PERSON NAMED IN COLUMN 2 I						CONTRACTOR OF THE PARTY OF THE		
SW -	SE	D Domestic			The state of the s	9 Dewatering				
1		2 Irrigation	4 Industria		and garden only 1		THE RESERVE THE PARTY OF THE PA			
			bacteriological sa	imple submitted	to Department? Ye					was su
		itted			All the residence of the second of	er Well Disinfe			No	
TYPE OF BLAN	K CASING USED:		5 Wrought iron	8 (Concrete tile	CASING .	JOINTS: Glued	1	Clamped	
1 Steel	3 RMP (SR)		6 Asbestos-Ce	ment 9 (Other (specify below)		ed		
PVC	4 ABS		7 Fiberglass					aded		
nk casing diame	ter in.	to 300								
sing height abov	e land surface	18	.in., weight		lbs./f	t. Wall thicknes	ss or gauge N	005.0	16.	
PE OF SCREEN	OR PERFORATION N	MATERIAL:			DPVC	10 /	Asbestos-ceme	ent		
1 Steel	3 Stainless st	teel	5 Fiberglass		8 RMP (SR)	11 (Other (specify)			
2 Brass	4 Galvanized	steel	6 Concrete tile		9 ABS	12 1	None used (op	en hole)		
REEN OR PER	FORATION OPENINGS	ARE:	5	Gauzed wrapp	ped	Saw cut		11 None	(open t	nole)
1 Continuous	slot 3 Mill s	slot	6	Wire wrapped		9 Dritted hate				
2 Louvered s	hutter 4 Kev	punched	7	Torch cut		10 Other Jene	cify)			
	,									
PEENLPEREOR	ATED INTERVALS	From			60 tt From					
CREEN-PERFOR	ATED INTERVALS:	From	300 ft	. to 3	6. O ft., From	1	ft. t	0		ft
		From	300 ft	to	ft., Fron	n	ft. t	o		f
	PACK INTERVALS:	From	300 ft	t. to	6. D tt., Fron	n	ft. t	o o		f
GRAVEL	PACK INTERVALS:	From From	300 ft 20 ft	to	6. Dtt., Fron	n	ft. ti	o o		ft
GRAVEL	PACK INTERVALS:	From From	3.00 ft ft ft. 2 Cernent grout	to	6. D	n	ft. ti	o		fr
GRAVEL GROUT MATER out Intervals:	PACK INTERVALS:	From From nent to	3.00 ft ft ft. 2 Cernent grout	to	tt., From ft., From ft., From Bentonite 4 i	n	ft. b	o		fi
GRAVEL GROUT MATER out Intervals:	PACK INTERVALS: IIAL: 1 Neat cen From	From From ment to	2.0 ht 2.0 ht 2.0 tt 2.0 tt 5.0 tt 5.0 tt 7.0 tt 7.	to	## Control of the con	n	ft. b	oo.	water w	fi
GRAVEL GROUT MATER out Intervals: hat is the neares 1 Septic tank	PACK INTERVALS: IIAL: 1 Neat cen From	FromFrom nent to	2.0 ht tt 2.0 ht tt 2 Cement grout tt., From 7 Pit pri	to	tt., From tt., From ft., From ft., From tt., From	n	ft. b ft. b ft. b ft. b ft. b	oo.	water w	fi
GRAVEL GROUT MATER out Intervals: nat is the neares 1 Septic tank 2 Sewer lines	PACK INTERVALS: IIAL: 1 Neat center of the second	FromFrom nent to	2.0 ht tt 2.0 tt 2 Cement grout tt., From 7 Pit pri 8 Sewag	to 3 (to 3 to 3 to	tt., From	n	ft. b. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft	oo. oft. tobandoned	water w	fifi fifi
GRAVEL GROUT MATER out Intervals: nat is the neares 1 Septic tank 2 Sewer lines 3 Waterlight	PACK INTERVALS: IIAL: 1 Neat center of possible content of possi	FromFrom nent to	2.0 ht tt 2.0 ht tt 2 Cement grout tt., From 7 Pit pri	to 3 (to 3 to 3 to	Bentonite 4 (10 Livest 11 Fuel s 12 Fertilia 13 Insect	n	ft. b ft. b ft. b ft. b ft. b	oo. oft. tobandoned	water w	fifi fifi
GRAVEL GROUT MATER out Intervals: at is the neares 1 Septic tank 2 Sewer lines 3 Waterlight ection from well	PACK INTERVALS: IIAL: 1 Neat center of possible content of possi	From From nent to	2.0 ft. 2 Cement grout ft., From 7 Pit pri 8 Sewag 9 Feedy	to to 3 (c)	Bentonite 4 to 10 Livest 11 Fuel s 12 Fertilia 13 Insect How man	n	ft. b ft. b ft. b ft. b ft. b ft. b	oo. oft. to bandoned iii well/Gas ther (spec	water w s well	fi
GRAVEL GROUT MATER out Intervals: nat is the neares 1 Septic tank 2 Sewer lines 3 Watertight ection from well ROM TO	PACK INTERVALS: IIAL: 1 Neat cen From	FromFrom nent to	2.0 ft. 2 Cement grout ft., From 7 Pit pri 8 Sewag 9 Feedy	to 3 (to 3 to 3 to	Bentonite 4 to 10 Livest 11 Fuel s 12 Fertilia 13 Insect How man	n	ft. b. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft	oo. oft. to bandoned iii well/Gas ther (spec	water w s well	fi
GRAVEL GROUT MATER out Intervals: at is the neares 1 Septic tank 2 Sewer lines 3 Watertight ection from well ROM TO	PACK INTERVALS: IIAL: 1 Neat center of possible content of possi	From	2.0 ft. 2 Cement grout ft., From 7 Pit pri 8 Sewag 9 Feedy	to to 3 (c)	Bentonite 4 to 10 Livest 11 Fuel s 12 Fertilis 13 Insect How man	n	ft. b ft. b ft. b ft. b ft. b ft. b	oo. oft. to bandoned iii well/Gas ther (spec	water w s well	fi
GRAVEL GROUT MATER out Intervals: nat is the neares 1 Septic tank 2 Sewer lines 3 Waterlight ection from well ROM TO 0 5	PACK INTERVALS: IIAL: 1 Neat center of possible conduction of the second seco	From	2.0 ft. 2 Cement grout ft., From 7 Pit pri 8 Sewag 9 Feedy	to to 3 (c)	Bentonite 4 to 10 Livest 11 Fuel s 12 Fertilis 13 Insect How man	n	ft. b ft. b ft. b ft. b ft. b ft. b	oo. oft. to bandoned iii well/Gas ther (spec	water w s well	fi
GRAVEL GROUT MATER out Intervals: nat is the neares 1 Septic tank 2 Sewer lines 3 Watertight ection from well ROM TO 0 5 15 15 25	PACK INTERVALS: IIAL: 1 Neat center of possible content of possi	From	2.0 ft. 2 Cement grout ft., From 7 Pit pri 8 Sewag 9 Feedy	to to 3 (to 3) to 3 to 3 to 3 to	Bentonite 4 to 10 Livest 11 Fuel s 12 Fertilis 13 Insect How man	n	ft. b ft. b ft. b ft. b ft. b ft. b	oo. oft. to bandoned iii well/Gas ther (spec	water w s well	fi
GRAVEL GROUT MATER out Intervals: nat is the neares 1 Septic tank 2 Sewer lines 3 Waterlight ection from well ROM TO 0 5	PACK INTERVALS: IIAL: 1 Neat center of possible conduction of the second seco	From	2.0 ft. 2 Cement grout ft., From 7 Pit pri 8 Sewag 9 Feedy	to to 3 (to 3) to 3 to 3 to 3 to	Bentonite 4 to 10 Livest 11 Fuel s 12 Fertilis 13 Insect How man	n	ft. b ft. b ft. b ft. b ft. b ft. b	oo. oft. to bandoned iii well/Gas ther (spec	water w s well	fi
GRAVEL GROUT MATER out Intervals: nat is the neares 1 Septic tank 2 Sewer lines 3 Watertight rection from well ROM TO 0 5 15 15 25	PACK INTERVALS: IIAL: 1 Neat center of the second service of possible conduction of the second service of the second second service of the second service of the second second service of the second sec	From	2.0 ft. 2 Cement grout ft., From 7 Pit pri 8 Sewag 9 Feedy	to to 3 (to 3) to 3 to 3 to 3 to	Bentonite 4 to 10 Livest 11 Fuel s 12 Fertilis 13 Insect How man	n	ft. b ft. b ft. b ft. b ft. b ft. b	oo. oft. to bandoned iii well/Gas ther (spec	water w s well	fi
GRAVEL GROUT MATER out Intervals: nat is the neares 1 Septic tank 2 Sewer lines 3 Watertight rection from well ROM TO 0 5 15 15 55 55	PACK INTERVALS: IIAL: 1 Neat center of the second service of possible content of the second service of possible content of the second service of the second service of the second seco	From	2.0 ft. 2 Cement grout ft., From 7 Pit pri 8 Sewag 9 Feedy	to to 3 (to 3) to 3 to 3 to 3 to	Bentonite 4 to 10 Livest 11 Fuel s 12 Fertilis 13 Insect How man	n	ft. b ft. b ft. b ft. b ft. b ft. b	oo. oft. to bandoned iii well/Gas ther (spec	water w s well	fi
GRAVEL GROUT MATER out Intervals: hat is the neares Sewer lines Watertight rection from well FROM TO S S S S S S S S S S S S S S S S S S S	PACK INTERVALS: IIAL: 1 Neat cen From. 4	From	2.0 ft. 2 Cement grout ft., From 7 Pit pri 8 Sewag 9 Feedy	to to 3 (to 3) to 3 to 3 to 3 to	Bentonite 4 to 10 Livest 11 Fuel s 12 Fertilis 13 Insect How man	n	ft. b ft. b ft. b ft. b ft. b ft. b	oo. oft. to bandoned iii well/Gas ther (spec	water w s well	fi
GRAVEL GROUT MATER out Intervals: hat is the neares 1 Septic tank 2 Sewer lines 3 Watertight rection from well FROM TO 0 5 15 25 55 60 60 700 746	PACK INTERVALS: IIAL: 1 Neat center of the second service of possible conduction of the second service of possible conduction of the second service of the second service of the second secon	From From ment to Intermediate pit LITHOLOGIC	2.0 ft. 2 Cement grout ft., From 7 Pit pri 8 Sewag 9 Feedy	to to 3 (to 3) to 3 to 3 to 3 to	Bentonite 4 to 10 Livest 11 Fuel s 12 Fertilis 13 Insect How man	n	ft. b ft. b ft. b ft. b ft. b ft. b	oo. oft. to bandoned iii well/Gas ther (spec	water w s well	fifi fifi
GRAVEL GROUT MATER out Intervals: 1 Septic tank 2 Sewer lines 3 Watertight rection from well FROM TO 5 15 55 60 60 100 760 300	PACK INTERVALS: IIAL: 1 Neat center of the second service of possible contents of Seepage of the second service of the second service of the second service of the second secon	From	2.0 ft. 2 Cement grout ft., From 7 Pit pri 8 Sewag 9 Feedy	to to 3 (to 3) to 3 to 3 to 3 to	Bentonite 4 to 10 Livest 11 Fuel s 12 Fertilis 13 Insect How man	n	ft. b ft. b ft. b ft. b ft. b ft. b	oo. oft. to bandoned iii well/Gas ther (spec	water w s well	fifi fifi
GRAVEL GROUT MATER out Intervals: 1 Septic tank 2 Sewer lines 3 Watertight ection from well ROM TO 5 15 55 55 60 60 100 760 300	PACK INTERVALS: IIAL: 1 Neat center of the second server of possible conduction of the second server of the second second server of the second seco	From	2.0 ft. 2 Cement grout ft., From 7 Pit pri 8 Sewag 9 Feedy	to to 3 (to 3) to 3 to 3 to 3 to	Bentonite 4 to 10 Livest 11 Fuel s 12 Fertilis 13 Insect How man	n	ft. b ft. b ft. b ft. b ft. b ft. b	oo. oft. to bandoned iii well/Gas ther (spec	water w s well	fi
GRAVEL GROUT MATER out Intervals: at is the neares 1 Septic tank 2 Sewer lines 3 Watertight ection from well ROM TO 0 5 15 25 55 60 60 100 260 300	PACK INTERVALS: IIAL: 1 Neat center of the second service of possible contents of Seepage of the second service of the second service of the second service of the second secon	From	2.0 ft. 2 Cement grout ft., From 7 Pit pri 8 Sewag 9 Feedy	to to 3 (to 3) to 3 to 3 to 3 to	Bentonite 4 to 10 Livest 11 Fuel s 12 Fertilia 13 Insect How man	n	ft. b ft. b ft. b ft. b ft. b ft. b	o	water w s well	fi
GRAVEL GROUT MATER out Intervals: at is the neares 1 Septic tank 2 Sewer lines 3 Watertight ection from well ROM TO 0 5 15 25 55 60 60 100 260 300	PACK INTERVALS: IIAL: 1 Neat center of the second service of possible contents of Seepage of the second service of the second service of the second service of the second secon	From	2.0 ft. 2 Cement grout ft., From 7 Pit pri 8 Sewag 9 Feedy	to to 3 (to 3) to 3 to 3 to 3 to	Bentonite 4 to 10 Livest 11 Fuel s 12 Fertilia 13 Insect How man	n	ft. b ft. b ft. b ft. b ft. b ft. b	o	water w s well	fi
GRAVEL GROUT MATER out Intervals: 1 Septic tank 2 Sewer lines 3 Watertight ection from well ROM TO 5 15 55 55 60 60 100 760 300	PACK INTERVALS: IIAL: 1 Neat center of the second service of possible contents of Seepage of the second service of the second service of the second service of the second secon	From	2.0 ft. 2 Cement grout ft., From 7 Pit pri 8 Sewag 9 Feedy	to to 3 (to 3) to 3 to 3 to 3 to	Bentonite 4 to 10 Livest 11 Fuel s 12 Fertilia 13 Insect How man	n	ft. b ft. b ft. b ft. b ft. b ft. b	o	water was well airly below	find the state of
GRAVEL GROUT MATER out Intervals: 1 Septic tank 2 Sewer lines 3 Watertight ection from well ROM TO 5 15 55 55 60 60 100 760 300	PACK INTERVALS: IIAL: 1 Neat center of the second service of possible contents of Seepage of the second service of the second service of the second service of the second secon	From	2.0 ft. 2 Cement grout ft., From 7 Pit pri 8 Sewag 9 Feedy	to to 3 (to 3) to 3 to 3 to 3 to	Bentonite 4 to 10 Livest 11 Fuel s 12 Fertilia 13 Insect How man	n	ft. b ft. c ft. c ft. b ft. c	o	water was well airly below	find the state of
GRAVEL GROUT MATER out Intervals: 1 Septic tank 2 Sewer lines 3 Watertight rection from well FROM TO 5 15 55 60 60 100 760 300	PACK INTERVALS: IIAL: 1 Neat center of the second service of possible contents of Seepage of the second service of the second service of the second service of the second secon	From	2.0 ft. 2 Cement grout ft., From 7 Pit pri 8 Sewag 9 Feedy	to to 3 (to 3) to 3 to 3 to 3 to	Bentonite 4 to 10 Livest 11 Fuel s 12 Fertilia 13 Insect How man	n	ft. b ft. c ft. c ft. b ft. c	o	water was well airly below	find the state of
GRAVEL GROUT MATER out Intervals: hat is the neares 1 Septic tank 2 Sewer lines 3 Watertight rection from well FROM TO 5 5 55 5 5 6 0 6 0 100 26 0 300 360	PACK INTERVALS: IIAL: 1 Neat cen From. 4	From From ment to Intamination: lines col e pit LITHOLOGIC	3.00 ft 2.0 ft 1.2 Cement grout ft., From 7 Pit pri 8 Sewa 9 Feedy LOG	ito 3 (ito	## ft., From ft.	n	PLUGGING I	o	water was well with below \$5	es
GRAVEL GROUT MATER rout Intervals: hat is the neares 1 Septic tank 2 Sewer lines 3 Watertight rection from well FROM TO 0 5 15 25 55 55 60 100 260 300 360 CONTRACTOR	PACK INTERVALS: IIAL: 1 Neat cen From	From	3.00 ft 2.0 ft 1.2 Cement grout ft., From 7 Pit pri 8 Sewa 9 Feedy LOG	ito 3 (ito 3 (## ft., From ft.	n	FLUGGING II Garden C Division of V	o	water was well city below. S. 19	es and wa
GRAVEL GROUT MATER out Intervals: nat is the neares 1 Septic tank 2 Sewer lines 3 Watertight rection from well FROM TO 0 5 15 25 50 60 100 240 260 300 360 CONTRACTOR	PACK INTERVALS: IIAL: 1 Neat cen From. 4	From	3.0 0 ft 2.0 ft 1.1 tt 2 Cement grout ft., From 7 Pit pri 8 Sewag 9 Feedy LOG	ito 3 (ito 3 (## A CO	n	REC Garden C Division of A 3) plugged unce best of my kn	o	water was well city below. S. 19	es and wa
GRAVEL GROUT MATER out Intervals: nat is the neares 1 Septic tank 2 Sewer lines 3 Watertight ection from well ROM TO 0 5 15 25 55 60 100 260 260 CONTRACTOR inpleted on (mole)	PACK INTERVALS: IIAL: 1 Neat cen From	From From Internation: Internat	3.0 0 ft 2.0 ft 1.1 tt 2 Cement grout ft., From 7 Pit pri 8 Sewag 9 Feedy LOG	ito 3 ito 4 ito 3 ito 4 ito	## ft., From ft.	n	REC Garden C Division of A 3) plugged unce best of my kn	o	water was well city below. S. 19	es and wa

3795 W. Jones Ave. Garden City, KS 67846 PH: 620-277-2389



PO Box 639 Garden City, KS 67846 Fax: 620-277-0224

LATRIE ANGELL 620-629-0124 Customer Name: Loyne Angell
Street Address: Po. Box 849 WO#: 12024 Date: 11-13 -E LOG: Test #: Driller: Dale City, State: PLAINCKS 67869 Township: 32 Range: 29 Section: County: Quarter: NE GPS: N37,22756 W 100,51315 Location: Elevation: 2701' Static WL: 240' Estimated? Rig #: 10002 Proposed Well Depth ・・ 5名/ WELLL 201Sump ANTION Footage. **Description of Strata** % From Pay To 0 2 40 Sand fine to med course w/ couple small grave 40

17/		10	Circum Circy
70	Variated		Sand fine to med course
	Jacob Co.	198	Brown Sandy clay w/ comple sand ladges
			Sand fine to mad conse
_	12.33		Brown Chy
			Sand fire to mad some course .
			Brown Sands clay w / comple sand ladges
	40		Sand fine to med course-Used some water- Drilled loose
		360	Sound fine to mail few cours a -used some water - Drilled los
		389	Sand fine to mad few course w/some clay ladges
			Sand fine to mad - Drilled loose - used water
			Sand fine to mad comose - used water -
			Brown sandy clay w/few line rock + some fine send strip
	Name and Address of the Owner, where the Owner, which the Owner, where the Owner, which the		Fine Sand w / few line rock stoips + couple clay stoing +03
1//	30		-Drilled Gose in places -
1501			Bod Bad
1:		1	
-	211	1 5 650	The state of the s
	16		
-		-	
	 		
-			AND
-			
			Super Gel X -1
	4		Grout -5
			Grout -5 Bent, Plug 3/4 -6
			Perma Plus -1
2000	31112		Perma Plag -1 43/4 Drag 13/ade -1
1			Tri Grig Diana
		0	
	2 10 5 2 5	1	
+		-	
-			
-			
mrn 717		+	
I-IV/I		+	
		-	
	770 87 98 130 133 213 226 280 360 387 453 461 478	89 98 130 133 213 226 40 280 80 360 29 389 64 453 8 461 17 478 23	89 98 130 130 133 133 213 213 226 226 40 280 280 80 360 360 29 389 389 64 453 453 8 461 461 17 478 478 23 501

Water Rights and Points of Diversion Within 1.00 miles of point defined as: 5231 ft N and 1812 ft W of the SE Corner of Section 31, T 32S, R 29W Located at: 100.513150 West Longitude and 37.227563 North Latitude

Located at: 100.513150 West Longitude and 37.227563 North Latitude GROUNDWATER ONLY		
File Number Use ST SR Dist (ft) Q4 Q3 Q2 Q1 FeetN FeetW Sec Twp Rng ID Batt Auth Quan		
		The state of
A_ 29841 00 IRR NK G 5159 CW SW 1320 5180 31 32 29W 2 492.00	492.00	
Total Net Quantities Authorized: Direct Storage		
Total Requested Amount (AF) = .00 .00		
Total Permitted Amount (AF) = .00 .00		
Total Inspected Amount (AF) = .00 .00		
Total Pro Cert Amount (AF) = .00 .00		
Total Certified Amount (AF) = 1032.00 .00		
Total Vested Amount (AF) = .00 .00		
TOTAL AMOUNT (AF) = 1032.00 .00		
An * after the source of supply indicates a pending application for change for the file numb	or	
An * after the ID indicates a 15 AF exemption was granted for the file number.		
A "G" in the Batt column indicates the GEO CTR of a battery. A "B" indicates a well in the	hattami	
그 보다 기록한 가는 아이들은 얼마를 되었다. 그는 아이들은 아이들은 아이들은 아이들은 아이들은 아이들은 아이들은 아이들은	bactery.	
The number in the Batt column is the number of wells in the battery.		
Water Rights and Points of Diversion Within 1.00 miles of point defined as:		
100.513150 West Longitude and 37.227563 North Latitude		
GROUNDWATER ONLY		
WATER USE CORRESPONDENTS:		
File Number Use ST SR		
A_ 11923 00 IRR NK G		
> LAYNE ANGELL		
> P O BOX 249		
> PLAINS KS 67869		
>		
A_ 29841 00 IRR NK G DAN PACE > 22002 S PARTRIDGE RD Thereased Fractions.		
> DAN PACE		
50 mm.		
> 22002 S PARTRIDGE RD		
> PRETTY PRAIRIE KS 67570		
>		
Domestic in Sect. 31 is Applicant's		
Nomestic in Decc. 11 17		
	o .	
Domestic in Sect. 29 Listed as Richard	2 6	. 43
C+29 Lister as Michard	Lover	-/
Domestic in section		
0 1		
9104 R Road	DE	
4101	RECE	IVED
01 - 15 6.1861		
9104 K Kons flams, K5 67864	JUL 0	9 2010

JUL 0 9 2019

Garden City Field Office

Division of Water Resources

Garden City Field Office 4532 W. Jones, Suite A Garden City, KS 67846



Phone: 620-276-2901 Fax: 620-276-9315 www.agriculture.ks.gov

Mike Beam, Secretary

Laura Kelly, Governor

June 25, 2019

SOUTHWEST KANSAS GROUNDWATER MANAGEMENT DISTRICT NO. 3 409 CAMPUS DRIVE, SUITE 106 GARDEN CITY KS 67846

Re:

Water Right File No. 11923

Dear Mr. Norquest:

This is to advise you that Donnie Young has filed an application for approval of the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, to change the point of diversion for the above referenced file.

We are delaying action on the change application to allow you time to review and provide a recommendation. Please submit a recommendation within 15 days from the date of this letter.

Thank you and as always feel free to contact this office at any time.

Sincerely,

Michael A. Meyer

Water Commissioner

MAM Enclosures

Meyer, Mike [KDA]

From:

Meyer, Mike [KDA]

Sent:

Tuesday, June 25, 2019 7:02 AM

To:

'Norquest, Jason (Norquest@gmd3.org)' request for recommendation, File No. 11923

Subject: Attachments:

20100625065210722 - If

* C. T.

20190625065218723.pdf

Good morning

Attached is a request for a recommendation after review of the the application to change the point of diversion by Layne Angel. There are no known wells within one half mile of the proposed location. Please provide comments and your review within 15 days.

thanks

Mike