NOTICE

This scan only represents the application as filed. The information contained herein meets the requirements of K.A.R. 5-3-1 or K.A.R. 5-5-1, and has been found acceptable for filing in the office of the Chief Engineer. The application should not be considered to be a complete application as per K.A.R. 5-3-1b or K.A.R. 5-5-2a.

Submit completed application to: Kansas Department of Agriculture Division of Water Resources Field Office for your area. Call for address:

> Topeka -- (785) 296-5733 Stafford -- (620) 234-5311 Stockton -- (785) 425-6787 Garden City -- (620) 276-2901 http://agriculture.ks.gov/dwr

DWR FIELD OFFICE APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF USE AND/OR THE POINT OF DIVERSION



STATE OF KANSAS

Filing Fee Must Accompany the Application, K.S.A. 82a-708b(b), as amended. Fee Schedule is on the third page of this application form.

Paragraph Nos. 1, 2, 3 & 5 must be completed. Complete all other applicable portions. If change in point of diversion is greater than 100 feet, or if place of use will be changed, include a topographic map or detailed plat showing the authorized and proposed point(s) of diversion and/or place of use.

																	3	2 35 pm
					· PF	File No	. <u>2164</u>	.3	-	7	441.88	10,14						
1. Applicat	ion is he	ereby n	nade fo	or appr	oval c	of the C	Chief E	ngine	er to ch	nange t	the (ch	neck or	ne or b	oth):		DIVISI	arden Cit ON OF W	y Field Office ATER RESOURC
177										Point								
under th	ne water	right w	hich is	s the su	ubject	of this	applic	cation i	n acco	ordance	e with t	the cor	ndition	s desc	ribed k	pelow.		
	irce of su					Ground				Surfac								
	nd addre						& SUE	<u>E LOV</u>										anierOz
Phone N	Number:	(620)	846-02	222		Lti		Email	addres	ss: <u>Gr</u>	eg.c.lo	ve@g	mail.co	om		£ 1 -		
Name a	nd addre	ess of \	Water	Use Co	orresp	onden	it: <u>Sar</u>	ne	17			And the same	-		10			
- I		,					-		- 4 4									- 1
	Number:			co of u	ao ie:			Emaii	addres	ss:		Service						
3. The pre	sently at of Land -				se is.													
OWING		ADDRE			I				de la company				-					
(If there i	s more th		-		ach su	ıppleme	ental sh	eets as	neces	sary.)		44/1		n-or i		(A) 1.35	Kultur	
			NE	Ξ1/4			N	N1⁄4			SV	N1/4	Total L		SE	=1/4		TOTAL
Sec. Twp.	Range	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	ACRES
					-			MIL 3										
										11/34					والأسيا	ببيتي		an all disper
Laboration of the Laboratory	Mulita	ible i	1 1		17/16		Trensi	0.6950				10000						
	of Land -	NA ADDRE	AME: _					adi 					e chan	ged to				
			NF	E1/4		NW1/4				SW1/4			SE1/4			TOTAL		
Sec. Twp.	Range	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NAA.	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	ACRES
	L. A.	1,00			AM .	- CCX					44					0.0		
Andrews								30 (12)		1000			1-16-31	u git lu		100	1200	equetile:
	3 - 6 B	c.b.r	Holes	Will be		Ty at	10 20		- 6016						me il	71114		
				a los	TERM I		410/210	rullin				in. No siest		E				
and the same of the same of	ice Use	-	-													-		

Presently authorized						
One in the		Quarter of the	NC	Quarter of the	SE	Quarte
of Section	21	, Township	27	South, Range	30	(W
in GY	Coul	nty, Kansas, <u>1320</u>	_ feet North _	1300 feet West of S	Southeast corne	er of section.
Authorized Rate		_ Authorized Quantity _	NAME OF THE OWNER, THE	Depth of well	(fee	et)
(DWR use only: Cor	nputer ID N	No. 3 GP:	S	feet North	feet We	est)
☐This point will not be	changed [☐This point will be change	d as follows: [☐ No change, point better d	escribed with GP	S as follows:
Proposed point of di	iversion: (0	Complete only if chang	e is requeste	ed or if existing point is	better describ	ed by GPS)
One in the	SW	Quarter of the	SW	Quarter of the	SE	Quarte
of Section	21	, Township	27	South, Range	30	(W
in GY	Cou	nty, Kansas, <u>89</u>	_ feet North _	2238 feet West of S	Southeast corne	er of section.
				Proposed well depth		
				nts that will use this point		
CEVIEDER					NE BUILDING	
Presently authorized	d point of d	liversion:				
				Quarter of the		Quarte
of Section		Quarter of the		Quarter of the South, Range		(F/\/
in Section	Cou	nto Kaneae	feet North	feet West of S	Southeast corne	er of section
				Depth of well		
				feet North		
				No change, point better de		
				ed or if existing point is		
One in the		Quarter of the		Quarter of the		Quarte
of Section		, Township		South, Range		(E/W
in	Cou	nty, Kansas,	_ feet North _	feet West of S	Southeast corne	er of section.
Proposed Rate		Proposed Quantity	AND AND THE	Proposed well depth	(feet)	
This point is: Addi	tional Well	☐ Geo Center List o	ther water rigl	nts that will use this point	a, a die battolia	
The changes herein s	are desired	for the following reason:	e?			
		Tot the following reasons	3:	North		
			300	200 100 0	100 200	300
			E		փափափակո	'''''
		D				=
If a well, is the test hole	e log attache	ed? 🖂 Yes 🔲 No	200	-1 + 1 + 1 =	1+1+	200
The change (a) (was) (v	vill bo) some	loted by?				_ ₫
The change(s) (was)(w	viii be) comp	leted by !				
			100	-1+1+1=	1+1+	100
If the point of diversion	ic a wall:			- 스타스 트		4 =
			Mark	= +-	dundandanda	1111H 0 Fact
(a) What are you goin	ng to do with	the old well?	Westu	#-drondondondon	itimilimitimilii	east
						=
			100	-1+1+1=	1 + 1 +	1 = 100
(b) When will this be of	done?				The state of the s	=
			te de la			=
Groundwater Managen			Control of the contro		1	1
	ment District	recommendation attached	d? 200 E	-1 + 1 + 1 =	1 + 1 +	200
Yes	ment District No	recommendation attache	d? 200	- + + =		200
		recommendation attache	d? 200			200

13a. If the proposed point of diversion will be relocated more than 300 addresses of the owners. For surface water sources, show the names and addresses of the landowner(s) one-half mile downstream and one-half mile upstream from your property

feet but within 2,640 feet of the existing point of diversion, attach a topographic map or aerial photograph. For groundwater sources, show all wells (including domestic) within one-half mile of the proposed point of diversion and the names and mailing of the proposed point of diversion and the names and mailing diversion. (PLEASE NOTE: The "X" in center of diagram and the name of the proposed point of diversion will be relocated within 300 feet of the existing point of diversion, indicate its location on the diagram shown above in relation to the existing point of diversion. diagram shown above in relation to the existing point of diversion. (PLEASE NOTE: The "X" in center of diagram above represents the presently authorized point of diversion.)

ie proposed groundwater point of diversion is 300 or lev	wer feet from the existing point of diversion, complete the following:							
Does the undersigned represent all owners of the curr ☐ Yes ☐ No (If no, all owners must sign	ently authorized place(s) of use identified in this application? this application.)							
 Will the ownership interest of any owner of the currently authorized place(s) of use identified in this application be adversaffected if this application is approved as requested? ☐ Yes ☐ No (If yes, all owners must sign this application.) 								
If this application is not approved expeditiously, will the ☐ Yes ☐ No (If no, all owners must sign	ere be substantial damage to property, public health or safety? this application.)							
plication proposes a surface water change in point of dange in place of use, the application must be signed by attach notarized statement authorizing representation).	iversion, a groundwater change in point of diversion greater than 300 feet all owners of the currently authorized place of use, or their duly authorized							
d the owner, the spouse of the owner, or a dul ehalf, in regards to the water right(s) to which ned in this application are true, correct and cor	or affirmation and under penalty of perjury, that I am of lawful y authorized agent of the owner(s) to make this application on this application pertains. I further verify that the statements mplete.							
t CARDEN CITY / Kal	nsas, this 27 day of DECEMBER, 20 19.							
July (Owner)	day of DECEMBER, 20 19. Lisen M. (Spouse)							
(Please Print)	(Please Print)							
(Owner)	(Spouse)							
(Please Print)	(Please Print)							
(Owner)	(Spouse)							
(Please Print)	(Please Print)							
Kansas of FINNEY SS	Asing to med a near the majerous of the result by							
	gned in my presence and sworn to before me this $277H$ day							
mission Expires 9-14-22	PUBLIC - State of Mansas ATMERINE REINERT Appt. Exp. 44 Notary Public							
DMPLETE APPLICATIONS WILL BE PROCESSED. To be coinformation; maps, if necessary, must be included; signatures opriate fee must be paid.	omplete, all of the applicable portions of the application form must be completed wit of all the appropriate owners' must be affixed to the application and notarized; and							
FEE	SCHEDULE							
plication to change the place of use or the point of dive the schedule below: Make checks payable to: Kansas	rsion under this section shall be accompanied by the application fee set Department of Agriculture							
(1) Application to change a point of diversion 300 feet(2) Application to change a point of diversion more that	or less \$100 in 300 feet \$200 \$200							
	Does the undersigned represent all owners of the curre affected if this application is approved as requested? Yes							

SUMMARY ORDER APPROVING APPLICATION FOR CHANGE AND IMPOSING CONDITIONS

This Summary Order is issued under authority of K.S.A. 82a-708b, as amended, and K.A.R. 5-5-1, et seq. and other applicable provisions of the Kansas Water Appropriation Law, K.S.A. 82a-701 et. seq., and rules and regulations promulgated thereunder, With the exception of those conditions expressly contained herein, this Summary Order does not change the terms, conditions and limitations of File No. 21643 A change application was received on requesting that the place of use and / or point of diversion authorized under the above-referenced file number be changed as described in the application. On and after the effective date of this summary order, the authorized place(s) of use shall be located substantially as shown on the topographic map accompanying the application to change the place of use.

Applicable
Not Applicable The change in point of diversion shall not impair existing rights and shall be limited to the same source or sources of water as previously authorized. The point of diversion authorized by this summary order shall be located within a radius of the authorized point(s) of diversion.

Applicable Not Applicable The point(s) of diversion described herein is administratively corrected to be more accurately described using the Global Positioning System (GPS), as described in the application.

Applicable
Not Applicable The point(s) of diversion authorized herein shall not actually be located more than _ feet from the previously authorized point(s) of diversion. ☐ Applicable ☐ Not Applicable As required by K.A.R. 5-3-5d, if the works for diversion is a well with a diversion rate of 100 gallons per minute or more, a tube or other device suitable for making water level measurements shall be installed, operated and maintained in accordance with K.A.R. 5-6-13. ☐ Not Applicable The owner of the authorized place(s) of use shall properly install an acceptable water flow meter on or before December 31, 20____, or before the first use of water, whichever occurs first. The water flow meter shall be installed, operated and maintained in accordance with K.A.R. 5-1-4 through 5-1-12. As required by K.S.A. 82a-732, as amended, and K.A.R. 5-3-5e, the owner shall maintain records and reporting the reading of the water flow meter and the total quantity of water ☐ Applicable Installation of the works for diversion of water shall be completed on or before December 31, 20_ authorized extension of time. By March 1, 20____ the applicant shall notify the Chief Engineer that construction of the works for diversion has been completed, on the form provided by the Chief Engineer, as required by K.A.R. 5-8-4e. Applicable \quad \text{Not Applicable} ☐ Applicable The completed well log shall be submitted with the required notice. □ Applicable ☐ Not Applicable 10. All diversion works into which any type of chemical or other foreign substance will be injected into the water shall be equipped with an in-line, automatic, quick-closing check valve capable of preventing pollution of the source of the water supply. The check valve(s) shall be installed, operated and maintained in accordance with K.A.R. 5-3-5c.
☐ Applicable ☐ Not Applicable Additional Conditions are attached. ☐ Yes П No 12. In accordance with K.S.A. 82a-708a, as amended, and K.A.R. 5-5-14, all of the owners of the authorized place(s) of use of water appropriated under the above-referenced file number are responsible for compliance with its terms, conditions and limitations, as amended and/or supplemented by this Summary Order, and with applicable provisions of the *Kansas Water Appropriation Law* and the *Rules and Regulations* promulgated thereunder. Failure to comply with these provisions may result in civil penalties pursuant to K.S.A. 82a-737, as amended, and/or the suspension or revocation and dismissal of the water or appropriation right or any other enforcement actions authorized by law. Administrative Appeal and Effective Date of Order FOR OFFICE USE ONLY APPLICATION APPROVED AND If you are aggrieved by this order, pursuant to K.S.A. 82a-1901, SUMMARY ORDER ISSUED you may request an evidentiary hearing before the Chief Engineer or request administrative review by the Secretary of Agriculture. A request for hearing by the Chief Engineer must be filed within 15 days of service of this Order and a request for By: _ Duly Authorized Designee of the Chief Engineer administrative review by the Secretary must be filed within 30 days pursuant to K.S.A. 77-531. Any request for administrative (Print Name): review must state a basis for review pursuant to K.S.A. 77-527. Division of Water Resources - Kansas Department of Agriculture File any request with Kansas Department of Agriculture, Legal Division, 1320 Research Park Drive, Manhattan, KS Date of Issuance: 66502. Failure to timely request a hearing or review may State of Kansas preclude review under the Kansas Judicial Review Act. SS For Use by Register of Deeds County of Acknowledged before me on Signature: ___ Notary Public My commission expires: _ (Notary Seal)

3795 W. Jones Ave. Garden City, KS 67846 PH: 620-277-2389




DEC 0 Garden City, KS 67846 PO Box 639

			10 0002	
Customer Name:	LOVE AG		WO#: 19230	Date: 12-5-19
Street Address:	24506	13 ROAD	Test #: "Y	E LOG:
City, State:	MONTEZL	1MA 67867	Driller: LARRY	H
County: GY	Quarter: SE	Section: 21	Township: 27	Range: 30
Location:		GP	15: N.37, 67881 W	1,100,60567
Rig #: 1000L	4	Elevation: 2094	Static WL: 287	Estimated?
			Proposed Well Depth	373
		WELL LOCAT	TION 20'	SUMP

	10-1			Proposed Well Depth 373
				WELL LOCATION 20' SUMP
		Footage		
%	From	Pay	To	Description of Strata
	0		5	Suffice
	5		64	BROWN SAVOY CLAY
	64		82	BROWN CIAN FIRM
	82		94	I SAVILY BEADD CLAY
	196		122	SAND FINE TO LOURSE
	122		184	SAND FINE TO SMAIL GRAVE!
	184		201	SAND FINE TO LARGE GRAJE!
	201		224	ISAND FINE TO COURSE
	224		245	BROWN-WRITE SAMBY CLAY (SURFING SAMES)
	245		Z81	FINE SAND CLAYMIX
10%	1 281	19	306	ISILTSAND CLAYMIX
1090	306	16		RINE SANG
2690	322	31	353	
	353	Cintimar Sa	386	
	386		400	Shale HARD
	4 7 4			
				RECEIVED
				FILOUI VED
				250.9.9.0010
				DEC 2 3 2019
			35e 31	Carden City Field Office
				Fasion of Water Resources
	-	-	-	
	1			1 8 00 001
	1			1- Sala Ash
				3 - GEIX
) - which is
	1	-		J- HOLEDICA
0-143119	1			1- PERA DUS 2-BRAN
	-	-		4 - Makes
	1	-		
	-			
	1		-	
	-	-	-	
	-			
	-	-		
	K	ā .		

Change in Point of Diversion for Water Right 21643



Authorized location





Proposed location

All wells within 1/2 miles are on this map.

**			
Y			
X			

Garden City Field Office 4532 W. Jones, Suite B Garden City, KS 67846



Phone: 620-276-2901 Fax: 620-276-9315 www.agriculture.ks.gov

Mike Beam, Secretary

Laura Kelly, Governor

December 30, 2019

WILDA BETH ACOYA ROSE PO BOX 568 TESEQUE, NM 87574

RE: Water Right, File Nos. 21643

Dear Sir or Madam:

This is to advise you that Gregory & Sue Love has filed an application for approval of the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, to change the point of diversion under the above referenced application. An irrigation well is proposed to be relocated to the SW½SW½SE¼ of Section 21, Township 27 South, Range 30 West, Gray County.

You can find the complete applications posted by water right file number as referenced above at: https://agriculture.ks.gov/divisions-programs/dwr/water-appropriation/notices

You are notified on this proposed point of diversion (well) so that you may furnish this office with any comments or other information you want to submit. Such comments or other information must be received in this office within 15 days from the date of this letter.

Should you have any questions, please feel free contact this office. If you would prefer, you could arrange an appointment for additional assistance. Please refer to the file number when you contact us if you wish to discuss a specific file.

Sincerely,

Austin J. McColloch

Assistant Water Commissioner

AM: enclosures

pc: Joshua Koehn

GROUNDWATER MANAGEMENT DISTRICT NO. 3