Kansas Department of Agriculture Division of Water Resources

CHANGE: P/D WORKSHEET

1. File Number: 17022	2. Status Change Date:	3. Change Num: C1	4. Field Office: 04	5. GMD: 03
6. Status: Approved Der	nied by DWR/GMD	Dismiss by Reques	st/Failure to Return	7. Filing Date of Change: 6/19/2020
8a. Landowner applicant, Correspondence New to system SAND ARROYO RANCHATTN: BRYCE WILKERS PO BOX 174 MANTER, KS 67862	Add Seq#	8c. Landown New to sy		Person ID Add Seq#
8b. Landowner(s), New to system □	Person ID Add Seq#	8d. correspond New to sy		Person ID Add Seq#
	r Seal	⊠ N & P Form	☑ Water Tube ☑	Driller Copy
To. Use Made of Water From:			Date Prepared: 6/29 Date Entered:	

		11. County: N	ИE	Bas	sin: NF	CIMA	ARROI	N			St	tream:		-			1 114			rmation C 1/331	ode.	Special Use:
12. Points of Divers	sion	- !														and Qu	uantity			dditional		
MOD DEL PDIV ENT	Qualifier	S	T	R	ID	•	N	'W		Com	ment	(AKA I	Line)		Rate	e	Quantity af	T _{ip}	Rate	e Qua	antity af (Overlap PD Files
NT	NWNWNW	24	29	42 W		48	820	506	6						285	5	148	-	285	14	8 NC	DNE
DEL 13281										a de la companya de								_1			7.	
·	7	×							*									ľ				10 12 pt 10 10 10 10 10 10 10 10 10 10 10 10 10
		ı																	- 1	2		
Į-		3 6															-		P			ļ
13. Storage: Rate _		NI	F	Quan	itity					ac/ft	A	ddition	al Rat	e			J. State of the st	NF	Addi	tional Qua	ntity	ac/ft
4. Limitation:																						
15. 5YR Allocation:	12.10	4.0					Tall at							1776	1477							
16. Place of Use	Jse		NE1/4				NW1/4			SW¹/₄				SE1/4				Total	Owner	Chg?	Overlap Files	
MOD DEL ENT PUSE S	S T R	ID	NE 1/4	NW 1/4	sw ¼	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4				
CHK 8306		111		5																		
																				77		
					7-72										5							
		7 2.5																				
		144 5 15	9													-						

Garden City Field Office 4532 W. Jones, Suite B Garden City, KS 67846



Phone: 620-276-2901 Fax: 620-276-9315 www.agriculture.ks.gov

Mike Beam, Secretary

Laura Kelly, Governor

June 30, 2020

SAND ARROYO RANCH INC Attn: BRYCE WILKERSON PO BOX 174 MANTER, KS 67862

> RE: Water Right, File No. 17022

Dear Sir:

Enclosed is the order executed by the designee of the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, approving the application for change under the above referenced file number.

Your attention is directed to the enclosures and to the terms, conditions, and limitations specified in this approval for change. A condition of this approval is that an acceptable water flow meter must be installed on the diversion works authorized under the referenced file number and meet current specifications. Please return the required notification of completion of the diversion works and installation of the required meter as soon as these actions are completed.

Since the order modifies the original document referred to above, it should be recorded with the Register of Deeds as other instruments affecting real estate.

The abandoned well must be plugged in accordance with the requirements of Article 30 of the Rules and Regulations as adopted by the Kansas Department of Health and Environment.

Should you have any questions, please feel free contact this office. If you would prefer, you could arrange an appointment for additional assistance.

Sincerely,

Michael A. Meyer

Water Commissioner

MAM enclosures

pc: GROUNDWATER MANAGEMENT DISTRICT NO. 3

CERTIFICATE OF SERVICE

On this 30th day of June 2020, I hereby certify that the foregoing Approval of Application for Change in Point of Diversion, Water Right, File No. 17,022 dated 30th day of June 2020 was mailed postage prepaid, first class, US mail to the following:

SAND ARROYO RANCH INC Attn: BRYCE WILKERSON PO BOX 174 MANTER, KS 67862

Pc:

GROUNDWATER MANAGEMENT DISTRICT NO. 3

Division of Water Resources Staff

Submit completed application to: Kansas Department of Agriculture Division of Water Resources Field Office for your area. Call for address:

> Topeka -- (785) 296-5733 Stafford -- (620) 234-5311 Stockton -- (785) 425-6787 Garden City -- (620) 276-2901 http://agriculture.ks.gov/dwr

DWR FIELD OFFICE APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF USE AND/OR THE POINT OF DIVERSION



STATE OF KANSAS

Filing Fee Must Accompany the Application, K.S.A. 82a-708b(b), as amended. Fee Schedule is on the third page of this application form.

Paragraph Nos. 1, 2, 3 & 5 must be completed. Complete all other applicable portions. If change in point of diversion is greater than 100 feet, or if place of use will be changed, include a topographic map or detailed plat showing the authorized and proposed point(s) of diversion and/or place of use.

					F	ile No	. 1702	2									11	CEIVED
Application	on is he	reby m	nade fo	or appr	oval o	f the C	hief F	nginee	r to ch	ange t	the (ch	eck or	ne or b	oth):			JUN	2 6 2020
приоск	01110110	.00,	iddo id	n appi		lace of		rigirioc			of Dive		10 01 0	oury.				City Field Offi WATER RESO
under the	e water	riaht w	hich is	the si	14 96			ation i					ndition	s desc	ribed b		DION OF	WAILKRESO
The sour						round			-		ce wate					,		
Name an						royo F	Ranch	Inc. At	tn: Bry	ce Wil	kerson			Ìa.				
Phone N	lumber:	(620)	353-83	326				Email	addre	ss:								
Name an	nd addre	ess of	Water	Use C	orresp	onden												
							Y. 1. 7	11.	Y.4	191 17				7			1100	
Phone N								Email	addre	ss:		- 1					-	
The pres																		
Owner of											V. 7 3							
(15.11			ESS: §					130										
(If there is	more th	an one			acn su	ppieme			neces	sary.)						E1/4		1
	NE%		NW¼				SW¼					TOTAL						
ec. Twp.	Range	NE1/4	NW¼	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	in hace y
		7								T I						-		
										-					 			Kanana da ka
					3.													
If this ap Owner o	f Land -	NA	AME: .								ace of	use be	e chan	ged to	:			
	more th	an one	landow	ner, at	tach su	ppleme	ental sh	eets as	neces	sary.)			-11-7					
(If there is	# 1	444	NE	1/4			N	N'/4			SV	N ⁷ / ₄			S	E¼		TOTAL ACRES
(If there is			NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW¼	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	ACKES
(If there is	Range	NE1/4																
	Range	NE¼			/									A.		- 1		
	Range	NE1/4			/													

		diversion:				
		Quarter of the				
of Section	24	, Township	29	South, Range	42	V
in Stanton	Co	unty, Kansas, <u>5014</u>	feet North _	5176 feet West of	Southeast corner	of section.
Authorized Rate	285 GPM	Authorized Quantity	148 AF	Depth of well	-560 (feet)
DWR use only:	Computer ID	No. <u>63</u> GPS		feet North	feet Wes	st)
☐This point will n	ot be changed	⊠This point will be changed	as follows:	☐ No change, point better o	lescribed with GPS	as follows:
Proposed point	of diversion:	Complete only if change	is requeste	d or if existing point is	better describe	d by GPS)
One in the	NW	Quarter of the	NW	Quarter of the	NW	Quarte
of Section	24	, Township	29	South, Range	42	N
n Stanton	Co	unty, Kansas, <u>4820</u>	feet North _	5066 feet West of	Southeast corner	of section.
		Proposed Quantity				
This point is:	Additional Wel	☐ Geo Center List other	er water righ	nts that will use this point	- Market 1	
Presently autho	rized point of	diversion:				i i
One in the		Quarter of the		Quarter of the		Quarte
of Section		Township		South Range		(E/W)
in	Co	unty, Kansas,	feet North	feet West of	Southeast corner	of section.
Authorized Rate		Authorized Quantity		Depth of well	(feet)
(DWR use only:	Computer ID	No. GPS		feet North	feet Wes	st)
		☐This point will be changed				
		Complete only if change				
	E-1	Quarter of the				
		, Township				
		unty, Kansas,				
		Proposed Quantity				
		☐ Geo Center List oth				
Trilo point lo.	7 taditional VVoi	Geo center Elet eth	or water rigi	tto triat will add trill point		
The changes her	rein are desired	I for the following reasons?)			
		I for the following reasons?		North		
			300	200 100 0	100 200	300 TTTT 9
			300	200 100 North	100 200	300
(please be specifi	c)	7000	300	200 100 0	100 200	
(please be specifi	c)		300	200 100 0	100 200	
(please be specifi	st hole log attach	ned? 🛛 Yes 🗌 No	300	200 100 0	100 200	
(please be specifi	st hole log attach	ned? 🛛 Yes 🗌 No	300	200 100 0	100 200	
(please be specifing the description of the change (s) (w	st hole log attach	ned? 🛛 Yes 🗌 No	200	200 100 0	100 200	200
(please be specifi	st hole log attach	ned? 🛛 Yes 🗌 No	200		100 200	200
(please be specifing the description of the change (s) (w	ersion is a well:	ned? ⊠ Yes □ No pleted by?	200	200 100 0	100 200	200
If a well, is the tes The change(s) (w	ersion is a well:	ned? ⊠ Yes □ No pleted by?	200		100 200	200
If a well, is the tes The change(s) (w	ersion is a well:	ned? ⊠ Yes □ No pleted by?	200 100 West 0		100 200	200 100 100 East
If a well, is the tes The change(s) (well the point of dive (a) What are you	est hole log attack ras)(will be) com ersion is a well: u going to do wit	ned? ⊠ Yes □ No pleted by?	200		100 200	200
If a well, is the tes The change(s) (well the point of dive (a) What are you	est hole log attack ras)(will be) com ersion is a well: u going to do wit	ned? Yes No pleted by? th the old well?	200 100 West 0		100 200	200 100 100 East
If a well, is the tes The change(s) (well) If the point of dive (a) What are you	est hole log attack ras)(will be) comersion is a well: u going to do wit	ned? Yes No pleted by? th the old well?	200 100 West 0		100 200	200 100 100 East
If a well, is the tes The change(s) (well) If the point of dive (a) What are you (b) When will this	est hole log attack ras)(will be) comersion is a well: u going to do wit	ned? Yes No pleted by? h the old well?	200 100 West 0		100 200	200 100 100 100
If a well, is the tes The change(s) (well) If the point of dive (a) What are you (b) When will this	est hole log attack ras)(will be) come ersion is a well: u going to do with s be done?	ned? Yes No pleted by? h the old well?	200 100 West 0		100 200	200 100 100 100
If a well, is the tes The change(s) (well) If the point of dive (a) What are you (b) When will this	est hole log attack ras)(will be) comersion is a well: u going to do with s be done? nagement District Yes \(\sum \) No	ned? Yes No pleted by? h the old well?	200 100 West 0	200 100 0 	100 200	200 100 100 100 100 100 100

feet but within 2,640 feet of the existing point of diversion, attach a topographic map or aerial photograph. For groundwater sources, show all wells (including domestic) within one-half mile of the proposed point of diversion and the names and mailing addresses of the owners. For surface water sources, show the names and addresses of the landowner(s) one-half mile downstream and one-half mile upstream from your property lines

3b. If the proposed point of diversion will be relocated within a 300 foot radius of the existing point of diversion, indicate its location on the diagram shown above in relation to the existing point of diversion. The proposed point of diversion must be located within the circle shown above. (PLEASE NOTE: The "X" in center of diagram above represents the presently authorized point of diversion.)

14. If the proposed groundwater point of diversion is 300 or fewer feet fro	m the existing point of diversion, complete the following:	
(a) Does the undersigned represent all owners of the currently autho ☐ Yes ☐ No (If no, all owners must sign this applic	prized place(s) of use identified in this application? cation.)	
 (b) Will the ownership interest of any owner of the currently authori affected if this application is approved as requested? ☐ Yes ☐ No (If yes, all owners must sign this applied to the currently authorized to the currently autho		ely
(c) If this application is not approved expeditiously, will there be subs ☐ Yes ☐ No (If no, all owners must sign this applic	stantial damage to property, public health or safety?	
If the application proposes a surface water change in point of diversion, a or a change in place of use, the application must be signed by all owners agent (attach notarized statement authorizing representation).		
I hereby verify, being first duly sworn upon my oath or affirmage and the owner, the spouse of the owner, or a duly authoristheir behalf, in regards to the water right(s) to which this appropriate in this application are true, correct and complete.	zed agent of the owner(s) to make this application plication pertains. I further verify that the stateme	on
Dated at, Kansas, this _	25 day of TUIVE , 20 20	
Bryche (Owner) Bryche Wilkerson	(Spouse)	
(Please Print)	(Please Print)	
(Owner)	(Spouse)	
(Please Print)	(Please Print)	
(Owner)	(Spouse)	1
(Please Print)	(Please Print)	<u> </u>
	TAMMY FLOWERS	
State of Kansas	NOTARY PUBLIC STATE OF KANSAS	
County of Finney	MY APPT. EXPIRES	
I hereby certify that the foregoing application was signed in of	ny presence and sworn to before me this 25 o	lay
	January Flowers	
My Commission Expires 5-28-2021.	Notary Public	
ONLY COMPLETE APPLICATIONS WILL BE PROCESSED. To be complete, all accurate information; maps, if necessary, must be included; signatures of all the ap the appropriate fee must be paid.		
FEE SCHEDU	ILE	
Each application to change the place of use or the point of diversion unde	er this section shall be accompanied by the application fee se	et
forth in the schedule below: Make checks payable to: Kansas Departme (1) Application to change a point of diversion 300 feet or less (2) Application to change a point of diversion more than 300 feet (3) Application to change the place of use	\$100 \$200	

SUMMARY ORDER APPROVING APPLICATION FOR CHANGE AND IMPOSING CONDITIONS

This Summary Order is issued under authority of K.S.A. 82a-708b, as amended, and K.A.R. 5-5-1, et seq. and other applicable provisions of the Kansas Water Appropriation Law, K.S.A. 82a-701 et. seq., and rules and regulations promulgated thereunder, With the exception of those conditions expressly contained herein, this Summary Order does not change the terms, conditions and limitations of File No. 17022 June 26,2020 A change application was received on requesting that the place of use and / or point of diversion authorized under the above-referenced file number be changed as described in the application. On and after the effective date of this summary order, the authorized place(s) of use shall be located substantially as shown on the topographic map accompanying the application to change the place of use. Applicable Not Applicable The change in point of diversion shall not impair existing rights and shall be limited to the same source or sources of water as previously authorized. The point of diversion authorized by this summary order shall be located within a radius of the authorized point(s) of diversion. Applicable \quad Not Applicable The point(s) of diversion described herein is administratively corrected to be more accurately described using the Global Positioning System (GPS), as described in the application.

Applicable
Not Applicable The point(s) of diversion authorized herein shall not actually be located more than feet from the previously authorized point(s) of diversion. As required by K.A.R. 5-3-5d, if the works for diversion is a well with a diversion rate of 100 gallons per minute or more, a tube or other device suitable for making water level measurements shall be installed, operated and maintained in accordance with K.A.R. 5-6-13. Applicable ☐ Not Applicable The owner of the authorized place(s) of use shall properly install an acceptable water flow meter on or before **December 31, 20** <u>Ao</u>, or before the first use of water, whichever occurs first. The water flow meter shall be installed, operated and maintained in accordance with K.A.R. 5-1-4 through 5-1-12. As required by K.S.A. 82a-732, as amended, and K.A.R. 5-3-5e, the owner shall maintain records and report the reading of the water flow meter and the total quantity of water diverted annually to the Chief Engineer by March 1 following the end of each calendar year. Applicable ☐ Not Applicable Installation of the works for diversion of water shall be completed on or before December 31, 2020 authorized extension of time. By March 1, 20 1/2 the applicant shall notify the Chief Engineer that construction of the works for diversion has been completed, on the form provided by the Chief Engineer, as required by K.A.R. 5-8-4e. Applicable ☐ Not Applicable The completed well log shall be submitted with the required notice. Applicable □ Not Applicable 10. All diversion works into which any type of chemical or other foreign substance will be injected into the water shall be equipped with an in-line, automatic, quick-closing check valve capable of preventing pollution of the source of the water supply. The check valve(s) shall be installed, operated and maintained in accordance with K.A.R. 5-3-5c. Applicable Not Applicable 11. Additional Conditions are attached. ☐ Yes No 12. In accordance with K.S.A. 82a-708a, as amended, and K.A.R. 5-5-14, all of the owners of the authorized place(s) of use of water appropriated under the above-referenced file number are responsible for compliance with its terms, conditions and limitations, as amended and/or supplemented by this Summary Order, and with applicable provisions of the *Kansas Water Appropriation Law* and the *Rules and Regulations* promulgated thereunder. Failure to comply with these provisions may result in civil penalties pursuant to K.S.A. 82a-737, as amended, and/or the suspension or revocation and dismissal of the water or appropriation right or any other enforcement actions authorized by law. FOR OFFICE USE ONLY Administrative Appeal and Effective Date of Order APPLICATION APPROVED AND If you are aggrieved by this order, pursuant to K.S.A. 82a-1901, SUMMARY ORDER ISSUED you may request an evidentiary hearing before the Chief Engineer or request administrative review by the Secretary of Agriculture. A request for hearing by the Chief Engineer must be filed within 15 days of service of this Order and a request for Duly Authorized Designee of the Chief Engineer administrative review by the Secretary must be filed within 30 days pursuant to K.S.A. 77-531. Any request for administrative (Print Name): review must state a basis for review pursuant to K.S.A. 77-527. Division of Water Resources - Kansas Department of Agriculture File any request with Kansas Department of Agriculture, Legal Division, 1320 Research Park Drive, Manhattan, KS Date of Issuance: 66502. Failure to timely request a hearing or review may State of Kansas preclude review under the Kansas Judicial Review Act. SS For Use by Register of Deeds County of _ Acknowledged before me or Signature: STATE OF JULIE JONES NOTARY My commission expires ly Appointment Expire (Notacymber 45) 2022

Page 4

File No.

DWR 1-121 (Revised 09/11/2019)

17022

3795 W. Jones Ave. Garden City, KS 67846 PH: 620-277-2389



PO Box 639 Garden City, KS 67846

Fax: 620-277-0224

Customer N	lame:	Bryce Wilke	erson					Date:	08/11/15
Street Addr	ess:	P.O. B	0x 174	+		Test #:	1	E LOG:	
City, State:		IMA	TIVTER.	Ks 67862		Driller: I	Dale Guin	n	
County:	ST	Quarter:	NW	Section:	24	Township:	29	Range:	42
Location:	226 Sou	ith & ₹48 E	ast of exis	ting well	GP	S: N 37.51853	W 101.8	6982 IVAD27	
Rig #:	10002	WO#:	9274	Elevation:		Static WL:	250	Estimated?	5 T T (12.)
		_				Proposed We	II Depth	656	

WELL LOCATION 20'SUMP Footage % From Pay To **Description of Strata** Top soil 0 46 Brown sandy clay 2 46 55 Sand fine to med coarse 55 59 Brown clay Sand fine to med coarse small gravel 59 85 85 93 Sandstone & soapstone 93 117 Soapstone w/ couple sandstone ledges (lost circ @ 117', Mix bran) Sandstone w/ few soapstone stringers 117 140 140 183 Sandstone & soapstone Sandstone w/ few soapstone stringers -Used some water-10 183 45 295 295 358 Shale Sandstone Drilled tight & used some water 10 358 26 384 Sandstone Drilled loose in places (used lots of water) Lost circ @ 376 15 384 36 420 5 420 29 449 Sandstone & few red bed strips (Drilled tight) 449 504 Sandstone w/ couple red bed strips -Drilled little tight- (Used water) 10 55 15 504 26 530 Sandstone (Drilled loose in places - Used water) 530 50 Sandstone (Drilled little tight in places - Used water) 10 580 Sandstone w/ some red bed strips -Drilled little tight-580 636 636 660 Red bed 660 15 Max gel 11 Bran 5 Grout 5 Holeplug 3/8 1 Perma plug 24 ¾ drag blade \$47.50 Quarters

