NOTICE

This scan only represents the application as filed. The information contained herein meets the requirements of K.A.R. 5-3-1 or K.A.R. 5-5-1, and has been found acceptable for filing in the office of the Chief Engineer. The application should not be considered to be a complete application as per K.A.R. 5-3-1b or K.A.R. 5-5-2a.

Submit completed application to: Kansas Department of Agriculture Division of Water Resources Field Office for your area. Call for address:

Topeka -- (785) 296-5733 Stafford -- (620) 234-5311 Stockton -- (785) 425-6787 Garden City -- (620) 276-2901 http://agriculture.ks.gov/dwr

DWR FIELD OFFICE APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF USE AND/OR THE POINT OF DIVERSION



STATE OF KANSAS

Filing Fee Must Accompany the Application, K.S.A. 82a-708b(b), as amended.

Fee Schedule is on the third page of this application form.

Paragraph Nos. 1, 2, 3 & 5 must be completed. Complete all other applicable portions. If change in point of diversion is greater than 100 feet, or if place of use will be changed, include a topographic map or detailed plat showing the authorized and proposed point(s) of diversion and/or place of use.

					F	File No). <u>1411</u>	3								RE	INV O	9 2021
l. /	Application is he	ereby r	nade f	or app	roval c	of the C	Chief E	ngine	er to cl	nange	the (ch	eck or	ne or b	oth):				
					□ P	lace o	f Use		\boxtimes	Point	of Dive	ersion				Gard	en Cit	y Field Officater Resou
ı	under the water	right v	vhich is	s the s	ubject	of this	applic	ation i	n acco	ordance	e with	the co	ndition	s desc	ribed	j <mark>visio</mark> below.	n or vv	alei itooo
	The source of s					round			-	Surfa								
- F 1	Phone Number: Name and address Name and address 12064 E ROAD Phone Number: The presently and	ess of 20 SA	Water TANTA eed pla	Use C A KS 6	orresp 57870	onden - 8785	nt: <u>TIM</u>	Email IOTHY	addre	ss: L	KEN	TA	T 01				M	
(If there is more th					ppleme	ental sh	eets as	neces	sary.)								
	NE1/4					N\	N1/4			SV	V1/4			SI	=1/4		TOTAL	
Sec.	Twp. Range	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	ACRES
			_	_														
				_					-	-								
(f this application Owner of Land If there is more the	NA ADDRI	AME: ESS:		VU	Cha	ng	4							:			
			NI	Ε1/4			N\	N1/4			SV	V1/4			SE	Ξ1/4		TOTAL
Sec.	Twp. Range	NE1/4	NW1/4	T	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	ACRES
									_				Contract or other Designation of the last					

5.	Presently autho	rized point o	of diversion:				
	One in the	SW	Quarter of the	SW	Quarter of the	NE	Quarter
			, Township				
			ounty, Kansas, 2734				
			Authorized Quantity				
	(DWR use only:	Computer I	D No GI	PS	feet North	feet We	est)
	☐This point will n	ot be changed	☐This point will be chang	ed as follows:	No change, point better d	escribed with GP	S as follows:
			: (Complete only if chan				
			Quarter of the				
			, Township				
	in Grant	С	ounty, Kansas, 1095	feet North	542 feet West of S	Southeast corne	er of section.
	Proposed Rate _		Proposed Quantity _		Proposed well depth	(feet)	
			ell Geo Center List				
					· · · · · · · · · · · · · · · · · · ·	· ·	
6.	Presently autho	rized point o	f diversion:				
0.					Quarter of the		Quarter
	of Section		Quarter of the , Township		Quarter or the		Quarter
	in	C	ounty, Kansas,	foot North	South, Range	Courthoast sorns	(E/VV),
	Authorized Date		Authorized Quantity	leet North _	Don'th of well	outreast come	or section.
	Authorized Rate	Computer	D No G		Depth of well	(Tee)()
	This point will no	Computer i	☐This point will be chang	and an follower [No change point better de	reet we	es fallows:
			(Complete only if chan				
	one in the		Quarter of the		Quarter of the		Quarter
			, Township				
	In	C	ounty, Kansas,	teet North _	feet vvest of S	outneast corne	r of section.
	This point is:	^ dd:t: 1 \	Proposed Quantity _	the succession	Proposed well depth (reet)	
l	This point is.	Additional vve	ell Geo Center List o	other water rigi	its that will use this point		
7.	The changes here	ain are desire	ed for the following reason	162			
١.			F production		North		
	as correc	it Loca	tial	300	200 100 0	100 200	300
				Ĕ			11111
Ω	If a well is the test	t hole log atta	ched? Xes No	E	- + + =	_ /	=
0.	ii a well, is the test	t flole log attac	clied: 162 140	200	-1/+1+1=	1 + 1 +	200
9.	The change(s) (wa	as)(will be) cor	mpleted by?	E	./ =	1 + 1 +	
	3 () (,	,	100	/=	1 1 1	100
				100			1 100
10.	If the point of diver	sion is a well:		#	·		=
	(a) What are you	aoina to do w	ith the old well?	West 0	#dan aalaa aalaa x a	վավավայիա	1 1++ <u>+</u> 0 East
	1		4	Į.	=		4
	+06e	plugge	d-	A.c.		1 -1- 1 -1-	1 100
	(b) When will this	be done?		100		1 + 1 +	100
				E	·\ =		/=
11.	Groundwater Mana	agement Distri	ct recommendation attache	ed? 200 =	-1 + 1 =	1 + 1 +/	1 = 200
	Y	es No		E		/_	<u> </u>
				Ē.		L	J =
12.	Assisted by HH / G	GCFO		500 300		100 200	300
132	If the proposed poi	nt of diversion	will be relocated more than	300	South	Scale: 1 hashma	rk=10 ft
. 00	feet but within 2,64	10 feet of the e	xisting point of diversion, at	tach 13b. If the	proposed point of diversio	n will be relocate	ed within a 300

3a. If the proposed point of diversion will be relocated more than 300 feet but within 2,640 feet of the existing point of diversion, attach a topographic map or aerial photograph. For groundwater sources, show all wells (including domestic) within one-half mile of the proposed point of diversion and the names and mailing addresses of the owners. For surface water sources, show the names and addresses of the landowner(s) one-half mile downstream and one-half mile upstream from your property lines

13b. If the proposed point of diversion will be relocated within a 300 foot radius of the existing point of diversion, indicate its location on the diagram shown above in relation to the existing point of diversion. The proposed point of diversion must be located within the circle shown above. (PLEASE NOTE: The "X" in center of diagram above represents the presently authorized point of diversion.)


14. If th	ne proposed groundwater point of diversion is 300 or fewer feet fro	om the existing point of diversion, complete the following:
(a)	Does the undersigned represent all owners of the currently authors are all owners must sign this applied.	
(b)	Will the ownership interest of any owner of the currently author affected if this application is approved as requested? Yes No (If yes, all owners must sign this application)	
(c)	If this application is not approved expeditiously, will there be sub ☐ Yes ☐ No (If no, all owners must sign this applied	
or a cha	oplication proposes a surface water change in point of diversion, a ange in place of use, the application must be signed by all owners attach notarized statement authorizing representation).	
age an their b	by verify, being first duly sworn upon my oath or affirm at the owner, the spouse of the owner, or a duly author behalf, in regards to the water right(s) to which this append in this application are true, correct and complete.	zed agent of the owner(s) to make this application on olication pertains. I further verify that the statements
Dated a	t Sytacuse, Kansas, this	4th day of November, 20 31.
1	4 n.	
<u> </u>	(Owner)	(Spouse)
	- , (Olimon)	(operator)
	(Please Print)	(Please Print)
	Assitt a C. Barr	
	(Owner)	(Spouse)
(Fratha C Boy	
	(Please Print)	(Please Print)
	(Owner)	(Spouse)
	(Please Print)	(Please Print)
	Ď NOTARY P	JBLIC - State of Kansas
State of) SS I Aby Aport	SY MIRAMONTES Exp. 51.77.74
	of Trayrill TOVI	n th
of N	reby certify that the foregoing application was signed in recommendation.	ny presence and sworn to before me this day
		The Roll
	20 1	Notary Public
My Com	nmission Expires <u>01.22.</u>	
accurate	OMPLETE APPLICATIONS WILL BE PROCESSED. To be complete, all information; maps, if necessary, must be included; signatures of all the appriate fee must be paid.	of the applicable portions of the application form must be completed with propriate owners' must be affixed to the application and notarized; and
forth in t	pplication to change the place of use or the point of diversion under the schedule below: Make checks payable to: Kansas Departme (1) Application to change a point of diversion 300 feet or less (2) Application to change a point of diversion more than 300 feet (3) Application to change the place of use	r this section shall be accompanied by the application fee set ent of Agriculture \$100

SUMMARY ORDER APPROVING APPLICATION FOR CHANGE AND IMPOSING CONDITIONS

pro Wit	visions of the Kansas Water Appropriation Law. K.S.A. 82a	08b, as amended, and K.A.R. 5-5-1, et seq. and other applicable 1-701 et. seq., and rules and regulations promulgated thereunder in, this Summary Order does not change the terms, conditions and
1.	A change application was received on diversion authorized under the above-referenced file num	requesting that the place of use and / or point on the place of use and / or point on the described in the application.
2.	On and after the effective date of this summary order, the au	uthorized place(s) of use shall be located substantially as shown or ange the place of use. Applicable Not Applicable
3.	The change in point of diversion shall not impair existing rig previously authorized. The point of diversion authorized radius of the authorized point(s) of diversion. ☐ Application	hts and shall be limited to the same source or sources of water as by this summary order shall be located within a foot ble Not Applicable
4.	The point(s) of diversion described herein is administrative Positioning System (GPS), as described in the application	rely corrected to be more accurately described using the Globan. ☐ Applicable ☐ Not Applicable
5.	The point(s) of diversion authorized herein shall not actually authorized point(s) of diversion. ☐ Applicable ☐ N	be located more than feet from the previously Not Applicable
6.		well with a diversion rate of 100 gallons per minute or more, a tube ents shall be installed, operated and maintained in accordance with
7.	December 31, 20, or before the first use of water operated and maintained in accordance with K.A.R. 5-1-4	roperly install an acceptable water flow meter on or before, whichever occurs first. The water flow meter shall be installed through 5-1-12. As required by K.S.A. 82a-732, as amended, and it the reading of the water flow meter and the total quantity of water ing the end of each calendar year.
8.	authorized extension of time. By March 1, 20 the	e completed on or before December 31, 20, or within any applicant shall notify the Chief Engineer that construction of the vided by the Chief Engineer, as required by K.A.R. 5-8-4e.
9.	The completed well log shall be submitted with the requ	uired notice. ☐ Applicable ☐ Not Applicable
10.	with an in-line, automatic, quick-closing check valve capa	foreign substance will be injected into the water shall be equipped able of preventing pollution of the source of the water supply. The I in accordance with K.A.R. 5-3-5c. Applicable Not Applicable
11.	Additional Conditions are attached. Yes No	
12.	water appropriated under the above-referenced file num limitations, as amended and/or supplemented by this Sun Appropriation Law and the Rules and Regulations prom	A.R. 5-5-14, all of the owners of the authorized place(s) of use of ber are responsible for compliance with its terms, conditions and mmary Order, and with applicable provisions of the <i>Kansas Wate</i> aulgated thereunder. Failure to comply with these provisions may mended, and/or the suspension or revocation and dismissal of the ons authorized by law.
1	Administrative Appeal and Effective Date of Order	FOR OFFICE USE ONLY
lf vc	ou are aggrieved by this order, pursuant to K.S.A. 82a-1901,	APPLICATION APPROVED AND SUMMARY ORDER ISSUED
vou	may request an evidentiary hearing before the Chief ineer or request administrative review by the Secretary of	SUMMARY ORDER ISSUED
Aari	culture. A request for hearing by the Chief Engineer must be	By: Duly Authorized Designee of the Chief Engineer
adm	within 15 days of service of this Order and a request for ninistrative review by the Secretary must be filed within 30	
day revi	s pursuant to K.S.Á. 77-531. Any request for administrative ew must state a basis for review pursuant to K.S.A. 77-527.	(Print Name):
File	any request with Kansas Department of Agriculture, al Division, 1320 Research Park Drive, Manhattan, KS	Date of Issuance:
665	02. Failure to timely request a hearing or review may clude review under the Kansas Judicial Review Act.	State of Kansas) SS
	For Use by Register of Deeds	County of) SS
		Acknowledged before me on
		by
		Signature:Notary Public
		Notary Public
		My commission expires:(Notary Seal)
		(Notary Seal)

CHANGE IN POINT OF DIVERSION WATER RIGHT, FILE NO. 14113

Section 27 Township 29 South Range 35 West Grant County





- Proposed Point of Diversion
- ★ Domestic Wells within 1/2 mile
- Permitted Wells within 1/2 mile

1/2 Mile Buffer


List of owner name and addresses within 1/2 mile:

#1 File No. 27145 COTTONWOOD TREE FARMS LLC



All wells of any kind within 1/2 mile of the proposed point of diversion have been plotted.

Date: 11/5/21 HH/GCFC



CUSTOMER NAME: TIM KENNEDY TH#1

LEGAL: SE 27-29S-35W

COUNTY: GRANT CO, KS

GPS: 37.492502

-101.127589

	I	T		LER: ROCKY		T	WO:	21-034 OTHER / DRILLING
TW	FROM	то	TYPE	HARDNESS	COLOR	SPEED	PULL DOWN	ACTION
	0	2	TOPSOIL	SOFT	BROWN	FAST	-	SMOOTH
	2	10	BROWN CLAY	SOFT	BROWN	FAST SEMI-		SMOOTH
	10	40	TAN CLAY	SOFT	TAN	SLOW		SMOOTH
_	40	93	SANDY CLAY	SOFT	TAN	FAST		SMOOTH
	93	126	FINE-MED-COARSE W/ FINE GRAVEL	STIFF		FAST		FAST CHATTER
	126	195	BROWN STICKY CLAY	STICKY	BROWN	FAST		SMOOTH
	195	265	BLUE CLAY	STICKY	BLUE	FAST		ѕмоотн
	265	271	FINE-MED SAND	STIFF		FAST		FAST CHATTER
	271	287	BLUE CLAY	STICKY	BLUE	FAST		SMOOTH
1	287	440	FINE-MED-COARSE SAND W/ FINE GRAVEL	STIFF	7.4	FAST		FAST CHATTER
	440	495	BROWN SILTY CLAY W/ CLAY LEDGES	SOFT	BROWN	FAST		SMOOTH
	495	500	SANDY CLAY	SOFT		FAST		
	500	531	BROWN SILTY CLAY W/ CLAY LEDGES	SOFT	BROWN	FAST		SMOOTH
	531	550	FINE SAND	FIRM		FAST		VIBRATION
	550	567	BROWN SILTY CLAY	FIRM	BROWN	FAST		SMOOTH
	567	591	SANDSTONE W/ FINE SAND & BROWN SILTY CLAY W/ SHALE	STIFF		FAST		FAST CHATTER & SMOOTH
	591	595	BROWN SILTY CLAY	SOFT	BROWN	FAST		SMOOTH
	595	630	SANDSTONE W/ FINE SAND & BROWN SILTY CLAY W/ SHALE	FIRM	BROWN	FAST		FAST CHATTER & SMOOTH
	630	660	RED BED W/ BROWN SILTY CLAY & SHALE	HARD	RED & GRAY	SLOW	X	CHATTER
			QUIKGEL - 4					
			WATER LOADS - 2					
			SODA ASH - 1/2					
			HOLE PLUG - 2					
			CASING SEAL -1					
			ONDING GENE-1					
-								
-								
						 		
-								
-								
-						 		
_								
						-	-	

Garden City Field Office 4532 W. Jones, Suite B Garden City, KS 67846



Phone: 620-276-2901 Fax: 620-276-9315 www.agriculture.ks.gov

Mike Beam, Secretary

Laura Kelly, Governor

November 12, 2021

COTTONWOOD TREE FARMS LLC PO BOX 307 SMITH CENTER, KS 66967

RE:

Application for Change

Water Right, File No. 14113

Dear Sir:

This is to advise you that Terry and Agatha Boy has filed an application for approval of the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, for change in point of diversion under the above referenced application.

You can find the complete application posted by water right file number as referenced above at www.agriculture.ks.gov/divisions-programs/dwr/water-appropriation/notices.

You are notified of this proposed point of diversion (well) so that you may furnish this office with any comments or other information you may want to submit. Such comments or other information must be received in this office within 15 days from the date of this letter.

Should you have any questions, please feel free to call this office. If you would prefer, an appointment could be arranged for additional assistance. Please refer to the file number when you contact us if you wish to discuss a specific file.

Sincerely,

Michael A. Meyer Water Commissioner

while A-My

MAM

pc: Groundwater Management District No. 3