## Kansas Department of Agriculture Division of Water Resources

### CHANGE: P/D WORKSHEET

1. File Number:	2. Status Change Date:	3. Change Num:	4. Field Office:	5. GMD:
15424	5-3-2021	C1	04	03
	7.7204			
6. Status: ☐ Approved ☐ Deni	ed by DWR/GMD	Dismiss by Reques	t/Failure to Return	7. Filing Date of Change:
				1/07/2021
8a. LANDOWNER, correspondent New to system □	Person ID 17252  Add Seq#	8c. LANDOW	NER, correspondent stem □	Person ID Add Seq#
WESLEY H & SYDNEE S 1835 N FARMLAND RD GARDEN CITY, KS 67846				
8b. Landowner(s), New to system □	Person IDAdd Seq#	8d. correspor New to sy	ndent, applicant stem □	Person ID Add Seq#
9. Documents and Enclosure(s): 🛛 DV	VR Meter(s) Date to Comp	ly: <b>12/31/2021</b>	⊠ N & P Date to	Comply: 3/1/2022
☐ Anti-Reverse Meter ☐ Meter	Seal 🛛 Check Valve	☑ N & P Form	☑ Water Tube	riller Copy
☐ Conservation Plan  Date Require	ed: Da	te Approved:	Date to	Comply:
10. Use Made of Water From:		To: _		
			Date Prepared: <b>4/29/2</b> Date Entered:	<b>2021</b> By: <b>MAM</b> By:

File No.	15424	ļ	11. Count	y: FI	Ва	sin: A	RKAN	SAS F	RIVER			S	tream:							Fo	ormation	Code: <b>21</b>	1 Special Use:	
CHK MOD	nts of Dive	ersion Qualifier	S	Т	R	ID		N	'W	Y	Com	nment	(AKA	Line)						A Rate gpm		uantity	Overlap PD Files	
											-													
DEL 331	34																							
ENT	NE	NWSW	26	23	32W		2	580	4236							1	480	3	60	1	480	360	NONE	
13. Stora	age: Rate			NF	Qua	ntity _					_ac/ft	А	dditior	nal Rat	te				NF	Addi	itional Q	uantity		_ ac/ft
14. Limit	ation:		af/yr	r at				gpm (_				cfs) w	hen co	ombine	ed with	n file n	umber	(s)						
Limit	tation:		af/yr	r at				gpm (_				cfs) w	hen co	ombine	ed with	n file n	umber	(s)						
15. 5YR	Allocation	: Allocation	туре	Sta	art Yea	r		5 YR	Amou	nt _		Amo	ount U	nit	_	Base	Acres		_ c	omment .				
16. Plac	ce of Use				N	E½			NV	V¹/ <sub>4</sub>			SV	N¹/4			S	E1/4		Total	Owner	Chg?	Overlap Files	
MOD DEL	PUSE	STR	ID	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4					
CHK 248		0 1 1	,,,																					
Base Ac		Year:		Minimu	n Reas	onable	e Quar	ntity:			•					•	•		•	•	•			

Garden City Field Office 4532 W. Jones, Suite B Garden City, KS 67846



Phone: 620-276-2901 Fax: 620-276-9315 www.agriculture.ks.gov

Mike Beam, Secretary

Laura Kelly, Governor

May 3, 2021

WESLEY H & SYDNEE STERLING 1835 N FARMLAND RD GARDEN CITY, KS 67846

RE: Water Right, File No. 15424

Dear Sir & Madam:

Enclosed is an executed by the designee of the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, approving the application for change under the above referenced file number.

Your attention is directed to the enclosures and to the terms, conditions, and limitations specified in the approval for change. Conditions of this approval are that an acceptable water flow meter must be installed on the diversion works authorized under the referenced file number and meet current specifications. Please return the required notification of completion of the diversion works and installation of the required meter as soon as these actions are completed

Since the order modifies the original document referred to above, it should be recorded with the Register of Deeds as other instruments affecting real estate.

The abandoned well must be plugged in accordance with the requirements of Article 30 of the Rules and Regulations as adopted by the Kansas Department of Health and Environment

Should you have any questions, please feel free contact this office. If you would prefer, you could arrange an appointment for additional assistance.

Sincerely,

Michael A. Meyer

Water Commissioner

MAM enclosures pc: GMD3

### CERTIFICATE OF SERVICE

On this 3<sup>rd</sup> day of May 2021, I hereby certify that the foregoing Approval of Application for Change in Point of Diversion, Water Right, File No. 15,424 dated 3<sup>rd</sup> day of May 2021 was mailed postage prepaid, first class, US mail to the following:

WESLEY H & SYDNEE STERLING 1835 N FARMLAND RD GARDEN CITY, KS 67846

Pc:

GROUNDWATER MANAGEMENT DISTRICT NO. 3

Division of Water Resources Staff

Submit completed application to: Kansas Department of Agriculture Division of Water Resources Field Office for your area. Call for address:

Topeka -- (785) 296-5733 Stafford -- (620) 234-5311 Stockton -- (785) 425-6787 Garden City -- (620) 276-2901 http://agriculture.ks.gov/dwr

# DWR FIELD OFFICE APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF USE AND/OR THE POINT OF DIVERSION



### STATE OF KANSAS

Filing Fee Must Accompany the Application, K.S.A. 82a-708b(b), as amended. Fee Schedule is on the third page of this application form.

Paragraph Nos. 1, 2, 3 & 5 must be completed. Complete all other applicable portions. If change in point of diversion is greater

than 100 feet, or if place of use will be changed, include a topographic map or detailed plat showing the authorized and proposed point(s) of diversion and/or place of use. 10:20 Am JAN 07 2021 File No. 15424 Garden City Field Office Application is hereby made for approval of the Chief Engineer to change the (check one or both): Division of Water Resources ☐ Place of Use Point of Diversion under the water right which is the subject of this application in accordance with the conditions described below. The source of supply is: ☐ Surface water Name and address of Applicant: WESLEY H & SYDNEE STERLING 1835 N FARMLAND RD, GARDEN CITY, KS 67846, Email address: Stenling Furms 6/ @ Gmgil. (04) Phone Number: (620) 272 6856 Name and address of Water Use Correspondent: \_\_ Phone Number: (\_\_\_\_ Email address: 3. The presently authorized place of use is: Owner of Land --- NAME: Wesley & Sydne Ste-lins
ADDRESS: 1835 N Farmland Rd Garden City (If there is more than one landowner, attach supplemental sheets as necessary.) Range NE% NW% SW% SE1/4 NW1/4 SW1/4 NW1/4 SW1/4 SE1/4 NE1/4 NW1/4 SW1/4 32W 23 If this application is for a change in place of use, it is proposed that the place of use be changed to: Owner of Land ---- NAME: ADDRESS: (If there is more than one landowner, attach supplemental sheets as necessary)

		1	1 -	1	
File	No.	12	4	C	1

TOTAL

SE1/4

Receipt Date 1-7-2 Check # 1653

NW1/4 SW1/4 SE1/4

Twp. Range

NE' NW' SW'

SE1/4

For Office Use Only: Code Fee \$ 200,00 TR #

NW1/4

SW1/4

SE1/4

SW1/4

NW% SW% SE%

NOT A	PALI	CA	BLE
-------	------	----	-----

			NOT AI	PLICABL	E		
5.	Presently author	ized point of	diversion:	- 3 2 5 1			
	One in the	NC N2	Quarter of the	N2	Quarter of the	SW	Quarter
			, Township				
	in FI	Col	unty, Kansas,	feet North	feet West of	Southeast corpo	er of section.
	Authorized Rate		Authorized Quantity		Depth of well	(fe	et)
	(DWR use only:	Computer ID	No. 02 GF	PS 2634	feet North 386	5 feet W	est)
			This point will be chang				
			Complete only if chan				
	One in the	SW	Quarter of the	SW	Quarter of the	SW	Quarter
	of Section	26	, Township	23	South, Range	32	W,
	in FI	Co	unty, Kansas, <u>623 291</u>	feet North	4986508 feet West of	Southeast corne	er of section.
	Proposed Rate		Proposed Quantity _		Proposed well depth	(feet) 253	
	This point is:	Additional Well	☐ Geo Center List of				• 1
-	1 7 7 7 7 7 1			603 N	). x 5089 W.		
6.	Presently author						
	One in the		Quarter of the		Quarter of the		Quarter
	of Section		Quarter of the Township		South, Range		(E/W),
	in	Col	inty, Kansas,	feet North _/	feet West of	Southeast corne	er of section.
			Authorized Quantity				
			No GF			BONGS CHICAGO CONTRACTOR CONTRACT	,
			This point will be chang				
	The second secon		Complete only if chan				
			Quarter of the				
			, Township				(E/W),
			unty, Kansas,				
			Proposed Quantity _				-
	This point is:	Additional Well	☐ Geo Center List o	other water right	s that will use this point		
~	The above to	:		0			
7.	(please be specific	old well	for the following reason	1st	Marth		
	A Feasible A	mound of	Je, Let	300	200 100 North	100 200	300
	***************************************		/	E	uluuluuluuluuluuluuluuluuluuluuluuluulu	Juntania III	
Q	If a wall is the test	hala lag attach	ned? X Yes \ \ \ No	E			=
0.	it a well, is the test	Tible log attaci	ied: Miles Livo	200	1/4/1+/=	1+1+	200
9.	The change(s) (wa	s)(will be) com	pleted by?	E	/ =	-	\=
	Downer I	Dilling		100	1+1+1=	1 + 1 +	100
					· · · · · =	, 1 , (	1
10.	If the point of diver	sion is a well:		F	Amazona Amazon		3
	(a) What are you	going to do with	n the old well?	West 0	alan milan mim <b>a</b> n	alunlandanda	□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
	Irrigati	٠٠٠٦		1	protects stratute to the protect stratute to the prote		
	7		L C A A	100	1 + 1 + 1 = 1	1 + 1 +	100
	(b) When will this	be done?	JAV	E.	\	1 1	/=
	/			E	1 + 1 =		/ =
11.	/		t recommendation attache	ed? 200 E	141+1=	1+1+	200
	∠ ∐ Ye	es No		E		/_	-

13a. If the proposed point of diversion will be relocated more than 300 feet but within 2,640 feet of the existing point of diversion, attach a topographic map or aerial photograph. For groundwater sources, show all wells (including domestic) within one-half mile of the proposed point of diversion, indicate its location on the diagram shown above in relation to the existing point of diversion must be located diversion. The proposed point of diversion must be located within the circle photographic of diversion must be located within the circle photographic of the proposed point of diversion must be located within the circle photographic or the circle photographic photographic or the circle photographic or the circle photographic ph addresses of the owners. For surface water sources, show the names and addresses of the landowner(s) one-half mile downstream and one-half mile upstream from your property lines

foot radius of the existing point of diversion, indicate its location on the diagram shown above in relation to the existing point of diversion. The proposed point of diversion must be located within the circle shown above. (PLEASE NOTE: The "X" in center of diagram above represents the presently authorized point of diversion.)

0 South

and industrial

100

Assisted by

AMMENDED 4-29-2021, confirmed by Wes Sterling

_		.,		/	/		
5.	Presently authorize	zed point of d	iversion:				
	One in the	NCN2	Quarter of the	N2	Quarter of the	SW	Quarter
					South, Range		
	in FI	Cour	nty, Kansas,	feet North _	feet West of	Southeast corner	of section.
	Authorized Rate _		_ Authorized Quantity		Depth of well	(fee	t)
					feet North393		
- 1	☐This point will not	be changed	This point will be chang	ged as follows:	☐ No change, point better o	described with GPS	as follows:
- 1					d or if existing point is		
	One in the	NE	Quarter of the	NW	Quarter of the	- 5W	Quarter
					South, Range		
					4236 feet West of		
					Proposed well depth		
L	This point is: A	dditional Well	☐ Geo Center List	other water righ	ts that will use this point	NONE	·
6.	Presently authorize	zed point of d	iversion:				
					Quarter of the		
	of Section	0	, Township		South, Range		(E/W),
	in	Cour	nty, Kansas,	feet North _	feet West of	Southeast corner	of section.
					Depth of well		
					feet North		
	☐This point will not	be changed	This point will be chang	ged as follows: 🗌	No change, point better d	escribed with GPS	as follows:
					d or if existing point is		
					Quarter of the		
					South, Range		
					feet West of		
					Proposed well depth		·
L	This point is:  A	dditional Well	☐ Geo Center List	other water righ	ts that will use this point		·
7	The changes have		for the fellowing reces				
7.	(please be specific)		for the following reaso LONGER	115 !	North		
	PUMPING A FEASI			300	200 100 0	100 200	300
				- E'			
0	If a wall is the test h	aala laa attaaba	d? ⊠ Yes □ No	E		_ /	4
0.	ii a weii, is the test i	lole log attache	dr Mres Mino	200	-   +   =	+++	200
9.	The change(s) (was	)(will be) comp	eted by?	E	-/ =		\-
	DOWNEY DRILLING	G		100	$\frac{1}{1} + 1 + 1 = \frac{1}{2}$	1 + 1 +	100
					· ' ' <u>=</u>	, , , ,	1
10.	If the point of diversi	ion is a well:		₽ E	T T T		1
	(a) What are you g	oing to do with	the old well?	West 0	+1 1111 1111 1111 1111 111 111 111 111		0 East
				A second	) <del>-</del>		7
				100	-1+1+1=	1 + 1 + 1	100
	(h) When will this h	e done? ASAP		E 1	\		/ =

13a. If the proposed point of diversion will be relocated more than 300 a topographic map or aerial photograph. For groundwater sources, show all wells (including domestic) within one-half mile of the proposed point of diversion and the names and mailing addresses of the owners. For surface water sources, show the names and addresses of the landowner(s) one-half mile downstream and one-half mile upstream from your property

11. Groundwater Management District recommendation attached?

Yes No

feet but within 2,640 feet of the existing point of diversion, attach 13b. If the proposed point of diversion will be relocated within a 300 foot radius of the existing point of diversion, indicate its location on the diagram shown above in relation to the existing point of diversion. The proposed point of diversion must be located within the circle shown above. (PLEASE NOTE: The "X" in center of diagram above represents the presently authorized point of diversion.)

0

South

100

200

Scale: 1 hashmark=10 ft

12. Assisted by

300

200

100

14. If the proposed groundwater point of diversion is 300 or fewer feet	from the existing point of diversion, complete the following:
(a) Does the undersigned represent all owners of the currently aut ☐ Yes ☐ No (If no, all owners must sign this app	
<ul> <li>(b) Will the ownership interest of any owner of the currently auth affected if this application is approved as requested?</li> <li>☐ Yes</li> <li>☐ No</li> <li>(If yes, all owners must sign this approved as requested?)</li> </ul>	, , , , , , , , , , , , , , , , , , , ,
(c) If this application is not approved expeditiously, will there be so ☐ Yes ☐ No (If no, all owners must sign this app	
If the application proposes a surface water change in point of diversion or a change in place of use, the application must be signed by all owne agent (attach notarized statement authorizing representation).	
I hereby verify, being first duly sworn upon my oath or affir age and the owner, the spouse of the owner, or a duly author their behalf, in regards to the water right(s) to which this a contained in this application are true, correct and complete.	prized agent of the owner(s) to make this application on pplication pertains. I further verify that the statements
Dated at 10000 City, Kansas, thi	is
Wes Sfor 1: 25	Sydnee Star (2 mg
(Please Print)	(Please Print)
(Owner)	(Spouse)
(Please Print)	(Please Print)
(Owner)	(Spouse)
(Please Print)	(Please Print)
State of Kansas SS	
County of Finney	41
of January , 20 BOBIE DAVIS NOTARY PUBLIC - State of Kansas	my presence and sworn to before me this 7 day
My Commission Expires 4-29-2024 My Appt. Expires: 4-39-34	Notary Public
ONLY COMPLETE APPLICATIONS WILL BE PROCESSED. To be complete, accurate information; maps, if necessary, must be included; signatures of all the the appropriate fee must be paid.	
Each application to change the place of use or the point of diversion unforth in the schedule below: Make checks payable to: Kansas Depart  (1) Application to change a point of diversion 300 feet or less  (2) Application to change a point of diversion more than 300 feet or less (3) Application to change the place of use	inder this section shall be accompanied by the application fee set the section fee sec

### SUMMARY ORDER APPROVING APPLICATION FOR CHANGE AND IMPOSING CONDITIONS

pro Wit	ovisions of the Kansas Water Appropriation Law, K.S.A. 82a-7	Bb, as amended, and K.A.R. 5-5-1, <i>et seq.</i> and other applicable 701 et. seq., and rules and regulations promulgated thereunder, , this Summary Order does not change the terms, conditions and
1.	A change application was received on diversion authorized under the above-referenced file numbers.	requesting that the place of use and / or point of er be changed as described in the application.
2.	On and after the effective date of this summary order, the auth the topographic map accompanying the application to char	norized place(s) of use shall be located substantially as shown on age the place of use.   Applicable Not Applicable
3.	The change in point of diversion shall not impair existing right previously authorized. The point of diversion authorized by radius of the authorized point(s) of diversion. Applicable	ts and shall be limited to the same source or sources of water as this summary order shall be located within a foot e Not Applicable
4.	The point(s) of diversion described herein is administrative Positioning System (GPS), as described in the application.	ly corrected to be more accurately described using the Global ☐ Applicable ☐ Not Applicable
5.	The point(s) of diversion authorized herein shall not actually be authorized point(s) of diversion.	pe located more than <u>300</u> feet from the previously by Applicable
6.	As required by K.A.R. 5-3-5d, if the works for diversion is a woor other device suitable for making water level measuremer K.A.R. 5-6-13. Applicable \(\sigma\) Not Applicable	ell with a diversion rate of 100 gallons per minute or more, a tube nts shall be installed, operated and maintained in accordance with
7.	<b>December 31, 20 4 / ,</b> or before the first use of water, operated and maintained in accordance with K.A.R. 5-1-4 tl	perly install an acceptable water flow meter on or before whichever occurs first. The water flow meter shall be installed, hrough 5-1-12. As required by K.S.A. 82a-732, as amended, and the reading of the water flow meter and the total quantity of water ag the end of each calendar year.
8.	Installation of the works for diversion of water shall be authorized extension of time. By March 1, 20 the aworks for diversion has been completed, on the form providing Applicable  \[ \square\$ Not Applicable	completed on or before December 31, 20 2/_, or within any applicant shall notify the Chief Engineer that construction of the ded by the Chief Engineer, as required by K.A.R. 5-8-4e.
9.	The completed well log shall be submitted with the requir	red notice. 🕅 Applicable 🔲 Not Applicable
10.	with an in-line, automatic, quick-closing check valve capab	oreign substance will be injected into the water shall be equipped ole of preventing pollution of the source of the water supply. The naccordance with K.A.R. 5-3-5c. Applicable \( \square \) Not Applicable
11.	. Additional Conditions are attached. ☐ Yes ☐ No	
12.	water appropriated under the above-referenced file number limitations, as amended and/or supplemented by this Sum Appropriation Law and the Rules and Regulations promul	R. 5-5-14, all of the owners of the authorized place(s) of use of er are responsible for compliance with its terms, conditions and mary Order, and with applicable provisions of the <i>Kansas Water</i> gated thereunder. Failure to comply with these provisions may ended, and/or the suspension or revocation and dismissal of the ns authorized by law.
	Administrative Appeal and Effective Date of Order	FOR OFFICE USE ONLY
lf vo	you are aggrieved by this order, pursuant to K.S.A. 82a-1901,	APPLICATION APPROVED AND
you	u may request an evidentiary hearing before the Chief	SUMMARY ORDER ISSUED
Agr	gineer or request administrative review by the Secretary of riculture. A request for hearing by the Chief Engineer must be	By: Market A. Mar
filed adn	ed within <b>15 days</b> of service of this Order and a request for ministrative review by the Secretary must be filed within <b>30</b>	Buly Authorized Designee of the Chief Engineer
day	ys pursuant to K.S.A. 77-531. Any request for administrative view must state a basis for review pursuant to K.S.A. 77-527.	(Print Name): (P
File	e any request with Kansas Department of Agriculture,	Date of Issuance: 14V 3, 2021
665	gal Division, 1320 Research Park Drive, Manhattan, KS 502. Failure to timely request a hearing or review may	State of Kansas
pre	eclude review under the Kansas Judicial Review Act.  For Use by Register of Deeds	) SS
	Tor ose by Negister or Deeds	County of Juney
		by Wichard A. Meyer
		Signature:Notary Public
		San Marian
		My commission expires: JULIE JONES  PUBLIC (Notary Sept)intment Expires December 15, 2022
		TO SANSARAN DOGGING 13, 2022

WELL LOG 2586'NX 4239'W
2580'NX 4236-OWL

DATE: 4/20/2021

Downey Drilling Inc.

CUSTOMER NAME: WES STERLING TH#5

**LEGAL**: SW 26-23N-32W

COUNTY: FINNEY CO, KS

**GPS**: 38.02533

			LOGGER: DRILLEI	R: ROGELIO			WO:	
ΓW	FROM	то	ТҮРЕ	HARDNESS		SPEED	PULL DOWN	OTHER / DRILLING ACTION
	0	2	TOPSOIL	SOFT	DARK BROWN	FAST		SMOOTH
	2	15	BROWN CLAY	SOFT	BROWN	FAST		SMOOTH
	15	41	SANDY CLAY	SOFT	BROWN	FAST		SMOOTH
	41	47	SANDY CLAY, FINE SAND	SOFT	BROWN	FAST		SMOOTH & VIBRATION
	47	62	WHITE CLAY	FIRMER	WHITE	SEMI- SLOW		SMOOTH & CHOPP
	62	74	CEMENTED SAND	FIRMER	WHITE	SLOW		СНОРРУ
	74	88	SANDY CLAY, FINE SAND	LITTLE	BROWN	FAST		SMOOTH
	88	95	FINE-MED-COARSE SAND	FIRMER	TAN	FAST		FAST CHATTER
	95	98	CEMENTED SAND	FIRMER	BROWN	SLOW	PULL	СНОРРУ
	98	103	SANDY CLAY	SOFT	BROWN	FAST		SMOOTH
	103	107	FINE-MED SAND	FIRMER	TAN	FAST		FAST CHATTER
	107	110	SANDY CLAY	SOFT	BROWN	FAST		SMOOTH
	110	125	FINE-MED-COARSE SAND, CEMENTED SAND	FIRMER	TAN	SLOW		FAST CHATTER
	125	133	FINE-MED-COARSE SAND	FIRMER	TAN	FAST		FAST CHATTER
	133	144	SANDY CLAY	SOFT	BROWN	FAST		SMOOTH
	144	161	SANDY CLAY, FINE SAND	FIRMER	BROWN	FAST		SMOOTH & VIBRATION
	161	172		FIRMER	TAN	FAST		FAST CHATTER
	172	187	SANDY CLAY, FINE SAND, LIMEROCK	FIRMER	BROWN	FAST		SMOOTH & VIBRATION
	187	244	FINE-MED-COARSE SAND, LIMEROCK	FIRMER	TAN	FAST		FAST CHATTER
-	244	267	GRAY CLAY	SOFT	GRAY	FAST		SMOOTH
	267	268	FINE SAND	FIRMER	TAN	FAST		FAST CHATTER
	268	280	SHALE	SOFT	BLUE	SLOW		SMOOTH
	200	200	Of It then		1000	02011		o.ii.o o i i i
			QUIKGEL - 2					
			WATER LOADS - 1/2					
			SODA ASH - 1/4					
			HOLE PLUG - 2					
			CASING SEAL - 1					
			1					
_								
_								
					1		1	
-				1				
_		1		-	-	+		
				-	+	+	-	-



