Kansas Department of Agriculture Division of Water Resources

CHANGE: P/U WORKSHEET

1. File Number:	2. Status Change Date:	3. Change Num:	4. Field Office:	5. GMD:
21132	1/24/2021	C2	04	03
6. Status: ☐ Approved ☐ Den	ed by DWR/GMD	Dismiss by Reques	t/Failure to Return	7. Filing Date of Change:
				11/19/2021
8a. LANDOWNER, WUC New to system □	Person ID 39671 Add Seq#	8c. Correspo		Person ID Add Seq#
DENNIS D & KATHY A H ATTN: D D & K A HAMLI 1503 ROAD 26 HUGOTON, KS 67951-51	N TTEES			
8b. Landowner(s), New to system □	Person IDAdd Seq#	8d. correspor		Person IDAdd Seq#
9. Documents and Enclosure(s): ⊠ DV	VR Meter(s) Date to Compl	y: 12/31/2022	N & P Date to	Comply:
☐ Anti-Reverse Meter ☐ Meter	Seal	□ N & P Form	☐ Water Tube ☐ D	riller Copy
☐ Conservation Plan Date Requir	ed: Da	te Approved:	Date to	Comply:
10. Use Made of Water From:		To: _		
			Date Prepared: 9/29/2 Date Entered:	2021 ву: МАМ ву:

File No. 21132	11. County: SV	Basin: CIMAR	RRON RIVER	Stream:		Formation Code: Special Use:
12. Points of Diversion CHK MOD DEL PDIV ENT Qualifier	S T	R ID	'N 'W Com	ment (AKA Line)	Rate and Quantity Authorized Rate Quantity gpm af	Additional Rate Quantity gpm af Overlap PD Files
CHK 36087						
				~		
13. Storage: Rate		Quantity	ac/ft	Additional Rate	NF	Additional Quantity ac/ft
14. Limitation:	af/yr at					
						omment
16. Place of Use		NE¼	NW1/4	SW1/4	SE1/4	Total Owner Chg? Overlap Files
MOD DEL ENT PUSE S T R	ID NE		NE	NE NW SW SE 1/4 1/4	NE NW SW SE 1/4 1/4 1/4	
	36W 01			35 35 35 35	35 35 35 35	280 8a No 11099
MOD 22723 11 34	36W 01 ₃₆	40 36 20	40 36 20 36			264 8a No 11099
1					-	
T'						
		-i -i -i				2
Base Acres: Year: Comments:	Minimum Reaso	nable Quantity:				

Garden City Field Office 4532 W. Jones, Suite B Garden City, KS 67846



Phone: 620-276-2901 Fax: 620-276-9315 www.agriculture.ks.gov

Mike Beam, Secretary

Laura Kelly, Governor

September 15, 2021

DENNIS D & KATHY A HAMLIN TRUSTS ATTN: D D & K A HAMLIN TTEES 1503 ROAD 26 HUGOTON, KS 67951-5152

RE:

Field Office Application for Change Water Right, File Nos. 11099 & 21132

Dear Sir:

Enclosed are orders executed by the designee of the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, approving the applications for change under the above referenced file numbers.

Your attention is directed to the enclosures and to the terms, conditions, and limitations specified in this approval for change. A condition of this approval is that an acceptable water flow meter must be installed on the diversion works authorized under the referenced file number and meet current specifications. Please return the required notification of completion of the diversion works and/or installation of the required meter as soon as these actions are completed.

Since the orders modify the original documents referred to above, they should be recorded with the Register of Deeds as other instruments affecting real estate.

Should you have any questions, please feel free contact this office. If you would prefer, you could arrange an appointment for additional assistance.

Sincerely.

Michael A. Meyer

Water Commissioner

MAM:am enclosures

pc:

GMD 3

CERTIFICATE OF SERVICE

On this 24th day of November 2021, I hereby certify that the foregoing Approval of Applications for Change in Place of Use, Water Right, File Nos. 11,099 and 21,132 dated 24th day of November 2021 was mailed postage prepaid, first class, US mail to the following:

DENNIS D & KATHY A HAMLIN TRUSTS ATTN: D D & K A HAMLIN TTEES 1503 ROAD 26 HUGOTON, KS 67951-5152

Pc:

GROUNDWATER MANAGEMENT DISTRICT NO. 3

Division of Water Resources Staff

Submit completed application to: Kansas Department of Agriculture Division of Water Resources Field Office for your area. Call for address:

Topeka -- (785) 296-5733 Stafford -- (620) 234-5311 Stockton -- (785) 425-6787 Garden City -- (620) 276-2901 http://agriculture.ks.gov/dwr

DWR FIELD OFFICE APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF USE AND/OR THE POINT OF DIVERSION



STATE OF KANSAS

Filing Fee Must Accompany the Application, K.S.A. 82a-708b(b), as amended. Fee Schedule is on the third page of this application form.

Paragraph Nos. 1, 2, 3 & 5 must be completed. Complete all other applicable portions. If change in point of diversion is greater than 100 feet, or if place of use will be changed, include a topographic map or detailed plat showing the authorized and proposed point(s) of diversion and/or place of use.

or ar	version	ιπαλόι β	iace o	use.		F	=ile No		1132								F	1	EIVED = 31 pm 19 2021
4	A 12 - 13								,						- 41- \			140 4	1 0 2021
1.	Applicati	on is he	ereby r	nade f	or app				nginee	-				ne or t	oth):		Gar	den C	ity Field Office
							lace o				Point							on of I	Nater Resources
	under the				s the s				ation i	n acco	ordance	e with	the co	ndition	s desc	ribed l	pelow.		
	The sour	ce of si	upply i	s:		\boxtimes G	Ground	water			Surfac	ce wat	er						
	Name ar					YAN F	HAMIL	IN											
	1503 RC				KS	-			F 21										
	Phone N		dearancemen	and the same of th	lles C	0 1110 0 10					ss:								
	Name ar	ia adan	855 OI	vvater	Use C	orresp	onden	1. 140	CHAI	IGE									
1	Phone N	umber:	1)					Email	addre	ss:								
	The pres		deministra	Control Control	ce of u	se is:													
	Owner o						KATH	IY A H	AMILI	N TRL	ISTS								
				ESS:															
((If there is										sary.)								
				NE	1/4			NV	V¼			SV	V¼			SE	Ε¼		TOTAL
Sec	. Twp.	Range	NE%	NW%	SW1/4	SE¼	NE%	NW1/4	SW1/4	SE¼	NE¼	NW%	SW1/4	SE%	NE%	NW¼	SW1/4	SE¼	ACRES
11	34	36W	36.0	40.0	36.0	20.0	40.0	36.0	20.0	36.0									264
	If this ap Owner o	Land -	NA	AME:	DENN 1503 F	IS D &	KATH 26 HU	GOTC	AMILI N, KS	N TRU	ISTS	ace of	use be	chan	ged to				
				NE	E 1/4		NW%		NW¼			SW¼		SE¼				TOTAL	
Sec	. Twp.	Range	NE1/4	NW1/4	SW1/4	SE¼	NE1/4	NW¼	SW1/4	SE%	NE1/4	NW1/4	SW1/4	SE¼	NE1/4	NW¼	SW1/4	SE¼	ACRES
2	34	36W									35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	280
11	34	36W	36.0	40.0	36.0	20.0	40.0	36,0	20.0	36.0									264
	For Offic	e Use	Only:	Code		Fe	e \$ 2	,00,	WTR:	#		Re	ceipt	Date _	1-19	-21	Chec	k#	4981

_ [Descently sytherized point of diversions		
5.	Presently authorized point of diversion:	0	0
	One in the Quarter of the		
	of Section, Township	South, Range	(E/W),
	in County, Kansas, feet		
-	Authorized Rate Authorized Quantity		
	(DWR use only: Computer ID No GPS		•
	☐This point will not be changed ☐This point will be changed as fo	llows: No change, point better described	with GPS as follows:
	Proposed point of diversion: (Complete only if change is re		
	One in the Quarter of the	Quarter of the	Quarter
	of Section, Township	South, Range	(E/W),
	in County, Kansas, feet	North feet West of Southeas	st corner of section.
	Proposed Rate Proposed Quantity		
-	This point is: Additional Well Geo Center List other wa		
L	T Votes		
. [Presently authorized point of diversion:		
0.	One in the Quarter of the	Quarter of the	Quarter
	of Section, Township	South, Range	(C/VV),
	in County, Kansas, feet l		
	Authorized Rate Authorized Quantity	Depth of Well	(Teet)
	(DWR use only: Computer ID No GPS	reet North	reet West)
	☐This point will not be changed ☐This point will be changed as fo		
	Proposed point of diversion: (Complete only if change is re		
	One in the Quarter of the		
	of Section, Township		
	in County, Kansas, feet I	North feet West of Southeas	st corner of section.
	Proposed Rate Proposed Quantity	Proposed well depth (feet)	
	This point is: Additional Well Geo Center List other wa	ater rights that will use this point	
7.	The changes herein are desired for the following reasons?		
	(please be specific)	300 200 100 North	200 300
			200 300 பாபாபாப்
	The state of the s		
В.	If a well, is the test hole log attached? Yes No	200 + + + + + + + + + + + + + + + + + +	200
	7	200 + + + + = +	1 + 200
9.	The change(s) (was)(will be) completed by?		- \-
		100 - + + + + = + +	1 + 1 100
10.	. If the point of diversion is a well:		- 3
	(a) What are you going to go with the old well?	West 0 🚻 I 11	O East
			_ 1
		A	A
	(b) When will this be done?	100 + + + + = +	+ 1 100
			- /=
11.	Groundwater Management District recommendation attached?	200 = 1 + 1 = 1 +	1 - 200
	Yes No		
	Name of the second of the seco		
12.	Assisted by JG/GCFO	300 200 100 0 100	200 300
132	a. If the proposed point of diversion will be relocated more than 300		: 1 hashmark=10 ft
	a ii are proposed point of diversion will be relocated filler 1000		

feet but within 2,640 feet of the existing point of diversion, attach a topographic map or aerial photograph. For groundwater sources, show all wells (including domestic) within one-half mile addresses of the owners. For surface water sources, show the names and addresses of the landowner(s) one-half mile downstream and one-half mile upstream from your property 13b. If the proposed point of diversion will be relocated within a 300 foot radius of the existing point of diversion, indicate its location on the diagram shown above in relation to the existing point of diversion. The proposed point of diversion will be relocated within a 300 foot radius of the existing point of diversion on the diagram shown above in relation to the existing point of diversion. The proposed point of diversion must be located within a 300 foot radius of the existing point of diversion will be relocated within a 300 foot radius of the existing point of diversion on the diagram shown above in relation to the existing point of diversion will be relocated within a 300 foot radius of the existing point of diversion will be relocated within a 300 foot radius of the existing point of diversion will be relocated within a 300 foot radius of the existing point of diversion will be relocated within a 300 foot radius of the existing point of diversion on the diagram shown above in relation to the existing point of diversion. The proposed point of diversion will be relocated within a 300 foot radius of the existing point of diversion on the diagram shown above in relation to the existing point of diversion will be relocated within a 300 foot radius of the existing point of diversion will be relocated within a 300 foot radius of the existing point of diversion, indicate its location on the diagram shown above in relation to the existing point of diversion. lines

14. If	the proposed groundwater point of diversion is 300 or fewer	teet tron	n the existing	g point	of diver	rsion, comp	plete the fo	llowing:	
(2	 Does the undersigned represent all owners of the current Yes No (If no, all owners must sign thing)) of us	e identif	fied in this	application	?	
(1	 Will the ownership interest of any owner of the currently affected if this application is approved as requested? Yes No (If yes, all owners must sign the currently of the currently affected in the currently of the currently of			of use	identifi	ed in this a	application	be adve	ersely
(0	If this application is not approved expeditiously, will there Yes No (If no, all owners must sign thi			ge to p	property	, public hea	alth or safe	ty?	
or a cl	application proposes a surface water change in point of diver hange in place of use, the application must be signed by all of (attach notarized statement authorizing representation).								
age a their	eby verify, being first duly sworn upon my oath or and the owner, the spouse of the owner, or a duly a behalf, in regards to the water right(s) to which the lained in this application are true, correct and comp	uthoriz iis appl lete.	ed agent o	f the	owner	(s) to ma	ke this ap	plication	on or
Dated	at Surprise , Kanea	s, this _	9 th di	ay of _	Ylon	sember		200	<u></u> .
F D	Denni D. Hamlin Truster (Please Print)	_	Dath C	y X Kat	Ly A	(Spouse) 1. Hallease Print	Kus mlin	tee	
	(Owner)	-				(Spouse)			
	(Please Print)	-			(PI	ease Print)		naniceperovenues or o
***************************************	(Owner)	-			((Spouse)		ting der kalaning and state (in the construction of	-
State ((Please Print) of Kansas y of Maricala) SS	Notary Publi MARICO Commis	RY LARSEN c - State of Arizona DPA COUNTY sion # 581098 April 21, 2024		(PI	ease Print)		NOTATION OF THE
I h	ereby certify that the foregoing application was signed	d in my	/ presence	and	sworn	to before	me this	9	day
				35					
My Co	ommission Expires 04-21-3524				Note	ary Public			PRODUCTION OF THE PERSON OF TH
200000000000000000000000000000000000000									
accurat	COMPLETE APPLICATIONS WILL BE PROCESSED. To be compite information; maps, if necessary, must be included; signatures of a propriate fee must be paid.	lete, all of ill the app	the applicable ropriate owner	portions' mus	ns of the t be affixe	application ed to the ap	form must be plication and	e complet notarize	ted with d; and
	FEE SC	CHEDUL	F						
	application to change the place of use or the point of diversion the schedule below: Make checks payable to: Kansas De (1) Application to change a point of diversion 300 feet or le (2) Application to change a point of diversion more than 3 (3) Application to change the place of use	partmen ess 00 feet .	this section s	ture		********		\$100	


SUMMARY ORDER APPROVING APPLICATION FOR CHANGE AND IMPOSING CONDITIONS

pro Wit Iim	visions of the <i>Kansas Water Appropriation Law, K.S.A. 82a-7</i> th the exception of those conditions expressly contained herein itations of File No	8b, as amended, and K.A.R. 5-5-1, et seq. and other applicable 701 et. seq., and rules and regulations promulgated thereunder, this Summary Order does not change the terms, conditions and
1.	A change application was received on diversion authorized under the above-referenced file number	/ 9, 202/ requesting that the place of use and / or point of er be changed as described in the application.
2.		norized place(s) of use shall be located substantially as shown on age the place of use. Yapplicable Not Applicable
3.	The change in point of diversion shall not impair existing right previously authorized. The point of diversion authorized by radius of the authorized point(s) of diversion. Applicable	ts and shall be limited to the same source or sources of water as this summary order shall be located within a foot e Not Applicable
4.	The point(s) of diversion described herein is administratively Positioning System (GPS), as described in the application.	ly corrected to be more accurately described using the Global Applicable (D) Not Applicable
5.	The point(s) of diversion authorized herein shall not actually be authorized point(s) of diversion. Applicable No	pe located more than feet from the previously of Applicable
6.	As required by K.A.R. 5-3-5d, if the works for diversion is a we	ell with a diversion rate of 100 gallons per minute or more, a tube nts shall be installed, operated and maintained in accordance with
7.	The owner of the authorized place(s) of use shall proper 31, 20 25, or before the first use of water, operated and maintained in accordance with K.A.R. 5-1-4 the	perly install an acceptable water flow meter on or before whichever occurs first. The water flow meter shall be installed, hrough 5-1-12. As required by K.S.A. 82a-732, as amended, and the reading of the water flow meter and the total quantity of water ag the end of each calendar year.
	authorized extension of time. By March 1, 20the a works for diversion has been completed, on the form provid Applicable Not Applicable	
9.	The completed well log shall be submitted with the requir	red notice.
10.	with an in-line, automatic, quick-closing check valve capab	preign substance will be injected into the water shall be equipped ble of preventing pollution of the source of the water supply. The naccordance with K.A.R. 5-3-5c. Applicable \(\simega\) Not Applicable
11.	Additional Conditions are attached. Yes Yo	~,
12.	water appropriated under the above-referenced file number limitations, as amended and/or supplemented by this Sumi Appropriation Law and the Rules and Regulations promule.	R. 5-5-14, all of the owners of the authorized place(s) of use of er are responsible for compliance with its terms, conditions and mary Order, and with applicable provisions of the <i>Kansas Water</i> gated thereunder. Failure to comply with these provisions may ended, and/or the suspension or revocation and dismissal of the ns authorized by law.
4	Administrative Appeal and Effective Date of Order	FOR OFFICE USE ONLY
If yo	ou are aggrieved by this order, pursuant to K.S.A. 82a-1901,	APPLICATION APPROVED AND
you	may request an evidentiary hearing before the Chief gineer or request administrative review by the Secretary of	SUMMARY ORDER ISSUED
Agr	riculture. A request for hearing by the Chief Engineer must be	By: Muffel H-May
adn	d within 15 days of service of this Order and a request for ninistrative review by the Secretary must be filed within 30	Duly Authorized Designee of the Chief Engineer
	s pursuant to K.S.A. 77-531. Any request for administrative we must state a basis for review pursuant to K.S.A. 77-527.	(Print Name): MICHAPE A · MEYER Division of Water Resources - Kansas Department of Agriculture
File	any request with Kansas Department of Agriculture, gal Division, 1320 Research Park Drive, Manhattan, KS	Date of Issuance: November 24, 2021
665	02. Failure to timely request a hearing or review may	State of Kansas)
pre	clude review under the Kansas Judicial Review Act. For Use by Register of Deeds	County of Juney) SS
		(1)
		Acknowledged before me on November 24,202 by Michael A. Meyer
		of the north teyer
		Signature: Notery Public
		NEO.
		My commission expires: JULIE JONES JULIE JONES Not Appendix Public Not Appendix Public Not Appendix Public Not Appendix Not Appendix

File No. 21132

CHANGE IN PLACE OF USE WATER RIGHT, FILE NO. 21132

Section 11 Township 34 South Range 36 Stevens County



Authorized Point of Diversion

Domestic Well within 1/2 mile



Authorized Place of Use



Proposed Place of Use

List of owner name and addresses within 1/2 mile:



All wells of any kind within 1/2 mile of the requested place of use have been plotted.



Southwest Kansas Groundwater Management District No. 3 2009 E. Spruce Street Garden City, Kansas 67846

(620) 275-7147 phone (620) 275-1431 fax www.gmd3.org

November 22, 2021

Michael A. Meyer Division of Water Resources 4532 W Jones Ave., Suite B Garden City, Kansas 67846

RE: Applications for Change in Place of Use

Water Right, File Nos. 11099 & 21132

Dear Mike:

We have reviewed the applications for the above referenced water rights. The proposal is not in conflict with the Management Program of the Southwest Kansas Groundwater Management District No. 3 (GMD3). The proposed change in place of use will make a complete overlap in place of use in irrigated acres, with no new acres being proposed, which is in accordance with K.A.R. 5-5-11. It is therefore recommended that the applications be approved at this time.

Thank you for the opportunity to review the applications and to provide a recommendation. If you have any questions, please don't hesitate to contact us.

Sincerely,

Jason L. Norquest Assistant Manager

Garden City Field Office 4532 W. Jones, Suite B Garden City, KS 67846



Phone: 620-276-2901 Fax: 620-276-9315 www.agriculture.ks.gov

Mike Beam, Secretary

Laura Kelly, Governor

22 November 18, 2021

SOUTHWEST KANSAS GROUNDWATER MANAGEMENT DISTRICT NO. 3 2009 E SPRUCE ST GARDEN CITY KS 67846

Re:

Request for Recommendation

Water Right, File No. 11099 & 21132

Dear Mr. Norquest:

This is to advise you that Ryan Hamlin, has filed an application for approval of the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, to change the point of diversion. The application meets all rules and regulations.

We are delaying action on the change applications to allow you time to review and provide a recommendation. Please submit a recommendation within 15 days from the date of this letter.

Thank you and as always feel free to contact this office at any time.

Sincerely,

Michael A. Meyer

Water Commissioner

MAM Enclosures