

Kansas Department of Agriculture
 Division of Water Resources
CHANGE: P/D WORKSHEET

1. File Number: 22922	2. Status Change Date:	3. Change Num: C1	4. Field Office: 4	5. GMD: 3
---------------------------------	------------------------	-----------------------------	------------------------------	---------------------

6. Status: <input checked="" type="checkbox"/> Approved <input type="checkbox"/> Denied by DWR/GMD <input type="checkbox"/> Dismiss by Request/Failure to Return	7. Filing Date of Change: 1/22/2021
--	---

8a. Applicant(s) New to system <input type="checkbox"/> Person ID 14601 Add Seq# _____ MERL D REXFORD PO BOX 880 MEADE, KS 67864-0880	8c. Landowner(s) New to system <input type="checkbox"/> Person ID _____ Add Seq# _____
--	--

8b. Landowner(s) New to system <input type="checkbox"/> Person ID _____ Add Seq# _____ 8a *UPDATE OWNERSHIP*	8d. WUC New to system <input type="checkbox"/> Person ID _____ Add Seq# _____ 8a
--	--

9. Documents and Enclosure(s): DWR Meter(s) Date to Comply: **12/31/2021** N & P Date to Comply: **3/1/2022**

Anti-Reverse Meter Meter Seal Check Valve N & P Form Water Tube Driller Copy H & E Letter
 Conservation Plan Date Required: _____ Date Approved: _____ Date to Comply: _____

10. Use Made of Water From: _____ To: _____

Date Prepared: **2/9/2021** By: **AM**
 Date Entered: _____ By: _____

File No. **22922** 11. County: **ME** Basin: **CROOKED CREEK** Stream: _____ Formation Code: **211** Special Use: _____

12. Points of Diversion
 CHK
 MOD
 DEL PDIV
 ENT
 Qualifier S T R ID 'N 'W Comment (AKA Line) Rate gpm Quantity af Additional Rate gpm Quantity af Overlap PD Files

DEL 10241
ENT 63361 NW SW NW 10 31S 28W 3 3647 5056 1670 590 1670 590 NONE

13. Storage: Rate _____ NF Quantity _____ ac/ft Additional Rate _____ NF Additional Quantity _____ ac/ft

14. Limitation: _____ af/yr at _____ gpm (_____ cfs) when combined with file number(s) _____
 Limitation: _____ af/yr at _____ gpm (_____ cfs) when combined with file number(s) _____

15. 5YR Allocation: Allocation Type _____ Start Year _____ 5 YR Amount _____ Amount Unit _____ Base Acres _____ Comment _____

16. Place of Use CHK MOD DEL ENT	PUSE	S	T	R	ID	NE¼				NW¼				SW¼				SE¼				Total	Owner	Chg?	Overlap Files
						NE ¼	NW ¼	SW ¼	SE ¼	NE ¼	NW ¼	SW ¼	SE ¼	NE ¼	NW ¼	SW ¼	SE ¼	NE ¼	NW ¼	SW ¼	SE ¼				
CHK 6263																									
CHK 31426																									

Base Acres: _____ Year: _____ Minimum Reasonable Quantity: _____
 Comments: _____

Garden City Field Office
4532 W. Jones, Suite B
Garden City, KS 67846



Phone: 620-276-2901
Fax: 620-276-9315
www.agriculture.ks.gov

Mike Beam, Secretary

Laura Kelly, Governor

February 9, 2021

MERL D REXFORD
PO BOX 880
MEADE, KS 67864-0880

RE: Water Right, File Nos. 3125 & 22922

Dear Sir or Madam:

Enclosed is the order executed by the designee of the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, approving the application for change under the above referenced file numbers.

Your attention is directed to the enclosures and to the terms, conditions, and limitations specified in this approval for change. A condition of this approval is that an acceptable water flow meter must be installed on the diversion works authorized under the referenced file number and meet current specifications. Please return the required notification of completion of the diversion works and installation of the required meter as soon as these actions are completed.

Since the order modifies the original document referred to above, it should be recorded with the Register of Deeds as other instruments affecting real estate.

Should you have any questions, please feel free contact this office. If you would prefer, you could arrange an appointment for additional assistance.

Sincerely,

A handwritten signature in blue ink, appearing to read "Austin J. McCulloch".

Austin J. McCulloch
Assistant Water Commissioner

AM:
enclosures

pc: GROUNDWATER MANAGEMENT DISTRICT NO. 3


CERTIFICATE OF SERVICE

On this 9th day of February, 2021, I hereby certify that the foregoing Approval of Application for Change in Point of Diversion, Water Right, File Nos. 3,125 and 22,922 dated 9th day of February, 2021 was mailed postage prepaid, first class, US mail to the following:

MERL D REXFORD
PO BOX 880
MEADE, KS 67864-0880

Pc:

GROUNDWATER MANAGEMENT DISTRICT NO. 3



Division of Water Resources Staff

Submit completed application to:
 Kansas Department of Agriculture
 Division of Water Resources
 Field Office for your area.

Call for address:

Topeka -- (785) 296-5733
 Stafford -- (620) 234-5311
 Stockton -- (785) 425-6787
 Garden City -- (620) 276-2901
<http://agriculture.ks.gov/dwr>

DWR FIELD OFFICE APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF USE AND/OR THE POINT OF DIVERSION



STATE OF KANSAS

Filing Fee Must Accompany the Application, K.S.A. 82a-708b(b), as amended.
 Fee Schedule is on the third page of this application form.

Paragraph Nos. 1, 2, 3 & 5 must be completed. Complete all other applicable portions. If change in point of diversion is greater than 100 feet, or if place of use will be changed, include a topographic map or detailed plat showing the authorized and proposed point(s) of diversion and/or place of use.

RECEIVED
 1:00 PM
 JAN 22 2021

File No. 22922

Garden City Field Office
 Division of Water Resources

1. Application is hereby made for approval of the Chief Engineer to change the (check one or both):

Place of Use Point of Diversion

under the water right which is the subject of this application in accordance with the conditions described below.

The source of supply is: Groundwater Surface water

2. Name and address of Applicant: BUCK REXFORD

Phone Number: () _____ Email address: _____

Name and address of Water Use Correspondent: SAME AS ABOVE

Phone Number: () _____ Email address: _____

3. The presently authorized place of use is:

Owner of Land ---- NAME: NO CHANGE

ADDRESS: _____

(If there is more than one landowner, attach supplemental sheets as necessary.)

Sec.	Twp.	Range	NE¼				NW¼				SW¼				SE¼				TOTAL ACRES	
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼		

4. If this application is for a change in place of use, it is proposed that the place of use be changed to:

Owner of Land ---- NAME: _____

ADDRESS: _____

(If there is more than one landowner, attach supplemental sheets as necessary.)

Sec.	Twp.	Range	NE¼				NW¼				SW¼				SE¼				TOTAL ACRES	
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼		

For Office Use Only: Code _____ Fee \$ 200.00 TR # _____ Receipt Date 1-22-21 Check # 5634

5. **Presently authorized point of diversion:**
 One in the NE Quarter of the NE Quarter of the NW Quarter of Section 10, Township 31 South, Range 28 (W), in MEADE County, Kansas, 5000 feet North 3150 feet West of Southeast corner of section.
 Authorized Rate -- Authorized Quantity -- Depth of well (feet)
(DWR use only: Computer ID No. 02 GPS feet North feet West)
 This point will not be changed This point will be changed as follows: No change, point better described with GPS as follows:
Proposed point of diversion: (Complete only if change is requested or if existing point is better described by GPS)
 One in the NW Quarter of the SW Quarter of the NW Quarter of Section 10, Township 31 South, Range 28 (W), in MEADE County, Kansas, 3647 feet North 5056 feet West of Southeast corner of section.
 Proposed Rate -- Proposed Quantity -- Proposed well depth (feet) .
 This point is: Additional Well Geo Center List other water rights that will use this point .

6. **Presently authorized point of diversion:**
 One in the Quarter of the Quarter of the Quarter of Section , Township South, Range (E/W), in County, Kansas, feet North feet West of Southeast corner of section.
 Authorized Rate Authorized Quantity Depth of well (feet)
(DWR use only: Computer ID No. GPS feet North feet West)
 This point will not be changed This point will be changed as follows: No change, point better described with GPS as follows:
Proposed point of diversion: (Complete only if change is requested or if existing point is better described by GPS)
 One in the Quarter of the Quarter of the Quarter of Section , Township South, Range (E/W), in County, Kansas, feet North feet West of Southeast corner of section.
 Proposed Rate Proposed Quantity Proposed well depth (feet) .
 This point is: Additional Well Geo Center List other water rights that will use this point .

7. The changes herein are desired for the following reasons?
 (please be specific)

8. If a well, is the test hole log attached? Yes No

9. The change(s) (was)(will be) completed by?


10. If the point of diversion is a well:
 (a) What are you going to do with the old well?

 (b) When will this be done?

11. Groundwater Management District recommendation attached?
 Yes No

12. Assisted by AM / GCFO

13a. If the proposed point of diversion will be relocated more than 300 feet but within 2,640 feet of the existing point of diversion, attach a topographic map or aerial photograph. For groundwater sources, show all wells (including domestic) within one-half mile of the proposed point of diversion and the names and mailing addresses of the owners. For surface water sources, show the names and addresses of the landowner(s) one-half mile downstream and one-half mile upstream from your property lines



13b. If the proposed point of diversion will be relocated within a 300 foot radius of the existing point of diversion, indicate its location on the diagram shown above in relation to the existing point of diversion. The proposed point of diversion must be located within the circle shown above. **(PLEASE NOTE: The "X" in center of diagram above represents the presently authorized point of diversion.)**

14. If the proposed groundwater point of diversion is 300 or fewer feet from the existing point of diversion, complete the following:

- (a) Does the undersigned represent all owners of the currently authorized place(s) of use identified in this application?
 Yes No (If no, all owners must sign this application.)
- (b) Will the ownership interest of any owner of the currently authorized place(s) of use identified in this application be adversely affected if this application is approved as requested?
 Yes No (If yes, all owners must sign this application.)
- (c) If this application is not approved expeditiously, will there be substantial damage to property, public health or safety?
 Yes No (If no, all owners must sign this application.)

If the application proposes a surface water change in point of diversion, a groundwater change in point of diversion greater than 300 feet, or a change in place of use, the application must be signed by all owners of the currently authorized place of use, or their duly authorized agent (attach notarized statement authorizing representation).

I hereby verify, being first duly sworn upon my oath or affirmation and under penalty of perjury, that I am of lawful age and the owner, the spouse of the owner, or a duly authorized agent of the owner(s) to make this application on their behalf, in regards to the water right(s) to which this application pertains. I further verify that the statements contained in this application are true, correct and complete.

Dated at GARDEN CITY, Kansas, this 22 day of JANUARY, 2021.

Merl D. Rexford
(Owner)

Marilyn J. Rexford
(Spouse)

MERL D. REXFORD
(Please Print)

MARILYN J REXFORD
(Please Print)

(Owner)

(Spouse)

(Please Print)

(Please Print)

(Owner)

(Spouse)


(Please Print)

(Please Print)

State of Kansas

County of Linney } SS

I hereby certify that the foregoing application was signed in my presence and sworn to before me this 22nd day of January, 2021.



My Commission Expires

Julie Jones
Notary Public

ONLY COMPLETE APPLICATIONS WILL BE PROCESSED. To be complete, all of the applicable portions of the application form must be completed with accurate information; maps, if necessary, must be included; signatures of all the appropriate owners' must be affixed to the application and notarized; and the appropriate fee must be paid.


FEE SCHEDULE

Each application to change the place of use or the point of diversion under this section shall be accompanied by the application fee set forth in the schedule below: Make checks payable to: **Kansas Department of Agriculture**


- (1) Application to change a point of diversion 300 feet or less \$100
- (2) Application to change a point of diversion more than 300 feet \$200
- (3) Application to change the place of use \$200

CHANGE IN POINT OF DIVERSION WATER RIGHT, FILE NO. 22922

NW1/4 of Section 10 Township 31 South Range 28 West Meade County



- Authorized Point of Diversion
- Proposed Point of Diversion
- Permitted Water Right
- 1/2 mile buffer




By signing below I agree that all wells, including domestic, and owners names and addresses within 1/2 mile of the proposed point of diversion have been shown on the map

(Signature)

Date

Date AM/GCFO
1:14,000 Scale



**Southwest Kansas
Groundwater Management District No. 3**
2009 E. Spruce Street
Garden City, Kansas 67846
(620) 275-7147 phone (620) 275-1431 fax
www.gmd3.org

February 8, 2021

Austin J McColloch
Division of Water Resources
4532 W Jones Ave., Suite B
Garden City, Kansas 67846

RE: Application for Change in Point of Diversion
Water Right, File Nos. 3125 & 22922

Dear Austin:


We have completed a review of the application for the above referenced water right. The proposed change in point of diversion is in accordance with current area rules, K.A.R. 5-23-3, as it pertains to distance moved and minimum spacing to neighboring wells.

Well evaluations were conducted to estimate possible effects of the proposal on the supply of other wells with water rights prior to the proposal per K.S.A. 82a-708b, and the draft revised management program. Under K.S.A. 82a-708b, an applicant requesting a change in point of diversion must demonstrate to the chief engineer that any proposed change is reasonable and will not impair. The enclosed report is an analysis performed by the GMD on behalf of our membership. Under this analysis, the proposed change is considered to be reasonable and unlikely to impair if either the net in-season well-to-well effect of the proposed change is less than a strict maximum allowable threshold (4.0 ft in cases where saturated thickness is greater than 200 ft), or if no well with a net well-to-well effect exceeding the threshold is identified as critical. Critical wells are identified as wells that are expected to either lose or greatly diminish water supply over the next 25 years. The attached review information is based on a Theis analysis using inputs from the GMD3 aquifer model, which is considered to be the best information on well and aquifer data readily and easily available to the public. If either the applicant or the neighbors believe they have better data that might change the result of the analysis, they should contact GMD3. Conclusions of the well analysis may change if better information on well and aquifer data can be made available.

Every neighboring well within 1 mile of the proposed move was evaluated. Evaluations showed that none of the neighboring wells exceeded the net effect above the maximum allowable threshold and were actually well under that threshold. Our office received no comments of concern from neighboring well owners. Therefore, GMD3 sees this move as reasonable and therefore recommend that the application be approved. If aquifer conditions change or there is a change to the water right in the future, we would be happy to evaluate the effects at that time.

Thank you for the opportunity to review the applications and to provide a recommendation. If you have any questions, please don't hesitate to contact us.

Sincerely,


Jason L. Norquest
Assistant Manager

GMD3 Change Review

File No(s): 3125 & 22922.

DWR office: GC.

App filed to change: PDs.

Is Landowner(s) correct in WRIS: Buck Rexford.

If NO, is documentation included?

Is Water Use Correspondent correct in WRIS? ___.

If NO, is documentation included?

Regulation(s) Reviewed: KAR 5-23-3

Point of diversion ID No(s) ___ being changed.

	ft. North	ft. West	3125
Authorized PD	3647	5056	Sect 10-31-28
Proposed PD	5226	1725	Sect 9-31-28
Difference	-1579 n	1949 w	
$a^2 + b^2 = c^2$	2493241	3798601	2508.354 foot move nw

GPS for proposed PD: Lat: 37.37230 Long: -100.36877.

	ft. North	ft. West	22922
Authorized PD	5000	3150	Sect 10-31-28
Proposed PD	3647	5056	
Difference	1353 s	-1906 w	
$a^2 + b^2 = c^2$	1830609	3632836	2337.401 foot move sw

GPS for proposed PD: Lat: ___ Long: ___

Is proposed PD stacking on existing WRs? 3125 new well, 22922 moving to the well exited by 3125.

Is Proposed PU overlapping existing WRs? No Change.

Neighboring certified well(s) notified: ___.

Name All are the applicants and a domestic.

Address ___.

Zip ___.

Email: ___. Phone: ___.

Domestic well(s) notified: ___.

Name Cynthia Hagemeyer (SW4-31-28).

Address 7138 16 Road.

Zip Meade, KS 67864.

Name Don Josserand (SW9-31-28).

Address 8122 16 Road.

Zip Meade, KS 67864.

Base Acres: ___.

Perfected Acres: ___.

Irr. Return-Flow ___%

GMD3 Change Review

3125: 422AF @ 925gpm

2010-2019 average reported use = 257.3AF

22922: 590AF @ 1670gpm

2020 GMD3 inspection calculated flow 452gpm (450gpm visual)

2010-2019 average reported use = 183.9AF

2016 GMD3 inspection calculated flow of 262gpm (200gpm visual)


Is a waiver needed: Both moves are less than half mile and minimum spacing appears met. Analysis shows that possible effects in the area are well within the guidelines and should not cause impairment. We did not receive any concerns or comments from neighbors.

Recommendation: After review of all available information, it appears the proposed change meets current area rules. Analysis shows that the move is within guidelines and should have possible effects within the guidelines. Staff therefore recommends approval of the application.



Evaluation of proposed move for Water Right Nos 3125 & 22922

Proposed: Move water right no. 3125 a distance of 2,604 ft to the northwest. Move water right no. 22922 to the well currently authorized under water right no. 3125.



Wells within 1 mile: A domestic well in section 4-31-28, a domestic well in section 9-31-28, and a domestic well in section 10-31-28.

The saturated thickness at the proposed well location is estimated to be 270 ft, based upon the GMD3 model. For saturated thickness greater than 200 ft, the drawdown allowance is 4.0 ft.

50 year Theis Analysis: The following values were used to run the analysis:

$S = 0.2249$, $T = 52,903 \text{ ft}^2/\text{day}$,

3125: $tp_{\text{current}} = 129$ days (based upon average use and observed rate), $Q_{\text{current}} = 452$ gpm (based upon 2020 field inspection), $tp_{\text{proposed}} = 103$ days, $Q_{\text{proposed}} = 925$ gpm

22922: $tp_{\text{current}} = 159$ days (based upon average use and observed rate), $Q_{\text{current}} = 262$ gpm (based upon 2016 field inspection), $tp_{\text{proposed}} = 80$ days, $Q_{\text{proposed}} = 1670$ gpm

Theis drawdowns were calculated as follows:

Domestic 4-31-28: Drawdown from current location = 0.46 ft
 Drawdown from proposed location = 1.32 ft
 Net drawdown = 0.9 ft


Domestic 9-31-28: Drawdown from current location = 0.52 ft
Drawdown from proposed location = 1.47 ft
Net drawdown = **1.0 ft**

Domestic 10-31-28: Drawdown from current location = 0.99 ft
Drawdown from proposed location = 1.86 ft
Net drawdown = **0.9 ft**

Net drawdown does not exceed the drawdown allowance of 4.0 ft for any well within 1 mile of the proposed location. Therefore, critical well analysis is not necessary.

Conclusion:

The proposed move is likely to create minimal effects on neighboring wells and is unlikely to cause impairment. GMD3 staff recommends approval of this proposal.



WELL TEST ANALYSIS

Data Set: C:\Users\trevora\Documents\2021 Moves\3125 22922\3125 & 22922 Current.aqt
 Date: 01/26/21 Time: 14:07:59

PROJECT INFORMATION

Company: GMD 3
 Project: 3125 & 22922
 Location: Meade County
 Test Well: 3125 & 22922

WELL DATA

Pumping Wells			Observation Wells		
Well Name	X (ft)	Y (ft)	Well Name	X (ft)	Y (ft)
	127222	179770	□	127222	179770
	129125	181132	□	129125	181132
			□ Domestic 4-31-28	121921	184417
			□ Domestic 9-31-28	121994	178429
			□ Domestic 10-31-28	129193	179778

SOLUTION

Aquifer Model: Unconfined


Solution Method: Theis

T = 5.29E+4 ft²/day

S = 0.2249

Kz/Kr = 1.

b = 270. ft



WELL TEST ANALYSIS

Data Set: C:\Users\trevora\Documents\2021_Moves\3125_22922\3125 & 22922 Proposed.aqt
 Date: 01/26/21 Time: 14:07:52

PROJECT INFORMATION

Company: GMD 3
 Project: 3125 & 22922
 Location: Meade County
 Test Well: 3125 & 22922

WELL DATA

Pumping Wells

Well Name	X (ft)	Y (ft)
	125154	181353
	127222	179770

Observation Wells

Well Name	X (ft)	Y (ft)
□	125154	181353
□	127222	179770
□ Domestic 4-31-28	121921	184417
□ Domestic 9-31-28	121994	178429
□ Domestic 10-31-28	129193	179778

SOLUTION

Aquifer Model: Unconfined

Solution Method: Theis

T = 5.29E+4 ft²/day

S = 0.2249

Kz/Kr = 1.

b = 270. ft

Water Rights and Points of Diversion Within 1 mile of point defined as:

5226 Feet N and 1725 Feet W of the Southeast Corner of Section 9 Twp 31S Rng 28W

Located at: 100.368771 West Longitude and 37.372301 North Latitude

Both SURFACE WATER and GROUNDWATER

New location 3125

File Number	Use	ST	SR	Dist (ft)	Q4	Q3	Q2	Q1	FeetN	FeetW	Sec	Twp	Rng	ID	Batt	Auth_Quan	Add_Quan
A_ 3125	00	IRR	NK	G* ↔ 2504	--	NW	SW	NW	3647	5056	10	31	28W	3		422.00	422.00
AF																	
A_ 22922	00	IRR	NK	G* 3863	--	NE	NE	NW	5000	3150	10	31	28W	2		590.00	590.00
AF																	

Total Net Quantities Authorized:	Direct	Storage
Total Requested Amount (AF) =	.00	.00
Total Permitted Amount (AF) =	.00	.00
Total Inspected Amount (AF) =	.00	.00
Total Pro_Cert Amount (AF) =	.00	.00
Total Certified Amount (AF) =	1012.00	.00
Total Vested Amount (AF) =	.00	.00
TOTAL AMOUNT (AF) =	1012.00	.00

Spring MET

An * after the source of supply indicates a pending application for change under the file number.
An * after the ID indicates a 15 AF exemption was granted under the file number.

A "G" in the Batt column indicates the GEO CTR of a battery. A "B" indicates a well in the battery.

The number in the Batt column is the number of wells in the battery.

Water Rights and Points of Diversion Within 1 mile of point defined as:

5226 Feet North and 1725 Feet West of the Southeast Corner of Section 9 Twp 31S Rng 28W

Located at: 100.368771 West Longitude and 37.372301 North Latitude

Both SURFACE WATER and GROUNDWATER

WATER USE CORRESPONDENTS:

File Number	Use	ST	SR
> ALVA E REXFORD			
>			
> PO BOX 880			
> MEADE KS 67864			
>-----			
> ALVA E REXFORD			
>			
> PO BOX 880			
> MEADE KS 67864			
>-----			

Garden City Field Office
4532 W. Jones, Suite B
Garden City, KS 67846

Mike Beam, Secretary



Phone: 620-276-2901
Fax: 620-276-9315
www.agriculture.ks.gov

Laura Kelly, Governor

January 25, 2021

GROUNDWATER MANAGEMENT DISTRICT #3
2009 E SPRUCE ST
GARDEN CITY KS 67846

Change Application,
File Nos. 3125 & 22922

Dear Sir or Madam:

We are enclosing a copy of the referenced application, which was submitted by Merl Rexford and appears to be in proper form, for your review.

We are delaying any further action for a period of 15 days from the date of this letter to allow you time to submit your recommendation concerning this application. Please submit your recommendation within the allotted time, or any authorized extension of time thereof.

If you have any questions, please contact me at (620) 276-2901. If you wish to discuss a specific file, please have the file number ready to that I may help you more efficiently.

Sincerely,

A handwritten signature in blue ink that reads "Austin McColloch". The signature is written in a cursive style.

Austin McColloch
Assistant Water Commissioner

Enclosure
pc:

Property Details for PID: 0600820900000001000

Shareable link to Property Information :	https://www.kansasgis.org/orka/permalinkprop.cfm?parcelid=0600820900000001000
--	---

Shareable link to Map:	https://www.kansasgis.org/orka/permalink.cfm?parcelid=0600820900000001000
------------------------	---

QuickRef ID :	R894
---------------	------

Owner Name :	REXFORD, MERL D & MARILYN J
--------------	-----------------------------

Location:	00000, Meade, KS 67864
-----------	------------------------

Abbreviated Boundary Description:	S09 , T31 , R28 , ACRES 316.7 , E2 LESS R/W
-----------------------------------	---

Owner Information:

Owner	REXFORD, MERL D & MARILYN J
-------	-----------------------------

Mailing Address	PO BOX 880 MEADE, KS 67864
-----------------	----------------------------

Property Information:

Type	Agricultural Use
------	------------------

Status	Active
--------	--------

Taxing Unit	008
-------------	-----

Neighborhood Code	412
-------------------	-----

No Secondary Address Details found

Market Land Details:

Actual Width:	0
---------------	---

Eff. Width 0

Eff. Depth 0

Acres 0

Square Feet 0

No Permit Details found

Deed Book Page Details

Book Page

97 143

Additional Deed Book Page Details

Deed Book/Page 09PR/15

Value Details

	Year	2020
Current Final Value (Agricultural)	Land	\$77,890.00
	Building	\$0.00
	Total	\$77,890.00

No Dwelling Details found

No Manufactured Home Details found

No Additional Dwelling Details found

No Other Improvements found

No Commercial Building Details found

No Commercial Building Section Details found

Ag Land Details

Acre Type :	No Acres :	Map Unit :	Irrig :	Well Depth :
Dry Land - DR	74.80	2612		
Dry Land - DR	7.00	2613		
Dry Land - DR	0.40	2692		
Dry Land - DR	9.20	2715		
Dry Land - DR	25.40	2801		
Dry Land - DR	4.40	2815		
Irrigated Land - IR	20.50	2612	C	400
Irrigated Land - IR	10.20	2715	C	400
Irrigated Land - IR	91.30	2801	C	400
Native Grass - NG	47.10	2562		
Native Grass - NG	2.50	2612		

Native Grass - NG	14.00	2613
Native Grass - NG	6.90	2692
Native Grass - NG	3.00	2815
Total Acres :	316.70	

No Ag Building Details found

Property Details for PID: 0600821000000001000

Shareable link to Property Information : <https://www.kansasgis.org/orka/permalinkprop.cfm?parcelid=0600821000000001000>

Shareable link to Map: <https://www.kansasgis.org/orka/permalink.cfm?parcelid=0600821000000001000>

QuickRef ID : R897

Owner Name : REXFORD, MERL D & MARILYN J

Location: 00000, Meade, KS 67864

Abbreviated Boundary Description: S10 , T31 , R28 , ACRES 474.4 , N2 & SW4 LESS R/W

Owner Information:

Owner REXFORD, MERL D & MARILYN J

Mailing Address PO BOX 880 MEADE, KS 67864

Property Information:

Type Agricultural Use

Status Active

Taxing Unit 008

Neighborhood Code 412

No Secondary Address Details found

Market Land Details:

Actual Width: 0

Eff. Width 0

Eff. Depth 0

Acres 0

Square Feet 0

No Permit Details found

Deed Book Page Details

Book	Page
97	143

Additional Deed Book Page Details

Deed Book/Page 09PR/15

Value Details

	Year	2020
Current Final Value (Agricultural)	Land	\$111,980.00
	Building	\$5,140.00
	Total	\$117,120.00

No Dwelling Details found

No Manufactured Home Details found

No Additional Dwelling Details found

No Other Improvements found

No Commercial Building Details found

No Commercial Building Section Details found

Ag Land Details

Acre Type :	No Acres :	Map Unit :	Irrig :	Well Depth :
Dry Land - DR	0.50	2562		
Dry Land - DR	53.80	2612		
Dry Land - DR	0.70	2691		
Dry Land - DR	6.30	2801		
Dry Land - DR	4.60	2815		
Irrigated Land - IR	10.70	2562	C	500
Irrigated Land - IR	208.30	2612	C	500
Irrigated Land - IR	4.50	2691	C	500
Irrigated Land - IR	2.30	2692	C	500
Irrigated Land - IR	211.40	2815	C	500
Native Grass - NG	139.40	2562		

Native Grass - NG	8.60	2612
-------------------	------	------

Native Grass - NG	2.40	2613
-------------------	------	------

Native Grass - NG	4.80	2692
-------------------	------	------

Native Grass - NG	6.10	2815
-------------------	------	------

Total Acres :	474.40	
----------------------	--------	--

Ag Building Details

Type	Quantity	Size	Year Built	Grade	Condition
Tool Shed		16X40	1940	AV	PR
Farm Utility Storage Shed		30X80	1940	AV	PR
Site Improvements		16X18	1980	AV	FR