

Kansas Department of Agriculture
 Division of Water Resources
CHANGE: P/D WORKSHEET

1. File Number: 37773.01	2. Status Change Date: <i>11-2-2021</i>	3. Change Num: C2	4. Field Office: 4	5. GMD: 3
6. Status: <input checked="" type="checkbox"/> Approved <input type="checkbox"/> Denied by DWR/GMD <input type="checkbox"/> Dismiss by Request/Failure to Return				7. Filing Date of Change: 10/8/2021
8a. Applicant(s) New to system <input type="checkbox"/> LAKIN DAIRY LLP Attn: FEEDYARD PO BOX 323 LAKIN, KS 67860-0323		Person ID 59476 Add Seq# _____	8c. Landowner(s) New to system <input type="checkbox"/> FERDINAND RITSEMA & JOHANNA A RODENHUIS PO BOX 389 LAKIN, KS 67860	
8b. Landowner(s) New to system <input type="checkbox"/> 8a		Person ID _____ Add Seq# _____	8d. WUC New to system <input type="checkbox"/> 8a	
9. Documents and Enclosure(s): <input checked="" type="checkbox"/> DWR Meter(s) Date to Comply: 12/31/2022 <input checked="" type="checkbox"/> N & P Date to Comply: 3/1/2023				
<input type="checkbox"/> Anti-Reverse Meter <input type="checkbox"/> Meter Seal <input checked="" type="checkbox"/> Check Valve <input checked="" type="checkbox"/> N & P Form <input checked="" type="checkbox"/> Water Tube <input checked="" type="checkbox"/> Driller Copy <input checked="" type="checkbox"/> H & E Letter <input type="checkbox"/> Conservation Plan Date Required: _____ Date Approved: _____ Date to Comply: _____				
10. Use Made of Water From: _____ To: _____				
Date Prepared: 11/2/2021 By: AM Date Entered: _____ By: _____				

File No. **37773.01** 11. County: **KE** Basin: **ARKANSAS RIVER** Stream: Formation Code: **211** Special Use:

12. Points of Diversion
 Rate and Quantity
 Authorized Additional
 Rate Quantity Rate Quantity
 gpm af gpm af Overlap PD Files

DEL 25657

ENT	Qualifier	S	T	R	ID	'N	'W	Comment (AKA Line)	Rate gpm	Quantity af	Rate gpm	Quantity af	Overlap PD Files
	NE SW SE	29	25S	36W		1181	1682		86	53	86	53	14298.01; 20209072

13. Storage: Rate _____ NF Quantity _____ ac/ft Additional Rate _____ NF Additional Quantity _____ ac/ft

14. Limitation: _____ af/yr at _____ gpm (_____ cfs) when combined with file number(s) _____
 Limitation: _____ af/yr at _____ gpm (_____ cfs) when combined with file number(s) _____

15. 5YR Allocation: Allocation Type _____ Start Year _____ 5 YR Amount _____ Amount Unit _____ Base Acres _____ Comment _____

16. Place of Use

CHK MOD DEL ENT	PUSE	S	T	R	ID	NE¼				NW¼				SW¼				SE¼				Total	Owner	Chg?	Overlap Files
						NE ¼	NW ¼	SW ¼	SE ¼	NE ¼	NW ¼	SW ¼	SE ¼	NE ¼	NW ¼	SW ¼	SE ¼	NE ¼	NW ¼	SW ¼	SE ¼				
CHK 7866																									
CHK 34065																									

CHK	MOD	DEL	ENT	PUSE	S	T	R	ID	NE ¼	NW ¼	SW ¼	SE ¼	NE ¼	NW ¼	SW ¼	SE ¼	NE ¼	NW ¼	SW ¼	SE ¼	NE ¼	NW ¼	SW ¼	SE ¼	Total	Owner	Chg?	Overlap Files
CHK 7866																												
CHK 34065																												

Base Acres: Year: Minimum Reasonable Quantity:

Comments:

Garden City Field Office
4532 W. Jones, Suite B
Garden City, KS 67846



Phone: 620-276-2901
Fax: 620-276-9315
www.agriculture.ks.gov

Mike Beam, Secretary

Laura Kelly, Governor

November 2, 2021

LAKIN DAIRY LLP
Attn: FEEDYARD
PO BOX 323
LAKIN, KS 67860-0323

RE: Filed Office Application for Change
Water Right, File Nos. 14298.01 & 37773.01

Dear Sir or Madam:

Enclosed is the order executed by the designee of the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, approving the application for change under the above referenced file numbers.

Your attention is directed to the enclosures and to the terms, conditions, and limitations specified in this approval for change. A condition of this approval is that an acceptable water flow meter must be installed on the diversion works authorized under the referenced file number and meet current specifications. Please return the required notification of completion of the diversion works and installation of the required meter as soon as these actions are completed.

Since the order modifies the original document referred to above, it should be recorded with the Register of Deeds as other instruments affecting real estate.

The abandoned well must be plugged in accordance with the requirements of Article 30 of the Rules and Regulations as adopted by the Kansas Department of Health and Environment

Should you have any questions, please feel free contact this office. If you would prefer, you could arrange an appointment for additional assistance.

Sincerely,

A handwritten signature in blue ink that reads "Michael A. Meyer".

Michael A. Meyer
Water Commissioner

MAM:am
enclosures

pc: Ferdinand & Johanna Rodenhuis
GROUNDWATER MANAGEMENT DISTRICT NO. 3

CERTIFICATE OF SERVICE

On this 2nd day of November, 2021, I hereby certify that the foregoing Approval of Application for Change in Point of Diversion, Water Right, File Nos. 14,298.01 and 37,773.01 dated 2nd day of November, 2021 was mailed postage prepaid, first class, US mail to the following:

LAKIN DAIRY LLP
Attn: FEEDYARD
PO BOX 323
LAKIN, KS 67860-0323

Pc:

FERDINAND RITSEMA & JOHANNA A RODENHUIS
PO BOX 389
LAKIN, KS 67860

GROUNDWATER MANAGEMENT DISTRICT NO. 3



Division of Water Resources Staff

Submit completed application to:
 Kansas Department of Agriculture
 Division of Water Resources
 Field Office for your area.

Call for address:

Topeka -- (785) 296-5733
 Stafford -- (620) 234-5311
 Stockton -- (785) 425-6787
 Garden City -- (620) 276-2901
<http://agriculture.ks.gov/dwr>

DWR FIELD OFFICE APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF USE AND/OR THE POINT OF DIVERSION



STATE OF KANSAS

Filing Fee Must Accompany the Application, K.S.A. 82a-708b(b), as amended.
 Fee Schedule is on the third page of this application form.

Paragraph Nos. 1, 2, 3 & 5 must be completed. Complete all other applicable portions. If change in point of diversion is greater than 100 feet, or if place of use will be changed, include a topographic map or detailed plat showing the authorized and proposed point(s) of diversion and/or place of use.

RECEIVED
 3:11 pm
 OCT 08 2021

File No. 37773-01

1. Application is hereby made for approval of the Chief Engineer to change the (check one or both):

Place of Use Point of Diversion

under the water right which is the subject of this application in accordance with the conditions described below.

The source of supply is: Groundwater Surface water

**Garden City Field Office
 Division of Water Resources**

2. Name and address of Applicant: LAKIN DAIRY LLP

PO BOX 323 LAKIN KS 67860-0323

Phone Number: () _____ Email address: _____

Name and address of Water Use Correspondent: SAME AS ABOVE

Phone Number: () _____ Email address: _____

3. The presently authorized place of use is:

Owner of Land ---- NAME: NO CHANGE

ADDRESS: _____

(If there is more than one landowner, attach supplemental sheets as necessary.)

Sec.	Twp.	Range	NE¼				NW¼				SW¼				SE¼				TOTAL ACRES		
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼			

4. If this application is for a change in place of use, it is proposed that the place of use be changed to:

Owner of Land ---- NAME: _____

ADDRESS: _____

(If there is more than one landowner, attach supplemental sheets as necessary.)

Sec.	Twp.	Range	NE¼				NW¼				SW¼				SE¼				TOTAL ACRES			
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼				

For Office Use Only: Code _____ Fee \$ 200.00 TR # _____ Receipt Date 10-8-21 Check # 8682

5. **Presently authorized point of diversion:**
 One in the NW Quarter of the SE Quarter of the SE Quarter of Section 29, Township 25 South, Range 36 (W), in KEARNY County, Kansas, 1265 feet North 1145 feet West of Southeast corner of section.
 Authorized Rate _____ Authorized Quantity _____ Depth of well _____ (feet)
(DWR use only: Computer ID No. 07 GPS _____ feet North _____ feet West)
 This point will not be changed This point will be changed as follows: No change, point better described with GPS as follows:
Proposed point of diversion: (Complete only if change is requested or if existing point is better described by GPS)
 One in the NE Quarter of the SW Quarter of the SE Quarter of Section 29, Township 25 South, Range 36 (W), in KEARNY County, Kansas, 1181 feet North 1682 feet West of Southeast corner of section.
 Proposed Rate _____ Proposed Quantity _____ Proposed well depth (feet) 503'
 This point is: Additional Well Geo Center List other water rights that will use this point 14298-01 & 20209072

6. **Presently authorized point of diversion:**
 One in the _____ Quarter of the _____ Quarter of the _____ Quarter of Section _____, Township _____ South, Range _____ (W), in _____ County, Kansas, _____ feet North _____ feet West of Southeast corner of section.
 Authorized Rate _____ Authorized Quantity _____ Depth of well _____ (feet)
(DWR use only: Computer ID No. _____ GPS _____ feet North _____ feet West)
 This point will not be changed This point will be changed as follows: No change, point better described with GPS as follows:
Proposed point of diversion: (Complete only if change is requested or if existing point is better described by GPS)
 One in the _____ Quarter of the _____ Quarter of the _____ Quarter of Section _____, Township _____ South, Range _____ (W), in _____ County, Kansas, _____ feet North _____ feet West of Southeast corner of section.
 Proposed Rate _____ Proposed Quantity _____ Proposed well depth (feet) _____
 This point is: Additional Well Geo Center List other water rights that will use this point _____

7. The changes herein are desired for the following reasons?
 (please be specific) _____

8. If a well, is the test hole log attached? Yes No

9. The change(s) (was)(will be) completed by?


10. If the point of diversion is a well:
 (a) What are you going to do with the old well?

 (b) When will this be done? _____

11. Groundwater Management District recommendation attached?
 Yes No

12. Assisted by AM / GCFO _____

13a. If the proposed point of diversion will be relocated more than 300 feet but within 2,640 feet of the existing point of diversion, attach a topographic map or aerial photograph. For groundwater sources, show all wells (including domestic) within one-half mile of the proposed point of diversion and the names and mailing addresses of the owners. For surface water sources, show the names and addresses of the landowner(s) one-half mile downstream and one-half mile upstream from your property lines



13b. If the proposed point of diversion will be relocated within a 300 foot radius of the existing point of diversion, indicate its location on the diagram shown above in relation to the existing point of diversion. The proposed point of diversion must be located within the circle shown above. **(PLEASE NOTE: The "X" in center of diagram above represents the presently authorized point of diversion.)**

14. If the proposed groundwater point of diversion is 300 or fewer feet from the existing point of diversion, complete the following:
- (a) Does the undersigned represent all owners of the currently authorized place(s) of use identified in this application?
 Yes No (If no, all owners must sign this application.)
 - (b) Will the ownership interest of any owner of the currently authorized place(s) of use identified in this application be adversely affected if this application is approved as requested?
 Yes No (If yes, all owners must sign this application.)
 - (c) If this application is not approved expeditiously, will there be substantial damage to property, public health or safety?
 Yes No (If no, all owners must sign this application.)

If the application proposes a surface water change in point of diversion, a groundwater change in point of diversion greater than 300 feet, or a change in place of use, the application must be signed by all owners of the currently authorized place of use, or their duly authorized agent (attach notarized statement authorizing representation).

I hereby verify, being first duly sworn upon my oath or affirmation and under penalty of perjury, that I am of lawful age and the owner, the spouse of the owner, or a duly authorized agent of the owner(s) to make this application on their behalf, in regards to the water right(s) to which this application pertains. I further verify that the statements contained in this application are true, correct and complete.

Dated at GARDEN CITY, Kansas, this 8th day of OCTOBER, 2021.

[Signature]
 (Owner)

(Spouse)

John Achen
 (Please Print)

[Signature]
 (Please Print)

[Signature]
 (Owner)

[Signature]
 (Spouse)

Fred Ritsema
 (Please Print)

Yoka Rademkin
 (Please Print)

(Owner)


(Spouse)

(Please Print)

(Please Print)

State of Kansas }
 County of FINNEY } SS

I hereby certify that the foregoing application was signed in my presence and sworn to before me this 8th day of OCT, 2021.



[Signature]
 Notary Public

My Commission Expires 9-14-22.

ONLY COMPLETE APPLICATIONS WILL BE PROCESSED. To be complete, all of the applicable portions of the application form must be completed with accurate information; maps, if necessary, must be included; signatures of all the appropriate owners' must be affixed to the application and notarized; and the appropriate fee must be paid.

FEE SCHEDULE

Each application to change the place of use or the point of diversion under this section shall be accompanied by the application fee set forth in the schedule below: **Make checks payable to: Kansas Department of Agriculture**

- (1) Application to change a point of diversion 300 feet or less \$100
- (2) Application to change a point of diversion more than 300 feet \$200
- (3) Application to change the place of use \$200

CHANGE IN PD WATER RIGHT, FILE NOS. 14298-01 & 37773-01

SE1/4 of Section 29 Township 25 South Range 36 West Kearny County



Copyright © 2013 National Geographic Society i-cubed

	Authorized Point of Diversion
	Proposed Point of Diversion
	Permitted Water Right
	Domestic Well within 1/2 mile
	1/2 mile buffer

List of owner name and addresses within 1/2 mile:

All Owned by Applicant




0 0.13 0.25 0.5 Miles




By signing below I agree that all wells, including domestic, and owners names and addresses within 1/2 mile of the proposed point of diversion have been shown on the map

(Signature) _____ Date _____


Date AM/GCFO
1:24,000 Scale



Map created with TOPO! ©2007 National Geographic; ©2005 Tele Atlas, Rel. 8/2005



TN MN
5 1/2°
06/24/21



Southwest Kansas
Groundwater Management District No. 3
2009 E. Spruce Street
Garden City, Kansas 67846
(620) 275-7147 phone (620) 275-1431 fax
www.gmd3.org

November 1, 2021

Michael A. Meyer
Division of Water Resources
4532 W Jones Ave., Suite B
Garden City, Kansas 67846

RE: Applications for Change in Point of Diversion
Water Right, File Nos. 14298.01 & 37773.01

Dear Mike:


We completed a review of the applications for the above referenced water rights. The proposed change in point of diversion is in accordance with current area rules, K.A.R. 5-23-3, as it pertains to distance moved and minimum spacing to neighboring wells.

Well evaluations were conducted to estimate possible effects of the proposal on the supply of other wells with water rights prior to the proposal per K.S.A. 82a-708b, and the draft revised management program. Under K.S.A. 82a-708b, an applicant requesting a change in point of diversion must demonstrate to the chief engineer that any proposed change is reasonable and will not impair. The enclosed report is an analysis performed by the GMD on behalf of our membership. Under this analysis, the proposed change is considered to be reasonable and unlikely to impair if either the net in-season well-to-well effect of the proposed change is less than a strict maximum allowable threshold (3.5 ft in cases where saturated thickness is between 150-200 ft), or if no well with a net well-to-well effect exceeding the threshold is identified as critical. Critical wells are identified as wells that are expected to either lose or greatly diminish water supply over the next 25 years. The attached review information is based on a Theis analysis using inputs from the GMD3 aquifer model, which is considered to be the best information on well and aquifer data readily and easily available to the public. If either the applicant or the neighbors believe they have better data that might change the result of the analysis, they should contact GMD3. Conclusions of the well analysis may change if better information on well and aquifer data can be made available.

Every neighboring well within 1 mile of the proposed move was evaluated. Evaluations showed that all of the neighboring wells were well under the maximum allowable threshold and did not need further evaluation. Therefore, GMD3 sees this move as reasonable and therefore recommend that the application be approved. If aquifer conditions change or there is a change to the water right in the future, we would be happy to evaluate the effects at that time.

Thank you for the opportunity to review the applications and to provide a recommendation. If you have any questions, please don't hesitate to contact us.

Sincerely,

A handwritten signature in blue ink, appearing to read "Jason L. Norquest", is written over the typed name and title.

Jason L. Norquest
Assistant Manager

RECEIVED

NOV 01 2021

Garden City Field Office
Division of Water Resources

GMD3 Change Review

File No(s): 14298.01 & 37773.01.

DWR office: GC.

App filed to change: PD.

Is Landowner(s) correct in WRIS: Lakin Dairy.

If NO, is documentation included?

Is Water Use Correspondent correct in WRIS? ___.

If NO, is documentation included?

Regulation(s) Reviewed: KAR 5-23-3

Point of diversion ID No(s) 07 being changed.

	ft. North	ft. West	
Authorized PD	1265	1145	Sect 29-25-36
Proposed PD	1181	1682	
Difference	84 s	-537 w	
$a^2 + b^2 = c^2$	7056	288369	543.5301 foot move SW

GPS for proposed PD: Lat: 37.84605 Long: -101.29195.

Is proposed PD stacking on existing WRs? Moving both WRs, no new stacking.

Is Proposed PU overlapping existing WRs? No Change.

Neighboring certified well(s) notified: ___.

Name ___.

Address ___.

Zip ___.

Email: ___. Phone: ___.

Domestic well(s) notified: ___.

Name ___.

Address ___.

Zip ___.

Base Acres: ___.

Perfected Acres: ___.

Irr. Return-Flow ___%

14298.01 authorized: 12AF @ 20gpm

37773.01 authorized: 53AF @ 86gpm

Combined Total: 65AF @ 106gpm

Recent avg reported use: 27.804AF/year (2011-2020). 100gpm reported in 2013.

Proposed well depth of 503 w/20'sump. Roughly same depth of all the wells reported in that section on WWC5.

Is a waiver needed: Move is less than half mile and minimum spacing appears met to neighboring wells. Evaluations showed effects well within our guidelines and no critical wells found.


Recommendation: After review of all available information, the proposed move meets the criteria of current area rules. Staff therefore recommends approval of the applications.



GMD3 Change Review

Evaluation of proposed move for Water Right Nos. 14298 & 37773

Proposed: Move water right nos. 14298 & 37773 to a new well location 541 ft to the southwest.



Wells within 1 mile: 37773, 39593, 39594, 39595, 24627 ID2, 24627 ID3, 24627 ID4, 24627 ID5, 24627 ID6, 14218, 14268, 14279, a domestic well in section 29-25-36, and a domestic well in section 32-25-36.

The saturated thickness at the proposed well location is estimated to be 187 ft, based upon GMD3 model. For saturated thickness between 150 ft and 200 ft, the drawdown allowance is 3.5 ft.

50 year Theis Analysis: The following values were used to run the analysis:

$S = 0.1093, T = 7923.1 \text{ ft}^2/\text{day},$

$t_{p_{\text{current}}} = 63 \text{ days (based on average use and reported rate)}, Q_{\text{current}} = 100 \text{ gpm (last reported rate)},$

$t_{p_{\text{proposed}}} = 139 \text{ days}, Q_{\text{proposed}} = 106 \text{ gpm}$

Theis drawdowns were calculated as follows:

- 37773:
 - Drawdown from current location = 0.52 ft
 - Drawdown from proposed location = 0.81 ft
 - Net drawdown = 0.3 ft

- 39593:
 - Drawdown from current location = 0.58 ft
 - Drawdown from proposed location = 0.81 ft
 - Net drawdown = 0.2 ft

39594: Drawdown from current location = 0.62 ft
Drawdown from proposed location = 0.81 ft
Net drawdown = **0.2 ft**

39595: Drawdown from current location = 0.63 ft
Drawdown from proposed location = 0.83 ft
Net drawdown = **0.2 ft**

24627 ID2: Drawdown from current location = 0.31 ft
Drawdown from proposed location = 0.61 ft
Net drawdown = **0.3 ft**

24627 ID3: Drawdown from current location = 0.26 ft
Drawdown from proposed location = 0.54 ft
Net drawdown = **0.3 ft**

24627 ID4: Drawdown from current location = 0.39 ft
Drawdown from proposed location = 0.67 ft
Net drawdown = **0.3 ft**

24627 ID5: Drawdown from current location = 0.44 ft
Drawdown from proposed location = 0.75 ft
Net drawdown = **0.3 ft**

24627 ID6: Drawdown from current location = 0.27 ft
Drawdown from proposed location = 0.57 ft
Net drawdown = **0.3 ft**

14218: Drawdown from current location = 0.22 ft
Drawdown from proposed location = 0.46 ft
Net drawdown = **0.2 ft**

14268: Drawdown from current location = 0.30 ft
Drawdown from proposed location = 0.55 ft
Net drawdown = **0.2 ft**

RECEIVED

NOV 01 2021

Garden City Field Office
Division of Water Resources

14279: Drawdown from current location = 0.23 ft
Drawdown from proposed location = 0.47 ft
Net drawdown = **0.2 ft**


Domestic 29-25-36: Drawdown from current location = 0.45 ft
Drawdown from proposed location = 0.94 ft
Net drawdown = **0.5 ft**

Domestic 32-25-36: Drawdown from current location = 0.21 ft
Drawdown from proposed location = 0.50 ft
Net drawdown = **0.3 ft**

Net drawdown does not exceed the drawdown allowance of 3.5 ft for any well within 1 mile of the proposed location. Therefore, critical well analysis is not necessary.

Conclusion:

The proposed move is likely to create minimal effects on neighboring wells and is unlikely to cause impairment. GMD3 staff recommends approval of this proposal.



WELL TEST ANALYSIS

Data Set: C:\Users\trevora\Documents\2021_Moves\14298_37773\14298 & 37773 Proposed.aqt
 Date: 10/29/21 Time: 14:51:29

PROJECT INFORMATION

Company: GMD 3
 Project: 14298 & 37773
 Location: Kearny County

WELL DATA

Pumping Wells

Well Name	X (ft)	Y (ft)
14298 & 37773	-142217	353951


Observation Wells

Well Name	X (ft)	Y (ft)
□	-142217	353951
□ 37773	-141522	355283
□ 39593	-140790	353422
□ 39594	-140785	354358
□ 39595	-140788	353750
□ 24627 ID2	-141175	351655
□ 24627 ID3	-141063	350969
□ 24627 ID4	-140534	352565
□ 24627 ID5	-141141	352558
□ 24627 ID6	-141755	351057
□ 14218	-138898	356381
□ 14268	-139140	354128
□ 14279	-139183	351411
□ Domestic 29-25-36	-142925	353146

RECEIVED

NOV 01 2021

Garden City Field Office
 Division of Water Resources



WELL TEST ANALYSIS

Data Set: C:\Users\trevora\Documents\2021_Moves\14298_37773\14298 & 37773 Current.aqt
 Date: 10/29/21 Time: 14:51:36

PROJECT INFORMATION

Company: GMD 3
 Project: 14298 & 37773
 Location: Kearny County

WELL DATA

Pumping Wells

Well Name	X (ft)	Y (ft)
14298 & 37773	-141682	354032

Observation Wells

Well Name	X (ft)	Y (ft)
□	-141682	354032
□ 37773	-141522	355283
□ 39593	-140790	353422
□ 39594	-140785	354358
□ 39595	-140788	353750
□ 24627 ID2	-141175	351655
□ 24627 ID3	-141063	350969
□ 24627 ID4	-140534	352565
□ 24627 ID5	-141141	352558
□ 24627 ID6	-141755	351057
□ 14218	-138898	356381
□ 14268	-139140	354128
□ 14279	-139183	351411
□ Domestic 29-25-36	-142925	353146

Water Rights and Points of Diversion Within 1 mile of point defined as:
 1181 Feet N and 1682 Feet W of the Southeast Corner of Section 29 Twp 25S Rng 36W
 Located at: 101.291949 West Longitude and 37.846051 North Latitude
 Both SURFACE WATER and GROUNDWATER

File Number	Use	ST	SR	Dist	(ft)	Q4	Q3	Q2	Q1	FeetN	FeetW	Sec	Twp	Rng	ID	Batt	Auth_Quan	Add_Quan
A__ AF	14218	00	IRR	NK	G	4113	--	--	NC	NW	3583	3673	28	25	36W	2	218.00	218.00
A__ AF	14268	00	IRR	NK	G	3081	--	--	NC	SW	1329	3916	28	25	36W	6	334.00	334.00
A__ AF	14279	00	IRR	NK	G	3965	--	--	NC	NW	3902	4063	33	25	36W	2	292.00	292.00
A__ AF	14298	01	STK	NK	G*	540	--	NW	SE	SE	1265	1145	29	25	36W	7	12.00	12.00
A__ AF	24627	01	STK	NK	G	2521	--	SW	NE	NE	4172	707	32	25	36W	2	16.50	16.50
A__ AF	24627	02	STK	NK	G	3197	--	NC	SE	NE	3488	600	32	25	36W	3	13.80	13.80
A__ AF	24627	03	STK	NK	G	2179	--	--	--	--	5088	80	32	25	36W	4	51.00	51.00
A__ AF	24627	04	STK	NK	G	1760	--	NW	NE	NE	5075	680	32	25	36W	5	13.80	13.80
A__ AF	24627	05	STK	NK	G	2930	--	NW	SE	NE	3573	1287	32	25	36W	6	42.70	42.70
A__ AF	37773	01	STK	NK	G*	540	--	NW	SE	SE	1265	1145	29	25	36W	7	53.00	53.00
A__ AF	37773	02	STK	NK	G	1502	--	NW	NE	SE	2517	995	29	25	36W	9	106.36	106.36
A__ AF	39593	00	STK	NK	G	1521	NC	E2	SE	SE	660	250	29	25	36W	1	25.01	15.99
A__ AF	39594	00	STK	NK	G	1488	--	SE	NE	SE	1600	250	29	25	36W	2	25.01	.00
A__ AF	39595	00	STK	NK	G	1442	--	NE	SE	SE	990	250	29	25	36W	3	25.01	.00
T__ AF	20209072	00	STK	GY	G	540	--	NW	SE	SE	1265	1145	29	25	36W	7	325.16	.00
Same						1442	--	NE	SE	SE	990	250	29	25	36W	3		
Same						1488	--	SE	NE	SE	1600	250	29	25	36W	2		
Same						1502	--	NW	NE	SE	2517	995	29	25	36W	9		
Same						1521	NC	E2	SE	SE	660	250	29	25	36W	1		
Same						1760	--	NW	NE	NE	5075	680	32	25	36W	5		
Same						2179	--	--	--	--	5088	80	32	25	36W	4		
Same						2521	--	SW	NE	NE	4172	707	32	25	36W	2		
Same						2930	--	NW	SE	NE	3573	1287	32	25	36W	6		
Same						3197	--	NC	SE	NE	3488	600	32	25	36W	3		

Total Net Quantities Authorized:	Direct	Storage
Total Requested Amount (AF) =	.00	.00
Total Permitted Amount (AF) =	.00	.00
Total Inspected Amount (AF) =	.00	.00
Total Pro_Cert Amount (AF) =	.00	.00
Total Certified Amount (AF) =	1169.15	.00
Total Vested Amount (AF) =	.00	.00
TOTAL AMOUNT (AF) =	1169.15	.00

RECEIVED
 NOV 01 2021
 Garden City Field Office
 Division of Water Resources

An * after the source of supply indicates a pending application for change under the file number.
 An * after the ID indicates a 15 AF exemption was granted under the file number.
 A "G" in the Batt column indicates the GEO CTR of a battery. A "B" indicates a well in the battery.
 The number in the Batt column is the number of wells in the battery.

Water Rights and Points of Diversion Within 1 mile of point defined as:
 1181 Feet North and 1682 Feet West of the Southeast Corner of Section 29 Twp 25S Rng 36W

Located at: 101.291949 West Longitude and 37.846051 North Latitude
Both SURFACE WATER and GROUNDWATER
WATER USE CORRESPONDENTS:

=====

File Number Use ST SR

> FRED RITSEMA & YOKA RODENHUIS TRUSTS
> LAKIN DAIRY
> PO BOX 389
> LAKIN KS 67860

14218

> YOST FARMS

>
> 1106 RD AA
> LAKIN KS 67860

14268

> FRED RITSEMA & YOKA RODENHUIS TRUSTS
> LAKIN DAIRY
> PO BOX 389
> LAKIN KS 67860

14279

Signed
APP.

> YOST FARMS

>
> 1106 RD AA
> LAKIN KS 67860

14298.01

Application

> LAKIN DAIRY LLP
> FEEDYARD
> PO BOX 323
> LAKIN KS 67860

24627.0

> LAKIN DAIRY LLP
> FEEDYARD
> PO BOX 323
> LAKIN KS 67860

24627.02

> LAKIN DAIRY LLP
> FEEDYARD
> PO BOX 323
> LAKIN KS 67860

24627.03

> LAKIN DAIRY LLP
> FEEDYARD
> PO BOX 323
> LAKIN KS 67860

24627.04

> LAKIN DAIRY LLP
> FEEDYARD
> PO BOX 323
> LAKIN KS 67860

24627.05

> LAKIN DAIRY LLP
> FEEDYARD
> PO BOX 323
> LAKIN KS 67860

37773.01

Application

> LAKIN DAIRY LLP
> FEEDYARD
> PO BOX 323
> LAKIN KS 67860

37773.02

> LAKIN DAIRY LLP
> FEEDYARD
> PO BOX 323
> LAKIN KS 67860

39593

> LAKIN DAIRY LLP

39594

> FEEDYARD
> PO BOX 323
> LAKIN KS 67860

App 1.2.2021

> LAKIN DAIRY LLP
> FEEDYARD
> PO BOX 323
> LAKIN KS 67860

> LAKIN DAIRY LLP
> FEEDYARD
> PO BOX 323
> LAKIN KS 67860

> LAKIN DAIRY LLP
> FEEDYARD
> PO BOX 323
> LAKIN KS 67860

> LAKIN DAIRY LLP
> FEEDYARD
> PO BOX 323
> LAKIN KS 67860

=====

RECEIVED
NOV 01 2021
Garden City Field Office
Division of Water Resources

Garden City Field Office
4532 W. Jones, Suite B
Garden City, KS 67846



Phone: 620-276-2901
Fax: 620-276-9315
www.agriculture.ks.gov

Mike Beam, Secretary

Laura Kelly, Governor

October 12, 2021

SOUTHWEST KANSAS GROUNDWATER
MANAGEMENT DISTRICT NO. 3
2009 E SPRUCE ST
GARDEN CITY KS 67846

Re: Request for Recommendation
Water Right, File Nos. 14298.01 & 37773.01

Dear Mr. Norquest:

This is to advise you that Lakin Dairy LLP, has filed applications for approval of the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, to change the point of diversion.

We are delaying action on the change applications to allow you time to review and provide a recommendation. Please submit a recommendation within 15 days from the date of this letter.

Thank you and as always feel free to contact this office at any time.

Sincerely,

A handwritten signature in blue ink, appearing to read "Michael A. Meyer".

Michael A. Meyer
Water Commissioner

MAM
Enclosures