NOTICE

This scan only represents the application as filed. The information contained herein meets the requirements of K.A.R. 5-3-1 or K.A.R. 5-5-1, and has been found acceptable for filing in the office of the Chief Engineer. The application should not be considered to be a complete application as per K.A.R. 5-3-1b or K.A.R. 5-5-2a.

Submit completed application to: Kansas Department of Agriculture Division of Water Resources Field Office for your area. Call for address:

Topeka -- (785) 296-5733 Stafford -- (620) 234-5311 Stockton -- (785) 425-6787 Garden City -- (620) 276-2901 http://agriculture.ks.gov/dwr

DWR FIELD OFFICE APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF USE AND/OR THE POINT OF DIVERSION



STATE OF KANSAS

Filing Fee Must Accompany the Application, K.S.A. 82a-708b(b), as amended. Fee Schedule is on the third page of this application form.

Paragraph Nos. 1, 2, 3 & 5 must be completed. Complete all other applicable portions. If change in point of diversion is greater than 100 feet, or if place of use will be changed, include a topographic map or detailed plat showing the authorized and proposed point(s) of diversion and/or place of use. 9:42 am MAY 1 9 2022 File No. 16759 Garden City Field Office 1. Application is hereby made for approval of the Chief Engineer to change the (check one or both): Division of Water Resources ☐ Place of Use Point of Diversion under the water right which is the subject of this application in accordance with the conditions described below. ☐ Surface water The source of supply is: 2. Name and address of Applicant: KENT DUNN 25923 ROAD A MOSCOW KS 67952 Phone Number: (620) 649-7008 Email address: kadunn@pld.com Name and address of Water Use Correspondent: SAME AS ABOVE Phone Number: (Email address: 3. The presently authorized place of use is: Owner of Land ---- NAME: SAME AS ABOVE - NO CHANGE ADDRESS: (If there is more than one landowner, attach supplemental sheets as necessary.) NW1/4 SW1/4 SE1/4 TOTAL ACRES NW1/4 SW1/4 NW1/4 SW1/4 NE1/4 NW1/4 SW1/4 SE1/4 NE1/4 NW1/4 SW1/4 SE1/4 NE1/4 4. If this application is for a change in place of use, it is proposed that the place of use be changed to: Owner of Land ---- NAME: ADDRESS: (If there is more than one landowner, attach supplemental sheets as necessary.) SW1/4 SE1/4 TOTAL ACRES Sec. Twp. Range NE1/4 NW1/4 SW1/4 NW1/4 SW1/4 NW1/4 SW1/4 SE1/4 NE1/4

For Office Use Only: Code _____ Fee \$ 200.00 TR # ____ Receipt Date 5-19-22 Check # 7746

5.	Presently authori	Presently authorized point of diversion:										
	One in the	SE	Quarter of the	SE	Quarter of the	NW	Quarter					
	of Section	11	, Township	31	South, Range	33	(W),					
	in SEWARD	n <u>SEWARD</u> County, Kansas, 2970		feet North _	2750 feet West of S	Southeast corne	r of section.					
		Authorized Rate Authorized Quantity										
		DWR use only: Computer ID No G										
					No change, point better d							
	Proposed point o	f diversion:	(Complete only if chan	ge is request	ed or if existing point is	better describe	ed by GPS)					
	One in the	One in the NW Quarter of the		SE	Quarter of the	NW	Quarter					
	of Section	of Section, Township		31	South, Range	33	(W),					
	in <u>SEWARD</u> County,		ounty, Kansas, <u>3457</u>	feet North _	3847 feet West of S	Southeast corne	r of section.					
					Proposed well depth (
	This point is: A	dditional We	ell 🔲 Geo Center List o	other water rig	hts that will use this point							
6.	Presently authori											
	One in the		Quarter of the		Quarter of the		Quarter					
	of Section		, Township		South, Range		(W),					
	in	ounty, Kansas,	feet North _	Quarter of the South, Range feet West of S	Southeast corne	r of section.						
	Authorized Rate		Authorized Quantity		Depth of well	(fee	t)					
	(DWR use only: Computer ID NoGI			<u> </u>	feet North	feet West)						
	☐This point will not	be changed	☐This point will be chang	ed as follows:	No change, point better de	scribed with GPS	as follows:					
					ed or if existing point is							
					Quarter of the							
					South, Range							
	in	Co	ounty, Kansas,	feet North _	feet West of S	Southeast corne	r of section.					
	Proposed Rate		Proposed Quantity _		Proposed well depth (feet)						
L	This point is: A	dditional We	ell Geo Center List of	ther water rigi	hts that will use this point							
7	The change bess:		d for the following was	-2								
7.			d for the following reasor RODUCTION AT		North							
			1000011011711	300	0 200 100 North 0	100 200	300					
				Ë			11113					
0	If a wall is the test h	olo log ottog	hada M vaa			- /-						
Ο.	ii a weii, is the test i	iole log attac	hed? Xes No	200	- 4 + =	- - 	200					
9.	The change(s) (was)(will be) cor	npleted by?	100	-/ =		\=					
		, ,	•	100	$I_{\perp} + {\perp} + {\perp} =$		100					
				100			100					
10.	If the point of divers	ion is a well:		#	-	_	<u> </u>					
	(a) What are you g	oing to do wi	th the old well?	West 0		վավավուվա	□ □ □ East					
	DILLO / OAD			#			4					
	PLUG / CAP			100	1 + 1 + 1 =	1 + 1 +	100					
	(b) When will this b	e done? <u>UP</u>	ON COMPLETION		\							
							/ =					
11.			ct recommendation attache	ed? 200 E	-14 + 1 =	+ +/	200					
	∐ Ye	s 🛚 No		E	\	-/-	킄					
12	Assisted by AM / Go	CFO		E	uduuduuluuh aduu ≢u	4	قسلا					
				300	0 200 100 0 South	100 200 Scale: 1 hashma	300 rk=10 ft					
13a	.If the proposed point	of diversion	will be relocated more than	300	proposed point of diversion	معموما الأنبي	ad within a 200					

feet but within 2,640 feet of the existing point of diversion, attach a topographic map or aerial photograph. For groundwater sources, show all wells (including domestic) within one-half mile addresses of the owners. For surface water sources, show the names and addresses of the landowner(s) one-half mile downstream and one-half mile upstream from your property 13b. If the proposed point of diversion will be relocated within a 300 foot radius of the existing point of diversion, indicate its location on the diagram shown above in relation to the existing point of diversion. The proposed point of diversion must be located within a 300 foot radius of the existing point of diversion in the diagram shown above in relation to the existing point of diversion. The proposed point of diversion must be located within a 300 foot radius of the existing point of diversion in the diagram shown above in relation to the existing point of diversion. The proposed point of diversion must be located within a 300 foot radius of the existing point of diversion in the diagram shown above in relation to the existing point of diversion. The proposed point of diversion will be relocated within a 300 foot radius of the existing point of diversion in the diagram shown above in relation to the existing point of diversion. The proposed point of diversion in the diagram shown above in relation to the existing point of diversion.

14. If the proposed groundwater point of diversion is 300 or fewer feet from	om the existing point of diversion, complete the following:					
(a) Does the undersigned represent all owners of the currently authors Yes ☐ No (If no, all owners must sign this applied	orized place(s) of use identified in this application? cation.)					
 (b) Will the ownership interest of any owner of the currently authorized place(s) of use identified in this application be ac affected if this application is approved as requested? ☐ Yes ☐ No (If yes, all owners must sign this application.) 						
(c) If this application is not approved expeditiously, will there be sub ☐ Yes ☐ No (If no, all owners must sign this applied	stantial damage to property, public health or safety? cation.)					
If the application proposes a surface water change in point of diversion, a or a change in place of use, the application must be signed by all owners agent (attach notarized statement authorizing representation).	groundwater change in point of diversion greater than 300 feet, of the currently authorized place of use, or their duly authorized					
I hereby verify, being first duly sworn upon my oath or affirm age and the owner, the spouse of the owner, or a duly author their behalf, in regards to the water right(s) to which this appropriate in this application are true, correct and complete.	ized agent of the owner(s) to make this application on					
Dated at	day of, 20					
Kent Dunn (Please Print)	Ardith Dunn					
(Please Print)	(Please Print)					
(Owner)	(Spouse)					
(Please Print)	(Please Print)					
(Owner)	(Spouse)					
(Please Print)	(Please Print)					
State of Kansas County of Haske S						
I hereby certify that the foregoing application was signed in n	ny presence and sworn to before me this \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \					
SHELLIE R. BARKER Notary Public - State of Kansas My Appt. Expires 7-14-24 -) 51 11 h					
My Commission Expires 7-14-24	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,					
ONLY COMPLETE APPLICATIONS WILL BE PROCESSED. To be complete, all accurate information; maps, if necessary, must be included; signatures of all the apthe appropriate fee must be paid.	of the applicable portions of the application form must be completed with appropriate owners' must be affixed to the application and notarized; and					
FEE SCHEDU	<u>LE</u>					
Each application to change the place of use or the point of diversion under this section shall be accompanied by the application fee set forth in the schedule below: Make checks payable to: Kansas Department of Agriculture (1) Application to change a point of diversion 300 feet or less						
forth in the schedule below: Make checks payable to: Kansas Departme (1) Application to change a point of diversion 300 feet or less (2) Application to change a point of diversion more than 300 feet	\$100 \$200					

SUMMARY ORDER APPROVING APPLICATION FOR CHANGE AND IMPOSING CONDITIONS

This Summary Order is issued under authority of K.S.A. 82a-708b, as amended, and K.A.R. 5-5-1, et seq. and other applicable provisions of the Kansas Water Appropriation Law, K.S.A. 82a-701 et. seq., and rules and regulations promulgated thereunder, With the exception of those conditions expressly contained herein, this Summary Order does not change the terms, conditions and limitations of File No. 16759 A change application was received on requesting that the place of use and / or point of diversion authorized under the above-referenced file number be changed as described in the application. On and after the effective date of this summary order, the authorized place(s) of use shall be located substantially as shown on the topographic map accompanying the application to change the place of use.

Applicable

Not Applicable The change in point of diversion shall not impair existing rights and shall be limited to the same source or sources of water as previously authorized. The point of diversion authorized by this summary order shall be located within a _____ radius of the authorized point(s) of diversion.

Applicable

Not Applicable The point(s) of diversion described herein is administratively corrected to be more accurately described using the Global Positioning System (GPS), as described in the application.


Applicable
Not Applicable The point(s) of diversion authorized herein shall not actually be located more than 5. feet from the previously authorized point(s) of diversion. ☐ Applicable ☐ Not Applicable As required by K.A.R. 5-3-5d, if the works for diversion is a well with a diversion rate of 100 gallons per minute or more, a tube or other device suitable for making water level measurements shall be installed, operated and maintained in accordance with K.A.R. 5-6-13. ☐ Applicable ☐ Not Applicable The owner of the authorized place(s) of use shall properly install an acceptable water flow meter on or before December 31, 20_____, or before the first use of water, whichever occurs first. The water flow meter shall be installed, operated and maintained in accordance with K.A.R. 5-1-4 through 5-1-12. As required by K.S.A. 82a-732, as amended, and ☐ Applicable 8. Installation of the works for diversion of water shall be completed on or before December 31, 20 authorized extension of time. By March 1, 20_____ the applicant shall notify the Chief Engineer that construction of the works for diversion has been completed, on the form provided by the Chief Engineer, as required by K.A.R. 5-8-4e. ☐ Not Applicable ☐ Applicable 9. The completed well log shall be submitted with the required notice. ☐ Applicable ☐ Not Applicable 10. All diversion works into which any type of chemical or other foreign substance will be injected into the water shall be equipped with an in-line, automatic, quick-closing check valve capable of preventing pollution of the source of the water supply. The check valve(s) shall be installed, operated and maintained in accordance with K.A.R. 5-3-5c.

Applicable

Not Applicable 11. Additional Conditions are attached. ☐ Yes ☐ No 12. In accordance with K.S.A. 82a-708a, as amended, and K.A.R. 5-5-14, all of the owners of the authorized place(s) of use of water appropriated under the above-referenced file number are responsible for compliance with its terms, conditions and limitations, as amended and/or supplemented by this Summary Order, and with applicable provisions of the Kansas Water Appropriation Law and the Rules and Regulations promulgated thereunder. Failure to comply with these provisions may result in civil penalties pursuant to K.S.A. 82a-737, as amended, and/or the suspension or revocation and dismissal of the water or appropriation right or any other enforcement actions authorized by law. FOR OFFICE USE ONLY Administrative Appeal and Effective Date of Order APPLICATION APPROVED AND If you are aggrieved by this order, pursuant to K.S.A. 82a-1901, SUMMARY ORDER ISSUED you may request an evidentiary hearing before the Chief Engineer or request administrative review by the Secretary of Agriculture. A request for hearing by the Chief Engineer must be filed within 15 days of service of this Order and a request for administrative review by the Secretary must be filed within 30 Ву: __ Duly Authorized Designee of the Chief Engineer days pursuant to K.S.A. 77-531. Any request for administrative (Print Name): review must state a basis for review pursuant to K.S.A. 77-527. Division of Water Resources - Kansas Department of Agriculture File any request with Kansas Department of Agriculture, Date of Issuance: ___ Legal Division, 1320 Research Park Drive, Manhattan, KS 66502. Failure to timely request a hearing or review may State of Kansas preclude review under the Kansas Judicial Review Act.) SS For Use by Register of Deeds County of ___ Acknowledged before me on _____ Signature: Notary Public My commission expires: (Notary Seal)

CHANGE IN POINT OF DIVERSION WATER RIGHT, FILE NO. 16759

NW1/4 of Section 11 Township 31 South Range 33 West Seward County



By signing below I agree that all wells, including domestic, and owners names and addresses within 1/2 mile of the proposed point of diversion have been shown on the map

AM/GCFO 1:24,000 Scale

1/2 mile buffer

3795 W. Jones Ave. Garden City, KS 67846 PH: 620-277-2389



PO Box 639 Garden City, KS 67846 Fax: 620-277-0224

Customer	Name:	KPAH DI	(ALA)	WO#: <u>22983</u> Date: <u>4//4/22</u> Test #: E LOG: —
Street Add	dress:	2592	3 Ro	
City, State		Masca	ks lo	7952 Driller: Dang FRIZZell
County:	PLUARI	Quarter	· NW	Section: // Township: 3/ Range: 33
Location:	From I	5. vert -52	1'5+ 1	04" F GPS: 37 36848°N /(30 88045°4)
Rig #:	1000	3	_	604 F GPS: 37.36848°N 100.88245° ω Elevation: 2883 Static WL: 300 Estimated? μω
				Proposed Well Depth 595 w/ 20 Sugar
				WELLLOCATION
	T	Footage		1/2 20
%	From	Pay	То	Description of Strata 16759
	0		2	Surface
	2		30	Beown Clay Calinha
	30		75	BROWN Clay - Inc Sound Sheepks
	75		80	Red Brawn Clay
	80		95	Brown who by Class limperale
	95		267	Sound from to ment course, smooth to some ment (used a little writer)
	267		276	Brown t kind pour emes alon Umagach
	276		300	Sand two this class (trains is done)
20%	306	101	407	San fin to small for med Low borlow, Lew cooks
1	407		421	Timerock Comenter Sound few day (thorn Stuffing Sowar)
	421		456	Berner- white son ou cay few Kingersk few the was mixed lack
10%	456	23	479	Devot. July for tino (tomby loose used a lettle waker)
	479		517	BROWN South Clay, few Jamesons, Cour Suo sous
10%	517	58	575	Beaut Collan Sand Jour (traft), Lew Sonstone (Sudan Clas)
	575		580	Limester CHARES, 90% Lost Cier Mx brow, unable to keep up)
			-	T.10
				- Test Rig -
			-	- Sed up Nowh
				Pit to East 3-Super Gel X
		-		7 - GROUT
	_	+	+	5 - Berlouto Plag
			+	1 - Pana Pluc
		+	+	4/- 20-
	+		+	1 F35CM
	+		+	
		 	1	
		+		
	+			
	-			
		+		
		+		
			-	



Garden City Field Office 4532 W. Jones, Suite B Garden City, KS 67846



Phone: 620-276-2901 Fax: 620-276-9315 www.agriculture.ks.gov

Mike Beam, Secretary

Laura Kelly, Governor

May 23, 2022

BARBARA HANSON 1036 N PROSPECT AVE LIBERAL KS 67901 – 2524

RE:

Application for Change

Water Right, File No. 16759

Dear Sir or Madam:

This is to advise you that KENT DUNN has filed an application for approval of the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, to change the point of diversion under the above referenced applications. An irrigation well is proposed to be relocated to the NW¼ SE¼ NW¼ of Section 11, Township 31 South, Range 33 West, Seward County.

You can find the complete applications posted by water right file number as referenced above at: www.Agriculture.ks.gov/DWRNotices

You are notified on this proposed point of diversion (well) so that you may furnish this office with any comments or other information you want to submit. Such comments or other information must be received in this office within 15 days from the date of this letter.

Should you have any questions, please feel free contact this office. If you would prefer, you could arrange an appointment for additional assistance. Please refer to the file number when you contact us if you wish to discuss a specific file.

Sincerely,

Hunter Hershey

Water Conservation Specialist

HH: enclosures

pc:

GROUNDWATER MANAGEMENT DISTRICT NO. 3