Kansas Department of Agriculture Division of Water Resources

CHANGE: P/D WORKSHEET

1. File Number: 17102	2. Status Change Date:	3. Change Num:	4. Field Office:	5. GMD:
6. Status: ☐ Approved ☐ Den	ied by DWR/GMD □	Dismiss by Reques	t/Failure to Return	7. Filing Date of Change: 12/5/2022
8a. Landowner, applicant, WUC New to system ☐ NAIRN & NAIRN FARMS Attn: KEEGAN NAIRN PO BOX 493 JOHNSON, KS 67855	Person ID 51074Add Seq#	8c. Landown New to sy	A THE RESERVE OF THE PROPERTY OF THE PERSON	PersonAdd Seq#
8b. Landowner(s), New to system □	Person ID 39063Add Seq#	8d. WUC New to sy	estem □	Person IDAdd Seq#
9. Documents and Enclosure(s): 🛛 D	VR Meter(s) Date to Comp	ly: <u>12/31/2023</u>	N & P Date t	to Comply: 3/1/2024
☐ Anti-Reverse Meter ☐ Meter☐ Conservation Plan ☐ Date Requir	Seal 🛚 Check Valve			Driller Copy
10. Use Made of Water From:		To: _		
			Date Prepared: 12/1 2 Date Entered:	2/2022 By: MAM By:

File No. 17102	11. County:	ST	Basi	in: CIMAI	RRON F	RIVER			St	ream:								rmation C 1/331	code:	Special Use:
12. Points of Diversion CHK MOD DEL PDIV ENT Qualifier	S	т	R	ID	'N	'W	r	Com	nment (AKA	Line)		Rate	Authori	Quantit	y	Rate		antity	Overlan DD Files
DEL 5726													gpm	1	af	W. J	gpm		af	Overlap PD Files
DEL 5726		20	2014/		420	-	076						*20	00	220	3.1	0		2254	4944 9240
ENT NESWSW	6	29	39W		438	5	076						*20	00	320		0	0	335	, 4814, 8240
CHK 13906									100											
CHK 75732				Carl															e de	ME CONTRACT
													*E	BLAN	KET R	ATE A	ND QU	ANTITY		
							k d													
13. Storage: Rate	N	IF	Quant	ity				_ac/ft	Ac	ddition	nal Rat	te				NF	Addi	tional Qua	antity	ac/f
14. Limitation:	af/ at _				_ gpm (cfs) wh	nen co	mbine	ed with	file n	umber	(s)				4.1/1	
Limitation:	af/yr a	t		ALC: No	_ gpm (cfs) wh	nen co	mbine	ed with	file n	umber	(s)		fag/fast-fa	Sept.		10 N 5 A 18 C
15. 5YR Allocation: Allocation	Туре	Sta	rt Year		5 YR	Amou	int		Amo	unt U	nit		Base	Acres		_ Co	omment _			
16. Place of Use CHK			NE:	1/4		N	N¹/4			sv	N ¹ / ₄			S	E1/4		Total	Owner	Chg?	Overlap Files
MOD DEL ENT PUSE S T R	ID	NE 1/4	NW 1/4	SW SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4				6.6
CHK 9313																				
CHK 33774																				
CHK 35511			HAR!	31																
CHK 52427			E				Light.						1					de l'		
		-		E 1									6							
				5 1					15.7				10							
				17 1																
Base Acres: Year:	М	inimum	Reaso	nable Qu	antity:															
Comments:																				

Garden City Field Office 4532 W. Jones, Suite B Garden City, KS 67846



Phone: 620-276-2901 Fax: 620-276-9315 www.agriculture.ks.gov

Mike Beam, Secretary

Laura Kelly, Governor

December 12, 2022

NAIRN & NAIRN FARMS Attn: KEEGAN NAIRN PO BOX 493 JOHNSON, KS 67855

RE:

Field Office Application for Change

Water Right, File Nos. 3312, 3351, 4814, 8240, 9755,

17102, 22167

Dear Sir:

Enclosed are orders executed by the designee of the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, approving the application for change under the above referenced file numbers.

Your attention is directed to the enclosures and to the terms, conditions, and limitations specified in these approvals for change. A condition of these approvals is that an acceptable water flow meter must be installed on the diversion works authorized under the referenced file number and meet current specifications. Please return the required notification of completion of the diversion works and installation of the required meter as soon as these actions are completed.

Since the order modifies the original documents referred to above, they should be recorded with the Register of Deeds as other instruments affecting real estate.

The abandoned well must be plugged in accordance with the requirements of Article 30 of the Rules and Regulations as adopted by the Kansas Department of Health and Environment.

Should you have any questions, please feel free contact this office. If you would prefer, you could arrange an appointment for additional assistance.

Sincerely,

Michael A. Meyer

Water Commissioner

MAM: Enclosures

CERTIFICATE OF SERVICE

On this 13th day of December 2022, I hereby certify that the foregoing Approval of Application for Change in Point of Diversion, Water Right, File Nos. 3312, 3351, 4814, 8240, 9755, 17102, 22167 dated 12th day of December 2022 was mailed postage prepaid, first class, US mail to the following:

NAIRN & NAIRN FARMS Attn: KEEGAN NAIRN PO BOX 493 JOHNSON, KS 67855

Auron holsted

Division of Water Resources Staff

Submit completed application to: Kansas Department of Agriculture Division of Water Resources Field Office for your area. Call for address:

Topeka -- (785) 296-5733 Stafford -- (620) 234-5311 Stockton -- (785) 425-6787 Garden City -- (620) 276-2901 http://agriculture.ks.gov/dwr

DWR FIELD OFFICE APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF USE AND/OR THE POINT OF DIVERSION



STATE OF KANSAS

Filing Fee Must Accompany the Application, K.S.A. 82a-708b(b), as amended.

Fee Schedule is on the third page of this application form.

Paragraph Nos. 1, 2, 3 & 5 must be completed. Complete all other applicable por	rtions. If change in point of diversion is greater
than 100 feet, or if place of use will be changed, include a topographic map or detailed place	at showing the authorized and proposed point(s)
of diversion and/or place of use.	RECEIVED

A 1' 4' -						£ 41 C	N-:- 6 F				4l /-l-			-41-1	Gard	en Cit	v Field	Office
Application	on is here	eby m	nade fo	or appr									ne or b	ootn):	ivision	of W	ater Re	sources
		S. F	ā.,			lace o				Point								
under the				the s									ndition	s desc	cribed	below.		
The source	ce of sup	ply is	3:		⊠ G	round	water			Surfac	ce wat	er						
Name an	d addres	s of	Applica	ant: N	AIRN	& NAII	RN FA	RMS		4					-			
PO BOX	493 JOH	INSC	N, KS	. 6785	5													
Phone No	umber: ()					Email	addre	ss:				TA I				
Name an																		
		,						-	- 1.1								1	
Phone Nu						_		∟mail	addre	ss:								
The prese																		
Owner of																		
											40.1							
(If there is	more than	n one	landow	/ner, at	ach su	ppleme	ental sh	eets as	neces	sary.)								
ec.			NE	1/4			NV	V1/4			SV	V1/4			S	E1/4		TOTAL
Twp.	Range	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	ACITE
					1.5										-		\vdash	
																-		
			1135															
											1-5							
If this app				-										T				
Owner of													-					-
//f th !																		
(If there is	more that	n one	_		acn su	ppieme			neces	sary.)	,							
	-			=1/4				V1/4		-		V¹/4				E1/4		TOTAL
Twp.	Range	NE1/4	NW74	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
	- 11																	

Presently author	rized point o	f diversion:				
One in the	LOT 7	Quarter of the	SW	Quarter of the	SW	Quarte
of Section	6	, Township	29	South, Range	39	W
in STANTON	Co	ounty, Kansas, <u>880</u>	feet North _	4680 feet West of	Southeast corne	er of section.
Authorized Rate		Authorized Quantity		Depth of well	(fee	et)
(DWR use only:	Computer II	O No. 2 GF	PS	feet North	feet We	est)
		☑This point will be chang				
		(Complete only if chan				
One in the	NE	Quarter of the	SW	Quarter of the	SW	Quarte
of Section	6	, Township	29	South, Range	39	W
		ounty, Kansas, <u>848</u>				
Proposed Rate _		Proposed Quantity _		Proposed well depth	(feet)	
This point is:	Additional We	II ☐ Geo Center List of	other water rigi	hts that will use this point	t	
Presently autho						
One in the	LOT 2	Quarter of the	SW	Quarter of the	SW	Quarte
		, Township				
		ounty, Kansas, <u>2690</u>				
Authorized Rate		Authorized Quantity		Depth of well	(fee	et)
		No. 1 GF				
		☐This point will be chang				
		(Complete only if change				
One in the		Quarter of the		Quarter of the		Quarte
of Section		, Township		South, Range		(E/W)
in	Co	ounty, Kansas,	feet North _	feet West of	Southeast corne	r of section.
		Proposed Quantity _				
This point is:	Additional We	II ☐ Geo Center List of	other water righ	nts that will use this point		
		d for the following reason uction on current	300	0 200 100 North	100 200	300
		hed? 🛛 Yes 🔲 No	200	-141+1	1 + 1 +	200
The change(s) (wa	as)(will be) com	npleted by?	100	=	 + +	100
If the point of dive	rsion is a well:		1			1
(a) What are you	going to do wit	th the old well?	West 0	#don mdon mdm & r =	n nn nn nn n	
To be plugged		The second of th	1			7
(b) When will this	be done?	The second secon	100	1 + 1 + 1 =		100
Groundwater Man		ct recommendation attache	d? 200	-1+1=	1 + 1 +	200
Assisted by			300	200 100 0	100 200	300
If the proposed poi	nt of diversion to feet of the ex	will be relocated more than disting point of diversion, at	300	South	Scale: 1 hashma	rk=10 ft

feet but within 2,640 feet of the existing point of diversion, attach a topographic map or aerial photograph. For groundwater sources, show all wells (including domestic) within one-half mile of the proposed point of diversion and the names and mailing addresses of the owners. For surface water sources, show the names and addresses of the landowner(s) one-half mile downstream and one-half mile upstream from your property lines

13b. If the proposed point of diversion will be relocated within a 300 foot radius of the existing point of diversion, indicate its location on the diagram shown above in relation to the existing point of diversion. The proposed point of diversion must be located within the circle shown above. (PLEASE NOTE: The "X" in center of diagram above represents the presently authorized point of diversion.)

APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF USE AND/OR POINT OF DIVERSION

SUPPLEMENTAL SHEET
FILE NO. 3351 /7/02

Presently authorized	point of diversion:		
One in the	Quarter of the6, Township	Quarter of the _	LOT 4 (NWNW) Quarte
in ST	County, Kansas, 4000	feet North 4944 feet West	of Southeast corner of section.
Authorized Rate	Authorized Quantity	Depth of well	(feet)
DWR use only: Con	Authorized Quantity nputer ID No. 04 GPS	feet North	feet West)
This point will not be	changed This point will be change	ed as follows: No change, point be	tter described with GPS as follows
Proposed point of di	version: (Complete only if change	is requested)	
One in the	Quarter of the	Quarter of the	Quarte
of Section	, Township County, Kansas, Proposed Quantity	South, Range	(E/W)
in	County, Kansas,	feet North feet West	of Southeast corner of section.
Proposed Rate	Proposed Quantity	Proposed well de	epth (feet)
This point is: Addit	ional Well Geo Center List oth	er water rights that will use this po	int
Presently authorized			
One in the	Quarter of the	Quarter of the	Quarte
of Section	Quarter of the, Township	South, Range _	(E/W
in	County, Kansas,	feet North feet West	of Southeast corner of section.
Authorized Rate	Authorized Quantity nputer ID No GPS	Depth of well	(feet)
DWR use only: Con	nputer ID No. GPS	feet North	feet West)
This point will not be	changed This point will be change	ed as follows: No change, point be	tter described with GPS as follows
roposed point of di	version: (Complete only if change	is requested)	
One in the	Quarter of the	Quarter of the	Quarte
of Section	, Township	South Range	(F/W
n	, Township	feet North feet West	of Southeast corner of section
Proposed Rate	Proposed Quantity	Proposed well de	enth (feet)
This point is: \(\square \text{Addit}	ional Well Geo Center List oth	or water rights that will use this no	int
Presently authorized One in the	Quarter of the	Quarter of the _	Quarte
in	, Township County, Kansas,	foot North foot West	of Southeast corner of section
Authorized Pate	Outly, Nations,	Denth of well	(feet)
DWR use only: Con	Authorized Quantity nputer ID No GPS	feet North	feet West)
This point will not be	changed This point will be change	ed as follows: No change, point be	tter described with GPS as follows
Proposed point of di	version: (Complete only if change	is requested)	
One in the	Quarter of the, Township County, Kansas,	Quarter of the _	Quarte
of Section	, Township/	South, Range _	(E/W)
n	County, Kansas,	feet North feet West	of Southeast corner of section.
Proposed Rate	Proposed Quantity	Proposed well de	epth (feet)
This point is: Addit	ional Well Geo Center List oth	er water rights that will use this po	int
	point of diversion:		
One in the	Quarter of the	Quarter of the _	Quarte
of Section	, Township County, Kansas,	South, Range _	(E/W)
n	County, Kansas,	feet North feet West	of Southeast corner of section.
Authorized Rate	Authorized Quantity	Depth of well	(feet)
DWR use only: Con	Authorized Quantity	feet North	feet West)
	version: (Complete only if change		tter described with GFS as follows
one in the	Quarter of the	Quarter of the _	Quarte
of Section	, Township	South, Range _	(E/W
n/	County, Kansas,	teet North feet West	of Southeast corner of section.
Proposed Rate <a>	Quarter of the, Township County, Kansas, Proposed Quantity	Proposed well de	pth (feet)
his point is: Addit	ional Well Geo Center List other	er water rights that will use this po	int
1-121-2 (Revised 5/1/201	9) Page	e	File No


DWR 1-121-2 (Revised 5/1/2019)

14. II the	e proposed groundwater point of divers	sion is 300 or lewer leet from the existing	ig point of diversion, complete tr	ne following:
		wners of the currently authorized place(wners must sign this application.)	s) of use identified in this applica	ation?
	affected if this application is approved	ner of the currently authorized place(s) as requested? owners must sign this application.)	of use identified in this applica	ation be adversely
		editiously, will there be substantial dama wners must sign this application.)	age to property, public health or	safety?
or a char		nge in point of diversion, a groundwate st be signed by all owners of the currer epresentation).		
age and	the owner, the spouse of the or half, in regards to the water rig ed in this application are true, c	upon my oath or affirmation and uwner, or a duly authorized agent ht(s) to which this application peoprect and complete. , Kansas, this	of the owner(s) to make thi ertains. I further verify that	s application on
Dated at		, Nanoas, this	ay or 1 10 Decado	, 20
	to he	<u> </u>		
	(Owner)		(Spouse)	
	Keegan Naich			
	(Please Print)		(Please Print)	
	(Owner)		(Spouse)	
	(Please Print)		(Please Print)	
	(Owner)		(Spouse)	
	(Please Print)		(Please Print)	
	f Stauton s	ication was signed in my present	Notary Public - State of Kansas	this D day
		snas Bla	nca M	
	mission Expires Feb 7 C	ESSED. To be complete, all of the applicab	le partiage of the application form m	ust be completed with
accurate i	nformation; maps, if necessary, must be incorriate fee must be paid.	cluded; signatures of all the appropriate own	ers' must be affixed to the application	on and notarized; and
		FEE SCHEDULE		
forth in th (ne schedule below: Make checks paya 1) Application to change a point of div 2) Application to change a point of div	the point of diversion under this section able to: Kansas Department of Agricu version 300 feet or less	ulture	\$100 \$200
DWR 1-12	21 (Revised 09/11/2019)	Page 3	Fi	le No

SUMMARY ORDER APPROVING APPLICATION FOR CHANGE AND IMPOSING CONDITIONS

pro	visions of the Kansas Water Appropriation Law, K.S.A. 82a	08b, as amended, and K.A.R. 5-5-1, et seq. and other applicable -701 et. seq., and rules and regulations promulgated thereunder, in, this Summary Order does not change the terms, conditions and
1.	A change application was received on diversion authorized under the above-referenced file num	requesting that the place of use and / or point of ber be changed as described in the application.
2.	On and after the effective date of this summary order, the authe topographic map accompanying the application to cha	thorized place(s) of use shall be located substantially as shown on ange the place of use. Applicable Not Applicable
3.	The change in point of diversion shall not impair existing rig previously authorized. The point of diversion authorized radius of the authorized point(s) of diversion. Application	hts and shall be limited to the same source or sources of water as by this summary order shall be located within a foot ole Not Applicable
4.	The point(s) of diversion described herein is administrative Positioning System (GPS), as described in the application	ely corrected to be more accurately described using the Global n. Applicable Not Applicable
5.	The point(s) of diversion authorized herein/shall not actually authorized point(s) of diversion. Applicable \(\subseteq \)	be located more than feet from the previously lot Applicable
6.	As required by K.A.R. 5-3-5d, if the works for diversion is a vor other device suitable for making water level measurement K.A.R. 5-6-13. Applicable Not Applicable	well with a diversion rate of 100 gallons per minute or more, a tube ents shall be installed, operated and maintained in accordance with
7.	December 31, 20 3, or before the first use of water operated and maintained in accordance with K.A.R. 5-1-4	operly install an acceptable water flow meter on or before, whichever occurs first. The water flow meter shall be installed, through 5-1-12. As required by K.S.A. 82a-732, as amended, and t the reading of the water flow meter and the total quantity of water ing the end of each calendar year.
8.	authorized extension of time. By March 1, 20 25 the	completed on or before December 31, 20 23, or within any applicant shall notify the Chief Engineer that construction of the vided by the Chief Engineer, as required by K.A.R. 5-8-4e.
9.	The completed well log shall be submitted with the requ	ired notice. Applicable Not Applicable
10.	with an in-line, automatic, quick-closing check valve capa	foreign substance will be injected into the water shall be equipped able of preventing pollution of the source of the water supply. The in accordance with K.A.R. 5-3-5c. Applicable Not Applicable
11.	Additional Conditions are attached. Yes No	
12.	water appropriated under the above-referenced file num limitations, as amended and/or supplemented by this Sur Appropriation Law and the Rules and Regulations promi	A.R. 5-5-14, all of the owners of the authorized place(s) of use of ber are responsible for compliance with its terms, conditions and mmary Order, and with applicable provisions of the <i>Kansas Water</i> ulgated thereunder. Failure to comply with these provisions may nended, and/or the suspension or revocation and dismissal of the ons authorized by law.
	Administrative Appeal and Effective Date of Order	FOR OFFICE USE ONLY
If you English Agriculture adri day revisite Leg 665	ou are aggrieved by this order, pursuant to K.S.A. 82a-1901, may request an evidentiary hearing before the Chief gineer or request administrative review by the Secretary of iculture. A request for hearing by the Chief Engineer must be divithin 15 days of service of this Order and a request for ninistrative review by the Secretary must be filed within 30 is pursuant to K.S.A. 77-531. Any request for administrative ew must state a basis for review pursuant to K.S.A. 77-527. It is any request with Kansas Department of Agriculture, and Division, 1320 Research Park Drive, Manhattan, KS 102. Failure to timely request a hearing or review may clude review under the Kansas Judicial Review Act. For Use by Register of Deeds	By: Duly Authorized Designer of the Chief Engineer
		Acknowledged before me on 12 Pecember 2022
		by MECHALLAMETER.
		Signature: Signature:
		Notary Public
		My commission expires: KEVIN L. SALTER PUBLIC AND AND ASSOCIATION OF THE PUBLIC AND ASSOCIATIO
DW	R 1-121 (Revised 09/11/2019)	ge 4 File No


CORPORATE 75471 ROAD 435 LEXINGTON, NE 68850 308-324-2303



3210 ANTELOPE AVE. STE D **KEARNEY, NE 68847** 308-237-9283

525 INDUSTRIAL DR GARDEN CITY, KS 67846 620-277-7971


NAIRN FARMS
SW 6-29S-39W
STANTON CO, KS
WR #17102, #3351, #4814,
#8240



Well Design & Construction

"PROPOSED"

Custom	er Name: NAIRN FARMS	WR #17102, #3351, #4814, #8240
Legal:	SW 6-29S-39W	County: STANTON
G.P.S.:	37.55029 N	Date:
	101.6328 W	WO #:
		WATER OURSE V. CERTIFICATION
DRILLER:	21.	WATER SUPPLY: IRRIGATION WELL
HELPER(S	DLE DIAMETER: 30"	DRILLING RIG: M-100 DRILLING METHOD: REVERSE CIRCULATION
	NG DIAMETER: 30"	QUIKGEL: TBD HOLE PLUG: 20'+
	WELL DEPTH: 630'	GRAVEL: 130 TON #1 COARSE & #1 C / #1 F 70/30
	RILLING FLUID: TBD	GRAVEL SUPPLIER: HUBER
	DITIONAL INFO: AT TEST HOLE #1	36" X 20' SURFACE CASING
GROUT		
AND		SCREEN AND
GRAVEL		CASING
0' 1" 5	SOUNDER TUBE ->	4" GRAVEL TUBE 0'
		36" X 20' CMP SURFACE CASING
HOLE PLUG	CHIP GROUT	46" BORE HOLE
		CONCRETE GROUT
		40'
		16" .250 WALL
		PLAIN
		STEEL CASING
	#1 COARSE	
	GRAVEL	
	PACK	
		380'
		40% IOUNOON
		16" JOHNSON
		.080 SLOT
		AGRI-SCREEN
480' —		480'
400		
		16" JOHNSON
#1	FINE & #1 COARSE	.050 SLOT
	70 / 30 MIX	AGRI-SCREEN
	GRAVEL PACK	
	SOUNDER TUBE	620'
	STOPS AT 620'	16" .250 WALL
		PLAIN STEEL CASING
630'		(SUMP) 630'





CUSTOMER NAME: NAIRN NAIRN FARMS

LEGAL: SW 6-295-39W

COUNTY: STANTON CO, KS

GPS: 37.55029

-101.6328

	-	-	DRILLE	R: DIEGO V		VIII	WO:	22-377
w	FROM	то	ТҮРЕ	HARDNESS	COLOR	SPEED	PULL DOWN	OTHER / DRILLING ACTION
	0	3	TOP SOIL	SOFT	BROWN	FAST	1.11.1	SMOOTH
	3	8	BROWN SILTY CLAY	SOFT	BROWN	FAST		SMOOTH
	8	14	FINE SAND	SOFT		FAST		VIBRATION
	14	37	SANDY CLAY W/ BROWN CLAY	SOFT	BROWN	FAST		SMOOTH
	37	60	SANDY CLAY W/ FINE SAND	SOFT	TAN	FAST		VIBRATION
	60	68	FINE-MED-COARSE SAND W/ FINE GRAVEL	FIRM		FAST		FAST CHATTER
	68	75	SANDY CLAY	SOFT	TAN	FAST		SMOOTH
	75	87	FINE-MED-COARSE SAND W/ FINE GRAVEL	FIRM		FAST		FAST CHATTER
	87	93	SANDY CLAY	SOFT	TAN	FAST		sмоотн
	93	106	FINE-MED-COARSE SAND	FIRM		FAST		FAST CHATTER
	106	124	SANDY CLAY	SOFT	TAN	FAST		SMOOTH
	124	128	FINE-MED-COARSE SAND	FIRM		FAST		FAST CHATTER
	128	136	FINE-MED-COARSE SAND W/ CEMENTED SAND TRACE	FIRM	BROWN	FAST		FAST CHATTER
	136	149	SANDY CLAY W/ FINE SAND	SOFT		FAST		VIBRATION
	9	164	BROWN CLAY	SOFT	BROWN	FAST		SMOOTH
	164	186	FINE-MED-COARSE SAND	FIRM		FAST		FAST CHATTER
	186	192	FINE-MED-COARSE SAND W/ CEMENTED SAND	STIFF	BROWN	SLOW		CHATTER
	192	208	SANDY CLAY W/ FINE SAND	SOFT	BROWN	FAST		VIBRATION
	208	212	FINE-MED-COARSE SAND	FIRM		FAST		FAST CHATTER
	212	246	BROWN CLAY W/ FINE SAND LAYERS /	SOFT	BROWN	FAST		VIBRATION
	246	286	FINE-MED-COARSE SAND	FIRM		FAST		FAST CHATTER
	286	302	BROWN CLAY / STATIC,	SOFT	BROWN	FAST		sмоотн
	302	410	FINE-MED-COARSE SAND WE FINE GRAVEL & LINE ROCK - 400	STIFF	WHITE	FAST		EAST CHATTER
	A15	431	FINE-MED GRAVEL WILLIME ROCK & BROWN ROCK	STIFF	BROWN	SLOW	b (12-12-12)	CHATTER
	431	437	HARD SPOT	HARD		SLOW		CHATTER
100	437	445	FINE-MED-COARSE SAND W/ BROWN SILTY CLAY	FIRM	BROWN	FAST		CHOPPY & SMOOT
1	445	1477	FINE SAND WI BROWN ROCK & SANDSTONE	STIFF	YELLOW &	FAST		FAST CHAFTER
	477	485	RED CLAY	SOFT	RED	SLOW		СНОРРУ
	485	490	YELLOW SOAPSTONE W SANDSTONE & FINE SAND	STIFF	YELLOW	FAST		CHORPY
	400	510	SINE SAND W SANDSTONE & SROWN ROCK	STIFF	BROWN	FAST.		FAST CHATTER
	512	916	FINE SAND W/ SANDSTONE / BROWN ROCK & RED CLAY	STIFF	BROWN & RED	FAST		FAST CHAFTER
	5/5	555	FINE SAND W/ SANDSTONE / BROWN ROCK / & YELLOW SDAPSTONE	STIFF	BROWN	FAST		FAST CHATTER
	555	578	FINE SAND W. SANDSTONE / BROWN FOCK & BROWN SILTY CLAY	FIRM	BROWN	FAST.		СНОРРУ
	3	593	BROWN SILTY CLAY WI AROWN & ROCK SANDSTONE TRACE	SOFT	YELLOW &	FAST		SMOOTH &
	693	608	BROWN ROCK W. SANDSTONE & FINE SAND	STIFF	YELLOW & WHITE	PAST		FAST CHATTER

608	615	GREEN CLAY	FIRM	GREEN	SLOW		SMOOTH
615	620	RED BED	HARD	RED	SLOW	1000 PSI	CHATTER
1 1	-				Digital .		
	100	QG-5	Santal Control of the				
		WATER LOADS - 2				17,000	
		SA - 1/2					
		BRAN - 1			Tel 199		
		HOLE PLUG - 2					
	150	CS-1				1	
1 30E	2.0	Consultation and the second					
						No. of the	
						2 E 7 E	
						-	-
	1				2 / / / / / / /		
	-	The state of the s		TANK BEREIN			
					le be		
				20 2024			
		The state of the s			4 14 14		
7.15			Angerical designation				HANDEY TO
		S CONTRACTOR OF THE SAME				3 7 7 10 2	Lander Comme
				To the same of			1 - 14 - 14 - 14
					01 P 18E8	M PLATE	
_					10000	V. WYYO	
	1				1		
100							
	-				200		
	-					+	
	-	23					
		A STATE OF THE STA					
			de la constitución de la constit				
					h la e		
		The second secon				194	
						4 33	
					E V (1)	1 400	11 11 10 1
						120.0	e santena
	F 1 300				No. of State	1 102 103	
1444							9
-					15 5 50	7.4 (- 1)	
						DI Land	
Code	-					The latest	
						10 LU. Talle	
					The state of		H FIRE STATE
				ME BULLEY	# B 115	ELA COMPA	The Agency of

. .





NAIRN NAIRN FARMS

COMPANY

: DOWNEY DRILLING INC

WELL

: NAIRN NAIRN FARM TH#1

LOCATION/FIELD

COUNTY

: STANTON C

LOCATION

: SW

SECTION

TOWNSHIP

: 295

RANGE: 39W

DATE

: 09/15/22

DEPTH DRILLER

: 620

LOG BOTTOM

: 620.30

LOG TOP 0.90

CASING DIAMETER: 10.

C' "NG TYPE

C, JING THICKNESS:

BIT SIZE

: 6.25 MAGNETIC DECL. : 0

MATRIX DENSITY : 2.71

NEUTRON MATRIX: LIMESTON

OTHER SERVICES:

PERMANENT DATUM : GL

LOG MEASURED FROM: GL

KB

DF

GL

DRL MEASURED FROM: GL

LOGGING UNIT : 1903 FIELD OFFICE : DDI

RECORDED BY

BOREHOLE FLUID

RM TEMPERATURE

MATRIX DELTA T

RM

: DIEGO

: 49

: MUD

FILE : ORIGINAL

TYPE : 8144A


LGDATE: 09/15/22


LGTIME: 17:43:


THRESH: 99999


N 37.55029 W-101.63280


ALL SERVICES PROVIDED SUBJECT TO STANDARD TERMS AND CONDITIONS














	GAIMMA			KES(16N)		KES	
-700	MV	-500	0	ОНМ-М	10065	DEG_F	75
	SP			RES(64N)		TEMP	
0	ОНМ-М	10	0	OHM-M	100		
	RES(FL)	FEET		LATERAL			

TOOL CALIBRATION NAIRN NAIRN FARMS 09/15/22 17:43 TOOL 8144A TM VERSION 1 SERIAL NUMBER 365

	SERIAL NUMBER 300						
	DATE	TIME	E SENSOR	STANDARD		RESPONSE	
1	Feb08,18	07:51:35	GAMMA	1.000	[API-GR]	4.000	[CPS]
	Feb08,18	07:51:35	GAMMA	340.000	[API-GR]	290,000	[CPS]
2	Jul12,17	13:24:17	RES(FL)	1.330	[OHM-M]	7595.000	[CPS]
	Jul12,17	13:24:17	RES(FL)	42.700	[OHM-M]	64820,000	[CPS]
3	Jan 14,22	08:32:51	SP	0.000	[MV]	327768.000	[CPS]
	Jan14,22	08:32:51	SP	381.500	[MV]	164650.000	[CPS]
4	Jan14,22	08:33:01	RES(16N)	0.000	[OHM-M]	3453.000	[CPS]
	Jan 14,22	08:33:01	RES(16N)	1951.500	[OHM-M]	448089.000	[CPS]
5	Jan14,22	08:33:10	RES(64N)	0.000	[OHM-M]	3163.000	[CPS]
	Jan14,22	08:33:10	RES(64N)	1994.000	[OHM-M]	449170.000	[CPS]
6	Jul12,17	13:17:49	TEMP	33.400	[DEG_F]	66910.000	[CPS]
	Jul12,17	13:17:49	TEMP	102.200	[DEG_F]	270930.000	[CPS]
7	Jan14,22	08:33:36	RES	0.000	[OHM]	21285.000	[CPS]
	Jan 14,22	08:33:36	RES	944.000	[OHM]	190148.000	[CPS]
1							