## NOTICE

This scan only represents the application as filed. The information contained herein meets the requirements of K.A.R. 5-3-1 or K.A.R. 5-5-1, and has been found acceptable for filing in the office of the Chief Engineer. The application should not be considered to be a complete application as per K.A.R. 5-3-1b or K.A.R. 5-5-2a.

Submit completed application to: Kansas Department of Agriculture Division of Water Resources Field Office for your area. Call for address:

Topeka -- (785) 296-5733 Stafford -- (620) 234-5311 Stockton -- (785) 425-6787 Garden City -- (620) 276-2901 http://agriculture.ks.gov/dwr

# DWR FIELD OFFICE APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF USE AND/OR THE POINT OF DIVERSION



#### STATE OF KANSAS

Filing Fee Must Accompany the Application, K.S.A. 82a-708b(b), as amended. Fee Schedule is on the third page of this application form.

Paragraph Nos. 1, 2, 3 & 5 must be completed. Complete all other applicable portions. If change in point of diversion is greater than 100 feet, or if place of use will be changed, include a topographic map or detailed plat showing the authorized and proposed point(s) of diversion and/or place of use.

					F	ile No	2	4050									11:00	0 2022
1.	Application is he	reby n	nade fo	or appr	oval o	f the C	hief E	nginee	r to ch	ange	the (ch	eck or	e or b	oth):		C	- Oite	E: 11 0 m
	☐ Place of Use ☐ Point of Diversion											Di	Garden City Field Office Division of Water Resource					
	under the water	right w	hich is	the su	ubject	of this	applic	ation i	n acco	rdance	e with t	he cor	ndition	s desc				
	The source of su	apply is	3:		⊠G	round	water			Surfac	ce wate	er						
2.	Name and addre	ess of	Applica	ant: JA	COB	NEUF	ELD											
	6001 W PARAL	LEL R	OAD, (	SARDE	EN CIT	Y, KS	67840	6										
	Phone Number:	(620)	271-82	283				Email	addre	ss:								
	Name and addre	ess of	Water	Use C	orresp	onden	t: SAI	ME AS	ABO\	/E								
	SAME AS ABOY	/E																
	Phone Number:	Phone Number: () Email address:																
3.	The presently authorized place of use is:																	
	Owner of Land NAME: NO CHANGE																	
	ADDRESS: NO CHANGE																	
	(If there is more th	an one	landow	ner, att	tach su	ppleme	ental sh	eets as	neces	sary.)				,				
		NE1/4			NW¼			SW1/4			SE¼			TOTAL				
Se	c. Twp. Range	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	ACRES
4.	If this application Owner of Land	NA ADDRI	AME:	NO CH	IANGI	=					ace of	use be	e chan	ged to	:			
			NE	1/4			NV	N1/4			SV	N1/4			SI	Ξ1/4		TOTAL
Se	c. Twp. Range	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	ACRES
			1							/					4			
	For Office Use	Only:	Code		Fe	e \$	200.	0U TR	#		Re	eceipt	Date _	5-10	-22	Chec	k#	237

5.	Presently author	rized point o	of diversion:				
	One in the	NC	Quarter of the	NE	Quarter of the		Quarter
	of Section	24	, Township	26	South, Range	34	W,
- 1	in FINNEY	C	ounty, Kansas, <u>3937</u>	feet North _	1331 feet West of S	outheast corner	of section.
		norized Rate Authorized Quantity					
					feet North		
	☐This point will no	ot be changed	☐This point will be change	ed as follows:	☐ No change, point better de	scribed with GPS	as follows:
	Proposed point	of diversion	: (Complete only if change	ge is request	ed or if existing point is t	oetter described	by GPS)
- 1					Quarter of the		
- 1	of Section	24	, Township	26	South, Range	34	W,
					2330 feet West of S		
- 1					Proposed well depth (		
L	This point is:	Additional W	ell Geo Center List o	ther water rig	hts that will use this point _		*
_				***			
6.	Presently author						
					Quarter of the		
					South, Range		
					feet West of S		
					Depth of well		
					feet North		•
- 1		-			No change, point better de		
	Proposed point	of diversion	: (Complete only if change	ge is request	ed or if existing point is t	<u>petter described</u>	by GPS)
- 1					Quarter of the		
- 1					South, Range		
					feet West of S		
					Proposed well depth (		
L	This point is:	Additional W	ell Geo Center List o	ther water rig	hts that will use this point _		·
7.	The changes here	ein are desir	ed for the following reason	197			
					North		
				300		100 200	300
					1		· · · ]
8.	If a well, is the test	t hole log atta	ched? Xes No	200	-141+1=	+   +	200
9.	The change(s) (wa	as)(will be) co	mpleted by?		=/_ =	'	\=
				100	$I_1 + I_2 + I_3 = I_3$	1 + 1 + 1	100
	***************************************		AND THE RESIDENCE OF THE PROPERTY OF THE PROPE	100	1 ' ' ' =		100
10.	If the point of diver	rsion is a well	:	1			1
	(a) What are you	going to do w	vith the old well?	West 0		[mm]mm[mm]mm]	1++ <u>∓</u> 0 East
				1	=		4
	(h) Mhon will this	he dene?		100	++++=	1+1+1	100
	(b) When will this	be done :					/=
11	Groundwater Man	agament Diet	rict recommendation attache	43		/.	=======================================
11.	and the same of th	agement Disti 'es	ict recommendation attache	d? 200	- \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	+   +	200
	_ ·	00 110		E	= = =		=
12.	Assisted by JG/G0	CFO		300		100 200	300
13a	.If the proposed poi	nt of diversion	will be relocated more than	300	33411	Scale: 1 hashmark=	-10 /1

feet but within 2,640 feet of the existing point of diversion, attach a topographic map or aerial photograph. For groundwater sources, show all wells (including domestic) within one-half mile on the diagram shown above in relation to the existing point of diversion, indicate its location on the diagram shown above in relation to the existing point of of the proposed point of diversion and the names and mailing addresses of the owners. For surface water sources, show the names and addresses of the landowner(s) one-half mile downstream and one-half mile upstream from your property lines

foot radius of the existing point of diversion will be relocated within a soo foot radius of the existing point of diversion, indicate its location on the diagram shown above in relation to the existing point of diversion. The proposed point of diversion must be located within the circle shown above. (PLEASE NOTE: The "X" in center of diagram above represents the presently authorized point of diversion.)


14. If the proposed groundwater point of diversion is 300 or fewer feet in	om the existing point of diversion, complete the following:
(a) Does the undersigned represent all owners of the currently authors   ☐ Yes ☐ No (If no, all owners must sign this applied)	
<ul> <li>(b) Will the ownership interest of any owner of the currently author affected if this application is approved as requested?</li> <li>☐ Yes</li> <li>☐ No</li> <li>(If yes, all owners must sign this appl</li> </ul>	
(c) If this application is not approved expeditiously, will there be sub ☐ Yes ☐ No (If no, all owners must sign this applied	
If the application proposes a surface water change in point of diversion, a or a change in place of use, the application must be signed by all owners agent (attach notarized statement authorizing representation).	groundwater change in point of diversion greater than 300 feet, of the currently authorized place of use, or their duly authorized
I hereby verify, being first duly sworn upon my oath or affirm age and the owner, the spouse of the owner, or a duly author their behalf, in regards to the water right(s) to which this appropriate in this application are true, correct and complete.	ized agent of the owner(s) to make this application on olication pertains. I further verify that the statements
Dated at, Kansas, this	$10^{10}$ day of $20_{av}$ , $20_{av}$ .
(Owner)	Agenetha Guerfeld (Spouse)
Jacob Neufeld	1-anthon hours, ld
(Please Print)	(Please Print)
(Owner)	(Spouse)
(Please Print)	(Please Print)
(Owner)	(Spouse)
(Please Print)	(Please Print)
State of Kansas	
County of Juney	44
I hereby certify that the foregoing application was signed in r	
JULIE JONES  My Appointment Expires	Julie Jomes
My Commission Expires December 15, 2022	Notary Public
ONLY COMPLETE APPLICATIONS WILL BE PROCESSED. To be complete, all accurate information; maps, if necessary, must be included; signatures of all the appropriate fee must be paid.	of the applicable portions of the application form must be completed with oppropriate owners' must be affixed to the application and notarized; and
FEE SCHEDL	<u>ILE</u>
Each application to change the place of use or the point of diversion under forth in the schedule below: Make checks payable to: <b>Kansas Departm</b> (1) Application to change a point of diversion 300 feet or less (2) Application to change a point of diversion more than 300 feet (3) Application to change the place of use	ent of Agriculture \$100 t

#### SUMMARY ORDER APPROVING APPLICATION FOR CHANGE AND IMPOSING CONDITIONS

pro Wit	visions of the Kansas Water Appropriation Law, K.S.A. 82a	-701 et. seq., and rules and regulations promulgated thereunder in, this Summary Order does not change the terms, conditions and
1.	A change application was received on diversion authorized under the above-referenced file num	requesting that the place of use and / or point of other be changed as described in the application.
2.	On and after the effective date of this summary order, the authe topographic map accompanying the application to cha	athorized place(s) of use shall be located substantially as shown on ange the place of use. ☐ Applicable ☐ Not Applicable
3.	The change in point of diversion shall not impair existing rig previously authorized. The point of diversion authorized radius of the authorized point(s) of diversion.   Applicat	hts and shall be limited to the same source or sources of water as by this summary order shall be located within a foot ble
4.	The point(s) of diversion described herein is administrative Positioning System (GPS), as described in the application	rely corrected to be more accurately described using the Globa n.   Applicable  Not Applicable
5.	The point(s) of diversion authorized herein shall not actually authorized point(s) of diversion.   Applicable	be located more than feet from the previously Not Applicable
6.	As required by K.A.R. 5-3-5d, if the works for diversion is a vor other device suitable for making water level measuremed K.A.R. 5-6-13. Applicable Not Applicable	well with a diversion rate of 100 gallons per minute or more, a tube ents shall be installed, operated and maintained in accordance with
7.	<b>December 31, 20,</b> or before the first use of water operated and maintained in accordance with K.A.R. 5-1-4	operly install an acceptable water flow meter on or before, whichever occurs first. The water flow meter shall be installed, through 5-1-12. As required by K.S.A. 82a-732, as amended, and it the reading of the water flow meter and the total quantity of water ing the end of each calendar year.
8.	authorized extension of time. By March 1, 20 the	e completed on or before December 31, 20, or within any a applicant shall notify the Chief Engineer that construction of the vided by the Chief Engineer, as required by K.A.R. 5-8-4e.
9.	The completed well log shall be submitted with the requ	uired notice. ☐ Applicable ☐ Not Applicable
10.	with an in-line, automatic, quick-closing check valve capa	foreign substance will be injected into the water shall be equippedable of preventing pollution of the source of the water supply. The lin accordance with K.A.R. 5-3-5c.  Applicable  Not Applicable
11.	Additional Conditions are attached.	
12.	water appropriated under the above-referenced file num limitations, as amended and/or supplemented by this Sun Appropriation Law and the Rules and Regulations prom	A.R. 5-5-14, all of the owners of the authorized place(s) of use of ber are responsible for compliance with its terms, conditions and mmary Order, and with applicable provisions of the <i>Kansas Water</i> ulgated thereunder. Failure to comply with these provisions may mended, and/or the suspension or revocation and dismissal of the lons authorized by law.
	Administrative Appeal and Effective Date of Order	FOR OFFICE USE ONLY
lf vo	ou are aggrieved by this order, pursuant to K.S.A. 82a-1901,	APPLICATION APPROVED AND
you Eng Agr	may request an evidentiary hearing before the Chief inner or request administrative review by the Secretary of iculture. A request for hearing by the Chief Engineer must be within 15 days of service of this Order and a request for	By: Duly Authorized Designee of the Chief Engineer
adn	ninistrative review by the Secretary must be filed within 30	
<b>day</b> revi	s pursuant to K.S.A. 77-531. Any request for administrative ew must state a basis for review pursuant to K.S.A. 77-527.	(Print Name): Division of Water Resources - Kansas Department of Agriculture
File	any request with Kansas Department of Agriculture, al Division, 1320 Research Park Drive, Manhattan, KS	Date of Issuance:
665	<b>02</b> . Failure to timely request a hearing or review may	State of Kansas )
pre	clude review under the Kansas Judicial Review Act.  For Use by Register of Deeds	188
	Torose by Negister of Deeds	County of)
		Acknowledged before me on
		by
		Signature:Notary Public
		My commission expires:(Notary Seal)
		(Notary Seal)

### **CHANGE IN PLACE OF DIVERSION WATER RIGHT, FILE NO. 24050**

NE 1/4 of Section 24 Township 26 South Range 34 West Finney County



Authorized Point of Diversion

Proposed Point of Diversion

Domestic Well within 1/2 mile

1/2 mile buffer



All wells of any kind within 1/2 mile of the requested place of use have been plotted. VVLLL LUG

G-119B

DATE: 4/4/2022

(620) 271 828

CUSTOMER NAME: SANDY ACRES LLC G-119B TH#2

(Jacob Neufeld)

LEGAL: NE 24-26S-34W

COUNTY: FINNEY CO, KS

GPS: 37.774352

-100.988244

FROM	то	ТҮРЕ	HARDNESS	COLOR	SPEED	PULL DOWN	OTHER / DRILLING ACTION
0	3	TOPSOIL W/ FINE SAND	SOFT	BROWN	FAST		SMOOTH
3	7	BROWN SILTY CLAY	SOFT	BROWN	FAST		SMOOTH
7	38	SANDY CLAY W/ FINE SAND	SOFT	TAN	FAST		SMOOTH & VIBRATION
38	64	FINE-MED-COARSE SAND W/ FINE GRAVEL	STIFF		FAST		FAST CHATTER
64	93	FINE-MED-LARGE GRAVEL W/ FINE-MED-COARSE SAND	STIFF		FAST		CHATTER
93	98	BROWN CLAY	SOFT	BROWN	FAST		SMOOTH
98	121	SANDY CLAY W/ FINE-MED SAND	FIRM	TAN	FAST		SMOOTH & CHOP
121	125	FINE-MED-COARSE SAND	FIRM		FAST		FAST CHATTER
125	129	SANDY CLAY W/ A LITTLE WHITE CLAY	SOFT	TAN & WHITE	FAST		SMOOTH
129	138	FINE-MED-COARSE SAND	FIRM		FAST		FAST CHATTER
138	141	SANDY CLAY	SOFT	TAN	FAST		SMOOTH
141	180	FINE-MED-COARSE SAND W/ FINE GRAVEL	STIFF		FAST		FAST CHATTER
180	209	FINE-MED-COARSE SAND W/ FINE GRAVEL & SANDY CLAY LEDGES	STIFF	TAN			FAST CHATTER
209	229	TAN STICKY CLAY	STICKY	TAN	FAST		SMOOTH
229	250	SANDY CLAY W/ FINE SAND	SOFT		FAST		SMOOTH & VIBRATION
250	292	FINE-MED-COARSE SAND W/ FINE GRAVEL & LIMEROCK	FIRM	TAN / WHITE	FAST		FAST CHATTER
292	305	FINE-MED-COARSE SAND & TRACES OF LIMEROCK	FIRM	WHITE	NOT AS FAST		CHATTER IN & OU
305	311	FINE-MED-COARSE SAND	FIRM	TAN	FAST		FAST CHATTER
311	316	FINE-MED, COARSE SAND	SOFT	TAN	FAST		CHATTER
316	320	SANDY CLAY	SOFT	TAN	FAST		SMOOTH
320	329	FINE-MED-COARSE SAND	FIRM		FAST		CHATTER
329	345	SANDY CLAY	SOFT	TAN	FAST		SMOOTH
345	355	FINE SAND W/ SANDY CLAY	SOFT	TAN	FAST		IN & OUT CHATTE
355	365	BROWN STICKY CLAY	STICKY	BROWN	FAST		SMOOTH
365	380	SANDY CLAY W/ BROWN STICKY CLAY	STICKY	TAN & BROWN	FAST		SMOOTH
380	395	BROWN STICKY CLAY	STICKY	BROWN	FAST		SMOOTH
395	414	SANDY CLAY W/ FINE SAND	SOFT	TAN	FAST		SMOOTH & VIBRATION
414	418	SANDSTONE W/ BROWN ROCK, FINE SAND & SOME LIMEROCK	STIFF	BROWN & WHITE	FAST		FAST CHATTER
418	433	GRAY CLAY	SOFT	GRAY	SLOW		SMOOTH
433	445	SANDY CAY W/ FINE SAND & A LITTLE LIMEROCK	FIRM	TAN & WHITE	FAST		SMOOTH & CHOP
445	450	FINE SAND W/ BROWN ROCK & SANDSTONE	FIRM	BROWN	FAST		FAST CHATTER
450	457	WEATHERED SHALE	SOFT	GRAY & YELLOW	SEMI- SLOW		SMOOTH
457	461	WHITE SOAPSTONE W/ SANDSTONE & BROWN ROCK	FIRM	WHITE & BROWN	FAST		CHOPPY
461	471	FINE SAND W/BROWN ROCK, SANDSTONE & TRACE OF RED SOAPSTONE	STIFF	BROWN & RED	FAST		FAST CHATTER
471	486	GRAY CLAY W/ BLUE CLAY	SOFT	GRAY & BLUE	SLOW		SMOOTH
	1			IGRAY &	1		

499	501	HARD SPOT	HARD		SLOW	х	CHATTER
501	509	GRAY CLAY W/ IRON PYRITE TRACE	FIRM	GRAY			SMOOTH & CHOP
509	516	IRON PYRITE W/ GRAY CLAY	HARD	GRAY	SLOW		CHATTER
516	525	FINE SAND W/ SANDSTONE & TRACE OF IRON PYRITE	STIFF	GRAY	FAST		FAST CHATTER
525	535	GRAY CLAY	SOFT	GRAY	SLOW		SMOOTH
535	545	SOAPSTONE W/ FINE SAND, GRAY CLAY & SOME SANDSTONE	FIRM	GRAY	FASTER		CHOPPY & SMOOT
545	556	GRAY CLAY	SOFT	GRAY	SLOW		SMOOTH
556	564	SOAPSTONE W/ GRAY CLAY	FIRM	WHITE & GRAY	SEMI- SLOW		VIBRATION & SMOOTH
564	576	SANDSTONE W/ FINE SAND & IRON PYRITE	STIFF	GRAY	FAST		FAST CHATTER
576	580	SHALE	SOFT	BLUE	SLOW		SMOOTH
580	593	BROKEN ROCK W/ SHALE	STIFF	BLACK & BLUE	SLOW		CHATTER
593	637	SHALE	SOFT	BLUE	SLOW		SMOOTH
637	645	SOAPSTONE W/ SHALE	SOFT	BLUE	SEMI- SLOW		VIBRATION & SMOOTH
645	649	SANDSTONE W/ SOAPSTONE & SHALE	STIFF	BLUE	FAST		CHOPPY & SMOO
649	671	SHALE	SOFT	BLUE	SLOW		SMOOTH
671	696	SHALE W/ SOAPSTONE LAYERS	SOFT	BLUE	SEMI- SLOW		SMOOTH & VIBRATION
696	711	SANDSTONE W/ SOAPSTONE & FINE SAND	STIFF	GRAY	FAST		FAST CHATTER
711	729	SHALE	SOFT	BLUE	SLOW		SMOOTH
729	760	SANDSTONE W/ FINE SAND , WHITE SAND	NOT AS SOFT	GRAY	FAST		FAST CHATTER
	768		STIFF	GRAY, WHITE & GREEN	SLOWER		SLIGHT CHATTER TIMES & SMOOTH
760		CLAY, W/TR. FINE SAND, SANDSTONE	SOFT	RED	SLOWER	<u> </u>	
768	782	RED BED	SOFT	IKED	SLOW	+	SMOOTH
	1	OUROS, 44				<b>†</b>	
	1	QUIKGEL - 14				1	
	1	WATER LOADS - 1-1/2				-	
	+	SODA ASH - 1/2		<del> </del>		+	
	+	EZ MUD - 1/4				+	+
	+	EZ MUD GOLD - 1/4 OF A BAG				-	-
	+	PDC - 509'		-	-	-	
	-					-	-
	+					+	
	-			_		-	+
	+				-	-	
	-					1	-
	-					-	
	-						
	-						-
	-			-		-	
	-			-		-	
	-					-	
					-		
				1		1	1

Garden City Field Office 4532 W. Jones, Suite B Garden City, KS 67846



Phone: 620-276-2901 Fax: 620-276-9315 www.agriculture.ks.gov

Mike Beam, Secretary

Laura Kelly, Governor

May 11, 2022

JOHAN P & MARGARET LOEWEN PO BOX 1098 SUBLETTE, KS 67877

RE:

Application for Change

Water Right, File No. 24050

Dear Sir or Madam:

This is to advise you that Jacob Neufeld has filed an application for approval of the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, to change the point of diversion under the above referenced applications. An irrigation well is proposed to be relocated to the SW½ SW¼ NE⅓ of Section 24, Township 26 South, Range 34 West, Finney County.

You can find the complete applications posted by water right file number as referenced above at: <a href="https://www.Agriculture.ks.gov/DWRNotices">www.Agriculture.ks.gov/DWRNotices</a>

You are notified on this proposed point of diversion (well) so that you may furnish this office with any comments or other information you want to submit. Such comments or other information must be received in this office within 15 days from the date of this letter.

Should you have any questions, please feel free contact this office. If you would prefer, you could arrange an appointment for additional assistance. Please refer to the file number when you contact us if you wish to discuss a specific file.

Sincerely,

Austin J. McColloch

Assistant Water Commissioner

AM: enclosures

pc:

GROUNDWATER MANAGEMENT DISTRICT NO. 3