Kansas Department of Agriculture Division of Water Resources

CHANGE: P/D WORKSHEET

1. File Number: 5814	2. Status Change Date:	3. Change Num:	4. Field Office:	5. GMD:
6. Status: Approved Deni		Dismiss by Reques	t/Failure to Return	7. Filing Date of Change: 11/20/2022
8a. Landowner, applicant, WUC New to system □	Person ID 34698 Add Seq#	8c. Landowne		Person 58878Add Seq#
DENNIS L & JANICE K K 1742 RD 105 LAKIN, KS 67860-9538	OEHN	RT 2 B	& DONNA HUTC OX 9 KS 67860	HESON
8b. Landowner(s), New to system LAKIN MENNONITE CHU Attn: CORWIN SMITH 1604 RD 45 LAKIN, KS 67860	Person ID 39063 Add Seq#	8d. WUC New to sy	stem □	Person IDAdd Seq#
9. Documents and Enclosure(s): 🛛 DV	VR Meter(s) Date to Compl	y: 12/31/2023	☑ N & P Date to	Comply: 3/1/2024
☐ Anti-Reverse Meter ☐ Meter ☐ ☐ Conservation Plan Date Require				Oriller Copy
10. Use Made of Water From:		To: _		
	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		Date Prepared: 11/14 / Date Entered:	/ 2022 By: MAM By:

File No. 5814	11. County: I	KE	Ва	sin: Cl	MARF	RON R	IVER			S	tream							Fo	rmation C	ode: 21	1 Special Use:	
12. Points of Diversion CHK MOD			ı	11	1						,				and Qu			A	dditional			
DEL PDIV ENT Qualifier	S	Т	R	ID		N	'W	1	Com	ment	(AKA	Line)		Rate		Quanti af	ty	Rate		antity af	Overlap PD Files	
DEL 7322																-			7			
ENT SWNESW	6 25	35	W		135	54	3718	8						1465		272	2	146	55	272		
-																						
è'			Į,								- 100											
, , , , , , , , , , , , , , , , , , ,	1		_												-	1	1					
13. Storage: Rate	N	F	Quar	ntity					ac/ft	Α	dditior	nal Rat	e		Ŧ,		NF	Addi	tional Qua	ntity	19	ac/ft
14. Limitation:																						
Limitation:	af/yr at					gpm (_				cfs) w	hen co	mbine	d with	file n	umber	(s)						
15. 5YR Allocation: Allocation	туре	Sta	rt Year	r	_	5 YR	Amou	nt		Amo	ount U	nit	_	Base	Acres		_ C	omment.				
16. Place of Use CHK		NE1/4			NW¹/4			SW1/4				SE1/4			Total	Owner	Chg?	Overlap Files				
MOD DEL ENT PUSE S T R	ID	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4					
CHK 27297																1-1			8a	Υ	23668	
CHK 57714	,															B			1,5			
CHK 57715									-													
CHK 68007																			- 1			
	1 -						G															
	-																L .					
Base Acres: Year: Comments:	Mi	nimum	n Reas	onable	e Quar	ntity:					9 (<u>1</u>					-			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			

Garden City Field Office 4532 W. Jones, Suite B Garden City, KS 67846



Phone: 620-276-2901 Fax: 620-276-9315 www.agriculture.ks.gov

Mike Beam, Secretary

Laura Kelly, Governor

November 14, 2022

DENNIS L & JANICE K KOEHN 1742 RD 105 LAKIN, KS 67860-9538

RE:

Field Office Application for Change

Water Right, File No. 5814

Dear Sir:

Enclosed is an order executed by the designee of the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, approving the application for change under the above referenced file number.

Your attention is directed to the enclosures and to the terms, conditions, and limitations specified in this approval for change. A condition of this approval is that an acceptable water flow meter must be installed on the diversion works authorized under the referenced file number and meet current specifications. Please return the required notification of completion of the diversion works and installation of the required meter as soon as these actions are completed.

Since the order modifies the original document referred to above, it should be recorded with the Register of Deeds as other instruments affecting real estate.

The abandoned well must be plugged in accordance with the requirements of Article 30 of the Rules and Regulations as adopted by the Kansas Department of Health and Environment.

Should you have any questions, please feel free contact this office. If you would prefer, you could arrange an appointment for additional assistance.

Sincerely,

Michael A. Meyer Water Commissioner

MAM: Enclosures

Pc:

Lakin Mennonite Church

Donna Hutcheson

CERTIFICATE OF SERVICE

On this 14th day of November 2022, I hereby certify that the foregoing Approval of Application for Change in Point of Diversion, Water Right, File No. 5,814 dated 14th day of November 2022 was mailed postage prepaid, first class, US mail to the following:

DENNIS L & JANICE K KOEHN 1742 RD 105 LAKIN, KS 67860-9538

Photocopies sent to:

JACK & DONNA HUTCHESON RT 2 BOX 9 LAKIN, KS 67860

LAKIN MENNONITE CHURCH Attn: CORWIN SMITH 1604 RD 45 LAKIN, KS 67860

Division of Water Resources Staff

Submit completed application to: Kansas Department of Agriculture Division of Water Resources Field Office for your area. Call for address:

Topeka -- (785) 296-5733 Stafford -- (620) 234-5311 Stockton -- (785) 425-6787 Garden City -- (620) 276-2901 http://agriculture.ks.gov/dwr

DWR FIELD OFFICE APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF USE AND/OR THE POINT OF DIVERSION



STATE OF KANSAS

Filing Fee Must Accompany the Application, K.S.A. 82a-708b(b), as amended. Fee Schedule is on the third page of this application form.

Paragraph Nos. 1, 2, 3 & 5 must be completed. Complete all other applicable portions. If change in point of diversion is greater than 100 feet, or if place of use will be changed, include a topographic map or detailed plat showing the authorized and proposed point(s) of diversion and/or place of use

	version and/or p																1 V L.	
	Application is he				1	File No	o. <u>5</u>	814					-		NO	1:00	8,202	2
1. /	Application is he	ereby r	nade f	or app	roval c	of the C	Chief E	ngine	er to cl	nange	the (ch	neck o	ne or b	ooth);	Garde	n City	Field iter Re	sources
					□ F	Place o	f Use		\boxtimes	Point	of Dive	ersion		DI	ASION	0, 1,		
ı	under the water	right v	vhich i	s the s	ubject	of this	applio	ation i	n acco	ordance	e with	the co	ndition	s desc	ribed l	below.		
	The source of s									Surfa								
		117			_				_									
2. 1	Name and addr	ess of	Applic	ant: <u>D</u>	ENNIS	S KOE	HN											
2	1742 RD 105, L	AKIN,	KS 67	860														
	Phone Number:																	
1	Name and addr	ess of	Water	Use C	orresp	onder	nt: SA	ME AS	ABO'	VE								
-																		
	Phone Number:							Email	addre	ss:								
	The presently a																	
(Owner of Land	ADDR																
((If there is more th																	
	(11 010 10 110 10 11	Tarr one		Ξ1/4		ppiome		N1/4	7110000			V1/4				Ξ1/4		TOTAL
Sec.	. Twp. Range	NE¼		SW1/4	SE1/4	NE1/4	NW1/4		SE1/4	NE1/	NW1/4	T	SE1/4	NE¼		SW1/4	SE1/4	ACRES
000.	. Twp. Trange	INL/4	1444/4	OVV/4	OL /4	INL/4	1447/4	OVV/4	OL/4	INE /4	1447/4	011/4	OL/4	14274	144474	OVV/4	OL/4	
		>																
]												JL				
4. I	If this applicatio	n is for	a cha	nge in	place	of use	, it is p	ropose	ed that	the pl	ace of	use be	e chan	ged to	:			
(Owner of Land	N/	AME:															
		ADDR	ESS:										-					
(If there is more the	nan one	landov	vner, at	tach su	ippleme	ental sh	eets as	neces	sary.)								
			N	=1/4			N\	N1/4			SV	V1/4			SE	=1/4		TOTAL
Sec.	. Twp. Range	NE1/4	NW¼	SW1/4	SE1/4	NE1/4	NW¼	SW1/4	SE1/4	NE1/4	NW¼	SW1/4	SE1/4	NE1/4	NW¼	SW1/4	SE1/4	ACRES
																	\sqcup	
	For Office Use	Only	Code		Fo	e \$	100.	GO TR	#		R	ceint	Date	11-8.	2022	Chec	k# 5	7663
	or office ose	Jilly.	Joue			υ Ψ/	111	_ //\	<i>"</i>		^(ceipt	-are	7		31100	N π	(O)

5.	Presently authorized point of div	ersion:				
	One in the		NC	Quarter of the	SW	Quarter
	of Section 06					
	in KE County					
	Authorized Rate	Authorized Quantity _		Depth of well	(feet	t)
	(DWR use only: Computer ID No					
	☐This point will not be changed ☐T					
	Proposed point of diversion: (Co					
	One in theSW	_ Quarter of the/	IE SW	Quarter of the	NE SIM	Quarter
	of Section 06	, Township	25	South, Range	35	W,
	in KE County	, Kansas, <u>1354</u>	_ feet North _	3718 feet West of	Southeast corner	of section.
	Proposed Rate	Proposed Quantity _		Proposed well depth	(feet)	
L	This point is: Additional Well [Geo Center List o	ther water righ	nts that will use this point		
6.	Presently authorized point of dive			,		
	One in the of Section	_ Quarter of the		Quarter of the		Quarter
	of Section	, Township		South, Range		W,
	in County	. Kansas.	feet North	feet West of	Southeast corner	of section.
	Authorized Rate	Authorized Quantity		Depth of well	(feet	t)
	(DWR use only: Computer ID No	GP	s <u>/</u>	feet North	feet We	st)
	☐This point will not be changed ☐T	his point will be change	ed as follows:	No change, point better d	escribed with GPS	as follows:
	Proposed point of diversion: (Co	mplete only if chang	e is requeste	ed or if existing point is	better describe	d by GPS)
	One in the					
	of Section	, Township		South, Range		W,
	in County	, Kansas,	feet North	feet West of	Southeast corner	of section.
	Proposed Rate					
	This point is: Additional Well					
				·		
7.	The changes herein are desired for		s?			
	(please be specific)		300	200 100 North	100 200	300
			E			4
8.	If a well, is the test hole log attached?	Yes No	300	-1/+1+1=	+++	200
			200		1 + 1 +	200
9.	The change(s) (was)(will be) complete	ed by?	100	/ =	· —	\=
			100	<i>-</i>	+ + + +	100
40	If the project of discouring in a well-		7	=		4
10.	If the point of diversion is a well:		E	= ավուտ[ստիստ]ութիս ։	oto do oto do o	E
	(a) What are you going to do with the	e old well?	West U	= Hitimuliniiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii	ntandantandan	U East
			ħ.	=	_	7
	(I-) AMb an avillable be decad		100	+	+ + + +	100
	(b) When will this be done?		E	.\ _ =		/ =
			E			
11.	Groundwater Management District rec	commendation attached	d? 200 E	-141+=	1 + 1 +	200
	☐ Yes ☐ No		E	=	_/_	=
12.	Assisted by JG/GCFO				ulmali i i i i i i i i i i i i i i i i i i	Tring.
			300	200 100 0 South	100 200 Scale: 1 hashmar	300 k=10 ft

13a. If the proposed point of diversion will be relocated more than 300 feet but within 2,640 feet of the existing point of diversion, attach a topographic map or aerial photograph. For groundwater sources, show all wells (including domestic) within one-half mile of the proposed point of diversion and the names and mailing addresses of the owners. For surface water sources, show the addresses of the owners. For surface water sources, show the names and addresses of the landowner(s) one-half mile downstream and one-half mile upstream from your property

on the diagram shown above in relation to the existing point of diversion. The proposed point of diversion must be located within the circle shown above. (PLEASE NOTE: The "X" in center of diagram above represents the presently authorized point of diversion.)

14. If the proposed groundwater point of diversion is 300 or fewer feet from	om the existing point of diversion, complete the following:
(a) Does the undersigned represent all owners of the currently auth Yes No (If no, all owners must sign this applied	
(b) Will the ownership interest of any owner of the currently author affected if this application is approved as requested? ☐ Yes ☐ No (If yes, all owners must sign this application)	, , , ,
(c) If this application is not approved expeditiously, will there be sub. ✓ Yes ☐ No (If no, all owners must sign this application)	
If the application proposes a surface water change in point of diversion, a or a change in place of use, the application must be signed by all owners agent (attach notarized statement authorizing representation).	
I hereby verify, being first duly sworn upon my oath or affirm age and the owner, the spouse of the owner, or a duly author their behalf, in regards to the water right(s) to which this application are true, correct and complete.	zed agent of the owner(s) to make this application on plication pertains. I further verify that the statements
Dated at GAROEN CITY Kansas, this	77+ day of $N0V$, 20 22
DEINNIS KORSHIN	(Spouse)
(Please Print)	(Please Print)
(Owner)	(Spouse)
(Please Print)	(Please Print)
(Owner)	(Spouse)
(Please Print)	(Please Print)
ARL ADD EV	NE REINERT RY PUBLIC OF KANSAS object. 14, 2020 my presence and sworn to before me this 77H day
of	atherne Perrétt
My Commission Expires	Notary Public
ONLY COMPLETE APPLICATIONS WILL BE PROCESSED. To be complete, all accurate information; maps, if necessary, must be included; signatures of all the apthe appropriate fee must be paid.	
FEE SCHEDU	LE
Each application to change the place of use or the point of diversion under forth in the schedule below: Make checks payable to: Kansas Departmeter (1) Application to change a point of diversion 300 feet or less (2) Application to change a point of diversion more than 300 feet (3) Application to change the place of use	r this section shall be accompanied by the application fee set

SUMMARY ORDER APPROVING APPLICATION FOR CHANGE AND IMPOSING CONDITIONS

pro Wit	ovisions of the Kansas Water Appropriation Law, K.S.A. 82a-7	Bb, as amended, and K.A.R. 5-5-1, et seq. and other applicable 701 et. seq., and rules and regulations promulgated thereunder, this Summary Order does not change the terms, conditions and
1.	A change application was received on diversion authorized under the above-referenced file number	requesting that the place of use and / or point of er be changed as described in the application.
2.	On and after the effective date of this summary order, the auth the topographic map accompanying the application to char	norized place(s) of use shall be located substantially as shown on age the place of use. Applicable Not Applicable
3.	The change in point of diversion shall not impair existing right previously authorized. The point of diversion authorized by radius of the authorized point(s) of diversion.	ts and shall be limited to the same source or sources of water as this summary order shall be located within afoot e Not Applicable
4.	The point(s) of diversion described herein is administrative Positioning System (GPS), as described in the application.	ly corrected to be more accurately described using the Global Applicable T Not Applicable
5.	The point(s) of diversion authorized herein shall not actually be authorized point(s) of diversion. Applicable \(\subseteq \) Applicable \(\subseteq \) No	pe located more than feet from the previously of Applicable
6.	As required by K.A.R. 5-3-5d, if the works for diversion is a we or other device suitable for making water level measurement K.A.R. 5-6-13. Applicable Not Applicable	ell with a diversion rate of 100 gallons per minute or more, a tube ats shall be installed, operated and maintained in accordance with
7.	December 31, 20 2 3 , or before the first use of water, operated and maintained in accordance with K.A.R. 5-1-4 tl	perly install an acceptable water flow meter on or before whichever occurs first. The water flow meter shall be installed, hrough 5-1-12. As required by K.S.A. 82a-732, as amended, and the reading of the water flow meter and the total quantity of water ag the end of each calendar year.
8.	Installation of the works for diversion of water shall be of authorized extension of time. By March 1, 20 25 the aworks for diversion has been completed, on the form provided Applicable \(\text{Not Applicable}\)	completed on or before December 31, 20_23_, or within any applicant shall notify the Chief Engineer that construction of the ded by the Chief Engineer, as required by K.A.R. 5-8-4e.
9.	The completed well log shall be submitted with the requir	red notice. Applicable
10.	with an in-line, automatic, quick-closing check valve capab	preign substance will be injected into the water shall be equipped all of preventing pollution of the source of the water supply. The naccordance with K.A.R. 5-3-5c. Applicable Not Applicable
11.	Additional Conditions are attached. Yes	A
12.	water appropriated under the above-referenced file number limitations, as amended and/or supplemented by this Summappropriation Law and the Rules and Regulations promule.	R. 5-5-14, all of the owners of the authorized place(s) of use of er are responsible for compliance with its terms, conditions and mary Order, and with applicable provisions of the <i>Kansas Water</i> gated thereunder. Failure to comply with these provisions may ended, and/or the suspension or revocation and dismissal of the ns authorized by law.
4	Administrative Appeal and Effective Date of Order	FOR OFFICE USE ONLY
you Eng Agri filed adm day revi File Leg 665	ou are aggrieved by this order, pursuant to K.S.A. 82a-1901, may request an evidentiary hearing before the Chief gineer or request administrative review by the Secretary of iculture. A request for hearing by the Chief Engineer must be divithin 15 days of service of this Order and a request for ministrative review by the Secretary must be filed within 30 respursuant to K.S.A. 77-531. Any request for administrative ew must state a basis for review pursuant to K.S.A. 77-527. The any request with Kansas Department of Agriculture, gal Division, 1320 Research Park Drive, Manhattan, KS 102. Failure to timely request a hearing or review may clude review under the Kansas Judicial Review Act.	By: Duly Authorized Designee of the Chief Engineer (Print Name):
	For Use by Register of Deeds	County of Juney ()
		Acknowledged before me on November 14 202
		by Michael A. Meyer.
		Signature: Notan Public
		My commission expires: My Appointment Expires My Appointment Expires

3795 W. Jones Ave. Garden City, KS 67846 PH: 620-277-2389



PO Box 639 Garden City, KS 67846

Fax: 620-277-0224

Customer Nam	e: Dennis Koehn	WO#: 24538	Date: 11-1-22
Street Address	: 1742 ROAD 105"	Test #: _ j	E LOG:
City, State:	LAKIN KS. 67860	Driller: Dale Guina	
County: Kear	Quarter: SW Section: 6	Township: 25	Range: 35
	f East 4.55FT North of Existing Well	GPS: N37,90474 W101,20	770
Rig #: 100	Floretions	Programme and the second secon	Estimated? 97FT
		Proposed Well Depth	330
	PROPOSED W	ELL LOCATION	20' samp

				(ROPUSED WELL LOCATION &O'SUMP
Name of Street, Street		Footage		
%	From	Pay	To	Description of Strata
***************************************	0		2	Top Soil
	12		8	Sand Fine Med
	18		15	Sand Fine Med Course Small Med Large Good
	15		64	Brown Clay
	64		95	Brown Clay wolfew Soud Stoips
	95		99	Sand Fine Med Course Small Gravel
	199		122	Brown Sandy Clay or/Few Sand Strips
5	122	16	138	Brown Sandy Clay W/Some Sand Laves
25	138	12	150	Sand Fine Med Course Small Grovel
17 -2	150	1	155	Brown Sandy Clay
25	155	73	228	Sand Fine Med Course Small Gravel & I couple clay Larges
-10	228		240	Ton Sandy Clay
10	240	20	260	Sand Fine Some Med w / Some Clay Layers
25	260	11	271	Sand Fine Med Course of Few Ton Rock
03	271	1	275	Tan Sandy Clay
30	275	21	296	Sand Fine Med Course Small Gravel w/Tan & Brown Rock
5	296	14	310	Brown Sundy Clay w/Fine Med Sand Alixed
	310	1	320	Sampstone.
	10,0		1	
			1	
			1	
				Super Gel X -5
			1	Super Gel X -5 Grant -3
	1			Hole Plag -6
			1	Perma Plus -1
			1	
			1	
			1	
	1			
			1	
		 	1	
			1	
		-	1	
			+	
			+	
			-	
	-	+	+	
			-	

