## NOTICE

This scan only represents the application as filed. The information contained herein meets the requirements of K.A.R. 5-3-1 or K.A.R. 5-5-1, and has been found acceptable for filing in the office of the Chief Engineer. The application should not be considered to be a complete application as per K.A.R. 5-3-1b or K.A.R. 5-5-2a.

Submit completed application to: Kansas Department of Agriculture Division of Water Resources Field Office for your area. Call for address:

Topeka -- (785) 296-5733 Stafford -- (620) 234-5311 Stockton -- (785) 425-6787 Garden City -- (620) 276-2901 http://agriculture.ks.gov/dwr

# DWR FIELD OFFICE APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF USE AND/OR THE POINT OF DIVERSION



#### STATE OF KANSAS

Filing Fee Must Accompany the Application, K.S.A. 82a-708b(b), as amended. Fee Schedule is on the third page of this application form.

Paragraph Nos. 1, 2, 3 & 5 must be completed. Complete all other applicable portions. If change in point of diversion is greater than 100 feet, or if place of use will be changed, include a topographic map or detailed plat showing the authorized and proposed point(s) of diversion and/or place of use.

						F	File No	8	739			-							CEIVED 3, 00 pm
. /	Application is hereby made for approval of the Chief Engineer to change the (check one or both):																		
							lace of					of Dive						Garden	City Field Offi
	under the water right which is the subject of this application in accordance with the conditions described below vision of Water Resource																		
	The sour						round					ce wate							
<u> </u>	Name and address of Applicant: TOM STOPPEL																		
	PO BOX 592, SUBLETTE, KS 67877																		
	Phone Number: () Email address:																		
	Name and address of Water Use Correspondent:																		
	Phone Number: ()																		
	The presently authorized place of use is:  Owner of Land NAME:																		
	ADDRESS:																		
	If there is	more th	an one	landow	ner, at	tach su	ppleme	ntal sh	eets as	necess	sary.)		-						
_				NE					V1/4			SV	V <sup>1</sup> / <sub>4</sub>			SE	=1/4		TOTAL
Sec	Twp.	Range	NE1/4	NW1/4		SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	ACRES
	f this ap				_														
	Owner o																		
	(If there is		ADDRI			la		ntal ab			2021								
	if there is	more tr	lan one			lach su	ppieme			Heces	Sary.)				T				
	(11 (11 (11 (11 (11 (11 (11 (11 (11 (11				1/4			NV	V <sup>1</sup> / <sub>4</sub>		_		V1/4				Ξ¼ Τ		TOTAL ACRES
																ADAM/	OLAMI	051/	
		Range	NE1/4		SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NVV/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
Sec		Range	NE1/4			SE1/4	NE1⁄4	NW1/4	SW1/4	SE1/4	NE1/4	NVV/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
		Range	NE1/4			SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NVV/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	

5.	Presently authorize	d point	of diversion:							
- 1	One in the	NW	Quarter of th	e	NW	Qua	arter of the	SW		_ Quarter
- 1	of Section	02	, Township		30	Sou	ith, Range	32	2	W,
	in HS		County, Kansas,2	439 f	eet North	5218	feet Wes	t of Southeast	corner of	section.
- 1	Authorized Rate									
	(DWR use only: Co	mputer	ID No. <u>3</u>	GPS		feet	North	fe	et West)	
	☐This point will not be									
	Proposed point of o	diversio	n: (Complete only if	change	is requeste	d or if ex	isting poir	nt is better de	scribed I	by GPS)
			Quarter of th							
	of Section									
	in HS									
	Proposed Rate									
	This point is: Add									
L	Д				or mater rigi					
ء [	Presently authorize	d point	of diversion:							
0.	One in the			2		Ous	arter of the			Quarter
	of Section									
	in									
	Authorized Rate									Section.
	(DWR use only: Co									
	This point will not be									
	Proposed point of o									
.	One in the		Quarter of the	e		Qua	arter of the			_ Quarter
	of Section		, Township _		1 NI 11-	500	itn, Range	1 - 1 1		VV,
	in									
	Proposed Rate									
L	This point is: Add	illional v	veii Geo Center	LIST OTHE	er water rigi	its that wil	i use this p	oint		
7.	The changes herein	are desi	red for the following	rassons?						
<i>,</i> .	(please be specific) _						N	lorth		
					300		100	0 100	200	300
				),	E	mhanhai	1111	u\(\frac{1}{4}\)	nuhada	<u>'</u>
8	If a well, is the test ho	le log att	ached? X Vas I	No	E	_/		Ξ .	/	目
0.	ii a well, is the test no	ic log att	acrica: 🔼 165	140	200	-   /	1 + 1	= 1 + 1	+/1-	200
9.	The change(s) (was)(	will be) c	ompleted by?		E	- / _	1	= _	- \	_
					100	L +	1 1	三 1 土 1		100
						' 1	1 1	Ξ'''	- \	# 200
10.	If the point of diversion	n is a we	II:		ŧ		_	=	_	1
	(a) What are you goi	ng to do	with the old well?		West 0	ниши		🕱 mlimilimi	1111 1111 111	+ 0 East
					<b>#</b>	_	_	<u> </u>	_	4
					100	+1 +	+ 1	三 1 + 1	+ 1-	100
	(b) When will this be	done? _			100	/, ,		Ξ'''	' '	/======================================
					E	_		Ē	-/	=
11.	Groundwater Manage			attached?	200	-14	1 + 1	<u>-</u> 1 + 1	+/1-	200
	☐ Yes	∐ No			E		_	Ξ _ ,	/_	3
10	A:				E	mtuuluu	Instanta		landa	Ē
12.	Assisted by JG/GCFC	)			300		100	0 100	200	300
13a	. If the proposed point o								1 hashmark=10	-
	feet but within 2,640 fe	eet of the	existing point of divers	ion, attac		proposed	point of div	ersion will be i	relocated	within a 300
	a topographic map of sources, show all well	s (includi	na domestic) within on	e-half mil	e on th	e diagram	shown abo	oint of diversion ve in relation to	to the exis	ting point of
	of the proposed point	of diver	sion and the names a	nd mailin	g diver	sion. The	proposed	point of divers	sion must	be located


foot radius of the existing point of diversion will be relocated within a 300 foot radius of the existing point of diversion, indicate its location on the diagram shown above in relation to the existing point of diversion. The proposed point of diversion must be located within the circle shown above. (PLEASE NOTE: The "X" in center of diagram above represents the presently authorized point of diversion.) addresses of the owners. For surface water sources, show the names and addresses of the landowner(s) one-half mile downstream and one-half mile upstream from your property

lines

14. If the proposed groundwater point of diversion is 300 or fewer feet	from the existing point of diversion, complete the following:
(a) Does the undersigned represent all owners of the currently aut  Yes No (If no, all owners must sign this app	
<ul> <li>(b) Will the ownership interest of any owner of the currently auth affected if this application is approved as requested?</li> <li>☐ Yes</li> <li>☐ No</li> <li>(If yes, all owners must sign this application)</li> </ul>	
(c) If this application is not approved expeditiously, will there be su ☐ Yes ☐ No (If no, all owners must sign this app	
If the application proposes a surface water change in point of diversion, or a change in place of use, the application must be signed by all owne agent (attach notarized statement authorizing representation).	
I hereby verify, being first duly sworn upon my oath or affire age and the owner, the spouse of the owner, or a duly author their behalf, in regards to the water right(s) to which this appoint and this application are true, correct and complete.	prized agent of the owner(s) to make this application on pplication pertains. I further verify that the statements
Dated at, Kansas, thi	s 10th day of November, 20 22.
Momas K. Happel (Owher)	(Spouse)
(Please Priht)	(Please Print)
(Owner)	(Spouse)
(Please Print)	(Please Print)
(Owner)	(Spouse)
(Please Print)	(Please Print)
State of Kansas County of SS	, th
I hereby certify that the foregoing application was signed in of 20 22.	my presence and sworn to before me this 10 day
My Commission Expires  December 15, 2022	Notary Public
ONLY COMPLETE APPLICATIONS WILL BE PROCESSED. To be complete, a accurate information; maps, if necessary, must be included; signatures of all the the appropriate fee must be paid.	all of the applicable portions of the application form must be completed witl appropriate owners' must be affixed to the application and notarized; and
Each application to change the place of use or the point of diversion une forth in the schedule below: Make checks payable to: Kansas Departi (1) Application to change a point of diversion 300 feet or less . (2) Application to change a point of diversion more than 300 fee (3) Application to change the place of use	der this section shall be accompanied by the application fee set ment of Agriculture

#### SUMMARY ORDER APPROVING APPLICATION FOR CHANGE AND IMPOSING CONDITIONS

pro Wit	visions of the <i>Kansas Water Appropriation Law, K.S.A. 82a-r</i> the exception of those conditions expressly contained here tations of File No.	-701 et. seg., and rules and regulation	tions promulgated thereunder,
1.	A change application was received on	requesting that the other be changed as described in the	place of use and / or point of application.
2.	On and after the effective date of this summary order, the at the topographic map accompanying the application to ch	uthorized place(s) of use shall be local ange the place of use.   Application	ated substantially as shown on able
3.	The change in point of diversion shall not impair existing rig previously authorized. The point of diversion authorized radius of the authorized point(s) of diversion.   ☐ Applica	by this summary order shall be locat	source or sources of water as ed within a foot
4.	The point(s) of diversion described herein is administrative Positioning System (GPS), as described in the application	vely corrected to be more accurate n. ☐ Applicable ☐ Not Applicable	ly described using the Global
5.	The point(s) of diversion authorized herein shall not actually authorized point(s) of diversion.   Applicable	be located more thanNot Applicable	feet from the previously
6.	As required by K.A.R. 5-3-5d, if the works for diversion is a or other device suitable for making water level measurem K.A.R. 5-6-13.   Applicable   Not Applicable	ents shall be installed, operated and	ons per minute or more, a tube maintained in accordance with
7.	The owner of the authorized place(s) of use shall proper shall and proper shall be properly and	r, whichever occurs first. The water I through 5-1-12. As required by K.S rt the reading of the water flow meter	flow meter shall be installed, A. 82a-732, as amended, and
8.	Installation of the works for diversion of water shall be authorized extension of time. By March 1, 20 the works for diversion has been completed, on the form pro  ☐ Applicable ☐ Not Applicable	e completed on or before Decembe applicant shall notify the Chief Engided by the Chief Engineer, as required	er 31, 20, or within any gineer that construction of the ired by K.A.R. 5-8-4e.
9.	The completed well log shall be submitted with the requ	uired notice.	☐ Not Applicable
10.	All diversion works into which any type of chemical or other with an in-line, automatic, quick-closing check valve cap-check valve(s) shall be installed, operated and maintained	able of preventing pollution of the so	urce of the water supply. The
11.	Additional Conditions are attached.		
12.	In accordance with K.S.A. 82a-708a, as amended, and K water appropriated under the above-referenced file num limitations, as amended and/or supplemented by this Su <i>Appropriation Law</i> and the <i>Rules and Regulations</i> prom result in civil penalties pursuant to K.S.A. 82a-737, as an water or appropriation right or any other enforcement act	ther are responsible for compliance mmary Order, and with applicable poly sulgated thereunder. Failure to com mended, and/or the suspension or re	with its terms, conditions and rovisions of the <i>Kansas Water</i> ply with these provisions may
4	Administrative Appeal and Effective Date of Order	FOR OFFICE U	
you Eng Agr filed	ou are aggrieved by this order, pursuant to K.S.A. 82a-1901, may request an evidentiary hearing before the Chief ineer or request administrative review by the Secretary of culture. A request for hearing by the Chief Engineer must be within 15 days of service of this Order and a request for	APPLICATION AP SUMMARY ORI  By:  Duly Authorized Design	DER ISSUED
day revi File	ninistrative review by the Secretary must be filed within 30 s pursuant to K.S.A. 77-531. Any request for administrative ew must state a basis for review pursuant to K.S.A. 77-527. any request with Kansas Department of Agriculture, al Division, 1320 Research Park Drive, Manhattan, KS	(Print Name):	ansas Department of Agriculture
665	02. Failure to timely request a hearing or review may	State of Kansas	)
pred	clude review under the Kansas Judicial Review Act.  For Use by Register of Deeds		) SS
	r or ode by register of beeds	County of	_ )
		Acknowledged before me on	
		by	*
		Signature:	Notary Public
		My commission expires:	(Notary Seal)



CUSTOMER NAME: TOM STOPPEL

TH#1

LEGAL: NWNW 2-30S-32W

COUNTY: HASKELL CO. KS

GPS: 37.473261


-100.797757

EDOM	то.	TYPE	DRILLER: DIEGO HARDNESS	COLOR	SPEED	PULL	22-1597 OTHER / DRILLING
FROM	то			DRK		DOWN	ACTION
	3	TOP SOIL	SOFT		FAST		SMOOTH
	15	BROWN SILTY CLAY	SOFT		FAST		SMOOTH
5	33	BROWN CLAY	SOFT		FAST	<u> </u>	SMOOTH
3	47	SANDY CLAY W/ CALICHE	SOFT	WHITE	FAST		SMOOTH & CHOPP
7	58	ORANGE SANDY CLAY	SOFT	ORANGE	FAST		SMOOTH
8	86	FINE-MED-COARSE SAND W/ FINE-MED-COARSE GRAVEL	STIFF		FAST	-	CHATTER
6	102	BROWN CLAY	SOFT	BROWN	FAST		SMOOTH
02	123	FINE-MED-COARSE GRAVEL W/ BIG ROCKS	HARD		FAST	-	CHATTER
23	139	BROWN CLAY	SOFT	BROWN	FAST	-	SMOOTH
39	165	FINE-MED-COARSE GRAVEL	STIFF		FAST		CHATTER
65	190	FINE-MED-COARSE SAND W/ FINE GRAVEL	FIRM		FAST		FAST CHATTER
90	270	FINE-MED-COARSE SAND	FIRM		FAST		FAST CHATTER
70	308	FINE SAND	SOFT		FAST		VIBRATION
08	313	GRAY & YELLOW CLAY	SOFT	GRAY	SLOW		SMOOTH
13	318	BLUE CLAY	SOFT	BLUE	SLOW		SMOOTH
118	333	SOAPSTONE	SOFT	BLUE	FAST		VIBRATION
333	354	FINE-MED-COARSE SAND	FIRM		FAST		FAST CHATTER
354	358	WHITE CLAY	SOFT	WHITE	FAST		SMOOTH
358	364	FINE-MED SAND	FIRM		FAST		СНОРРУ
364	369	CEMENTED SAND W/ FINE-MED-COARSE SAND	STIFF	WHITE	SEMI SLOW		CHATTER
369	373	BROWN CLAY	SOFT	BROWN	FAST	1	SMOOTH
			SOFT	BROWN	FAST		SMOOTH
373	394	SANDY CLAY	STIFF	WHITE	FAST		FAST CHATTER
394	405	LIME ROCK W/ FINE SAND		VVIIIE	FAST		
105	425	SANDY CLAY	SOFT	TAN		1	VIBRATION &
425	437	FINE SAND W/ SANDY CLAY	SOFT	BROWN &	FAST		SMOOTH
437	443	FINE SAND W/ BROWN ROCK & SANDY CLAY	FIRM	TAN	SEMI	+	FAST CHATTER
443	450	YELLOW SOAPSTONE	SOFT	YELLOW &		+	VIBRATION
450	470	WEATHERED SHALE	SOFT	GRAY	SLOW	-	SMOOTH
470	490	SHALE	SOFT	BLUE	SLOW	-	SMOOTH
490	498	SOAPSTONE W/ SANDSTONE & FINE SAND	FIRM	BLUE	FAST	-	CHOPPY
498	503	SANDSTONE	FIRM	BLUE	FAST		CHATTER
503	548	SHALE	SOFT	BLUE	SLOW		sмоотн
548	563	SOAPSTONE	SOFT	BLUE	FASTER		VIBRATION
563	589	SHALE	SOFT	BLUE	SLOW		SMOOTH
589	596	GREEN CLAY	SOFT	GREEN	SLOW		СНОРРУ

347 6	347	WHITE SANDSTONE W FINE SAND	STIFF	WHITE	REALLY FAST		L.,
	A-4	1	2.111	TTT III	INOI		FAST CHATTER
51 6	351	GREEN CLAY	SOFT	GREEN	SLOW		CHOPPY
	380	RED BED	SOFT	RED	SLOW		CHATTER
							2111/1/101/
	-	SUPER GEL - 9			1		
			-		-		
		WATER LOADS - 2 1/2			<u> </u>		
		SA - 3/4					
		BRAN = 3				-	
		QUIK TROLL - 1 BAG					
		EZ MUD - 1/2 A GALLON					
		HOLE PLUG - 2					
		CS-1				· · · · · · · · · · · · · · · · · · ·	
	-			1			
					-		<del> </del>
				-			
		F-7					
						121	
	П						
			1				1
	• • • • • • • • • • • • • • • • • • • •		<del> </del>	<b>-</b>			<del> </del>
			<del> </del>	ļ			
			-	<del>                                     </del>			
			<u> </u>	-			
	-		1				1
			1	<del>                                     </del>			
			<del> </del>		-	-	
			<del> </del>				
						-	
						ļ	
	*****						
	-						
			1	1	1		
					+	-	-
			-	-	-	-	
				-		-	
			1	-			
					-	-	-
			-				
			1				

### **CHANGE IN PLACE OF DIVERSION WATER RIGHT, FILE NO. 8739**

NW 1/4 of Section 02 Township 30 South Range 32 West Haskell County



All wells of any kind within 1/2 mile of the requested place of use have been plotted.

Date JG/GCFO 1:24,000 Scale Garden City Field Office 4532 W. Jones, Suite B Garden City, KS 67846



Phone: 620-276-2901 Fax: 620-276-9315 www.agriculture.ks.gov

Mike Beam, Secretary

Laura Kelly, Governor

November 14, 2022

RICK & KATHRYN REDD PO BOX 296 SUBLETTE, KS 67877

Re: Water Right, File No. 8739

Dear Sir:

This is to advise you that Tom Stoppel has filed an application for approval of the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, for change in point of diversion under the above referenced application.

You can find the complete application posted by water right file number as referenced above at www.agriculture.ks.gov/divisions-programs/dwr/water-appropriation/notices

You are notified of this proposed point of diversion (well) so that you may furnish this office with any comments or other information you may want to submit. Such comments or other information must be received in this office within 15 days from the date of this letter.

Should you have any questions, please feel free to call this office. If you would prefer, an appointment could be arranged for additional assistance. Please refer to the file number when you contact us if you wish to discuss a specific file. Sincerely,

Sincerely,

Michael A. Meyer Water Commissioner

**MAM**