

File No. **10716** 11. County: **SV** Basin: **CIMARRON RIVER** Stream: Formation Code: **211** Special Use:

12. Points of Diversion										Rate and Quantity						
CHK	MOD	DEL	PDIV	Qualifier	S	T	R	ID	'N	'W	Comment (AKA Line)	Rate gpm	Quantity mgy	Rate gpm/cfs	Quantity mgy	Overlap PD Files
MOD	76753	SW	NW	NW	16	31	37W	5	4082	5264	GPS UPDATE					NONE

13. Storage: Rate _____ NF Quantity _____ ac/ft Additional Rate _____ NF Additional Quantity _____ ac/ft

14. Limitation: _____ af/yr at _____ gpm (_____ cfs) when combined with file number(s) _____

Limitation: _____ af/yr at _____ gpm (_____ cfs) when combined with file number(s) _____

15. 5YR Allocation: Allocation Type _____ Start Year _____ 5 YR Amount _____ Amount Unit _____ Base Acres _____ Comment _____

16. Place of Use CHK MOD DEL ENT	PUSE	S	T	R	ID	NE¼				NW¼				SW¼				SE¼				Total	Owner	Chg?	Overlap Files			
						NE ¼	NW ¼	SW ¼	SE ¼	NE ¼	NW ¼	SW ¼	SE ¼	NE ¼	NW ¼	SW ¼	SE ¼	NE ¼	NW ¼	SW ¼	SE ¼							
CHK	64272	5	31S	37W	2																				8B	NO	101; 135 183; 5099; 17722; & 18167	
CHK	27595	7	31S	37W	1																				8B	NO	101; 135 183; 5099; 17722; & 18167	
KEEP PU COMMENT L-1 (NW NW), L-2(SW NW), L-3 (NW SW),L-4 (SW SW)						12.0	35.0	40.0	35.0	35.0	Lot 1	Lot 2			Lot 3	Lot 4												
MOD	38051	8	31S	37W	2	31.0	31.0	31.0	31.0					38.0	31.0	31.0	38.0									8B	NO	101; 135 183; 5099; 17722; & 18167
ENT	71438	8	31S	37W																31.0	31.0					8C	YES	101; 135 183; 5099; 17722; & 18167
CHK	4761	9	31S	37W	2									35.0	12.0	35.0	40.0	12.0	35.0	40.0	35.0					8B	NO	101; 135 183; 5099; 17722; & 18167
CHK	30493	16	31S	37W	1	35.0	40.0	35.0	12.0	40.0	35.0	12.0	35.0													8B	NO	101; 135 183; 5099; 17722; & 18167
CHK	7519	17	31S	37W	1	12.0	35.0	40.0	35.0	35.0	12.0	35.0	40.0	40.0	35.0	12.0	35.0	35.0	40.0	35.0	40.0	35.0	12.0			8B	NO	101; 135 183; 5099; 17722; & 18167
CHK	5338	18	31S	37W	1	31.0	31.0	31.0	31.0																	8B	NO	101; 135 183; 5099; 17722; & 18167

Base Acres: **2047** Year: Minimum Reasonable Quantity:

Comments:

The irrigation change in place of use to all files is to all of the referenced files. It appears the requested change complies with K.A.R. 5-5-11 *Applications for change in place of use for irrigation purposes*, as the proposal will return the acres to the files that have an area field office determination to have developed 2,047 base acres. The proposed 2,036 acres complies with part (b). The referenced files currently have a total combined quantity of 3,631 acre-feet authorized for irrigation use which appears to provide 1.85 AF per acre. The proposed 2,036 acres without any of the proposed quantity under File No. 183, requested irrigation use has an irrigation ratio of 1.78 acre-foot per acre. This irrigation ratio exceeds Stevens County's 1.40 acre-feet per acre at the 80% chance as per K.A.R. 5-5-12, *Net irrigation requirements*, and complies with K.A.R. 5-5-19, *Maximum reasonable annual quantity of water for irrigation use*. A water conservation plan meeting the KWO guidelines will not be required for the changes.

The stockwater change in place of use under File Nos. 101 & 183 is listed to authorize the Southeast Quarter (SE $\frac{1}{4}$) of Section 8 for the dairy. The dairy would more accurately be described as being in a portion of the Southeast Quarter (SE $\frac{1}{4}$) of Section 8, in Township 31 South, Range 37 West, Stevens County, due to the irrigated place of use.

The points of diversion under File Nos. 135; 183, 5,099; 10,716; 17,722 and 18,167 will be updated to the GPS locations listed in the WRIS database. All appear to be about 30 feet or less from the authorized location and comply with K.A.R. 5-5-6c, *Authorized point of diversion or place of use*.

In a letter dated May 26, 2023, Jason Norquest, on behalf of the Southwest Kansas Groundwater Management District No. 3, GMD3 reviewed the applications and recommend approval.

Mike Meyer, Water Commissioner of the Garden City Field Office, indicated that he recommends approval of the applications and temporary reduction per his June 13, 2023, email.

Water flowmeters will be required per use under File No. 183, and on all other wells. The approvals will require that if the rights chemigate, check valves will be required. Water level measurement tubes are not applicable.

Based on the above discussion, that the changes are reasonable, there will be no significant increase in the consumptive use and impairment of existing water rights is unlikely, it is recommended that the referenced applications for change in place of use be approved.



Leslie Ireland
Environmental Scientist

Ireland, Leslie [KDA]

From: Meyer, Mike [KDA]
Sent: Tuesday, June 13, 2023 8:12 AM
To: Ireland, Leslie [KDA]
Subject: RE: Review and Recommendation Change in UMW File No. 183 & PU File Nos. 101; 135; 183; 5,099; 10,716; 17,722 & 18,167 with GPS Updates.

Approve
Thank you

From: Ireland, Leslie [KDA] <Leslie.Ireland@ks.gov>
Sent: Tuesday, June 13, 2023 7:49 AM
To: Meyer, Mike [KDA] <Mike.Meyer@ks.gov>
Subject: RE: Review and Recommendation Change in UMW File No. 183 & PU File Nos. 101; 135; 183; 5,099; 10,716; 17,722 & 18,167 with GPS Updates.

Yes and No.....Guess I didn't wait for the memo to download and attach,, oops..

From: Meyer, Mike [KDA] <Mike.Meyer@ks.gov>
Sent: Tuesday, June 13, 2023 7:25 AM
To: Ireland, Leslie [KDA] <Leslie.Ireland@ks.gov>
Subject: RE: Review and Recommendation Change in UMW File No. 183 & PU File Nos. 101; 135; 183; 5,099; 10,716; 17,722 & 18,167 with GPS Updates.

Did you want to send the memo?

From: Ireland, Leslie [KDA] <Leslie.Ireland@ks.gov>
Sent: Monday, June 12, 2023 3:09 PM
To: Meyer, Mike [KDA] <Mike.Meyer@ks.gov>
Subject: Review and Recommendation Change in UMW File No. 183 & PU File Nos. 101; 135; 183; 5,099; 10,716; 17,722 & 18,167 with GPS Updates.

Mike,

Please let me know if you would recommend these changes. I think maybe the dairy portion is going to Rome.. or is it the other way irr to Tuls.. anyway checked ownership ORKA records and still both owners at this time.

On the stockwater standard PU description ,, to state STK PU as "a dairy located in a portion of the SE/4"... would have rather called it the E/2 SE/4... but not what map details...so if portion is OK would sticks to std wording due to portion of IRR PU in SE/4 to meet STK definition.

Strange about the well under 183.. extension was denied but was existing well per RAK memo...but is one of the PD locations getting updated. Only drag was extension request/denial had \$ submitted that should have been instantly returned.. but need to get that fixed as still no charge for requesting to extend chg completions... do wonder if it was more a meter installed thing.. which will be required for both uses now under File No. 183.

Leslie Ireland
Environmental Scientist

THE STATE OF KANSAS



KANSAS DEPARTMENT OF AGRICULTURE
Mike Beam, Secretary of Agriculture

DIVISION OF WATER RESOURCES
Earl D. Lewis Jr., Chief Engineer

APPROVAL OF APPLICATION FOR CHANGE IN PLACE OF USE AND ORDER TO BETTER DESCRIBE THE AUTHORIZED POINT OF DIVERSION WATER RIGHT, FILE NO. 10,716

The Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, after due consideration of the written application of Keith G. Rome on behalf of Rome Farms, 1096 Road BB, Hugoton, Kansas, 67951, and Brian D. Hemann on behalf of Tuls Hemann Enterprises, PO Box 1138, Liberal, Kansas 67905, received in this office on November 14, 2022, for approval of a change in the location of the place of use under the certificate of appropriation issued pursuant to the application for permit to appropriate water for beneficial use, as modified and amended by the Order of the Chief Engineer dated May 12, 1992, approving the application to change the place of use, by the Findings and Order of the Chief Engineer dated January 17, 1995, in the matter of the place of use, by the Order of the Chief Engineer dated April 30, 1997, approving the application to change the place of use, by the Order of the Chief Engineer dated June 1, 2009, approving the application to change the point of diversion, by the Findings and Order of the Chief Engineer dated November 5, 2012, reducing the authorized place of use, by the Order of the Chief Engineer dated February 14, 2013, approving the application to change the place of use, and by the Findings and Order of the Chief Engineer dated April 22, 2019, in the matter of the place of use, finds that the change is reasonable and will not impair existing rights, and that the application should be and is hereby approved.

The effective date of the change shall be the date this order is executed by the Chief Engineer, after which authorized location of the irrigation place of use shall be:

Sec.	Twp.	Range	NE¼				NW¼				SW¼				SE¼				TOTAL ACRES
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
5	31S	37W													31.00	31.00	31.00	31.00	124.00
7	31S	37W	12.00	35.00	40.00	35.00	35.00	Lot 1	Lot 2	40.00	40.00	Lot 3	Lot 4	35.00	35.00	40.00	35.00	12.00	488.00
8	31S	37W	31.00	31.00	31.00	31.00					38.00	31.00	31.00	38.00		31.00	31.00		324.00
9	31S	37W									35.00	12.00	35.00	40.00	12.00	35.00	40.00	35.00	244.00
16	31S	37W	35.00	40.00	35.00	12.00	40.00	35.00	12.00	35.00									244.00
17	31S	37W	12.00	35.00	40.00	35.00	35.00	12.00	35.00	40.00	40.00	35.00	12.00	35.00	35.00	40.00	35.00	12.00	488.00
18	31S	37W	31.00	31.00	31.00	31.00													124.00

a total of 2,036 acres in Township 31 South, Range 37 West, Stevens County, Kansas, located substantially as shown on the map accompanying the application to change the place of use.

That information in the office of the Chief Engineer finds that the point of diversion authorized would more accurately be defined as:

one (1) well located in the Southwest Quarter of the Northwest Quarter of the Northwest Quarter (SW¼ NW¼ NW¼) of Section 16, more particularly described as being near a point 4,082 feet North and 5,264 feet West of the Southeast corner of said section, in Township 31 South, Range 37 West, Stevens County, Kansas.

All diversion works into which any type of chemical or other foreign substance will be injected into the water pumped from the diversion works shall be equipped with an in-line, automatic, quick-closing check valve capable of preventing pollution of the source of the water supply. The type of valve installed shall meet specifications adopted by the Chief Engineer and shall be maintained in an operating condition satisfactory to the Chief Engineer.

The water right owner shall properly install an acceptable water meter on the diversion works authorized under this water right, prior to the use of water, in strict accordance with the Kansas Administrative Regulations 5-1-4 through 5-1-12 adopted by the Chief Engineer. The water right owner shall notify the Chief Engineer when installation of the water meter has been completed. The water right owner shall maintain the water meter in an operating condition satisfactory to the Chief Engineer, at all times during diversion of water and shall maintain records from which the total quantity of water diverted may be determined. The water right owner shall also report the reading of said water meter and the total quantity of water diverted annually to the Chief Engineer. Such records shall be furnished to the Chief Engineer by March 1 following the end of each calendar year.

In all other respects, the Certificate of Appropriation issued pursuant to Approval of Application, File No. 10,716, for permit to appropriate water for beneficial use, is as stated and set forth in the Certificate of Appropriation dated July 8, 1987, as modified and amended by the aforementioned orders.

Ordered this 20 day of June, 2023, in Manhattan, Riley County, Kansas.


Lane P. Letourneau

Lane P. Letourneau, P.G.
Program Manager
Division of Water Resources
Kansas Department of Agriculture

State of Kansas)
) SS
County of Riley)

The foregoing instrument was acknowledged before me this 20 day of June, 2023, by Lane P. Letourneau, P.G., Program Manager, Division of Water Resources, Kansas Department of Agriculture.

Tony Jay Connors
Notary Public



1320 Research Park Drive
Manhattan, KS 66502
785-564-6700
www. agriculture.ks.gov



900 SW Jackson, Room 456
Topeka, KS 66612
785-296-3556

Mike Beam, Secretary

Laura Kelly, Governor

June 26, 2023

ROME FARMS
KEITH G ROME
1096 RD BB
HUGOTON, KS 67951

RE: Water Right, File Nos. 135; 5,099; 10,716; 17,722 & 18,167

Dear Mr. Rome:

Enclosed are the orders executed by the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, approving the applications for change under the referenced files.

Your attention is directed to the enclosures and to the terms, conditions, and limitations specified in the approvals for change. A condition of the approvals is the requirement of the instillation of water flowmeters prior to the diversion of water. Records in this office indicate meters are installed, however if a meter has been replaced or repaired, please follow the instructions at our web site, <http://agriculture.ks.gov>, or contact your area field office.

Since these orders modify the original documents referred to above, they should be recorded with the Register of Deeds as other instruments affecting real estate.

If you have any questions regarding the enclosed documents, please contact our office at 785-564-6640. Inquiries about the metering please contact our staff at the Garden City Field Office, 620-276-2901. If you contact us to discuss a specific file, please have the file number ready so that we may help you more efficiently.

Sincerely,

Kristen A. Baum
New Application and Change Unit Supervisor
Water Appropriation Program

KAB:LI

Enclosures

pc: Garden City Field Office
Groundwater Management District No. 3

RIGHT TO A HEARING AND TO ADMINISTRATIVE REVIEW

If you are aggrieved by an Order, then pursuant to K.S.A. 82a-1901, you may request an evidentiary hearing before the Chief Engineer or request administrative review by the Secretary of Agriculture. Failure to request an evidentiary hearing before the Chief Engineer does not preclude your right to administrative review by the Secretary.

To obtain an evidentiary hearing before the Chief Engineer, a written request for hearing must be filed within 15 days after service of this Order as provided in K.S.A. 77-531 (**i.e., within a total of 18 days after this Order was mailed to you**), with: Kansas Department of Agriculture, Attn: Legal Section, 1320 Research Park Drive, Manhattan, KS 66502, FAX (785) 564-6777.

If you do not file a request for an evidentiary hearing before the Chief Engineer, you may petition for administrative review of the Order by the Secretary of Agriculture. A petition for review shall be in writing and state the basis for requesting administrative review. The request for hearing may be denied if the request fails to clearly establish factual or legal issues for review. See K.S.A. 77-527. The petition must be filed within 30 days after service of this Order as provided in K.S.A. 77-531 (**i.e., within a total of 33 days after this Order was mailed to you**), and be filed with: Secretary of Agriculture, Attn: Legal Division, Kansas Department of Agriculture, 1320 Research Park Drive, Manhattan, Kansas 66502, FAX 785-564-6777.

If neither a request for an evidentiary hearing nor a petition for administrative review is filed as set forth above, then this Order shall be effective and become a final agency action as defined in K.S.A. 77-607(b). Failure to timely request either an evidentiary hearing or administrative review may preclude further judicial review under the Kansas Judicial Review Act.

CERTIFICATE OF SERVICE

On this 26 day of June, 2023, I hereby certify that the attached Approvals for File Nos. 135; 5,099; 10,716; 17,722 & 18,167, dated June 20 were mailed postage prepaid, first class, US mail to the following:

ROME FARMS
1096 RD BB
HUGOTON, KS 67951

With a Photocopy to:

Garden City Field Office
Groundwater Management District No. 3



Division of Water Resources