Kansas Department of Agriculture Division of Water Resources

CHANGE: P/D WORKSHEET

1. File Number:	2. Status Change Date:	3. Change Num:	4. Field Office:	5. GMD:
15131		G3 C5	4	3
6. Status: ☐ Approved ☐ Deni	ed by DWR/GMD	Dismiss by Reques	t/Failure to Return	7. Filing Date of Change:
				3/1/2023
8a. Applicant(s)	Person ID		7.7	Person ID
New to system ⊠	Add Seq#	New to sy	stem 🔲	Add Seq#
BAILEY & BRADY GRAV 1401 MURRAY ST MIDLAND TX 79701-3929		**OWN	ERSHIP CHANGE	**
8b. Landowner(s) New to system □	Person IDAdd Seq#	8d. WUC New to sy	stem 🗌	Person IDAdd Seq#
8a		8a		
9. Documents and Enclosure(s): 🛛 DV	VR Meter(s) Date to Comp	y: 12/31/2023	N & P Date to €	Comply: 3/1/2024
☐ Anti-Reverse Meter ☐ Meter	Seal 🛛 Check Valve	☑ N & P Form	⊠ Water Tube ☐ Dri	iller Copy 🛛 H & E Letter
☐ Conservation Plan Date Require	ed: Da	te Approved:	Date to 0	Comply:
10. Use Made of Water From:		To: _		
			Date Prepared: 3/3/20 2 Date Entered:	23 ву: АМ Ву:

File No. 1513	1	11. County	: SV	Ва	sin: CI	MAR	RON R	IVER			S	tream:	9						Fo	ormation	n Code: 2	11 Special Use	
12. Points of Div CHK MOD DEL PDIV	version			-												and Q Authori	uantity		А	dditiona	ıl		
ENT	Qualifier	S	Т	R	ID		'N	ʻW	'	Com	ment	(AKA	Line)		Rate		Quantit af	ty	Rate gpm		Quantity af	Overlap PD Files	
DEL 68052	-	4																					
ENT	NE NE SW	13	33S	35W		2	655	291	0						186	5	732		186	5	732	NONE	
			-																				
																						**	
13. Storage: Rat	13. Storage: RateNF Quantityac/ft Additional RateNF Additional Quantityac/ft																						
14. Limitation:		af/yr a	at				gpm (_				cfs) w	hen co	mbine	d with	file no	umber	(s)						
Limitation:		af/yr a	at				gpm (_				cfs) w	hen co	mbine	d with	file nu	umber	(s)						
15. 5YR Allocatio	n: Allocation	Туре	_ St	tart Yea	r	_	5 YR	Amou	nt		Amo	ount Ui	nit		Base	Acres		_ C	omment .				
16. Place of Use CHK	1			NE1/4			NW1/4			SW1/4				SE1/4				Total	Owner	r Chg	? Overlap Files		
MOD DEL ENT PUSE	STR	ID	NE 1/4		SW 1/4	SE ¼	NE 1⁄4	NW ¼	SW ¼	SE ¼	NE ¼	NW 1⁄4	SW 1/4	SE ¼	NE 1⁄4	NW ¼	SW 1/4	SE ¼					
CHK 11836																				8a	Υ	NONE	
					_																		
Base Acres: Comments: NE	Year: W OWNER:		f inimu	m Reas	onable	Quar	ntity:																

Garden City Field Office 4532 W. Jones, Suite B Garden City, KS 67846



Phone: 620-276-2901 Fax: 620-276-9315 www.agriculture.ks.gov

Mike Beam, Secretary

Laura Kelly, Governor

March 3, 2023

BAILEY & BRADY GRAVES 1401 MURRAY ST MIDLAND TX 79701-3929

RE:

Filed Office Application for Change

Water Right, File No. 15131

Dear Sir or Madam:

Enclosed is the order executed by the designee of the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, approving the application for change under the above referenced file number.

Your attention is directed to the enclosures and to the terms, conditions, and limitations specified in this approval for change. A condition of this approval is that an acceptable water flow meter must be installed on the diversion works authorized under the referenced file number and meet current specifications. Please return the required notification of completion of the diversion works and installation of the required meter as soon as these actions are completed.

Since the order modifies the original document referred to above, it should be recorded with the Register of Deeds as other instruments affecting real estate.

The abandoned well must be plugged in accordance with the requirements of Article 30 of the Rules and Regulations as adopted by the Kansas Department of Health and Environment.

Should you have any questions, please feel free contact this office. If you would prefer, you could arrange an appointment for additional assistance.

Sincerely,

Austin J. McColloch

Assistant Water Commissioner

AM: enclosures

pc:

CERTIFICATE OF SERVICE

On this 3rd day of March, 2023, I hereby certify that the foregoing Approval of Application for Change in Point of Diversion, Water Right, File No. 15,131 dated 3rd day of March, 2023 was mailed postage prepaid, first class, US mail to the following:

BAILEY & BRADY GRAVES 1401 MURRAY ST MIDLAND TX 79701-3929

Pc:

Division of Water Resources Staff

Submit completed application to: Kansas Department of Agriculture Division of Water Resources Field Office for your area. Call for address:

Topeka -- (785) 296-5733 Stafford -- (620) 234-5311 Stockton -- (785) 425-6787 Garden City -- (620) 276-2901 http://agriculture.ks.gov/dwr

DWR FIELD OFFICE APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF USE AND/OR THE POINT OF DIVERSION



STATE OF KANSAS

Filing Fee Must Accompany the Application, K.S.A. 82a-708b(b), as amended. Fee Schedule is on the third page of this application form.

Paragraph Nos. 1, 2, 3 & 5 must be completed. Complete all other applicable portions. If change in point of diversion is greater than 100 feet, or if place of use will be changed, include a topographic map or detailed plat showing the authorized and proposed point(s) of diversion and/or place of use.

	,					F	ile No	. <u>1513</u>	1			_						2:41	1 2023
1.	Applicati	on is he	reby n	nade f	or app	oval o	f the C	hief E	nginee	er to ch	nange	the (ch	eck or	ne or b	oth):				Field Office
						□ P	lace o	f Use		\boxtimes	Point	of Dive	ersion			. [Divisio	n of Wa	ater Resources
	under th	e water	right w	vhich is	s the s	ubject	of this	applic	ation i	n acco	rdance	e with t	the cor	ndition	s desc	ribed b	oelow.		
	The sou	rce of su	apply is	s:		⊠ G	round	water			Surfa	ce wat	er						
2.	Name ar	nd addre	ess of A	Applica	ant: <u>T</u> KS 67	ERRY 951	& CAF												
	Phone N Name ar		_										-			f 1			
	ivallie al	iu auuit	255 UI	vvalei	USE C	onesp	onden				1								
	Phone N	lumber:	()					Email	addre	ss:								
3.	The pres	sently au	uthoriz	ed pla	ce of u	se is:													
	Owner o																		
_	(If there is	more th	an one	landov	vner, at	tach su	ppleme	ental sh	eets as	neces	sary.)		10.7	1				Т	
1				NE	=1/4			NV	V1/4			SW¼			SE¼				TOTAL ACRES
Sec	. Twp.	Range	NE¼	NW¼	SW1/4	SE1/4	NE¼	NW¼	SW1/4	SE¼	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE¼	AONLO
															-				A.2
															-				
	If this ap Owner o	f Land -	NA ADDRI	AME: ESS:		<u>\</u>						ace of	use be	e chan	ged to	:	·		
					Ξ1/4				N'/4			SV	V1/4			SF	Ξ1/4		TOTAL
Sec	c. Twp.	Range	NE1/4	NW1/4		SE¼	NE1/4		SW1/4	SE1/4	NE1/4		SW1/4	SE1/4	NE1/4			SE1/4	ACRES
		:						- v							1				0.00
														4 - 1/2 J					
			1																aliter a
	For Offi	ce Use	Only:	Code		Fe	e \$ <u>10</u>	0.0	<u>)</u> TR	#		Re	eceipt	Date _	3-1-	23	Chec	k # <u>0</u> 0	4065

5. [Presently authorized point of diversion:
	One in the NE Quarter of the NE Quarter of the SW Quarter
	of Section 13, Township 33 South, Range 35 W,
	in SV County, Kansas, 2572 feet North 2786 feet West of Southeast corner of section.
-	Authorized Rate No change Authorized Quantity No change Depth of well (feet)
	(DWR use only: Computer ID No. 2 GPS feet North feet West)
	☐This point will not be changed ☑This point will be changed as follows: ☐ No change, point better described with GPS as follows:
- 1	Proposed point of diversion: (Complete only if change is requested or if existing point is better described by GPS)
	One in the NE Quarter of the NE Quarter of the SW Quarter
- 1	of Section 13, Township 33 South, Range 35 (E/W),
	in <u>SV</u> County, Kansas, <u>2655</u> feet North <u>2910</u> feet West of Southeast corner of section.
	Proposed Rate No change Proposed Quantity No change Proposed well depth (feet) 580
- 1	This point is: Additional Well Geo Center List other water rights that will use this point N/A
_	
٦	Presently authorized point of diversion:
<u>'</u>	
	One in the Quarter of the Quarter of the Quarter of the Quarter of the E/W), CE/W),
	in County, Kansas, feet North feet West of Southeast corner of section.
1	Authorized Rate Authorized Quantity Depth of well (feet)
1	(DWR use only: Computer ID No GPS feet North feet West)
1	☐ This point will not be changed ☐ This point will be changed as follows: ☐ No change, point better described with GPS as follows:
	Proposed point of diversion: (Complete only if change is requested or if existing point is better described by GPS)
-	One in the Quarter of the Quarter of the Quarter
	of Section, Township South, Range(E/W),
	in County, Kansas, feet North feet West of Southeast corner of section.
	Proposed Rate Proposed Quantity Proposed well depth (feet)
	This point is: Additional Well Geo Center List other water rights that will use this point
L	The pentitie. The discontinuities are content place and matering the share that the content pentities are pentities.
7.	The changes herein are desired for the following reasons?
	(please be specific) North
	300 200 100 0°° 100 200 300 Empiriproproproproproproproproproproproproprop
	<u></u>
3.	If a well, is the test hole log attached? ☑ Yes ☐ No 200 ☐ I + I + I ☐ I + I + I ☐ 200
	and well, is the test hole log attached? \square res \square No $200 = 1 + 1 + 1 = 1 + 1 + 1 = 200$
9.	The change(s) (was)(will be) completed by?
	100 = + = + = + = 100
	E i ♥i ≡ i ∃
10.	in the point of divorsion to a work.
	(a) What are you going to do with the old well? West 0 [+++ +++ ++++ +++++++++++++++++++++++
	Plua (ap
	100 = 1 + 1 + 1 = 1 + 1 = 100
	(b) When will this be done?
11.	Groundwater Management District recommendation attached? 200
	☐ Yes ❷ No
12	Assisted by mdf/GCFO
۲.	Assisted by Mai/GCTO 300 200 100 0 100 200 300 South Scale: 1 hashmark=10 ft

13a. If the proposed point of diversion will be relocated more than 300 feet but within 2,640 feet of the existing point of diversion, attach a topographic map or aerial photograph. For groundwater sources, show all wells (including domestic) within one-half mile diagram shown above in relation to the existing point of of the proposed point of diversion and the names and mailing addresses of the owners. For surface water sources, show the names and addresses of the landowner(s) one-half mile downstream and one-half mile upstream from your property

diagram shown above in relation to the existing point of diversion. (PLEASE NOTE: The "X" in center of diagram above represents the presently authorized point of diversion.)

14. If the prop	osed groundwater point of diversion	on is 300 or fewer feet fro	m the existing point of d	liversion, complete the	ne following:
(a) Does "⊠Ye	the undersigned represent all owr es \sum No (If no, all ow	ners of the currently authoners must sign this applic		entified in this applica	ation?
	he ownership interest of any ownered if this application is approved a les No (If yes, all owners)		1 -	ntified in this applica	ation be adversely
(c) If this ☐ Ye	application is not approved expedes No (If no, all ow	litiously, will there be subs ners must sign this applic		erty, public health or	safety?
or a change in	on proposes a surface water chang place of use, the application must notarized statement authorizing rep	be signed by all owners			
age and the their behalf,	ify, being first duly sworn up owner, the spouse of the ow in regards to the water right this application are true, co	ner, or a duly authori t(s) to which this app rrect and complete.	zed agent of the own lication pertains. I	ner(s) to make the further verify that	s application or
Dated at	Moscow	. Kansas. this	28th day of te	Druken	. 20 23
-		, , , , , , , , , , , , , , , , ,			
00000	(Owner)		,	(Spouse)	
Brady	(Owner)				
	(Please Print)		1.7	(Please Print)	
	(Owner)			(Spouse)	·
	(Please Print)			(Please Print)	
	(Owner)	 ,		(Spouse)	
	(Please Print)			(Please Print)	,
State of Kansa	s /				
County of	Stevens ss				
I hereby co	ertify that the foregoing applica	ation was signed in m	ny presence and swo	orn to before me	this 28th day
of <u>Peb</u>	1000 y . 2023 .	A. CHERYL L. CAM	PBELL	11 Campl	1/
My Commission	n Expires 9-30-23	My Appt. Expires 9	of Kansas 0.23	Notary Public	
	TE APPLICATIONS WILL BE PROCES tion; maps, if necessary, must be inclu ee must be paid.				
		FEE SCHEDU	LE		
forth in the sch (1) Ap (2) Ap	on to change the place of use or the edule below: Make checks payab oplication to change a point of diverpolication to change a point of diverpolication to change the place of use of the place	le point of diversion under le to: Kansas Departme rsion 300 feet or less rsion more than 300 feet	this section shall be ac nt of Agriculture		\$100 \$200
JULIE JONES Sprointment Expline	VAN POLICE				

SUMMARY ORDER APPROVING APPLICATION FOR CHANGE AND IMPOSING CONDITIONS

This Summary Order is issued under authority of K.S.A. 82a-708b, as amended, and K.A.R. 5-5-1, et seq. and other applicable provisions of the Kansas Water Appropriation Law, K.S.A. 82a-701 et. seg., and rules and regulations promulgated thereunder, With the exception of those conditions expressly contained herein, this Summary Order does not change the terms, conditions and limitations of File No. 15131 A change application was received on March 2023 requesting that the place of use and / or point of diversion authorized under the above-referenced file number be changed as described in the application. On and after the effective date of this summary order, the authorized place(s) of use shall be located substantially as shown on 2. Not Applicable the topographic map accompanying the application to change the place of use. ☐ Applicable The change in point of diversion shall not impair existing rights and shall be limited to the same source or sources of water as previously authorized. The point of diversion authorized by this summary order shall be located within a _______ foot radius of the authorized point(s) of diversion. 🔀 Applicable _____ Not Applicable The point(s) of diversion described herein is administratively corrected to be more accurately described using the Global Positioning System (GPS), as described in the application.

Applicable
Not Applicable The point(s) of diversion authorized herein shall not actually be located more than _ feet from the previously authorized point(s) of diversion. Applicable \(\square\) Not Applicable As required by K.A.R. 5-3-5d, if the works for diversion is a well with a diversion rate of 100 gallons per minute or more, a tube or other device suitable for making water level measurements shall be installed, operated and maintained in accordance with K.A.R. 5-6-13. M Applicable ☐ Not Applicable The owner of the authorized place(s) of use shall properly install an acceptable water flow meter on or before December 31, 20 3, or before the first use of water, whichever occurs first. The water flow meter shall be installed, operated and maintained in accordance with K.A.R. 5-1-4 through 5-1-12. As required by K.S.A. 82a-732, as amended, and K.A.R. 5-3-5e, the owner shall maintain records and report the reading of the water flow meter and the total quantity of water diverted annually to the Chief Engineer by March 1 following the end of each calendar year. **Applicable** ☐ Not Applicable Installation of the works for diversion of water shall be completed on or before December 31, 20 23, or within any authorized extension of time. By March 1, 20 24 the applicant shall notify the Chief Engineer that construction of the works for diversion has been completed, on the form provided by the Chief Engineer, as required by K.A.R. 5-8-4e. Applicable ☐ Not Applicable The completed well log shall be submitted with the required notice. Applicable Applicable ☐ Not Applicable 10. All diversion works into which any type of chemical or other foreign substance will be injected into the water shall be equipped with an in-line, automatic, quick-closing check valve capable of preventing pollution of the source of the water supply. The check valve(s) shall be installed, operated and maintained in accordance with K.A.R. 5-3-5c. ☒ Applicable ☐ Not Applicable Additional Conditions are attached. ☐ Yes 12. In accordance with K.S.A. 82a-708a, as amended, and K.A.R. 5-5-14, all of the owners of the authorized place(s) of use of water appropriated under the above-referenced file number are responsible for compliance with its terms, conditions and limitations, as amended and/or supplemented by this Summary Order, and with applicable provisions of the *Kansas Water Appropriation Law* and the *Rules and Regulations* promulgated thereunder. Failure to comply with these provisions may result in civil penalties pursuant to K.S.A. 82a-737, as amended, and/or the suspension or revocation and dismissal of the water or appropriation right or any other enforcement actions authorized by law. Administrative Appeal and Effective Date of Order FOR OFFICE USE ONLY APPLICATION APPROVED AND If you are aggrieved by this order, pursuant to K.S.A. 82a-1901, SUMMARY ORDER ISSUED you may request an evidentiary hearing before the Chief Engineer or request administrative review by the Secretary of Agriculture. A request for hearing by the Chief Engineer must be filed within **15 days** of service of this Order and a request for Duly Authorized Designee of the Chief Engineer administrative review by the Secretary must be filed within 30 days pursuant to K.S.A. 77-531. Any request for administrative (Print Name): Hustin review must state a basis for review pursuant to K.S.A. 77-527. Division of Water Resources - Kansas Department of Agriculture File any request with Kansas Department of Agriculture. Legal Division, 1320 Research Park Drive, Manhattan, KS Date of Issuance: 66502. Failure to timely request a hearing or review may State of Kansas preclude review under the Kansas Judicial Review Act. SS For Use by Register of Deeds County of Acknowledged before me on Signature: Notary Public VATE O JULIE JONES My commission expires: My Appointment Expires December 15, 2026

File No. <u>15131</u>

Country Hugoban ks Country Hugoban ks Super Get: 2 Super Get: 2 Super Get: 3 Supe	Date	2.21.24	Dainar, lexas /9022	
Crew Dischards Class Dioce County: Husbanks Super Gel: 2 Bit: SVII Test No. 2 Super Gel: 2 Bit: SVII Test No. 2 State of Top Soil Fine Sond Course Sound Concrete: I From To Description Sand Concrete: I From To Description Concrete: I From To Description		dericas H	(806) 249-4585 WR 15/3	1
County: Hugotan ks Super Get: 2 Super Get: 2 Super Get: 3 Super Get: 4 Super Get: 5 Super Get: 4 Super Get:		Justin		
Super Get: 8. Bit: SYN Concrete: 1 Brain: Br Other: 0 From To Description Sand O GO Top Soil Fine Sand Course Sand 100 130 Brown white clay 140 Brown white clay 140 160 Brown white clay 180 200 Pechanel 200 210 Chiavel Brown clay 200 220 Pechanel 200 240 Chiavel Brown clay 200 300 Fine Sand Pechanel 300 300 Fine		(e)co/	Jose Section:	
Super Get: 2 Bit: SYM Concrete: Bran: Brown of the Sand Course Sand Other: Bran: Brown of the Sand Course Sand O BO Top Soil Fine Sand Course Sand 12 100 120 Brown fuhite clay 120 1440 Brown fuhite clay 140 160 Brown fuhite clay 140 160 Brown fuhite clay 180 Brown fuhite clay 180 Brown fuhite clay 180 Brown fuhite clay 200 220 PeeGravel 200 220 PeeGravel 200 240 Gravel Brown clay Kine Sand 200 240 Fine Sand Pee Gravel 200 300 Fine Sand Pee Gravel 300 300 Fine Sand PeeGravel 400 400 Fine Sand Brown Red Clay 400 400 Fine Sand Brown Red Clay 500 500 Fine Sand Brown Red Clay			빨리는 성도 하게 됐다면 하는 것이 되었습니다. 그는 이번 그를 내고 있다.	37°10'38.4"
Bit: \$\frac{\text{No.26}}{Bran: Bran: Bran			w w	10104 39.2"
Concrete: Brain: Brown Course Sand O BO Top Soil Fine Sand Course Sand 12 100 120 Fine Sand Brown Clay 120 140 Brown Jwhite Clay 140 160 Brown Jwhite Clay 160 180 Fine Sand 160 180 Fine Sand 170 180 200 PeeGrowel 180 200 PeeGrowel 180 200 PeeGrowel 180 200 Fine Sand 180 200 PeeGrowel 180 200 Fine Sand 180 200 PeeGrowel 180 300 Fine Sand PeeGrowel 180 300 Fine Sand PeeGrowel 180 300 Fine Sand PeeGrowel 190 340 Growel Fine Sand 190 340 Regrowel Lourse Sand 190 380 Course Sand PeeGrowel 190 480 PeeGrowel Lourse Sand 190 190 190 PeeGrowel 190 190 190 PeeGrowel 190 190 PeeGro	Super Gel: Bit:	5/4	Test No. 2	37.17133
Other: To Description Sand O BO Top Soil Fine Sand Course Sand 100 120 Fine Sand Brown clay 120 140 Brown Juhite Clay 140 160 Brown Juhite Clay 160 180 Brown Juhite Clay 160 180 Brown Juhite Clay 160 180 Brown Juhite Clay 160 200 Pee Grove 180 300 Fine Sond Pee Grove 180 300 Fine Sond Pee Grove 190 340 Grove Sond Pee Grove 190 340 Brown Pee Grove 190 340 Brown Pee Grove 190 480 Pee Gro	Concrete:	1		-101.0776
80 Top Soil Fine Sand Course Sand 80 Top Soil Fine Sand Brown clay 100 120 Fine Sand Brown clay 120 140 Brown white clay 140 160 Brown white clay 140 160 Brown white clay 160 180 Brown white clay 180 200 Peechavel 200 220 Peechavel 200 240 Gravel Brown clay Fine Sand 210 260 Fine Sand Peechavel 200 380 Fine Sand Peechavel 200 380 Fine Sand Peechavel 200 380 Gravel Fine Sand 200 340 Fine Sand Peechavel 200 340 Rechavel Course Sand 200 340 Rechavel Course Sand 200 340 Fine Sand Feechavel 200 340 Fine Sand Freechavel 200 34	Other:	Ø		
100 120 Brown/white clay 120 140 Brown/white clay 140 160 Brown/white clay 140 160 Brown/white clay 160 180 Brown/white clay 170 180 Brown/white clay 171 172 180 180 Red clay Gravel Fine Sand 180 180 Red Clay Gravel Fine Sand 180 180 Brown/white clay 180 180 Brown/Red clay 180 Brown/Red	From	То	Description	Sand
100 120 Brown/white Clay 120 140 Brown/white Clay 140 160 Brown/white Clay 140 160 Brown/white Clay 160 180 Brown/white Clay 170 180 180 Fine Sand 180 180 180 180 180 180 180 180 180 Fine Sand Pre Crawe 180 180 180 Course Sand Pre Crawe 190 190 190 Pre Grave 190 Pre Grav	0	80	Top Soil Fine Sand course Sand	
100 120 Brown/white clay 120 140 Brown/white clay 140 160 Brown white clay 160 180 Brown white clay 160 180 Brown white clay 160 180 Brown librite clay 160 200 Peegrave 160 200 Peegrave 173 240 260 Fine Sand 160 280 Recard Fine Sand 173 280 300 Fine Sand Peegrave 180 300 Fine Sand Peegrave 191 320 340 Grown Fine Sand 192 340 Bro Course Sand Peegrave 192 380 380 Course Sand Peegrave 193 380 400 Peegrave 193 380 400 Peegrave 194 195 196 Red Clay Grave 197 1980 Fine Sand Peegrave 1980 480 Feegrave 1980 Fine Sand Peegrave 1980 480 Feegrave 1980 Fine Sand Peegrave 1980 480 Feegrave 1980 Fine Sand Feegrave 1980 490 Feegrave 1980 Fine Sand Feegrave 1980 500 Red Brown librite Clay 1980 500 Fine Sand Brown Red Clay	80			12
140 160 Brown Jwhite Clay 140 160 Brown Jwhite Clay 160 180 Brown Jwhite Clay 180 200 Rechard 200 220 Peechard 200 240 Gravel Brown Clay Kine Sand 200 280 Rechard Eine Sand 200 280 Rechard Eine Sand 200 380 Fine Sand Rechard 300 Jan Fine Sand Brown Red Clay 300 San Fine Sand Brown Red Clay 300 San Fine Sand Brown Red Clay 300 San Fine Sand Red Clay 300 San Fine Sand Red Clay 300 San Fine Sand Brown Red Clay 300 San Fine Sand Brown Red Clay 300 Fine Sand Red Lay 300 Fine Sand Red Lay 300 Fine Sand Red Clay 300 Fine Sand Red Fine Sand Red Clay 300 Fine San	100			
140 160 Brown Jwhite Clay 160 180 Brown Jwhite Clay 180 200 Recharel 200 220 Pechiavel 200 220 Pechiavel 200 220 Pechiavel 200 240 Gravel Brown Clay Kine Sand 200 260 Fine Sand 200 280 Rechard Fine Sand 200 380 Fine Sand Pechiavel 300 380 Gravel Fine Sand 300 380 Course Sand Pechiavel 300 380 Course Sand Pechiavel 300 380 Course Sand Pechiavel 300 400 Rechard Course Sand 400 480 Rechard Course Sand 400 480 Rechard Course Sand 400 480 Rechard Fine Sand 400 480 Fine Sand Rechard 410 480 Fine Sand Rechard Fine Sand 410 480 Fine Sand Rechard Fine Sand 410 480 Fine Sand Brown Red Clay 410 500 Fine Sand Brown Red Clay 500 540 Fine Sand Brown Red Clay	120	140	Brown white Clay	RECEIVED
180 Brown / While Clay 180 Rec Recarded 200 220 Peechavel 200 220 Peechavel 200 240 Charel Brown Clay Kine sand 210 260 Fine Sand 200 280 Recarded Fine Sand 200 280 Fine Sand Rec Charel 200 320 Fine Sand Peechavel 300 320 Fine Sand Peechavel 310 320 Course Sand Peechavel 310 380 Course Sand Peechavel 380 380 Course Sand Peechavel 380 380 Course Sand Peechavel 380 400 Peechavel Course Sand 400 480 Rechavel Course Sand 400 480 Rechavel Course Sand 400 480 Rechavel Course Sand 400 480 Red Clay Gravel Fine Sand 400 480 Fine Sand Rechavel 400 480 Fine Sand Rechavel Fine Sand 400 500 Red Rechavel Red Clay 500 500 Fine Sand Brown Red Clay	140	160	Brown Juhite Clay	JAN 2 4 2023
200 220 Persiave Division of Water Resources 200 220 Persiave 200 240 Grave Brown Clay Fine Sand 200 240 260 Fine Sand Break 200 200 260 280 Persiave Fine Sand 200 260 280 Persiave Fine Sand 200 260 280 Persiave Fine Sand 200 280 300 Fine Sand Persiave 200 340 340 Grave Fine Sand Persiave 200 340 360 Course Sand Persiave 200 360 380 Course Sand Persiave 200 360 400 Persiave Course Sand 200 400 480 Persiave Course Sand 200 410 440 Red Clay Grave Fine Sand 400 410 480 Fine Sand Brown Red Clay Fine Sand 200 480 500 Red Recommon Brown Red Clay Fine Sand 200 500 520 Fine Sand Brown Red Clay 300 500 520 Fine Sand Brown Red Clay 300 500 540 Fine Sand Brown Red	160	180	Brown lwhite clay	arden City Field Office
200 240 Gravel Resumblay Fire sand 200 260 Fire Sand 200 260 Fire Sand Pee Gravel 18 280 300 Fire Sand Pee Gravel 18 300 340 Gravel Fire Sand 19 340 360 Course Sand Pee Gravel 17 340 360 Course Sand Pee Gravel 17 360 380 Course Sand Pee Gravel 17 360 400 Pee Gravel Course Sand 17 400 480 Pee Gravel Course Sand 17 410 440 Course Sand Pee Gravel 17 410 460 Red Clay Gravel Fire Sand 14 410 480 Fire Sand Gravel Red Clay Fire Sand 14 410 480 Fire Sand Brown Red Clay Fire Sand 11 500 520 Fire Sand Brown Red Clay 14 500 540 Fire Sand Brown Red Clay 19 500 540 Fire Sand Brown Red Clay 19 500 540 Fire Sand Brown Red Clay 19	180		Divin	sion of Water Resources
240 260 Fire Sand Pee Gravel 200 200 200 280 Recoravel Fine Sand 200 200 200 300 Fine Sand Pee Gravel 300 320 Fine Sand Pee Gravel 340 Gravel Fine Sand 380 Course Sand Pee Gravel 380 400 Recoravel Course Sand 400 480 Recoravel Course Sand 400 480 Recoravel Course Sand 400 480 Fine Sand Recoravel 400 480 Fine Sand Gravel Fine Sand 400 500 Red Recoravel Fine Sand 400 500 Red Recoravel Red Clay 500 500 Fine Sand Brown Red Clay 500 540 Fine Sand Brown Red Clay 540 560 Fine Sand Brown Red Clay 540 560 Fine Sand Brown Red Clay 540 560 Fine Sand Brown Red Clay	200			13
240 260 Fire Sand Per Gravel 260 280 Recarded Fire Sand 260 300 Fine Sand Per Gravel 300 320 Fine Sand Per Gravel 340 Gravel Fine Sand 380 400 Recarded Course Sand 400 480 Recarded Course Sand 400 480 Recarded Course Sand 400 480 Fine Sand Recarded 400 480 Fine Sand Gravel Fine Sand 400 480 Fine Sand Gravel Bodday Strips 400 500 Red Recarded Brown Red Clay 500 500 Fine Sand Brown Red Clay 500 540 Fine Sand Brown Red Clay 540 560 Fine Sand Brown Red Clay 540 560 Fine Sand Brown Red Clay 540 560 Fine Sand Brown Red Clay	220	240	Gravel Brown Clay Fine sand	10 计数据数据数据
300 300 Fine Sand Pee Gravel 19 300 320 Fine Sand Pee Gravel 19 300 340 Gravel Fine Sand Pee Gravel 17 300 380 Course Sand Pee Gravel 17 380 400 Pee Gravel Course Sand 17 400 480 Fine Sand Pee Gravel 17 400 480 Fine Sand Pee Gravel 19 400 480 Fine Sand Pee Gravel 19 400 480 Fine Sand Brown Pee Gravel 11 500 500 Red Brown Justifie Clay Fine Sand 11 500 500 Fine Sand Brown Red Clay 14 500 540 Fine Sand Brown Red Clay 19 500 540 Fine Sand Brown Red Clay 19	240	260	FineSand	20
300 320 Fine Sand Pee Crawel 19 340 340 Gravel Fine Sand Pee Crawel 17 340 360 Course Sand Pee Gravel 17 380 400 Pee Gravel Course Sand 17 400 480 Pee Gravel Course Sand 17 420 440 Course Sand Pee Gravel 17 420 440 Course Sand Pee Gravel 17 440 460 Red Clay Gravel Fine Sand 14 460 480 Fine Sand Gravel Red Clay Frie Sand 11 500 500 Red Brown white Clay Fine Sand 11 500 520 Fine Sand Brown Red Clay 14 520 540 Fine Sand Brown Red Clay 19 520 540 Fine Sand Brown Red Clay 19 520 540 Fine Sand Brown Red Clay 19	260			160
340 340 Gravel Fine Sand 14 340 340 Gravel Fine Sand 17 340 380 Course sand PreGravel 17 380 400 Regravel course sand 17 400 480 ReeGravel course sand 17 440 440 Course sand ReeGravel 17 440 460 Red Clay Gravel Fine Sand 14 460 480 Fine Sand Gravel Red Clay Fine Sand 14 480 500 Red Reown Justifie Clay Fine Sand 11 500 520 Fine Sand Brown Red Clay 500 540 Fine Sand Brown Red Clay 14 500 540 Fine Sand Brown Red Clay 14 500 540 Fine Sand Brown Red Clay 14	280	300	Fine Sand Ree Grove!	
340 340 Gravel Fine Sand PerGravel 17 360 380 Course Sand PerGravel 17 380 400 PerGravel Course Sand 17 400 480 PerGravel Course Sand 12 400 440 Course Sand PerGravel 17 410 460 Red Clay Gravel Fine Sand 4 460 480 Fine Sand Gravel Red Clay Strips 11 480 500 Red Brown Judite Clay Fine Sand 11 500 520 Fine Sand Brown Red Clay 14 520 540 Fine Sand Brown Red Clay 14 520 540 Fine Sand Red Clay 14	300	320	Fine Sand Per Coronvel	E CANAL SECTION
360 380 Course sand Preliqued 360 400 Preliqued Course sand 400 480 Preliqued Course sand 420 440 Course sand Preliqued 440 460 Red Clay Gravel Fine Sand 440 480 Fine Sand Gravel Red Clay Strips 480 500 Red Brown Judy te Clay Fine Sand 11 500 520 Fine Sand Brown Red Clay 500 540 Fine Sand Brown Red Clay 540 560 Fine Sand Red Incent Brown Clay 580 560 Fine Sand Red Incent Brown Clay	320	340	Gravel Fine Fand	13
400 480 Perference Course Sand 12 420 440 Course Sand Perference 17 420 440 Course Sand Perference 17 440 460 Red Clay Gravel Fine Sand 44 460 480 Fine Sand Gravel Red Clay Strips 14 480 500 Red Ream / White Clay Fine Sand 11 500 500 Fine Sand Brown / Red Clay 14 500 540 Fine Sand Brown Red Clay 9 540 560 Fine Sand Red (Grown Clay 9)	340	360	Course sand Pee Grave	17
400 480 Perference Course Sand 12 420 440 Course Sand Perference 17 420 440 Course Sand Perference 17 440 460 Red Clay Gravel Fine Sand 44 460 480 Fine Sand Gravel Red Clay Strips 14 480 500 Red Ream / White Clay Fine Sand 11 500 500 Fine Sand Brown / Red Clay 14 500 540 Fine Sand Brown Red Clay 9 540 560 Fine Sand Red (Grown Clay 9)	360	380	Course Sand Pee Graval	17
400 480 Peelsavel Course Search 420 440 (ourse Sand Peelsavel 400 460 Red Clay Gravel Fine Sand 400 480 Fine Sand Gravel Red Clay Strips 400 480 Fine Sand Gravel Red Clay Fine Sand 400 500 Red Brown Justite Clay Fine Sand 400 500 Fine Sand Brown Red Clay 500 540 Fine Sand Brown Red Clay 500 540 Fine Sand Brown Red Clay 540 560 Fine Sand Red Hucea (Brown Clay 550 560 Fine Sand Red Hucea (Brown Clay	380	400	PerGravel Course Sand	
440 460 Red Clay Gravel Fine Sand 440 480 Fine Sand Gravel Red Clay Strips 460 480 Fine Sand Gravel Red Clay Fine Sand 480 500 Red Roun Justifie Clay Fine Sand 490 500 Fine Sand Brown Red Clay 500 540 Fine Sand Brown Red Clay 500 540 Fine Sand Brown Red Clay 540 560 Fine Sand Red I Guera Brown Clay 540 560 Fine Sand Red I Guera Brown Clay		480	Peecravel course Sand	. 17
460 Red Clay Grave Fine Sond 460 Red Clay Grave Red Clay Strips 460 480 Fine Sand Grave Red Clay Fine Sand 480 500 Red Brown white Clay Fine Sand 500 520 Fine Sand Brown Red Clay 500 540 Fine Sand Brown Red Clay 640 560 Fine Sand Red Guern Brown Clay 640 560 Fine Sand Red Guern Brown Clay		440	lowse sand Peebrace	4
460 480 Fine Sand Grave Reddlay Strips 11 180 500 Red Brown / white Clay Fine Sand 11 500 520 Fine Sand Brown Reddlay 14 520 540 Fine Sand Brown Reddlay 9 540 Fine Sand Brown Reddlay 9 540 Fine Sand Bad Grave Brown Clay 9 560 Fine Sand Bad Grave 560 Fine Sand Bad Grave 560 Fine Sand Bad Grave 560 Fine Sand Bad 660 Fine Sand Bad 66	STATE OF THE PARTY	460	Red Clay Gravel Fine Sand	ia i
480 500 Red/Brown/white Clay Fine Ducks 500 Fine Sand Brown/Redelay 500 540 Fine Sand Brown/Red Clay 49 540 560 Fine Sand Red/Green/Brown Clay 9		1100	Fine Can Grave Red Clay Stesps	11
500 520 Fine Sand Brown Red Clay 500 540 Fine Sand Brown Red Clay 9 540 560 Fine Sand Rad Green Brown Clay 9		SAM	Red Brown white Clay Tine Dave	1
500 540 Fine Sand Brown (lay 9		120	Fine Cond Krown / Keer Chang	14
SHO 560 Fine Sand Ked Historians	BURGER BURGER		Free Count I see -	
SHESTER		540	Ene Send Red Green Brown Clay	
	540	500	Redelay	SPESTE

.

Property Details for PID: 0951161300000003000

Shareable link to

Property Information:

https://www.kansasgis.org/orka/permalinkprop.cfm?

parcelid=0951161300000003000

Shareable link to

Map:

https://www.kansasgis.org/orka/permalink.cfm?

parcelld=0951161300000003000

QuickRef ID:

R1876

Owner Name:

GRAVES, BAILEY & BRADY

Location:

00000 COUNTY, , KS

Abbreviated Boundary Description:

S13, T33, R35W, ACRES 153.14, SW LESS ROW

Owner Information:

Owner

GRAVES, BAILEY & BRADY

Mailing Address

1401 MURRAY ST MIDLAND, TX 79701-3929

Property Information:

Type

Agricultural Use

Status

Active

Taxing Unit

040 - CENTER TOWNSHIP

Neighborhood

Code

320.0

No Secondary Address Details found

Market Land Details:

Actual Width:	0
Eff. Width	0
Eff. Depth	0
Acres	0
Square Feet	0
No Permit Details found	
No Orion Deed Book Page Details found	
Value Details	
No Dwelling Details found	
No Manufactured Home Details found	
No Additional Dwelling Details found	
No Other Improvements found	
No Commercial Building Details found	
No Commercial Building Section Details found	

Ag Land Details

Acre Type :	No Acres :	Map Unit :	Irrig:	Well Depth:
Dry Land - DR	28.37	5216		
Dry Land - DR	10.28	5220		
Dry Land - DR	47.23	5236		
Native Grass - NG	14.05	5216		
Native Grass - NG	53.43	5236		
Total Acres :	153.36			

No Ag Building Details found