NOTICE

This scan only represents the application as filed. The information contained herein meets the requirements of K.A.R. 5-3-1 or K.A.R. 5-5-1, and has been found acceptable for filing in the office of the Chief Engineer. The application should not be considered to be a complete application as per K.A.R. 5-3-1b or K.A.R. 5-5-2a.

Submit completed application to: Kansas Department of Agriculture Division of Water Resources Field Office for your area. Call for address:

Topeka -- (785) 296-5733 Stafford -- (620) 234-5311 Stockton -- (785) 425-6787 Garden City -- (620) 276-2901 http://agriculture.ks.gov/dwr

DWR FIELD OFFICE APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF USE AND/OR THE POINT OF DIVERSION



STATE OF KANSAS

Filing Fee Must Accompany the Application, K.S.A. 82a-708b(b), as amended. Fee Schedule is on the third page of this application form.

Paragraph Nos. 1, 2, 3 & 5 must be completed. Complete all other applicable portions. If change in point of diversion is greater than 100 feet, or if place of use will be changed, include a topographic map or detailed plat showing the authorized and proposed point(s) of diversion and/or place of use.

						F	File No	. <u>3220</u>)								N	MAR 0	2 2023 58 am
1	Applicati	ion is he	arehv r	nade f	or anni	roval c	of the C	hief F	nainer	er to ch	nange 1	the (ch	eck or	ne or h	oth):	Di	Garde	en City	Field Office iter Resource
١.	Applicati	011 13 110	i coy ii	iauc ic	л аррі		Place of		.rigirice		Point			ic oi b	oury.	- 0	VISIOII	or vva	ter Resource
	····dor th	- water	-i-bt u	-biab i	- 4h.o.o.	_			ation i					dition	dana	-ibad k	halaw		
	under the													Millora	saeso	nbeu i	Jeiow.		
	The sour	rce of su	abbly is	3:		XI G	Ground	water		Ш	Surfac	e wate	er						
2.	Name a	nd addre	ess of	Applica	ant· M	ICHAI	FIS8	JENN	IIFFR	STANI	OI FY								
۷.		Name and address of Applicant: MICHAEL S & JENNIFER STANDLEY 14550 N VFW RD GARDEN CITY KS 67846 - 9237																	
		Phone Number: (620) 260-6354 Email address: swkscornfarmer@gmail.com																	
	Name ar					orresp	onder												
			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			*****								-					7 7 7
	Phone N	lumber:	()					Email	addre	ss:								
3.											-								
3. The presently authorized place of use is: Owner of Land NAME: NO CHANGE						· ·													
		1	ADDRI	ESS:													/		
	(If there is							ental sh	ieets as	neces	sary.)			F					- L
				NE1/4				NW¼				SW¼			SE1/4			TOTAL	
Se	ec. Twp.	Range	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE¼	NW¼	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	ACRES
		7														100	14		
																	41		
						$\overline{}$									ey Milio		v		
4.	If this ap	plication	n is for	a cha	nge in	place	of use	, it is p	ropose	ed that	the pla	ace of	use be	e chan	ged to	:			
	Owner o	of Land -	N <i>F</i>	AME:				1											
		/	ADDRI	ESS:															
	(If there is	s more th	ıan one	landov	vner, at	tach su	ıppleme	ental sh	neets as	s neces	sary.)					A 1	, F		- 1
			NE¼				NW¼				SW1/4			SE1/4				TOTAL	
Se	ec. Twp.	Range	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	ACRES
															*				
														× .	F 147				
															1 - 77				
							JL												
		-			-			~~	1			1		7	-	73			91.1
	For Offi	ce Use	Only:	Code	- 1.4	Fe	e \$	0,00	TR	#		Re	ceipt	Date _	2 C	CS	Chec	:k#	100

5.	Presently authorized point of diversion:		
	One in the SE Quarter of the NW	Quarter of the	SW Quarter
	of Section 31, Township 23		
- 1	in <u>FINNEY</u> County, Kansas, <u>1270</u> feet No	rth 3973 feet West of	Southeast corner of section.
	Authorized Rate Authorized Quantity	Depth of well	(feet)
	(DWR use only: Computer ID No. <u>08</u> GPS	feet North	feet West)
	☐This point will not be changed ☐This point will be changed as follow	vs: 🗌 No change, point better	described with GPS as follows:
	Proposed point of diversion: (Complete only if change is requ	ested or if existing point is	better described by GPS)
- 1	One in the Quarter of the SW		
	of Section, Township23		
	in <u>FINNEY</u> County, Kansas, <u>2877</u> feet No		
	Proposed RateProposed Quantity		
L	This point is: Additional Well Geo Center List other water	r rights that will use this point	. 24571
_			
6.			
	One in the Quarter of the of Section, Township	Quarter of the	Quarter
	of Section, Township	South, Range	(W),
	in County, Kansas, feet No	th feet West of	Southeast corner of section.
	Authorized Rate Authorized Quantity	Depth of well	(feet)
	(DWR use only: Computer ID NoGPS	feet North	feet West)
	☐This point will not be changed ☐This point will be changed as follow		
	Proposed point of diversion: (Complete only if change is requ		
	One in the Quarter of the		
	of Section, Township		
	in County, Kansas, feet No	tn feet vvest of	Southeast corner of section.
	Proposed Rate Proposed Quantity This point is: Additional Well Conformation List other water	Proposed well depth	(feet)
L	This point is: Additional Well Geo Center List other water	r rights that will use this point	
7.	. The changes herein are desired for the following reasons?		
	(please be specific) MOVE AUTHORITY WITH	North	
	MANAGEMENT OF CURRENT ACRES	300 200 100 <u>0</u>	100 200 300
8.	. If a well, is the test hole log attached? Yes No		
			+ + = 200
9.	. The change(s) (was)(will be) completed by?	F/ =	\ -
	AS SOON AS APPROVED	.oo₽+++==	+ + 100
10	If the point of diversion is a well:		
10.		to [[]]]]]]	
	(a) What are you going to do with the old well?	Ē Ξ	The case
	PLUG / CAP		
	(b) When will this be done?	<u></u>	1 + 1 + 1 + 1 = 100
	(2) This is the second in the	F\ =	/ ∄
11.	Groundwater Management District recommendation attached? 2	∞ <u>E</u> + + <u>=</u>	+ + = 200
	☐ Yes ☐ No		
an ere		E T T F	
12.	2. Assisted by GMD3/JLN	300 200 100 0	100 200 300
		South	Scale: 1 hashmark=10 ft

13a. If the proposed point of diversion will be relocated more than 300 feet but within 2,640 feet of the existing point of diversion, attach a topographic map or aerial photograph. For groundwater sources, show all wells (including domestic) within one-half mile on the diagram shown above in relation to the existing point of the exis of the proposed point of diversion and the names and mailing addresses of the owners. For surface water sources, show the names and addresses of the landowner(s) one-half mile downstream and one-half mile upstream from your property

on the diagram shown above in relation to the existing point of diversion. The proposed point of diversion must be located within the circle shown above. (PLEASE NOTE: The "X" in center of diagram above represents the presently authorized point of diversion.)

14. If the proposed groundwater point of diversion is 300 or fewer fee	t from the existing point of diversion, complete the following:
(a) Does the undersigned represent all owners of the currently at ☐ Yes ☐ No (If no, all owners must sign this ap	
 (b) Will the ownership interest of any owner of the currently aut affected if this application is approved as requested? ☐ Yes ☐ No (If yes, all owners must sign this a 	thorized place(s) of use identified in this application be adversely application.)
(c) If this application is not approved expeditiously, will there be s ☐ Yes ☐ No (If no, all owners must sign this ap	
If the application proposes a surface water change in point of diversion or a change in place of use, the application must be signed by all own agent (attach notarized statement authorizing representation).	n, a groundwater change in point of diversion greater than 300 feet, ers of the currently authorized place of use, or their duly authorized
I hereby verify, being first duly sworn upon my oath or affi age and the owner, the spouse of the owner, or a duly auth their behalf, in regards to the water right(s) to which this a contained in this application are true, correct and complete	norized agent of the owner(s) to make this application on application pertains. I further verify that the statements e.
Dated at, Kansas, the	his 1st day of March, 2023.
Michael Standley (Owner) Michael Standley (Please Print)	Jennite Standley (Please Print)
(Owner)	(Spouse)
(Please Print)	(Please Print)
(Owner)	(Spouse)
(Please Print)	(Please Print)
State of Kansas County of Finney SS	,
	AKHOSS
THE TRUE IC A STATE OF THE PROPERTY OF THE PRO	23, 2025 Notary Public
ONLY COMPLETE APPLICATIONS WILL BE PROCESSED. To be complete, accurate information; maps, if necessary, must be included; signatures of all the appropriate fee must be paid.	
FEE SCHE	DULE
Each application to change the place of use or the point of diversion up forth in the schedule below: Make checks payable to: Kansas Depar (1) Application to change a point of diversion 300 feet or less (2) Application to change a point of diversion more than 300 f (3) Application to change the place of use	nder this section shall be accompanied by the application fee set tment of Agriculture \$100 feet \$200


Page 3

DWR 1-121 (Revised 09/11/2019)

File No. _____

SUMMARY ORDER APPROVING APPLICATION FOR CHANGE AND IMPOSING CONDITIONS

pro Wit	visions of the Kansas Water Appropriation Law. K.S.A. 82a	08b, as amended, and K.A.R. 5-5-1, <i>et seq.</i> and other applicable -701 et. seq., and rules and regulations promulgated thereunder, in, this Summary Order does not change the terms, conditions and					
1.	A change application was received on diversion authorized under the above-referenced file num	requesting that the place of use and / or point of other be changed as described in the application.					
2.	On and after the effective date of this summary order, the authe topographic map accompanying the application to cha	uthorized place(s) of use shall be located substantially as shown on ange the place of use. Applicable Not Applicable					
3.	The change in point of diversion shall not impair existing rig previously authorized. The point of diversion authorized radius of the authorized point(s) of diversion. ☐ Application	hts and shall be limited to the same source or sources of water as by this summary order shall be located within a foot ble Not Applicable					
4.	The point(s) of diversion described herein is administrative Positioning System (GPS), as described in the application	rely corrected to be more accurately described using the Global n. ☐ Applicable ☐ Not Applicable					
5.	The point(s) of diversion authorized herein shall not actually authorized point(s) of diversion. Applicable	be located more than feet from the previously Not Applicable					
6.	As required by K.A.R. 5-3-5d, if the works for diversion is a vor other device suitable for making water level measurement K.A.R. 5-6-13. Applicable Not Applicable	well with a diversion rate of 100 gallons per minute or more, a tube ents shall be installed, operated and maintained in accordance with					
7.	December 31, 20, or before the first use of water operated and maintained in accordance with K.A.R. 5-1-4	operly install an acceptable water flow meter on or before, whichever occurs first. The water flow meter shall be installed, through 5-1-12. As required by K.S.A. 82a-732, as amended, and it the reading of the water flow meter and the total quantity of water fing the end of each calendar year.					
8.	Installation of the works for diversion of water shall be completed on or before December 31, 20, or within any authorized extension of time. By March 1, 20 the applicant shall notify the Chief Engineer that construction of the works for diversion has been completed, on the form provided by the Chief Engineer, as required by K.A.R. 5-8-4e. ☐ Applicable ☐ Not Applicable						
9.	The completed well log shall be submitted with the requ	ired notice. Applicable Not Applicable					
10.	with an in-line, automatic, quick-closing check valve capa	foreign substance will be injected into the water shall be equipped able of preventing pollution of the source of the water supply. The in accordance with K.A.R. 5-3-5c. ☐ Applicable ☐ Not Applicable					
11.	Additional Conditions are attached.						
12.	water appropriated under the above-referenced file num limitations, as amended and/or supplemented by this Sur Appropriation Law and the Rules and Regulations promi	A.R. 5-5-14, all of the owners of the authorized place(s) of use of ber are responsible for compliance with its terms, conditions and mmary Order, and with applicable provisions of the <i>Kansas Water</i> ulgated thereunder. Failure to comply with these provisions may nended, and/or the suspension or revocation and dismissal of the ons authorized by law.					
1	Administrative Appeal and Effective Date of Order	FOR OFFICE USE ONLY					
lf vo	ou are aggrieved by this order, pursuant to K.S.A. 82a-1901,	APPLICATION APPROVED AND					
you	may request an evidentiary hearing before the Chief	SUMMARY ORDER ISSUED					
Agri	ineer or request administrative review by the Secretary of culture. A request for hearing by the Chief Engineer must be	By:					
filed adm	within 15 days of service of this Order and a request for ninistrative review by the Secretary must be filed within 30	By: Duly Authorized Designee of the Chief Engineer					
day	s pursuant to K.S.Á. 77-531. Any request for administrative ew must state a basis for review pursuant to K.S.A. 77-527.	(Print Name):					
File	any request with Kansas Department of Agriculture,						
665	al Division, 1320 Research Park Drive, Manhattan, KS 02. Failure to timely request a hearing or review may	Date of Issuance:) State of Kansas)					
pred	clude review under the Kansas Judicial Review Act. For Use by Register of Deeds) SS County of)					
	Tor ose by Negister of Deeds						
		Acknowledged before me on					
		by					
		Signature:Notary Public					
		Notary Public					
		My commission expires:(Notary Seal)					
		(Notary Seal)					



Garden City Field Office 4532 W. Jones, Suite B Garden City, KS 67846



Phone: 620-276-2901 Fax: 620-276-9315 www.agriculture.ks.gov

Mike Beam, Secretary

Laura Kelly, Governor

March 6, 2023

ARNOLD SCHWEER 6315 N VFW RD GARDEN CITY, KS 67846

RE:

Application for Change

Water Right, File No. 3220

Dear Sir or Madam:

This is to advise you that Michael Standley has filed an application for approval of the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, to change the point of diversion under the above referenced applications. An irrigation well is proposed to be relocated to Lot 2 SW¼ NW¼ of Section 31, Township 23 South, Range 32 West, Finney County. Note: this is an existing well, authorized under Water Right, File No. 24571, no new well is proposed to be drilled. The application proposes to stack the authority onto the existing well.

You can find the complete applications posted by water right file number as referenced above at: www.Agriculture.ks.gov/DWRNotices

You are notified on this proposed point of diversion (well) so that you may furnish this office with any comments or other information you want to submit. Such comments or other information must be received in this office within 15 days from the date of this letter.

Should you have any questions, please feel free contact this office. If you would prefer, you could arrange an appointment for additional assistance. Please refer to the file number when you contact us if you wish to discuss a specific file.

Austin J. McColloch
Assistant Water Commissioner

AM:

pc:

Garden City Field Office 4532 W. Jones, Suite B Garden City, KS 67846



Phone: 620-276-2901 Fax: 620-276-9315 www.agriculture.ks.gov

Mike Beam, Secretary

Laura Kelly, Governor

March 6, 2023

FINNEY RWD 01 PO BOX 953 GARDEN CITY, KS 67846

RE:

Application for Change

Water Right, File No. 3220

Dear Sir or Madam:

This is to advise you that Michael Standley has filed an application for approval of the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, to change the point of diversion under the above referenced applications. An irrigation well is proposed to be relocated to Lot 2 SW¹/₄ NW¹/₄ of Section 31, Township 23 South, Range 32 West, Finney County. Note: this is an existing well, authorized under Water Right, File No. 24571, no new well is proposed to be drilled. The application proposes to stack the authority onto the existing well.

You can find the complete applications posted by water right file number as referenced above at: www.Agriculture.ks.gov/DWRNotices

You are notified on this proposed point of diversion (well) so that you may furnish this office with any comments or other information you want to submit. Such comments or other information must be received in this office within 15 days from the date of this letter.

Should you have any questions, please feel free contact this office. If you would prefer, you could arrange an appointment for additional assistance. Please refer to the file number when you contact us if you wish to discuss a specific file.

Sincerely,

Austin J. McColloch

Assistant Water Commissioner

AM:

pc:

Garden City Field Office 4532 W. Jones, Suite B Garden City, KS 67846



Phone: 620-276-2901 Fax: 620-276-9315 www.agriculture.ks.gov

Mike Beam, Secretary

Laura Kelly, Governor

March 6, 2023

LARSON FAMILY PARTNERSHIP Attn: ERIC LARSON MANAGING PTNR 12921 PINEHURST DR WICHITA, KS 67230-1444

RE:

Application for Change Water Right, File No. 3220

Dear Sir or Madam:

This is to advise you that Michael Standley has filed an application for approval of the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, to change the point of diversion under the above referenced applications. An irrigation well is proposed to be relocated to Lot 2 SW½ NW½ of Section 31, Township 23 South, Range 32 West, Finney County. Note: this is an existing well, authorized under Water Right, File No. 24571, no new well is proposed to be drilled. The application proposes to stack the authority onto the existing well.

You can find the complete applications posted by water right file number as referenced above at: www.Agriculture.ks.gov/DWRNotices

You are notified on this proposed point of diversion (well) so that you may furnish this office with any comments or other information you want to submit. Such comments or other information must be received in this office within 15 days from the date of this letter.

Should you have any questions, please feel free contact this office. If you would prefer, you could arrange an appointment for additional assistance. Please refer to the file number when you contact us if you wish to discuss a specific file.

Sincerely,

Austin J. McColloch

Assistant Water Commissioner

AM:

pc: