## Kansas Department of Agriculture Division of Water Resources

### **CHANGE: P/D WORKSHEET**

1. File Number:	2. Status Change Date:	3. Change Num:	4. Field Office:	5. GMD:
8911	2-13-2023	C1	4	3
6. Status: ☐ Approved ☐ Deni	ed by DWR/GMD	Dismiss by Reques		7. Filing Date of Change:
				2/08/2023
8a. Applicant(s). landowner, WUC New to system □	Person ID 22712 Add Seq#	8c. Landowno		Person IDAdd Seq#
GORDON & ELDEANA W 6090 4 RD PLAINS, KS 67869	INFREY	8a		
				,
8b. Landowner(s)  New to system □	Person IDAdd Seq#	8d. WUC New to sy	stem □	Person IDAdd Seq#
9. Documents and Enclosure(s): X DV	VR Meter(s) Date to Comp	ly: <b>12/31/2023</b>	N & P Date to 0	Comply: <u>3/1/2024</u>
☐ Anti-Reverse Meter ☐ Meter	Seal	☑ N & P Form	☐ Water Tube        Dr	iller Copy
☐ Conservation Plan Date Require	ed: Da	te Approved:	Date to	Comply:
10. Use Made of Water From:		To: _		
			Date Prepared: <b>2/13/2</b> Date Entered:	<b>023</b> ву: <b>МАМ</b> ву:

File No. <b>8911</b>	11. County:	ME	Ва	sin: Cl	ROOK	KED C	REEK			S	tream:	:							ormation Code	e:	Special Use:	
12. Points of Diversion CHK														Rate	and Q	uantity						
MOD DEL PDIV														P	Author	ized		Α	dditional			
ENT Qualifier	S	Т	R	ID	19	'N	'W	1	Com	nment	(AKA	Line)		Rate gpm		Quanti af	ty	Rate gpm			Overlap PD Files	
DEL 8529																						
ENT NWSWNW	34	30	30W		3	947	50	85						1	200	188	3	(	160		4214	
13. Storage: Rate	N	IF	Quai	ntity					ac/ft	Α	ddition	nal Rat	e				NF	Addi	tional Quantit	ty		ac/ft
14. Limitation:	af/yr at	t				gpm (				cfs) w	hen co	mbine	ed with	file n	umber	(s)						
Limitation:	af/yr at	t			!	gpm (				cfs) w	hen co	mbine	ed with	file n	umber	(s)						
15. 5YR Allocation: Allocation	Туре	Sta	ırt Year	r		5 YR	Amou	nt		Amo	ount U	nit	_	Base	Acres		_ c	omment.	-,.			
16. Place of Use CHK			NE	Ξ1/4			NV	<b>V</b> ½			sv	<b>V</b> ½			S	6E1/4		Total	Owner (	Chg?	Overlap Files	
MOD DEL ENT PUSE S T R	ID	NE 1/4	NW 1/4	SW 1/4	SE ¼	NE 1/4	NW ¼	SW 1/4	SE 1/4	NE 1⁄4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4				7	
CHK 21037																						
CHK 31780																)			1	-		
Base Acres: Year: Comments:	Mi	nimum	n Reas	onable	Quar	ntity:																

Garden City Field Office 4532 W. Jones, Suite B Garden City, KS 67846



Phone: 620-276-2901 Fax: 620-276-9315 www.agriculture.ks.gov

Mike Beam, Secretary

Laura Kelly, Governor

February 13, 2023

GORDON & ELDEANA WINFREY 6090 4 RD PLAINS, KS 67869

RE:

Field Office Application for Change Water Right, File Nos. 4214 & 8911

Dear Sir:

Enclosed are orders executed by the designee of the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, approving the applications for change under the above referenced file numbers.

Your attention is directed to the enclosures and to the terms, conditions, and limitations specified in these approvals for change. A condition of this approval is that an acceptable water flow meter must be installed on the diversion works authorized under the referenced file number and meet current specifications. Please return the required notification of completion of the diversion works and installation of the required meter as soon as these actions are completed. Please note the reminder of the existing additional condition attached.

Since the order modifies the original document referred to above, it should be recorded with the Register of Deeds as other instruments affecting real estate.

The abandoned well must be plugged in accordance with the requirements of Article 30 of the Rules and Regulations as adopted by the Kansas Department of Health and Environment.

Should you have any questions, please feel free contact this office. If you would prefer, you could arrange an appointment for additional assistance.

Sincerely,

Michael A. Meyer

Water Commissioner

MAM:

Enclosures

### **CERTIFICATE OF SERVICE**

On this 13<sup>th</sup> day of February 2023, I hereby certify that the foregoing Approval of Application for Change in Point of Diversion, Water Right, File Nos. 4,214 & 8,911 dated 13<sup>th</sup> day of February 2023 was mailed postage prepaid, first class, US mail to the following:

GORDON & ELDEANA WINFREY 6090 4 RD PLAINS, KS 67869

Division of Water Resources Staff

Submit completed application to: Kansas Department of Agriculture Division of Water Resources Field Office for your area. Call for address:

Topeka -- (785) 296-5733 Stafford -- (620) 234-5311 Stockton -- (785) 425-6787 Garden City -- (620) 276-2901 http://agriculture.ks.gov/dwr

# DWR FIELD OFFICE APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF USE AND/OR THE POINT OF DIVERSION



#### STATE OF KANSAS

Filing Fee Must Accompany the Application, K.S.A. 82a-708b(b), as amended.

Fee Schedule is on the third page of this application form.

Paragraph Nos. 1, 2, 3 & 5 must be completed. Complete all other applicable portions. If change in point of diversion is greater than 100 feet, or if place of use will be changed, include a topographic map or detailed plat showing the authorized and proposed point(s) of diversion and/or place of use.

u	Applicat																	10	:46 Am
U	Applicat						riie ivo	). <u>8911</u>						-					0 8 2023
u		on is he	ereby r	made f	or app	roval c	of the C	Chief E	ngine	er to ch	nange	the (ch	eck o	ne or b	oth):			1 LL	0 0 2023
							lace o				-	of Dive					G	arden	City Field O
	ınder th	e water	right v	which is	s the s	ubject	of this	applic	ation i	n acco	rdance	e with	the co	ndition	s desc	ribed l	pelow.	sion of	Water Reso
- 1	he sou		70.					oundwater				ce wat							
. 1	Name a	nd addr	ess of	Applic	ant: <u>G</u>	ORDO	ON & E	LDEA	NA WI	NFRE	Υ		1 4	¥.					
_	6090 4 F					- 1 -		nd											
	Phone N								Email	addre	ss:	-		-		4.	-		
١	lame a	nd addre	ess of	Water	Use C	orresp	onden	t: <u>SAI</u>	ME NO	CHAI	NGE								
-	Dhar - *		,		<u> </u>				F	1			a						
	hone N								∟mail	addre	ss:			505			-		
	he pres						=												
(	Owner o												1					F.	
(1	f there is			ESS:															
(1	i triere is	inore u	lan one			laciist	ppieme			neces	sary.)					-			
					Ξ¼ 				V¼				V1/4	- 27			<u> </u>		TOTAL ACRES
Sec.	Twp.	Range	NE1/4	NW¼	SW1/4	SE1/4	NE¼	NW¼	SW1/4	SE1/4	NE1/4	NW¼	SW¼	SE1/4	NE1/4	NW¼	SW1/4	SE¼	-
			-					-			15		7	÷ . 1				$\vdash$	-
						- 73		-										1 3	
														-					
If	this ap	nlication	n is for	a cha	nge in	nlace	of use	it is n	ronose	ed that	the nl:	ace of	use he	chan	ned to				
	wner o				3 T		_		ТОРООС		, ,				god to				
				ESS:								J			- 7	5 1 x	-	100	
(1	f there is						ppleme	ental sh	eets as	neces	sary.)							24/20	
				NE	Ξ1/4		1.0	NV	V¼			SV	V1⁄4		1254	SE	TOTAL		
Sec.	Twp.	Range	NE1/4	NW¼		SE1/4	NE1/4		SW1/4	SE1/4	NE1/4	NW1/4	X.	SE1/4	NE1/4		SW1/4	SE1/4	ACRES
			100	1							1	13.0						1 100	and the second
		\$14, 1	- '			pt.				17.5			9						
				-									7 1	3		-		1	
				7		P T													

5.	Presently authorized point of diversion:				4
	One in the Quarter of the	CW	Quarter of the	NW	Quarter
	of Section, Township				
	in ME County, Kansas, 3900				
	Authorized Rate Authorized Quantity	-			
- 1	(DWR use only: Computer ID No. 01 GPS				
	☐This point will not be changed ☐This point will be changed				
	Proposed point of diversion: (Complete only if change				
	One in the Quarter of the				
	of Section, Township	30	South, Range	30	W,
	in ME County, Kansas, 3947	feet North	5085 feet West of S	Southeast corne	er of section.
	Proposed Rate Proposed Quantity		Proposed well depth (	feet)5	20 .
- 1	This point is: Additional Well Geo Center List other	er water rig	hts that will use this point	4214	
•			11 <sup>-</sup>		
6.	Presently authorized point of diversion:			-	
	One in the Quarter of the		Quarter of the		Quarter
	of Section . Township		South, Range		(E/W).
- 1	of Section, TownshipinCounty, Kansas,	feet North	feet West of S	Southeast corne	er of section.
- 1	Authorized Rate Authorized Quantity		Depth of well	(fee	et)
- 1	Authorized Rate Authorized Quantity (DWR use only: Computer ID No GPS		feet North	feet We	est)
	☐This point will not be changed ☐This point will be changed	as follows:	No change, point better de	scribed with GP	S as follows:
- 1	Proposed point of diversion: (Complete only if change		VA-C		
- 1	One in the Quarter of the				
- 1	of SectionTownship				
- 1	in County, Kansas,				
- 1	Proposed Rate Proposed Quantity		Proposed well depth (	feet)	
- 1	This point is: Additional Well Geo Center List other				
		or matering	The trial time does tries point.	V	
7.	The changes herein are desired for the following reasons?				
	(please be specific)		North		
		30 F		100 200	пппц
					· 🗐
8.	If a well, is the test hole log attached?   Yes  No	300			300
		200	_ / +	1 + 1 +	1 = 200
9.	The change(s) (was)(will be) completed by?		-/ <del>-</del>		<b>\</b> =
		100	<b>∤</b>	1 + 1 + 1	100
40	Make a state of the section to a section				<b>4</b>
10.	If the point of diversion is a well:		Ξ	to other results	1
	(a) What are you going to do with the old well?	West 0	արտիանախարտ <b>ք</b> ա	tunlantanla	0 East
		1	<del> =</del>		<del>-1</del>
	// \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	100	1 + 1 + 1 =	1 + 1 +	100
	(b) When will this be done?		<u> </u>		
					<b>/ =</b>
11.	Groundwater Management District recommendation attached?	200	-14 1+1=	+   +/	200
	☐ Yes ☐ No			-/-	릠
12.	Assisted by MM/GCFO	E	indundundund <del>undun</del>	4	
		30	0 200 100 0 South	100 200 Scale: 1 hashmo	300 ark=10 ft
13a	. If the proposed point of diversion will be relocated more than 30	0 h 12h lf th	a proposed point of diversion	م النب	ad within a 200
	feet but within 2,640 feet of the existing point of diversion, attac a topographic map or aerial photograph. For groundwate	er foot	radius of the existing point of	of diversion, indi-	cate its location
	sources, show all wells (including domestic) within one-half mil	e on the	ne diagram shown above in	relation to the	existing point of
	of the proposed point of diversion and the names and mailin addresses of the owners. For surface water sources, show th	g dive e withi	rsion. The proposed point in the circle shown above.	(PLEASE NOT	lust be located E: The "X" in
	names and addresses of the landowner(s) one-half mil	e <b>cent</b>	ter of diagram above	represents	the presently
	downstream and one-half mile upstream from your propert	y <b>auth</b>	orized point of diversion.)	1	

lines

14. If the proposed groundwater point of diversion is 300 or fewer	feet from the existing point of diversion, complete the following:
(a) Does the undersigned represent all owners of the currentl ☐ Yes ☐ No (If no, all owners must sign this	
<ul> <li>(b) Will the ownership interest of any owner of the currently affected if this application is approved as requested?</li> <li>☐ Yes</li> <li>☐ No</li> <li>(If yes, all owners must sign the currently affected in the currently a</li></ul>	authorized place(s) of use identified in this application be adversely is application.)
(c) If this application is not approved expeditiously, will there \( \subseteq \text{Yes} \subseteq \subseteq \text{No}  \text{(If no, all owners must sign this}	
	sion, a groundwater change in point of diversion greater than 300 feet wners of the currently authorized place of use, or their duly authorized
age and the owner, the spouse of the owner, or a duly at their behalf, in regards to the water right(s) to which the	affirmation and under penalty of perjury, that I am of lawful uthorized agent of the owner(s) to make this application or is application pertains. I further verify that the statements etc.    A
Dated at, Kansas	s, this day of 1 POKU ALLY, 2003.
V Lordon Whiters	
Mardon Win Fray	(Spouse)
(Please Print)	(Please Print)
(Owner)	(Spouse)
(Please Print)	(Please Print)
(Owner)	(Spouse)
(Please Print)	(Please Print)
State of Kansas  County of Haskell SS	
I hereby certify that the foregoing application was signed of February, 20 23. BRITNEY	MARLIN
Notary Public - S  My Appt. Expires	
My Commission Expires	
	ete, all of the applicable portions of the application form must be completed wit I the appropriate owners' must be affixed to the application and notarized; and
FEE SC	HEDULE
forth in the schedule below: Make checks payable to: Kansas Dej (1) Application to change a point of diversion 300 feet or le (2) Application to change a point of diversion more than 30	
DWR 1-121 (Revised 09/11/2019) Pa	ge 3 File No

### SUMMARY ORDER APPROVING APPLICATION FOR CHANGE AND IMPOSING CONDITIONS

pro Wit	visions of the Kansas Water Appropriation Law, K.S.A. 82a	08b, as amended, and K.A.R. 5-5-1, <i>et seq.</i> and other applicable -701 <i>et. seq.</i> , and rules and regulations promulgated thereunder, n, this Summary Order does not change the terms, conditions and
1.	A change application was received on diversion authorized under the above-referenced file num	g 2013 requesting that the place of use and / or point of ber be changed as described in the application.
2.	On and after the effective date of this summary order, the au the topographic map accompanying the application to cha	thorized place(s) of use shall be located substantially as shown on ange the place of use.   Applicable Not Applicable
3.	The change in point of diversion shall not impair existing rigit previously authorized. The point of diversion authorized by radius of the authorized point(s) of diversion.	nts and shall be limited to the same source or sources of water as by this summary order shall be located within a foot lie Not Applicable
4.	The point(s) of diversion described herein is administrative Positioning System (GPS), as described in the application	ely corrected to be more accurately described using the Global a.   Applicable Not Applicable
5.	The point(s) of diversion authorized herein shall not actually authorized point(s) of diversion. Applicable \( \subseteq \)	be located more than feet from the previously of Applicable
6.	As required by K.A.R. 5-3-5d, if the works for diversion is a vor other device suitable for making water level measurement K.A.R. 5-6-13.  Applicable  Not Applicable	vell with a diversion rate of 100 gallons per minute or more, a tube ents shall be installed, operated and maintained in accordance with
7.	December 31, 20 23, or before the first use of water, operated and maintained in accordance with K.A.R. 5-1-4	operly install an acceptable water flow meter on or before whichever occurs first. The water flow meter shall be installed, through 5-1-12. As required by K.S.A. 82a-732, as amended, and the reading of the water flow meter and the total quantity of watering the end of each calendar year.
8.	Installation of the works for diversion of water shall be authorized extension of time. By March 1, 20 24 the works for diversion has been completed, on the form prov Applicable \(\sigma\) Not Applicable	completed on or before December 31, 20 , or within any applicant shall notify the Chief Engineer that construction of the ided by the Chief Engineer, as required by K.A.R. 5-8-4e.
9.	The completed well log shall be submitted with the requ	ired notice. Applicable
10.	with an in-line, automatic, quick-closing check valve capa	foreign substance will be injected into the water shall be equipped ble of preventing pollution of the source of the water supply. The in accordance with K.A.R. 5-3-5c. Applicable \( \square\) Not Applicable
11.	Additional Conditions are attached.  Yes No	
12.	water appropriated under the above-referenced file number limitations, as amended and/or supplemented by this Sun Appropriation Law and the Rules and Regulations promu	A.R. 5-5-14, all of the owners of the authorized place(s) of use of oper are responsible for compliance with its terms, conditions and nmary Order, and with applicable provisions of the <i>Kansas Water</i> algated thereunder. Failure to comply with these provisions may needed, and/or the suspension or revocation and dismissal of the ons authorized by law.
	Administrative Appeal and Effective Date of Order	FOR OFFICE USE ONLY
If vo	ou are aggrieved by this order, pursuant to K.S.A. 82a-1901,	APPLICATION APPROVED AND
you Eng Agri filed adm day revi File Leg 665	may request an evidentiary hearing before the Chief gineer or request administrative review by the Secretary of iculture. A request for hearing by the Chief Engineer must be divithin 15 days of service of this Order and a request for ninistrative review by the Secretary must be filed within 30 respursuant to K.S.A. 77-531. Any request for administrative ew must state a basis for review pursuant to K.S.A. 77-527. The any request with Kansas Department of Agriculture, and Division, 1320 Research Park Drive, Manhattan, KS 102. Failure to timely request a hearing or review may clude review under the Kansas Judicial Review Act.	By:  Duly Authorized Designee of the Chief Engineer  (Print Name):  Division of Water Resources - Kansas Department of Agriculture  Date of Issuance:  State of Kansas )  SS
	For Use by Register of Deeds	County of timey )
		Acknowledged before me on Jehnany 13, 2023 by Michael A. Meyer.
		Signature: Notary Public
		My commission expire JULIE JONES  NOTATION (NOTATION EXPIRES

File No.

3795 W. Jones Ave. Garden City, KS 67846 PH: 620-277-2389



PO Box 639 Garden City, KS 67846 Fax: 620-277-0224

Customer	Name:	Gardon Winfray			WO#: 2478	5	Date:	7-2-23
Street Add			0A0 4		Test #: 1		E LOG:	
City, State:	: "	PLAINS	KJ. 61869		Driller: Dale	Guinn		
County:	Meade	Quarter: NW	Section:	34	Township: 30		Range:	30
		orth + RFT East of	Existing Well	GPS:	N37,39836 W10	0.59734		
Rig #:	10002		Elevation: 27	95'	Static WL: 281	FT. Esti	mated?	
	d is the same of the same of				Proposed Well De	pth	506	

				Proposed Well Depth 506
				REPLACEMENT WELL LOCATION INCLUDE 30'SUME
		Footage		
%	From	Pay	То	Description of Strata 4214 x 89//
	0		2	Top Soil
	2		49	Brown Sandy Clay
	49		56	Sand Fine
	56		93	Brown Sandy Clay.
	93		150	Sand Fine Med Course
	150		159	Blue + Brown Clay
	159		225	Sand Fine Med Course
	225		234	Olme & Buson Clay
25	234	39	320	Sand Fine Med Few Course "Loose & Used Water" Sand Fine Med Course "Loose & Weed Water" Sand Fine w/ Some Sandy Clay & Calich "Loose In Places"
25	320	74	394	Sand Fire Med Course Loose & Weed Water"
10	394	45	439	Sand Fine w/ Some Sound Clay & Calich Loase In Places
20	439	22	461	Sand Fine W/ Few Thin Limit Rock Stoips
5	461	25	486	Sandstone 4- Scapetane
	486		502	Shale
	502		520	Red Bed
				Super Gel X -12 Growt -5
				Growt -5
				Hole Plag -6
				Bron -4
				Perma Plus
				43/4 Drag Blade -1 SODA ASK -1
				SUDA ASK -/
				Va
				V
				C
				G
				-2)
				(9
			1	
			1	

