Kansas Department of Agriculture Division of Water Resources

CHANGE: P/U WORKSHEET

1. File Number:	2. Status Change Date:	3. Change Num:	4. Field Office:	5. GMD:
15305	1-16-2024	C2	4	3
6. Status: ☐ Approved ☐ Deni	ed by DWR/GMD	Dismiss by Reques	t/Failure to Return	7. Filing Date of Change:
		· .	e de la companya de l	12/26/2023
8a. Landowner, applicant New to system □	Person ID 66133 Add Seq#	8c. Landown		Person ID Add Seq#
HARTLAND FARMS 1194 RD Y LAKIN, KS 67860				
8b. Landowner(s) New to system □	Person IDAdd Seq#	8d. WUC New to sy 8a	rstem □	Person ID <u>66133</u> Add Seq#
9. Documents and Enclosure(s): DV	VR Meter(s) Date to Comp	ly: <u>12/31/2024</u>	N & P Date to	o Comply:
☐ Anti-Reverse Meter ☐ Meter	Seal 🛛 Check Valve	□ N & P Form	☐ Water Tube ☐ I	Driller Copy ☐ H & E Letter
☐ Conservation Plan Date Requir	ed: Da	ite Approved:	Date t	o Comply:
10. Use Made of Water From:		To: _	i i	
			Date Prepared: 1/12/ Date Entered:	/2024 By: MAM By:

File No.	15305	5		11	. County:	KE	Ва	sin: Al	RKAN	SAS R	IVER			St	ream:					-	al .	Fo	ormation Code:	Special Use:
12. Poir CHK	nts of Dive	rsion															ı	Rate ar	nd Qua	antity				
MOD DEL	PDIV																	Au	uthorize	ed		A	dditional	
ENT	PDIV	Qua	alifier		S	Т	R	ID	,	'N	ʻW	1	Com	ment ((AKA L	ine)		Rate gpm	Q	uantity af	/	Rate gpm		Overlap PD Files
СНК	26560																				-			
																							-	
				-	1_		,-			1 10						5								
									-	ž												-		
13. Stora	age: Rate				N	IF	Quar	ntity _					ac/ft	Ac	dition	al Rate	e				NF	Addi	tional Quantity	ac/ft
14. Limit	ation:				af/yr a	t		è		gpm (cfs) wh	nen co	mbine	d with	file nur	nber(s)				¥*
																								· · · · · · · · · · · · · · · · · · ·
CHK	ce of Use		(+)				NE	Ξ1/4			NV	V 1/4			sv	V ½			SE	≣1⁄4	,	Total	Owner Chg	? Overlap Files
MOD DEL ENT	PUSE	s	Т	R	ID	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1⁄4	NW 1/4	SW 1/4	SE 1/4	NE 1⁄4	NW 1/4	SW 1/4	SE ¼	NE 1/4	NW 1/4	SW 1/4	SE 1/4			30.
	31517					N ₁								40	L-3 39.81	L-4 40.07	40	40	40	40	40	319.88		E 044, KE 062, 12473, 21600, 21804, 25121, 26775
СНК	36300	2	25	36V	V 1	L-1 29.5	L-2 30.5	40	40			l-									1	140		E 044, KE 062, 12473, 21600, 21804, 25121, 26775
ENT	1016	6	25	35V	1 2	L-1 34	L-1 34	34	34	7		16					47	34	34	34	34	272		E 044, KE 062, 12473, 21600, 21804, 25121, 26775
ENT	15537	5	25	35V	/ 1	L-1 34	L-2 34	34	34	L-3 34	L-4 34	34	34	34	34	34	34	34	34	34	34	544		E 044, KE 062, 12473, 21600, 21804, 25121, 26775
ENT	26824	35	24	36V	/ 2			4	12			6		L-4 25	L-3 16	26	35	40	26	33	33	250		E 044, KE 062, 12473, 21600, 21804, 25121, 26775
ENT 1	19035	34	24	36W	6					10 1					-		=	L-8 22	761		31	53		E 044, KE 062, 12473, 21600, 21804, 25121, 26775
ENT	3655	1	25	36V	V 1		L-2 39.96	40	40	L-3 39.92	L-4 39.90	40	40	33.25	33.25	33.25	33.25	33.25	33.25	33.25	33.25	582.76		E 044, KE 062, 12473, 21600, 21804, 25121, 26775
ENT	36208	36	24	36V	1 5						2	22		1	34	36		-9	ji Pe	-		94		E 044, KE 062, 12473, 21600, 21804, 25121, 26775

Base Acres:

Year:

Minimum Reasonable Quantity:

Comments: CORRECTION LOTS AND RIVER LOTS

Garden City Field Office 4532 W. Jones, Suite B Garden City, KS 67846



Phone: 620-276-2901 Fax: 620-276-9315 www.agriculture.ks.gov

Mike Beam, Secretary

Laura Kelly, Governor

January 16, 2024

HARTLAND FARMS 1194 RD Y LAKIN, KS 67860

RE:

Field Office Application for Change

Vested Right, File Nos. KE 044, KE 062

Water Right, File Nos. 12473, 15305, 21600, 21611, 21803, 21804, 25121, 26775

Dear Sir:

Enclosed are orders executed by the designee of the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, approving the application for change under the above referenced file numbers.

Your attention is directed to the enclosures and to the terms, conditions, and limitations specified in this approval for change. Conditions of these approvals are that an acceptable water flow meter must be installed on the diversion works authorized under the referenced file numbers and meet current specifications. Please return the required notification of completion of the diversion works and installation of the required meter as soon as these actions are completed.

Since the orders modify the original documents referred to above, they should be recorded with the Register of Deeds as other instruments affecting real estate.

Should you have any questions, please feel free contact this office. If you would prefer, you could arrange an appointment for additional assistance.

Sincerely.

Michael A. Meyer

Water Commissioner

MAM: enclosures

CERTIFICATE OF SERVICE

On this 16th day of January 2024, I hereby certify that the foregoing Approvals of Application for Change in Place of Use, Vested Right, File Nos. KE 044, KE 062, Water Right, File Nos. 12473, 15305, 21600, 21611, 21803, 21804, 25121, 26775 dated 16th day of January 2024 was mailed postage prepaid, first class, US mail to the following:

HARTLAND FARMS 1194 RD Y LAKIN, KS 67860

Division of Water Resources Staff

Submit completed application to: Kansas Department of Agriculture Division of Water Resources Field Office for your area. Call for address:

Topeka -- (785) 296-5733 Stafford -- (620) 234-5311 Stockton -- (785) 425-6787 Garden City -- (620) 276-2901 http://agriculture.ks.gov/dwr

DWR FIELD OFFICE APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF USE AND/OR THE POINT OF DIVERSION



STATE OF KANSAS

Filing Fee Must Accompany the Application, K.S.A. 82a-708b(b), as amended. Fee Schedule is on the third page of this application form.

Paragraph Nos. 1, 2, 3 & 5 must be completed. Complete all other applicable portions. If change in point of diversion is greater than 100 feet, or if place of use will be changed, include a topographic map or detailed plat showing the authorized and proposed point(s) of diversion and/or place of use. DEC 26 2023 File No. 15305 Garden City Field Office 1. Application is hereby made for approval of the Chief Engineer to change the (check one or both): Division of Water Resources ☑ Place of Use ☐ Point of Diversion under the water right which is the subject of this application in accordance with the conditions described below. The source of supply is: ☐ Surface water 2. Name and address of Applicant: Hartland Farms 1194 Road Y, Lakin, KS 67860 Phone Number: () Email address: Name and address of Water Use Correspondent: same as above Phone Number: (Email address: The presently authorized place of use is: Owner of Land ---- NAME: Hartland Farms ADDRESS: 1194 Road Y, Lakin, KS 67860 (If there is more than one landowner, attach supplemental sheets as necessary.) TOTAL ACRES NW14 SW¼ SE¼ NE' NW SW SE' NE¼ NW¼ SW¼ SE1/4 NW14 SW14 NE14 Sec. Twp. Range L-1 L-2 36W 29.5 25 30.5 140 If this application is for a change in place of use, it is proposed that the place of use be changed to: Owner of Land --- NAME: ______ See affached ADDRESS: (If there is more than one landowner, attach supplemental sheets as necessary.) TOTAL ACRES Sec. Twp. Range NE1/4 NW% SW% SE% NW14 SW14 SE14 NE14 NW4 SW4 NE1/4 NW1/4 SW1/4 NE1/4

For Office Use Only: Code Fee \$ 200,00 TR# Receipt Date 12-26-23 Check# 00 8238

THE PLACE OF USE AND/OR POINT OF DIVERSION SUPPLEMENTAL SHEET

FILE NO. <u>15305</u> MAKE ADDITIONAL COPIES AS NECESSARY

	WIIOI O			AME: ESS:											1				
				NE	NE¼ NW¼ SW¼ SE¼				Ξ1/4										
Sec.	Twp.	Range	NE1/4	NW¼	SW1/4	SE14	NE1/4	NW¼	SW1/4	SE¼	NE14	NW1/4	SW1/4	SE¼	NE1/4	NW¼	SW¼	SE1/4	ACRES
					_														
											-	/							
0	wner o	f Land -		ME:															
				NE	Ξ¼	N N			NW¼			SV	V¼	-21.	SE1/4				TOTAL
Sec.	Twp.	Range	NE1/4	NW1/4		SE1/4	NE1/4	NW¼		SE14	NE¼	NW1/4	SW1/4	SE1/4	NE1/4			SE1/4	ACRES
															P				
									(-								
	-								<u> </u>	<u> </u>	L		= 17						
		Í	ADDKI	_	11941	Koau 1	', Lakir		V%			SV	V¼			SE	1/4		TOTAL
Sec.	Twp.	Range	NE1/4	NW¼	SW¼	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE¼	NE1/4	NW¼	SW1/4	SE1/4	ACRES
34	24	36W												a.	L-8 22			31	53
		36W			4	12	-3.				L-4 25	L-3 16	26	35	40	26	33	33	250
35	24	3000	and the same of		4	14					20	10	20						
35 36	24 24	36W			4	12		2	22		20	34	36						94
36	24	36W Land -										34	36						94
36	24	36W Land -		ME:								-	36						94
36 O	24 wner of	36W	ADDRI	ESS:	≡ ¼			NV	V¼	OF4/	*	34 -39.	36 8/		NEW		=1/4		94 TOTAL ACRES
36 O	24 wner of Twp.	36W Land	ADDRI	ESS:					V¼	SE1/4	NE%	34 -39. sv	36 8/ 5W¼ 1-4	SE1/4	NE1/4	NW¼	5W1/4	SE1/4	TOTAL ACRES
36	24 wner of	36W	ADDRI	ESS:	≡ ¼			NV	V¼	SE¼	NE%	34 -39.	36 8/ v ₄ sw ₄	SE1/4	NE1/4 40		=1/4		TOTAL
36 O	24 wner of Twp.	36W Land	NE1/4 L-1 29.5	NE NW1/4 L-2 30.5	≡ ¼		NE¼	NW%	V¼	SE¼	NE%	34 -39. sv	36 8/ 5W¼ 1-4	SE1/4		NW¼	5W1/4	SE1/4	TOTAL ACRES
36 O' Sec.	24 wner of Twp. 24	Range 35W 36W	NE1/4	NW1/4 L-2 30.5 L-2	E¼ SW¼	SE¼	NE1/4	NV	V¼ SW¼	SE1/4	NE½ 40	34 SV NW/4 1L-3 140	36 8/ SW/4 L-4 40,	SE1/4	40	NW¼ 40	sw4 40	SE¼ 40	TOTAL ACRES
36 O' Sec. 31 2	24 wner of Twp. 24 25 25	Range 35W 36W 36W	NE¼ L-1 29.5 L-1 39.98	NE:	5W/4 40	SE¼ 40	NE1/4	NW¼	V¼ SW¼		NE½ 40	34 SV NW/4 1L-3 140	36 8/ SW/4 L-4 40,	SE1/4 40	40	NW¼ 40	sw4 40	SE¼ 40	TOTAL ACRES 320 3/9
36 O' Sec. 31 2	24 wner of Twp. 24 25 25	Range 35W 36W 36W	NE¼ L-1 29.5 L-1 39.98	NE NW% L-2 30.5 L-2 39.96 MME:	5W/4 40	SE¼ 40	NE1/4	NW¼ NW¼ L-4 39.90	V¼ SW¼		NE½ 40	34 SV NW% 1-3 40	36 8/ SW/4 L-4 40,	SE1/4 40	40	40 32.5	sw4 40	SE¼ 40	TOTAL ACRES 320 3/9 140 582.76
36 O' Sec. 31 2	24 wner of Twp. 24 25 25	Range 35W 36W 36W	L-1 29.5 L-1 39.98	L-2 30.5 L-2 39.96 MME: ESS:	5W% 40 40	SE¼ 40	NE1/4	NW¼ L-4 39.90	v/4 SW/4 40		NE½ 40	34 SV NW% 1-3 40	36 SW/4 SW/4 L-4 40,000 33.25	SE1/4 40	40	40 32.5	SW% 40 32.5	SE¼ 40	TOTAL ACRES 320 3/9 140 582.76
36 O Sec. 31 2	24 wner of Twp. 24 25 25 wner of	Range 35W 36W 36W Land	L-1 29.5 L-1 39.98 NA ADDRI NE½ L-1 34	L-2 30.5 L-2 39.96 ME: ESS: NE NW% L-2 34	5W% 40 40	SE¼ 40 40	NE%	NW% L-4 39.90	v/4 sw/4 40	40	NE½ 40 33.25	34 SV NW% V1-3 V40 33.25	36 SW/4 SW/4 L-4 40,000 33.25	SE¼ 40 33.25	32.5	40 32.5	SW% 40 32.5	SE¼ 40 32.5	TOTAL ACRES 320 3/9 140 582.76
36 O'Sec. 31 2 1 O	Twp. 24 25 25 wner of	Range 35W 36W 36W Land -	NE½ L-1 29.5 L-1 39.98 NA ADDRI NE½ L-1	L-2 30.5 L-2 39.96 ME: ESS: NE NW% L-2	40 40 40 5W%	SE½ 40 40 SE½	NE¼	NW¼ L-4 39.90	v/4 sw/4 40	40	NE½ 40 33.25	34 SV NW% V1-3 V40 33.25	36 SW/4 SW/4 L-4 40,000 33.25	SE¼ 40 33.25	32.5 NE1/4	32.5 SI NW¼	32.5	SE¼ 40 32.5	TOTAL ACRES 320 3/9 140 582.76


Presently authorized	d point of diversion:		
		Quarter of the	
		South, Range	
in	County, Kansas, fe	eet North feet West of Southe	ast corner of section.
Authorized Rate	Authorized Quantity	Depth of well	(feet)
(DWR use only: Cor	mputer ID No GPS _	Depth of well feet North	feet West)
☐This point will not be	changed This point will be changed a	s follows: No change, point better describe	d with GPS as follows:
Proposed point of d	iversion: (Complete only if change i	s requested or if existing point is better	described by GPS)
One in the	Quarter of the	Quarter of the	Quarter
		South, Range	
in	County, Kansas, fe	eet North feet West of Southe	ast corner of section.
Proposed Rate	Proposed Quantity	Proposed well depth (feet) _	
This point is: Addi	tional Well Geo Center List othe	r water rights that will use this point	
Presently authorized	point of diversion:		
The second secon		Quarter of the	Quarter
of Section	Township	South, Range	(W)
in	County, Kansas fe	eet North feet West of Southe	ast corner of section.
Authorized Rate	Authorized Quantity	Depth of well	(feet)
(DWR use only: Cor	mputer ID No. GPS	feet North	feet West)
		s follows: No change, point better describe	
		s requested or if existing point is better	
		Quarter of the	
		South, Range	
		eet North feet West of Southe	
/		Proposed well depth (feet)	
		r water rights that will use this point	
(please be specific)		300 200 100 North 0 100	mmmmmm
If a wall, in the test help	e log attached? Yes No		200
ii a weii, is the test noit	e log attached? Thes Tho	200 + + + + + + + + + + + + + + + + + +	1 + 1 = 200
The change(s) (was)(w	vill be) completed by?	E/ E -	_ \=
		100 1 + + = +	. ı ⊥ ı ∐ı
		100 F 1 + 1 + 1 = 1 +	1 1 1 1 100
If the point of diversion	is a well:	= - = -	- 1
(a) What are you goin	g to do with the old well?	West 0 Hilling maling milita & milital	
, , , , , , , , , , , , , , , , , , , ,			
	return on the same of the same	# A	A.00
(b) When will this be o	done?	100 + + = +	1 十 1 月 100
		 	- /=
Groundwater Managen			200
	nent District recommendation attached?	200 = + = +	
☐ Yes	nent District recommendation attached?	200 + + + + + + + + + + + + + + + + + +	
			<u></u>
	No	200	200 300


14. If the proposed groundwater point of diversion is 500 or lewer leet in	on the existing point of diversion, complete the following.
(a) Does the undersigned represent all owners of the currently authors ☐ Yes ☐ No (If no, all owners must sign this applied)	
 (b) Will the ownership interest of any owner of the currently author affected if this application is approved as requested? ☐ Yes ☐ No (If yes, all owners must sign this application) 	
(c) If this application is not approved expeditiously, will there be sub ☐ Yes ☐ No (If no, all owners must sign this applic	
If the application proposes a surface water change in point of diversion, a or a change in place of use, the application must be signed by all owners agent (attach notarized statement authorizing representation).	
I hereby verify, being first duly sworn upon my oath or affirm age and the owner, the spouse of the owner, or a duly author their behalf, in regards to the water right(s) to which this appropriate in this application are true, correct and complete.	zed agent of the owner(s) to make this application on plication pertains. I further verify that the statements
Dated at Dumas Texas, this	19 th day of December , 20 23
(Owner)	(Spouse)
Juştin Vyn	
(Please Print)	(Please Print)
(Owner)	(Spouse)
(Please Print)	(Please Print)
(Owner)	(Spouse)
(Please Print)	(Please Print)
DV PVIA	LISA UNRUH
State of Kansas Texas	NOTARY PUBLIC STATE OF TEXAS
County of Moore	MY COMM. EXP. 11/05/26
I hereby certify that the foregoing application was signed in rof December, 20 23	my bliesteria's lants is with interest this 19th day
	A Man 1
My Commission Expires November 5, 2021	Notary Public
ONLY COMPLETE APPLICATIONS WILL BE PROCESSED. To be complete, all accurate information; maps, if necessary, must be included; signatures of all the apthe appropriate fee must be paid.	of the applicable portions of the application form must be completed with opropriate owners' must be affixed to the application and notarized; and
FEE SCHEDU	H.F.
Each application to change the place of use or the point of diversion under forth in the schedule below: Make checks payable to: Kansas Departmeter (1) Application to change a point of diversion 300 feet or less (2) Application to change a point of diversion more than 300 feet	er this section shall be accompanied by the application fee set ent of Agriculture \$100
(3) Application to change the place of use	

SUMMARY ORDER APPROVING APPLICATION FOR CHANGE AND IMPOSING CONDITIONS

pro	ovisions of the Kansas Water Appropriation Law, K.S.A. 82a-	08b, as amended, and K.A.R. 5-5-1, <i>et seq.</i> and other applicable 1701 et. seq., and rules and regulations promulgated thereunder, n, this Summary Order does not change the terms, conditions and
1.	A change application was received on diversion authorized under the above-referenced file num	requesting that the place of use and / or point of ber be changed as described in the application.
2.	On and after the effective date of this summary order, the aut the topographic map accompanying the application to cha	thorized place(s) of use shall be located substantially as shown on ange the place of use. Applicable Not Applicable
3.	The change in point of diversion shall not impair existing right previously authorized. The point of diversion authorized bradius of the authorized point(s) of diversion.	nts and shall be limited to the same source or sources of water as by this summary order shall be located within a foot ble \(\sqrt{1}\) Not Applicable
4.	The point(s) of diversion described herein is administrative Positioning System (GPS), as described in the application	ely corrected to be more accurately described using the Global . Applicable V Not Applicable
5.	The point(s) of diversion authorized herein shall not actually authorized point(s) of diversion. Applicable	be located more thanfeet from the previously ot Applicable
6.	As required by K.A.R. 5-3-5d, if the works for diversion is a wor other device suitable for making water level measureme K.A.R. 5-6-13. Applicable To Not Applicable	vell with a diversion rate of 100 gallons per minute or more, a tube ents shall be installed, operated and maintained in accordance with
7.	operated and maintained in accordance with K.A.R. 5-1-4	operly install an acceptable water flow meter on or before whichever occurs first. The water flow meter shall be installed, through 5-1-12. As required by K.S.A. 82a-732, as amended, and the reading of the water flow meter and the total quantity of water ing the end of each calendar year.
8.	Installation of the works for diversion of water shall be authorized extension of time. By March 1, 20the works for diversion has been completed, on the form prov Applicable \[\infty \text{Not Applicable} \]	completed on or before December 31, 20, or within any applicant shall notify the Chief Engineer that construction of the ided by the Chief Engineer, as required by K.A.R. 5-8-4e.
9.	The completed well log shall be submitted with the requi	ired notice. Applicable Not Applicable
10	with an in-line, automatic, quick-closing check valve capa	foreign substance will be injected into the water shall be equipped ble of preventing pollution of the source of the water supply. The in accordance with K.A.R. 5-3-5c. ☐ Applicable ☐ Not Applicable
11	Additional Conditions are attached. Yes No	
12	water appropriated under the above-referenced file number limitations, as amended and/or supplemented by this Sun Appropriation Law and the Rules and Regulations promu	A.R. 5-5-14, all of the owners of the authorized place(s) of use of oper are responsible for compliance with its terms, conditions and nmary Order, and with applicable provisions of the <i>Kansas Water</i> ulgated thereunder. Failure to comply with these provisions may needed, and/or the suspension or revocation and dismissal of the ons authorized by law.
	Administrative Appeal and Effective Date of Order	FOR OFFICE USE ONLY
lf y	ou are aggrieved by this order, pursuant to K.S.A. 82a-1901, a may request an evidentiary hearing before the Chief	APPLICATION APPROVED AND SUMMARY ORDER ISSUED
Ag file adi day rev File 66	gineer or request administrative review by the Secretary of riculture. A request for hearing by the Chief Engineer must be d within 15 days of service of this Order and a request for ministrative review by the Secretary must be filed within 30 ys pursuant to K.S.A. 77-531. Any request for administrative riew must state a basis for review pursuant to K.S.A. 77-527. For any request with Kansas Department of Agriculture, gal Division, 1320 Research Park Drive, Manhattan, KS 502. Failure to timely request a hearing or review may eclude review under the Kansas Judicial Review Act.	By: Duly Authorized Designee of the Chief Engineer (Print Name): MATCA MEXECTION OF MATCHER PRODUCTION OF MATCHER PRODUCTION OF THE PRODU
	For Use by Register of Deeds	Acknowledged before me on January 16, 2024
		Signature: Navon holsted
		My commission expires: Motary Public AARON T. HOLSTED My Appointment Expires (Notary 18, 2027)

WR 12473 /5305 Change in Place of Use





Garden City Field Office 4532 W. Jones, Suite B Garden City, KS 67846



Phone: 620-276-2901 Fax: 620-276-9315 www.agriculture.ks.gov

Mike Beam, Secretary

Laura Kelly, Governor

December 26, 2023

SOUTHWEST KANSAS GROUNDWATER MANAGEMENT DISTRICT NO. 3 2009 E SPRUCE ST GARDEN CITY KS 67846

Re:

Request for Recommendation

Vested Right, File Nos. KE 044, KE 062

Water Right, File Nos. 12473, 15305, 21600, 21611, 21803, 21804, 25121, 26775

Dear Mr. Norquest:

This is to advise you that Hartland Farms have filed applications for approval of the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, to change the place of use.

We are delaying action on the change application to allow you time to review and provide a recommendation. Please submit a recommendation within 15 days from the date of this letter.

Thank you and as always feel free to contact this office at any time.

Sincerely,

Michael A. Meyer

Water Commissioner

MAM Enclosures