Submit completed application to: Kansas Department of Agriculture Division of Water Resources Field Office for your area. Call for address:

Topeka -- (785) 296-5733 Stafford -- (620) 234-5311 Stockton -- (785) 425-6787 Garden City -- (620) 276-2901 http://agriculture.ks.gov/dwr

DWR FIELD OFFICE APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF USE AND/OR THE POINT OF DIVERSION WATER METER REQUIRED



STATE OF KANSAS

Filing Fee Must Accompany the Application, K.S.A. 82a-708b(b), as amended.

Fee Schedule is on the third page of this application form.

Paragraph Nos. 1, 2, 3 & 5 must be completed. Complete all other applicable portions. If change in point of diversion is greater

than 100 feet, or if place of use will be changed, include a topographic map or detailed plat showing the authorized and proposed point(s) of diversion and/or place of use. RECEIVED NOV 3 0 2016 File No. 28,124 1:30 pm Stafford Field Office 1. Application is hereby made for approval of the Chief Engineer to change the (check one or both): **DIVISION OF WATER RESOURCES** ☐ Point of Diversion under the water right which is the subject of this application in accordance with the conditions described below. The source of supply is: ☐ Surface water 2. Name and address of Applicant: Darrell N & Natalie D Wood Rev Trusts DARRELL-NATALIE WOOD TTEE, 1983 260TH AVE, LEWIS KS 67552-5133 Phone Number: (620)546-3429 Email address: dnwfarm@gmail.com Name and address of Water Use Correspondent: Darrell N & Natalie D Wood Rev Trusts DARRELL-NATALIE WOOD TTEE, 1983 260TH AVE, LEWIS KS 67552-5133 Phone Number: (620)546-3429 Email address: dnwfarm@gmail.com The presently authorized place of use is: Owner of Land ---- NAME: Darrell N & Natalie D Wood Rev Trusts ADDRESS: DARRELL-NATALIE WOOD TTEE, 1983 260TH AVE, LEWIS KS 67552-5133 (If there is more than one landowner, attach supplemental sheets as necessary.) NE1/4 NW1/4 SW1/4 SE1/4 TOTAL ACRES NW1/4 SW1/4 NW1/4 SW1/4 SE1/4 NE1/4 Range NE1/4 NW1/4 SW1/4 SE1/4 NE1/4 NW1/4 SW1/4 SE1/4 NE1/4 Sec Twp. **25S** 16W 32.5 32.5 32.5 32.5 29.5 29.5 35 35 32 32 323 If this application is for a change in place of use, it is proposed that the place of use be changed to: Owner of Land ---- NAME: Darrell N & Natalie D Wood Rev Trusts ADDRESS: DARRELL-NATALIE WOOD TTEE, 1983 260TH AVE, LEWIS KS 67552-5133 (If there is more than one landowner, attach supplemental sheets as necessary.) SW1/4 TOTAL **ACRES** NE1/4 NW1/4 SW1/4 NE1/4 NW1/4 SW1/4 SE1/4 NW1/4 SW1/4 SE1/4 Twp. Range NE1/4 NW1/4 SW1/4 SE1/4 NE1/4 SE1/4 Sec 29.5 32.5 32.5 32.5 **25S** 16W 32.5 32.5 32.5 32.5 2.0 2.0 29.5 32.5 323

Check # 3054

For Office Use Only: Code

Receipt Date

TR#

Fee \$ 200-

5.	Presently authori	zed point of di	version:				1	
					Quarter of the			
	of Section	29	, Township	25	South, Range	16	W,	
	in Edwards	Coun	ty, Kansas, <u>2925</u>	feet No	rth3980 feet We	st of Southeast c	orner of section.	
	Authorized Rate	1200 GPM	Authorized Quantity	255 A	NF Depth of well	94	(feet)	
					feet North			
	☐This point will not	t be changed	This point will be chang	ed as follow	rs:		^	
	Proposed point of	f diversion: (C	omplete only if char	nge is requ	ested)			
	One in the		Quarter of the		Quarter of the	e	Quarter	
	of Section	1	, Township		South, Range		(E/W),	
					rth feet We			
					Proposed well o			
					r rights that will use this			
6.	Presently authori	zed point of di	version:					
٠.					Quarter of the	9	Quarter	
					South, Range			
					rth feet We			
					Depth of well			
	(DWR use only:	Computer ID N	o. G	PS	feet North	fee	t West)	
			This point will be chang					
			omplete only if char					
					Quarter of the	a .	Quarter	
					South, Range			
					rth feet We			
					Proposed well o			
ı	This point is: Additional Well Geo Center List other water rights that will use this point							
7.	Why do you need a	new point of div	ersion? N/A	_ 13a.	If the proposed point of	diversion will be	relocated within 100	
					feet of the existing point the diagram below in rela	t of diversion, ind	icate its location on	
				-	(PLEASE NOTE: The	"X" in center	of diagram below	
					represents presently a		of diversion.)	
				_		North		
8.	If a well, is the test	hole log attached	d? ☐ Yes ⊠ No			0 50		
0	\\//h = = = d= = = = = = = = = = = = = = = =		alata tha mann maint		F	+++++++++++++++++++++++++++++++++++++++	'' ''	
9.	diversion?	ropose to com	plete the new point	T OT	-	_	-	
					50 F +	_ +	⊣ 50	
	N/A			-	F	=	7	
10.	If the point of divers	sion is a well:			a E			
	(a) What are you		he old well?		West 0 - 111 11	11 <u>X</u> 1111 11	I → 0 East	
	(a) What are you	going to do with t	no ola well:		E	Ξ	\exists	
	N/A			_	50 E +	_	∃ 50	
					∞F ⁺	_ +	7~	
	(b) When will this	be done? N/A		_	F .	Ξ.	7	
							ш	
11.	Groundwater M	anagement D	istrict recommenda	ation	100 50	_0 _ 50	100	
	attached?	es No			Sc	South ale: 1" = 100"		
40	A	==0		13b.	If the proposed point of		relocated more than	
12.	Assisted by TJS -S	FFO		-	100 feet but within 26	340 feet from th	e existing point of	
					diversion, attach a top For groundwater source	ographic map or s show all wells	(including domestic)	
					within one-half mile of th	ne proposed point	of diversion and the	
					names and mailing add water sources, show	the names and	wners. For surface	
					landowner(s) one-half	mile downstream	and one-half mile	
					upstream from your prop	perty lines.		

14. If the proposed groundwater point of diversion is 300 or fewer feet fro	m existing point of diversion, complete the following:						
(a) Does the undersigned represent all owners of the currently authorized place(s) of use identified in this application? Yes No (If no, all owners must sign this application.)							
 (b) Will the ownership interest of any owner of the currently author affected if this application is approved as requested? ☐ Yes ☐ No (If yes, all owners must sign this application) 							
(c) If this application is not approved expeditiously, will there be substantial damage to property, public health or safety? Yes No (If no, all owners must sign this application.)							
If the application proposes a surface water change in point of diversion, a or a change in place of use, the application must be signed by all owners agent (attach notarized statement authorizing representation).							
I hereby verify, being first duly sworn upon my oath or affirmage and the owner, the spouse of the owner, or a duly authori their behalf, in regard to the water right(s) to which this appropriate in this application are true, correct and complete.	zed agent of the owner(s) to make this application on						
Dated at, Kansas, this	day of, 20						
Danell N. Mond (Owner) Parce 11 N. Mond (Please Print)	Natalie D. Wood (Spouse) Natalie D. Wood (Please Print)						
(Owner)	(Spouse)						
(Please Print)	(Please Print)						
(Owner)	(Spouse)						
(Please Print)	(Please Print)						
County of							
I hereby certify that the foregoing application was signed in my NOVLM Details, 20 le	presence and sworn to before me this 30 day of						
My Commission Expires 11-17-2019	Notary Public						
ONLY COMPLETE APPLICATIONS WILL BE PROCESSED. To be complete, all accurate information; maps, if necessary, must be included; signatures of all the apthe appropriate fee must be paid.							
FEE SCHEDU	ILE						
Each application to change the place of use or the point of diversion under this section shall be accompanied by the application fee set forth in the schedule below: Make checks payable to: Kansas Department of Agriculture (1) Application to change a point of diversion 300 feet or less							

SUMMARY ORDER APPROVING APPLICATION FOR CHANGE AND IMPOSING CONDITIONS

		My commission expires:(Notary Seal)					
		Signature:Notary Public					
		by					
		Acknowledged before me on					
		County of) SS					
		State of Kansas)) SS					
	For Use by Register of Deeds	Date of Issuance:					
Ordon t	ot requested in accordance with K.A.R. 5-14-3, this Summary er will become effective on the 15 th day after the date shown he Certificate of Service.	(Print Name):					
show	wn on the Certificate of Service attached hereto. If a hearing						
Kan	isas Department of Agriculture, 1320 Research Park re, Topeka, Kansas 66502, within 15 days after the date	By: Duly Authorized Designee of the Chief Engineer					
Dep	artment of Agriculture. Any request for a hearing must be with the Chief Engineer, Division of Water Resources,						
You	have the right to a hearing in accordance with K.A.R. 5-14-3 ore this Summary Order becomes final action of the Kansas	SUMMARY ORDER ISSUED					
4	Administrative Appeal and Effective Date of Order	FOR OFFICE USE ONLY APPLICATION APPROVED AND					
	limitations, as amended and/or supplemented by this Summ Appropriation Law and the Rules and Regulations promulg	mary Order, and with applicable provisions of the Kansas Water gated thereunder. Failure to comply with these provisions may ended, and/or the suspension or revocation and dismissal of the					
11.	In accordance with K.S.A. 82a-708a, as amended, and K.A. water appropriated under the above-referenced file number	R. 5-5-14, all of the owners of the authorized place(s) of use of r are responsible for compliance with its terms, conditions and					
	Additional Conditions are attached. Yes No						
	All diversion works into which any type of chemical or other foreign substance will be injected into the water shall be equipped with an in-line, automatic, quick-closing check valve capable of preventing pollution of the source of the water supply. The check valve(s) shall be installed, operated and maintained in accordance with K.A.R. 5-3-5c. Applicable Not Applicable						
8.	The completed well log shall be submitted with the requi	red notice. ☐ Applicable ☐ Not Applicable					
7.	Installation of the works for diversion of water shall be completed on or before December 31, 20, or within any authorized extension of time. By March 1, 20 the applicant shall notify the Chief Engineer that construction of the works for diversion has been completed, on the form provided by the Chief Engineer, as required by K.A.R. 5-8-4e. Applicable Not Applicable						
	The owner of the authorized place(s) of use shall properly install an acceptable water flow meter on or before December 31, 2017, or before the first use of water, whichever occurs first. The water flow meter shall be installed, operated and maintained in accordance with K.A.R. 5-1-4 through 5-1-12. As required by K.S.A. 82a-732, as amended, and K.A.R. 5-3-5e, the owner shall maintain records and report the reading of the water flow meter and the total quantity of water diverted annually to the Chief Engineer by March 1 following the end of each calendar year. ☑ Applicable ☐ Not Applicable						
	As required by K.A.R. 5-3-5d, if the works for diversion is a tube or other device suitable for making water level measure with K.A.R. 5-6-13. Applicable Not Applicable	well with a diversion rate of 100 gallons per minute or more, a ments shall be installed, operated and maintained in accordance					
4.	The point(s) of diversion authorized herein shall not actually be authorized point(s) of diversion. \square Applicable \square Not	be located more than feet from the previously Applicable					
	previously authorized. The point of diversion authorized by the radius of the authorized point(s) of diversion. Applicable						
	on the topographic map accompanying the application to cha						
		requesting that the place of use and / or point of be changed as described in the application.					
prov K.A.	risions of the Kansas Water Appropriation Law, K.S.A. 82a-7	-708b, as amended, and K.A.R. 5-14-3 and other applicable ro1 et. seq., and rules and regulations promulgated thereunder, essly contained herein, this Summary Order does not change the					

Page 4

File No. _____28124

DWR 1-121 (Revised 06/16/2014)



