Submit completed application to: Kansas Department of Agriculture Division of Water Resources Field Office for your area. Call for address:

Topeka -- (785) 296-5733 Stafford -- (620) 234-5311 Stockton -- (785) 425-6787 Garden City -- (620) 276-2901 http://agriculture.ks.gov/dwr

## DWR FIELD OFFICE APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF USE AND/OR THE POINT OF DIVERSION WATER METER REQUIRED



## STATE OF KANSAS

Filing Fee Must Accompany the Application, K.S.A. 82a-708b(b), as amended. Fee Schedule is on the third page of this application form.

Paragraph Nos. 1, 2, 3 & 5 must be completed. Complete all other applicable portions. If change in point of diversion is greater

than 100 feet, or if place of use will be changed, include a topographic map or detailed plat showing the authorized and proposed point(s) of diversion and/or place of use. RECEIVED 9:55am File No. 19683 Stafford Field Office 1. Application is hereby made for approval of the Chief Engineer to change the (check one or both): Division of Water Resources ☐ Place of Use Point of Diversion under the water right which is the subject of this application in accordance with the conditions described below. ☐ Groundwater ☐ Surface water The source of supply is: 2. Name and address of Applicant: City of Turon 501 E. Price, PO Box 366, Turon, KS 67583 Email address: cityofturonss@sctelcom.net Phone Number: (620)497-6443 Name and address of Water Use Correspondent: City of Turon 501 E. Price, PO Box 366, Turon KS 67583 Email address: cityofturonss@sctelcom.net Phone Number: (620)497-6443 3. The presently authorized place of use is: Owner of Land ---- NAME: City of Turon & Immediate Vicinity ADDRESS: 501 E. Price, PO Box 366, Turon KS 67583 (If there is more than one landowner, attach supplemental sheets as necessary.) SW1/4 SE1/4 NW1/4 TOTAL NW1/4 SW1/4 NW1/4 SW1/4 Sec. Twp. Range NW1/4 SW1/4 SE1/4 NW1/4 SW1/4 SE1/4 SE1/4 NE1/4 4. If this application is for a change in place of use, it is proposed that the place of use be changed to: Owner of Land --- NAME: No Change ADDRESS: (If there is more than one landowner, attach supplemental sheets as necessary.) TOTAL ACRES NE1/4 NW1/4 SW1/4 SE1/4 NE1/4 NW1/4 SW1/4 SE1/4 NW1/4 SW1/4 SE1/4 Sec. Twp. Range NE1/4 NW1/4 SW1/4 SE1/4 \*TIS-SFFO

For Office Use Only: Code \_\_\_\_\_ Fee \$ 200 \_ TR # \_\_\_\_\_ Receipt Date \_\_\_\_\_ Check # 3509

г				_
5.	Presently authorized point of diversion:			
	One in the Quarter of the	SE	Quarter of the SE Quar	ter
	of Section5, Township			
	in Reno County, Kansas, 400			n.
	Authorized Rate135 GPM Authorized Quantity			
	(DWR use only: Computer ID No. 1 GPS			
	☐ This point will not be changed ☐ This point will be changed			
	Proposed point of diversion: (Complete only if change			
	One in the Quarter of the			
	of Section, Township			
	in Reno County, Kansas, 4746			
	Proposed Rate No Change Proposed Quantity			
L	This point is: Additional Well Geo Center List other	er water rig	ghts that will use this point <u>RN 08</u>	
6.	Presently authorized point of diversion:			
	One in the Quarter of the	NE	Quarter of the SW Quar	ter
	of Section4, Township			
	in Reno County, Kansas, 1347			n.
	Authorized Rate No Change Authorized Quantity			
	(DWR use only: Computer ID No. 2 GPS			
	☐ This point will not be changed ☐ This point will be changed			
	Proposed point of diversion: (Complete only if change			
	One in the Quarter of the			
	of Section, Township			
	in Reno County, Kansas, 1352			
	Proposed Rate No Change Proposed Quantity			
l	This point is: Additional Well Geo Center List oth	er water riç	ghts that will use this point None	<u> </u>
7.	The changes herein are desired for the following reasons?	13a lf	the proposed point of diversion will be relocated within	100
1.	The changes herein are desired for the following reasons?	te	et of the existing point of diversion, indicate its locatio	n or
	(please be specific) Replace well to City owned property	the	e diagram below in relation to the existing point of diver-	sion.
			epresents presently authorized point of diversion.)	CIOW
			North	
			100 50 0 50 100	
			<del>                                      </del>	
8.	If a well, is the test hole log attached?   Yes   No		F = =	
9.	The change(a) (wee)(will be) completed by?		50 = + = + = + = + = 150	
9.	The change(s) (was)(will be) completed by?		∞E = ∃∞	
	7-1-2019		E = 'd	
10.	If the point of diversion is a well:	\	West 0 [—	
	(a) What are you going to do with the old well?		F = -	
	(a) What are you going to do with the old won.		50 = + = + = 50	
	Plug		»F + = + =	
			<b>.</b>	
	<b>(b)</b> When will this be done? <u>7-1-2019</u>			
			100 50 _0 _ 50 100	
11.	Groundwater Management District recommendation	1	South <b>Scale: 1</b> " = <b>100</b> "	
	attached?  Yes  No	13b If	the proposed point of diversion will be relocated more	thar
12	Assisted by TIS SEEO	10	00 feet but within 1320 feet from the existing point	nt o
12.	Assisted by TJS-SFFO	di Fa	iversion, attach a topographic map or aerial photog or groundwater sources, show all wells (including dome	raph
		W	ithin one-half mile of the proposed point of diversion and	d the
		na	ames and mailing addresses of the owners. For su later sources, show the names and addresses of	rtace
	RECEIVED	la	indowner(s) one-half mile downstream and one-half	mile
		up	pstream from your property lines.	

DWR 1-121 (Revised 07/10/2017)

AUG 2 5 2017

Page 2

File No. \_\_\_\_\_19683

<ol> <li>If the proposed groundwater point of diversion is 300 or fewer feet from the proposed groundwater point of diversion is 300 or fewer feet from the proposed groundwater point of diversion is 300 or fewer feet from the proposed groundwater point of diversion is 300 or fewer feet from the proposed groundwater point of diversion is 300 or fewer feet from the proposed groundwater point of diversion is 300 or fewer feet from the proposed groundwater point of diversion is 300 or fewer feet from the proposed groundwater point of diversion is 300 or fewer feet from the proposed groundwater point of diversion is 300 or fewer feet from the proposed groundwater point of diversion is 300 or fewer feet from the proposed groundwater point of diversion is 300 or fewer feet from the proposed groundwater point of th</li></ol>	om existing point of diversion, complete the following:
(a) Does the undersigned represent all owners of the currently auth  ☐ Yes ☐ No (If no, all owners must sign this appl	
<ul> <li>(b) Will the ownership interest of any owner of the currently authoral affected if this application is approved as requested?</li> <li>☐ Yes</li> <li>☐ No</li> <li>(If yes, all owners must sign this approved as requested)</li> </ul>	
(c) If this application is not approved expeditiously, will there be sul ☐ Yes ☐ No (If no, all owners must sign this appl	bstantial damage to property, public health or safety? ication.)
If the application proposes a surface water change in point of diversion, or a change in place of use, the application must be signed by all owners agent (attach notarized statement authorizing representation).	a groundwater change in point of diversion greater than 300 feets of the currently authorized place of use, or their duly authorized
I hereby verify, being first duly sworn upon my oath or affirm age and the owner, the spouse of the owner, or a duly author their behalf, in regards to the water right(s) to which this appoint and in this application are true. correct and complete.	rized agent of the owner(s) to make this application or oplication pertains. I further verify that the statements
	a 20 day of August, 2017.
ROBERT E. McMANN (Please Print)	
(Owner)	(Spouse)
(Please Print)	(Please Print)
( issued is many	( loads / lilly
(Owner)	(Spouse)
(Please Print)	(Please Print)
(Owner)	(Spouse)
(Please Print)	(Please Print)
State of Kansas )	T.
County of Reno SS	
I hereby certify that the foregoing application was signed in m	ry presence and sworn to before me this 22 day of
My Commission Expires  My Commission Expires  May 21, 2021	Sharon nitzscho Notary Public
ONLY COMPLETE APPLICATIONS WILL BE PROCESSED. To be complete, all accurate information; maps, if necessary, must be included; signatures of all the atthe appropriate fee must be paid.	
FEE SCHED	<u>ULE</u>
Each application to change the place of use or the point of diversion und forth in the schedule below: Make checks payable to: Kansas Departm  (1) Application to change a point of diversion 300 feet or less  (2) Application to change a point of diversion more than 300 feet (3) Application to change the place of use	nent of Agriculture
RECEIVED	
NECEIVED	

Stafford Field Office

AUG 2 5 2017

Page 3

DWR 1-121 (Revised 07/10/2017)

File No. \_\_\_\_\_19683


## SUMMARY ORDER APPROVING APPLICATION FOR CHANGE AND IMPOSING CONDITIONS


pro Wit and	visions of the <i>Kansas Water Appropriation Law, K.S.A. 82a</i> h the exception of those conditions expressly contained held limitations of File No. 19683	08b, as amended, and K.A.R. 5-5-1, <i>et seq.</i> and other applicable -701 et. seq., and rules and regulations promulgated thereunder, rein, this Summary Order does not change the terms, conditions			
1.	A change application was received on 8/25/2017 diversion authorized under the above-referenced file num	requesting that the place of use and / or point of ber be changed as described in the application.			
2.		authorized place(s) of use shall be located substantially as shown			
3.	The change in point of diversion shall not impair existing rig previously authorized. The point of diversion authorized radius of the authorized point(s) of diversion.   ☐ Applicate the change in point (s) and the point (s) are the change in point (s) a	hts and shall be limited to the same source or sources of water as by this summary order shall be located within a 300 foot ole    Not Applicable			
4.	The point(s) of diversion authorized herein shall not actually authorized point(s) of diversion.   ☐ Applicable ☐ No	be located more than <u>2640</u> feet from the previously of Applicable			
5.	As required by K.A.R. 5-3-5d, if the works for diversion is tube or other device suitable for making water level accordance with K.A.R. 5-6-13.   ☐ Applicable ☐ N	a well with a diversion rate of 100 gallons per minute or more, a measurements shall be installed, operated and maintained in Not Applicable			
6.	<b>December 31, 2017,</b> or before the first use of water, voperated and maintained in accordance with K.A.R. 5-1-	Il properly install an acceptable water flow meter on or before ter, whichever occurs first. The water flow meter shall be installed, 5-1-4 through 5-1-12. As required by K.S.A. 82a-732, as amended, and report the reading of the water flow meter and the total quantity of ch 1 following the end of each calendar year.			
7.	Installation of the works for diversion of water shall be completed on or before December 31, 20 <u>17</u> , or within any authorized extension of time. By March 1, 20 <u>18</u> the applicant shall notify the Chief Engineer that construction of the works for diversion has been completed, on the form provided by the Chief Engineer, as required by K.A.R. 5-8-4e.   ☑ Applicable ☐ Not Applicable				
8.	The completed well log shall be submitted with the requ	ired notice.   Applicable   Not Applicable			
9.	with an in-line, automatic, quick-closing check valve capa	foreign substance will be injected into the water shall be equipped able of preventing pollution of the source of the water supply. The inned in accordance with K.A.R. 5-3-5c.   Applicable  Not			
10.	Additional Conditions are attached.				
11.	water appropriated under the above-referenced file num limitations, as amended and/or supplemented by this Sur Appropriation Law and the Rules and Regulations promo	A.R. 5-5-14, all of the owners of the authorized place(s) of use of ber are responsible for compliance with its terms, conditions and mmary Order, and with applicable provisions of the <i>Kansas Water</i> ulgated thereunder. Failure to comply with these provisions may nended, and/or the suspension or revocation and dismissal of the ons authorized by law.			
	Administrative Appeal and Effective Date of Order	FOR OFFICE USE ONLY			
lf vo	ou are aggrieved by this order, pursuant to K.S.A. 82a-1901,	APPLICATION APPROVED AND			
you	may request an evidentiary hearing before the Chief	SUMMARY ORDER ISSUED			
Eng Agr	gineer or request administrative review by the Secretary of iculture. A request for hearing by the Chief Engineer must be d within <b>15 days</b> of service of this Order and a request for				
filed	d within 15 days of service of this Order and a request for ninistrative review by the Secretary must be filed within 30	By: Duly Authorized Designee of the Chief Engineer			
day	s pursuant to K.S.A. 77-531. Any request for administrative				
File	ew must state a basis for review pursuant to K.S.A. 77-527. any request with <b>Kansas Department of Agriculture</b> ,	(Print Name):			
Leg 665	gal Division, 1320 Research Park Drive, Manhattan, KS 02. Failure to timely request a hearing or review may	Date of Issuance:			
pre	clude review under the Kansas Judicial Review Act.	State of Kansas )			
For Use by Register of Deeds		) SS County of )			
		Acknowledged before me on			
		by			
		Signature:Notary Public			
	· · · · · · · · · · · · · · · · · · ·	My commission expires:(Notary Seal)			

DWR 1-121 (Revised 07/10/2017)

Page 4

(Notary Seal) File No. \_\_\_\_\_19683\_





Outford Field Office

8/17/2017 45-SFFO