Kansas Department of Agriculture Division of Water Resources

PERMIT OF NEW APPLICATION WORKSHEET

1. File Number:	2. Status Change Date:	3. Field Office:	4. GMD:	
48,859-A	6/29/2017	02	0	
5. Status: ☐ Approved ☐ Denied b	by DWR/GMD	Dismiss by Request/Failure	e to Return	
6. Enclosures: ⊠ Check Valve ⊠ N of C Form	m ⊠ Water Tube	☐ Driller Copy [⊠ Meter	
7a. Applicant(s) Person ID New to system ⊠ Add Seq#	7c. Landowne 20 New to sy		Person IDAdd Seq#	
CITY OF WICHITA PARK AND RECREATION DEPARTMENT **MATT TOWNS END OJ WATSON PA 455 N MAIN ST 11TH FLOOR WICHITA KS 67202	ARK. ¥			
7b. Landowner(s) Person ID Add Seq#	7d. Misc.		Person IDAdd Seq#	
7a.				
8. WUR Correspondent Person ID New to system Add Seq# Overlap File (s) WUC Agree Yes No	9. Use of Wate		Surface Water	
7a.	☐ STK		RT RECHRG	
•	☐ IND SIC: _	OTHER	₹:	
10. Completion Date:12/31/2018 11. Pe	erfection Date: 12/31/2	12. Exp D	ate:	
13. Conservation Plan Required? ☐ Yes ⊠ No Date R	Required: Date	Approved: [Date to Comply:	
14. Water Level Measuring Device? ☐ Yes ☒ No ☐	Date to Comply:	Date WLMD Inst	alled:	
* Address Chg oxied by DWS	6/29/2017	Date Prepared: 6/7/20 Date Entered: 6/29/2		

File No.	48,85	59- <i>F</i>	١	1	5. Forma	ation Co	de: 113	3		Drai	nage E	Basin:	ARKAI	NSAS I	RIVER	Co	ounty:	SG			Sp	ecial Us	e:	Stream:		
16. Point	ts of Dive	ersio	n													17.		and Qu	uantity	MOD	QTY		A alalitia — a			
MOD DEL ENT	PDIV		C	tualifier		S	Т	R	II	D	'N		'W			Į.	Rate Ipm	Author	Quar	itity		Rate gpm	Additional	Quantity	Ove	lap PD Files
√ 8	32347	,	NE N	NE N	W 2	8 2	27	1E	1		5140	3	3050			1	50		18	5)	150		0	NC	NE
Well	B-2 of	the	Gilb	ert an	d Mos	ley sit	e, Te	rm 20	0090	98																
																						_				
										120																
18. Stora	ge: Rate	e	7			NF	Qua	ntity				:	ac/ft	Add	itional	Rate _			7		NE	Additio	nal Quant	ity		ac/ft
19. Limita Limita	<u></u>		185	5		rat								s) whe						48,85	5; 48,8	56; AND	48,858_	>		
20. Meter	Require	ed?	⊠ Yes	. 🗆 N	0	To	be ins	talled b	ру		12	/31/2	2018			Date	Acce	ptable	Meter	Installe	ed					
21. Place	e of Use						NI	E1/4			NV	V ½			sv	V ¹⁄₄			SI	Ξ1/4		Total	Owner	Chg	? YES	Overlap Files
MOD DEL ENT F	PUSE	S	Т	R	ID	NE 1/4	NW 1/4	SW 1/4	SE ¼	NE 1⁄4	NW 1⁄4	SW ¼	SE 1/4	NE 1⁄4	NW 1⁄4	SW ¼	SE ¼	NE 1⁄4	NW ¼	SW ¼	SE ¼					
ENT 68	i435	5	28	1E			0.2	9.8	5.8									1.8	20.5	9.7	5.4	532 74	7a.	YES	3	*see below
ENT68	436	5	28	1E			8.X	L-3 9.7		·								L-5 11.1	1			20.8				
DEL 6	5290,	65	291																		-	TOTAL				
DEL 6	5292,	652	293																							······································
Commen	ts: *FILE	E NO	s. 48	3,855	; 48,85	6; 48	,858;	' 48,8!	59 A;	48,8	361; 4	18,86	52; 48	 3,863	; 48,	864;	48,8	865; a	nd 4	8,86	6, WI	LL ALL	OVERL	AP IN PL	ACE C	F USE,

Comments: *FILE NOS. 48,855; 48,856; 48,858; 48,859 A; 48,861; 48,862; 48,863; 48,864; 48,865; and 48,866, WILL ALL OVERLAP IN PLACE OF USE WHICH IS IRR USE AT OJ WATSON PARK.

SPIRIT AERO SYSTEMS IS NO LONGER A PLACE OF USE FOR THESE FILES.

KANSAS DEPARTMENT OF AGRICULTURE Division of Water Resources

<u>MEMORANDUM</u>

TO: Files DATE: June 7, 2017

FROM: Doug Schemm **RE:** File Nos. 48,855; 48,856; 48,858; 48,859-A;

48,861; 48,862; 48,863; 48,864; 48,865; and 48,866

The City of Wichita had originally filed the above referenced applications proposing to appropriate groundwater for industrial use from existing remediation (extraction) wells. The wells are currently authorized under Term Permit, File No. 20009098, which is a contamination remediation project known as the Gilbert and Mosley site. Term Permit, File No. 20009098 (Geo-Center of Site) is authorized a total quantity of 1,863 acre-feet, and a total rate of diversion of 1,155 gpm from 13 extraction wells. The contaminated water is currently treated at the City's WATER Center and then discharged into the Arkansas River. The purpose of the new applications was initially to pipe this treated water to the Spirit AeroSystems facility, providing them with an alternate source of water in the event their water supply from the city is curtailed due to drought conditions. It appears that the contamination remediation project has been successful, and three of the wells have been turned off as groundwater quality has improved to an acceptable level. The wells are <u>not</u> located within the boundaries of Equus Beds Groundwater Management District No. 2.

However, the initial end user, Spirit AeroSystems is going to be supplied with effluent water from Wastewater Treatment Plant 2. Therefore, the proposed project has been modified from industrial use to irrigation use, with the place of use being the OJ Watson Park. The applicant is proposing to irrigate the recreational areas at OJ Watson Park, which is highly sandy soil with high pedestrian traffic. The system is to be designed at approximately 200 gallons per minute, with the desire to re-establish and maintain a quality recreation area.

Please note that the applicant has filed a total of 13 applications, ten of the applications, File Nos. 48,855, 48,856, 48,858, 48,859-A, 48,861, 48,862, 48,863, 48,864, 48,865 and 48,866 will be modified for irrigation use at the park. Application, File Nos. 48,857; 48,859; and 48,860 will remain pending for potential other uses. The referenced applications are designed to obtain permanent water rights for irrigation use at the park, after the completion of remediation activities when the term permit is no longer necessary. Obviously this presents an issue relative to perfection of these files, because the water being diverted in the future (out to 2060 potentially) will be under the authority of the term permit for contamination remediation. Per K.A.R. 5-8-6 (c) If the applicant demonstrates to the chief engineer that a longer perfection period is necessary to justify purchase or construction of infrastructure related to the diversion, treatment, or distribution of water that actually is being built, the original time to perfect a water right for municipal use or other public entity, including a utility, may be extended for a period not to exceed a total time to perfect of 40 years. The maximum quantity of water and rate of diversion perfected would be based on actual usage under these files at some point in the future. This is reflective of the unique nature of this proposed project and the desire to establish permanent water rights in the future.

The applicant has provided additional information related to the proposed irrigation use as follows:

"O.J. Watson Park is one of the largest parks in the City of Wichita park system and the 119 acre site offers a rustic setting which includes a 40-acre lake for fishing, a miniature train ride, pony rides, miniature golf, and volleyball courts. In order to promote a greater awareness of the park by making it an attractive and known destination park, staff has identified the need for additional irrigation to make the park more visually appealing to local and regional visitors so that it can continue to be one of the signature parks in the system.

City of Wichita
Application, File Nos. 48,855; 48,856; 48,858; 48,859-A; 48,861; 48,862; 48,863; 48,864; 48,865; and 48,866
Page 2

Due to the nature of the soil at OJ Watson Park, loamy sand, and its water holding capacity of 1.10-1.20 inches per foot of soil, the necessary amount of water allocated to will need to be increased than what would normally be allotted. Due to the low-quality of the existing soil at Watson Park, the Department is looking to increase the standard amount of the water right to 2.5 acre feet/per acre irrigated. Water will be managed using Cal-sense water management system, which will be operate using a Bermuda grass coefficient and a ceramic plate evapotranspiration gauge. The irrigation system will be designed by an Irrigation Association Certified Irrigation Designer. From May to September turf grass needs approximately 1" of water per week during this time period, 21 weeks, when planted on a higher quality soil."

The proposed place of use covers 74 acres. With 2.5 acre-feet per acre for turf grass (which is consistent with other turf projects), this would calculate out to be 185 acre-feet. Based on this requested quantity of water, the senior file will be processed for the requested quantity of 161.3 acre-feet, with no limitation on quantity of water. Each subsequent application will be reduced to an authorized quantity of water of 185 acre-feet (where necessary), and each will be limited so as not to exceed 185 acre-feet on the place of use. The pending applications are requesting diversion rates of either 100 gpm or 150 gpm for a total combined diversion rate of 1,500 gpm. However, the wells have proven difficult to keep operating, and only a portion of them may operate at different times in the future. The reason for the number of wells is to provide flexibility in operation.

Well logs provided with the application consistently show several feet of clay at the surface, underlain by a gravelly sand to medium gravel zone extending from approximately 5 feet below ground surface to a depth of 35 feet, terminating on shale bedrock. Groundwater is only two to three feet below the surface of the ground. The source of water is the Arkansas River alluvium, which appears to extend throughout the local area. Therefore, per K.A.R. 5-3-11 the area of consideration would be 8,042 acres, with 5.4 inches of recharge, and 75% available, safe yield is 2,714.2 acre-feet. The applications all result in the same safe yield quantity, and they all comply with safe yield criteria. Please note as discussed above, only the most senior file is all additional water, with each subsequent file being limited in quantity.

The applicant provided a list of nearby well owners and plotted known wells on the enclosed aerial photos. As discussed above, these are all existing wells that have been operated for many years (since 2002), at similar rates and quantities requested in the pending applications. Nearby well owners would certainly be aware of the well locations and there have been no reported impairment concerns. There will be no physical changes in well operation or location, merely a change in how the treated water is to be utilized. The applications comply with K.A.R. 5-3-4 for a complete application by providing the location of all other water wells of every kind within one-half mile of each well covered by the proposed appropriation, each of which was identified by its use and the name and mailing address of the owner. Therefore, because these wells have been in place and operating since 2002, there will be no physical change in operation or location of the wells, and the nearby well owners are aware of the existing wells, no nearby well owner letters will be required.

According to information in the applications and the WRIS database, all of the pending applications comply with the minimum well spacing to all existing wells. Per the requirements in K.A.R. 5-4-4 for all other aquifers, the minimum well spacing should be one-quarter mile to all other non-domestic wells and 660 feet to domestic wells. However, two of the applications (File Nos. 48,862 and 48,864) do not comply with well spacing criteria to senior applications for this same project, located 845 feet and 720 feet away from the senior file, respectively. However, K.A.R. 5-4-4 also provides that the spacing guidelines are not applicable if the required minimum well spacing criteria are not necessary to prevent direct impairment.

City of Wichita
Application, File Nos. 48,855; 48,856; 48,858; 48,859-A; 48,861; 48,862; 48,863; 48,864; 48,865; and 48,866
Page 3

There are several unique circumstances that should be considered in this specific instance regarding minimum well spacing.

- The wells in a well field such as this project are operated as a system, and are not likely to be separated or divided in any way in the future.
- The wells have historically been operated without evidence of impairing each other.
- The wells are requesting relatively low pumping rates (none exceed 150 gpm).
- The wells are producing from a very shallow, sand and gravel aquifer, with very shallow depths to groundwater, generally located less than a mile from the Arkansas River, and well spacing criteria are not as relevant in these types of aquifers because potential drawdown concerns (i.e. cones of depression) would be limited.

Therefore, per K.A.R. 5-4-4, the required minimum well spacing criteria is not necessary to prevent direct impairment in this specific instance, and the proposed well spacing is sufficient to prevent direct impairment and to protect the public interest. As noted, the wells meet minimum well spacing criteria to all other wells.

In accordance with K.S.A. 82a-706c, the Chief Engineer retains full authority to require any water user to install meters, gages, or other measuring devices, which devices he or she or his or her agents may read at any time. Water flowmeter requirements are further described in K.A.R. 5-1-4 through K.A.R 5-1-12.

In an e-mail message, dated June 5, 2017, Jeff Lanterman, Water Commissioner of the Stafford Field Office, indicated he had no objection to the approval of the referenced applications.

Based on the above discussion, the area is open to new appropriations, the groundwater applications meet safe yield and well spacing criteria, it is recommended that the referenced applications be approved, with the requested modifications in place of use and use made of water.

Doug Schemm
Environmental Scientist
Topeka Field Office

From:

Philip, Charlotte

Sent:

Monday, June 5, 2017 10:52 AM

To:

Lanterman, Jeff; Schemm, Doug

Cc:

Conant, Cameron

Subject:

RE: Water Rights Inquiry

Agree with Jeff. I'm OK with it.

Charlotte Philip

From: Lanterman, Jeff

Sent: Monday, June 05, 2017 10:49 AM

To: Schemm, Doug <Doug.Schemm@ks.gov>; Philip, Charlotte <Charlotte.Philip@ks.gov>

Cc: Conant, Cameron < Cameron. Conant@ks.gov>

Subject: RE: Water Rights Inquiry

Doug;

This sounds like a good use of this water. Rather than just flushing it down the Ark. I need to look to these to the future though and for that I guess safe yield is what we have. And they meet safe yield.

I looked at the only well nearby that is anywhere close and water levels are steady. Measured by the venerable Mike Dealy with KGS.

http://hercules.kgs.ku.edu/geohydro/wizard/wizardwelldetail.cfm?usgs id=374228097214301

These wells have been in operation for awhile now to remediate Wichita without causing any impairment of the domestic wells nearby that the field office is aware of. So I concur with your discussion on spacing.

The only heartburn I have is allowing an irrigation permit to have a 20-40 year perfection period. But I understand the infrastructure costs and concerns here. I'm not sure about the need for that long of a period after the infrastructure is built?

Just so we don't have a perfected water right hanging out there I would be ok with going ahead and giving them 20 years with a waiver BUT a 5 year review period (or every 5 years after the infrastructure construction is completed? I guess they will notify us they have that done with the N&P correct?) to see if they got them perfected. We could issue the certificates sooner if they use the water after the infrastructure is built to its full extent. Just throwing out a thought there? How about if they report to us every 5 years after the infrastructure is built with a report on the extent of the perfection of these water rights?

I think they will perfect these pretty quickly once they have the ability to actually run the water to the park. It would be good to get them certified before they become old.

I copied Charlotte to see if she has concerns about the certs system. I can see this being really hard to certify eventually.

But I recommend it be approved if she doesn't have a problem with it.

Jeff



1320 Research Park Drive Manhattan, Kansas 66502 (785) 564-6700 900 SW Jackson, Room 456 Topeka, Kansas 66612 (785) 296-3556

Jackie McClaskey, Secretary

Governor Sam Brownback

July 5, 2017

FILE COPY

CITY OF WICHITA
PARK AND RECREATION DEPARTMENT
% MATT TOWNSEND
455 N MAIN 11TH FLOOR
WICHITA KS 67202

RE:

Appropriation of Water, File Nos. 48,855; 48,856; 48,858; 48,859-A; 48,861; 48,862;

48,863; 48,864; 48,865; and 48,866

Dear Mr. Townsend:

There are enclosed permits to appropriate water authorizing you to proceed with construction of the proposed diversion works (except those dams and stream obstructions regulated by K.S.A. 82a-301 through 305a), to divert such unappropriated water as may be available from the source and at the locations specified in these permits, and to use it for the purpose and at the location described in these permits.

Your attention is directed to the enclosures and to the terms, conditions, and limitations specified in these permits, with specific reference to your quantity of water limitation of 185 acre-feet with all files combined on the place of use, and reporting requirements. Water meters are required and you must install them prior to water being put to beneficial use in order for you to maintain accurate records of water use. The meters should be used to provide the information required on the annual water use reports.

Failure to notify the Chief Engineer of the Division of Water Resources of the completion of the diversion works within the time allowed, or within any authorized extension of time thereof, will result in the dismissal of these permits. Enclosed are forms which may be used to notify the Chief Engineer that the proposed diversion works have been completed for each file.

All requests for extensions of time to complete diversion works, or to perfect appropriations, must be submitted to the Chief Engineer before the expiration of time originally set forth in these permits to complete diversion works or to perfect an appropriation. If for any reason, you require an extension of time, you must request it before the expiration of time set forth in these permits. Failure to comply with this regulation will result in the dismissal of your permits or your water rights. Any request for an extension of time shall be accompanied by the required statutory fee, which is currently \$100.00 per file number. There is also enclosed an information sheet setting forth the procedure to obtain Certificates of Appropriation which will establish the extent of your water rights. If you have any questions, please contact our office. If you wish to discuss a specific file, please have the file number ready so that we may help you more efficiently.

Sincerely,

Kristen A. Baum

New Application Unit Supervisor

Water Appropriation Program

KAB:dws

Enclosures

pc: Stafford Field Office



KANSAS DEPARTMENT OF AGRICULTURE

Jackie McClaskey, Secretary of Agriculture

DIVISION OF WATER RESOURCES

FILE COPY

David W. Barfield, Chief Engineer

APPROVAL OF APPLICATION and PERMIT TO PROCEED

(This Is Not a Certificate of Appropriation)

This is to certify that I have examined Application, File No. 48,859-A of the applicant

CITY OF WICHITA
PARK & RECREATION DEPARTMENT
455 N MAIN ST 11TH FLOOR
WICHITA KS 67202

for a permit to appropriate water for beneficial use, together with the maps, plans and other submitted data, and that the application is hereby approved and the applicant is hereby authorized, subject to vested rights and prior appropriations, to proceed with the construction of the proposed diversion works (except those dams and stream obstructions regulated by K.S.A. 82a-301 through 305a, as amended), and to proceed with all steps necessary for the application of the water to the approved and proposed beneficial use and otherwise perfect the proposed appropriation subject to the following terms, conditions and limitations:

- 1. That the priority date assigned to such application is **November 6, 2013**.
- 2. That the water sought to be appropriated shall be used for irrigation use on land described in the application, as follows:

				NE1/4 NW1/4						SW1/4					SI	E1⁄4		TOTAL	
Sec	. Twp.	Range	NE1/4	NW1/4	SW1/4	SE1/4	NE1⁄4	NW1⁄4	SW1/4	SE1/4	NE1/4	NW1⁄4	SW1/4	SE1/4	NE1/4	NW1⁄4	SW1/4	SE1/4	TOTAL
5	28S	1E		0.2	9.8	5.8	-								1.8	20.5	9.7	5.4	53.2
5	28S	1E			L-3 9.7										L-5 11.1				20.8

- 3. That the authorized source from which the appropriation shall be made is groundwater, to be withdrawn by means of one (1) well located in the Northeast Quarter of the Northeast Quarter of the Northwest Quarter (NE¼ NE¼ NW¼) of Section 28, more particularly described as being near a point 5,140 feet North and 3,050 feet West of the Southeast corner of said section, in Township 27 South, Range 1 East, Sedgwick County, Kansas, located substantially as shown on the topographic map accompanying the application.
- 4. That the appropriation sought shall be limited to a maximum diversion rate not in excess of **150** gallons per minute (0.33 c.f.s.) and to a quantity not to exceed **185** acre-feet of water for any calendar year.

File No. 48,859-A Page 2 of 4

5. That installation of works for diversion of water shall be completed on or before **December 31**, **2018** or within any authorized extension thereof. The applicant shall notify the Chief Engineer and pay the statutorily required field inspection fee of \$400.00 when construction of the works has been completed. Failure to timely submit the notice and the fee will result in revocation of the permit. Any request for an extension of time shall be submitted prior to the expiration of the deadline and shall be accompanied by the required statutory fee of \$100.00.

- 6. That the proposed appropriation shall be perfected by the actual application of water to the proposed beneficial use on or before <u>December 31, 2037</u> or any authorized extension thereof. Any request for an extension of time shall be submitted prior to the expiration of the deadline and shall be accompanied by the required statutory fee of \$100.00.
- 7. That the applicant shall not be deemed to have acquired a water appropriation for a quantity in excess of the amount approved herein nor in excess of the amount found by the Chief Engineer to have been actually used for the approved purpose during one calendar year subsequent to approval of the application and within the time specified for perfection or any authorized extension thereof.
- 8. That the use of water herein authorized shall not be made so as to impair any use under existing water rights nor prejudicially and unreasonably affect the public interest.
- 9. That the right of the appropriator shall relate to a specific quantity of water and such right must allow for a reasonable raising or lowering of the static water level and for the reasonable increase or decrease of the streamflow at the appropriator's point of diversion.
- 10. That this permit does not constitute authority under K.S.A. 82a-301 through 305a to construct any dam or other obstruction; nor does it grant any right-of-way, or authorize entry upon or injury to, public or private property.
- 11. That all diversion works constructed under the authority of this permit into which any type of chemical or other foreign substance will be injected into the water pumped from the diversion works shall be equipped with an in-line, automatic quick-closing, check valve capable of preventing pollution of the source of the water supply. The type of valve installed shall meet specifications adopted by the Chief Engineer and shall be maintained in an operating condition satisfactory to the Chief Engineer.
- 12. That an acceptable water flow meter shall be installed and maintained on the diversion works authorized by this permit in accordance with the Kansas Administrative Regulations 5-1-4 through 5-1-12 adopted by the Chief Engineer. This water flow meter shall be used to provide an accurate quantity of water diverted as required for the annual water use report (including the meter reading at the beginning and end of the report year).
- 13. That the applicant shall maintain accurate and complete records from which the quantity of water diverted during each calendar year may be readily determined and the applicant shall file an annual water use report with the Chief Engineer by March 1 following the end of each calendar year. Failure to file the annual water use report by the due date shall cause the applicant to be subject to a civil penalty.
- 14. That no water user shall engage in nor allow the waste of any water diverted under the authority of this permit.
- 15. That failure without cause to comply with provisions of the permit and its terms, conditions and limitations will result in the forfeiture of the priority date, revocation of the permit and dismissal of the application.

File No. 48,859-A Page 3 of 4

16. That all wells with a diversion rate of 100 gallons per minute or more drilled under the authority of this permit shall have a tube or other device installed in a manner acceptable to, and in accordance with specifications adopted by, the Chief Engineer. This tube or device shall be suitable for making water level measurements and shall be maintained in a condition satisfactory to the Chief Engineer.

- 17. That the right to appropriate water under authority of this permit is subject to any minimum desirable streamflow requirements identified and established pursuant to K.S.A. 82a-703c for the source of supply to which this water right applies.
- 18. That the permittee shall submit an initial report within five (5) years after construction of the diversion works have been completed. This report must provide documentation of any actual application of water for irrigation use, to determine the extent that this water right may have been perfected. Subsequent perfection reports should be provided at five (5) year intervals.
- 19. That the permittee shall submit a progress report to the office of the Chief Engineer prior to **December 31, 2037**. This report shall document the status of the contamination remediation project and provide projections on the when the project may reach completion. The progress report must contain sufficient details to determine if an extension of time for perfection of the water right is warranted.
- 20. That the quantity of water approved under this permit is further limited to the quantity which combined with Appropriation of Water, File Nos. 48,855; 48,856; and 48,858, will provide a total **not to exceed 185.0 acre-feet** of water per calendar year for irrigation use on the land described herein.

This Order shall become a final agency action, as defined by K.S.A. 77-607(b), without further notice to the parties, if a request for hearing or a petition for administrative review is not filed as set forth below.

Request for Hearing. According to K.A.R. 5-14-3(c), any party who desires a hearing must submit a request within 15 days after the date shown on the Certificate of Service attached to this Order. Filing a request for a hearing will give you the opportunity to submit additional facts for consideration, contest any findings made by the Chief Engineer, or present any other information you believe should be considered in this matter. A timely-filed request for hearing will stay the deadline for requesting administrative review of this Order pending the outcome of the hearing.

Petition for Review. The applicant, if aggrieved by this Order, may petition for administrative review, pursuant to K.S.A. 82a-711(c) and K.S.A. 82a-1901(a). The petition must be filed within 30 days after the date shown on the Certificate of Service attached to this Order and must set forth the basis for the review, unless stayed by the timely filing of a request for hearing.

Any request for hearing or petition for administrative review shall be in writing and shall be submitted to the attention of: Chief Legal Counsel, Kansas Department of Agriculture, 1320 Research Park Drive, Manhattan, Kansas 66502, Fax: (785) 564-6777.

Ordered this QQ day of day of

The foregoing instrument was acknowledged before me this $\mathcal{A} \hookrightarrow \mathcal{A}$ day of $\mathcal{A} \hookrightarrow \mathcal{A} \hookrightarrow \mathcal{A}$, 2017, by David W. Barfield, P.E., Chief Engineer, Division of Water Resources, Kansas Department of Agriculture.



Notary Public

CERTIFICATE OF SERVICE

On this 5 day of , 2017, I hereby certify that the foregoing Approval of Application and Permit to Proceed, File No. 48,859-A, dated was mailed postage prepaid, first class, US mail to the following:

CITY OF WICHITA
PARK AND RECREATION DEPARTMENT
% MATT TOWNSEND
455 N MAIN ST 11TH FLOOR
WICHITA KS 67202

With photocopies to:

Stafford Field Office

Division of Water Resources



KANSAS DEPARTMENT OF AGRICULTURE

Dale A. Rodman, Secretary of Agriculture

DIVISION OF WATER RESOURCES David W. Barfield, Chief Engineer

File Number This item to be completed by the Division of Water Resources.

APPLICATION FOR PERMIT TO APPROPRIATE WATER FOR BENEFICIAL USE

WATERDI ES

	DWR 1-100 (Revised 02/04/2013) ***Reduced Gty to maximum
r Off OZ ode _	GIGE Use Only: GMD Meets K.A.R. 5-3-1 (FES) NO) Use IND Source G/S County Se By All Date 11-6-13 Fee \$ 3 00 TR # 4011777 Receipt Date 11-6-13 Check # 000 570585
	YOU <u>MUST</u> COMPLETE AND ATTACH ADDITIONAL DIVISION OF WATER RESOURCES FORM(S) PROVIDING INFORMATION TO SUBSTANTIATE YOUR REQUEST FOR THE AMOUNT OF WATER FOR THE INTENDED USE REFERENCED ABOVE.
	(m) ☐ Thermal Exchange (n) ☐ Contamination Remediation
	(i) □ Domestic (j) □ Dewatering (k) □ Hydraulic Dredging (l) □ Fire Protection
	(e) Industrial (f) ☐ Municipal (g) ☐ Stockwatering (h) ☐ Sediment Control
	(a) ☐ Artificial Recharge (b) ☑ Irrigation ★ (c) ☐ Recreational (d) ☐ Water Power
4.	project and are in agreement with the Division of Water Resources' requirements. * Modified to IRR use by Parks Dept. at 0.J. wats The water is intended to be appropriated for (Check use intended): Park - Dws / DwR 6/5/17
	Once your application has been assigned a priority, the requested maximum rate of diversion and maximum requested quantity of water under that priority number can <u>NOT</u> be increased. Please be certain your requested maximum rate of diversion and maximum quantity of water are appropriate and reasonable for your proposed project and are in agreement with the Division of Water Resources' requirements.
	to be diverted at a maximum rate of <u>150</u> gallons per minute OR cubic feet per second.
3.	The maximum quantity of water desired is acre-feet OR gallons per calendar year,
	Certain streams in Kansas have minimum target flows established by law or may be subject to administration when water is released from storage for use by water assurance district members. If your application is subject to these regulations on the date we receive your application, you will be sent the appropriate form to complete and return to the Division of Water Resources.
	OR groundwater in Arkansas River (drainage basin)
2.	The source of water is: surface water in
	Telephone Number: (316) 268 - 4235- 4665
	City: Wichita State KS Zip Code 67202
1.	Name of Applicant (Please Print): City of Wichita - Public Works + Utilities Address: 455 N Main - 8th Floor The Floor
	To the Chief Engineer of the Division of Water Resources, Kansas Department of Agriculture 109 SW 9 th Street, Second Floor, Topeka, KS 66612-1283:
	Filing Fee Must Accompany the Application (Please refer to Fee Schedule attached to this application form.) **RECEIVED**

5.	The location of the proposed wells, pump sites or other works for diversion of water is:
	Note: For the application to be accepted, the point of diversion location must be described to at least a 10 acre tract, unless you specifically request a 60 day period of time in which to locate the site within a specifically described, minimal legal quarter section of land.
	(A) One in the \sqrt{E} quarter of the \sqrt{E} quarter of the \sqrt{E} quarter of Section 28, more particularly
	described as being near a point <u>5140</u> feet North and <u>3050</u> feet West of the Southeast corner of said
	section, in Township 27 South, Range 1 East West (circle one), Security County, Kansas.
	(B) One in the quarter of the quarter of the quarter of Section, more particularly
	described as being near a point feet North and feet West of the Southeast corner of said
	section, in Township South, Range East/West (circle one), County, Kansas.
	(C) One in the quarter of the quarter of the quarter of Section, more particularly
	described as being near a point feet North and feet West of the Southeast corner of said
	section, in Township South, Range East/West (circle one), County, Kansas.
	(D) One in the quarter of the quarter of the quarter of Section, more particularly
	described as being near a point feet North and feet West of the Southeast corner of said
	section, in Township South, Range East/West (circle one), County, Kansas.
	If the source of supply is groundwater, a separate application shall be filed for each proposed well or battery of wells, except that a single application may include up to four wells within a circle with a quarter ($\frac{1}{4}$) mile radius in the same local source of supply which do not exceed a maximum diversion rate of 20 gallons per minute per well.
	A battery of wells is defined as two or more wells connected to a common pump by a manifold; or not more than four wells in the same local source of supply within a 300 foot radius circle which are being operated by pumps not to exceed a total maximum diversion rate of 800 gallons per minute and which supply water to a common distribution system.
6.	The owner of the point of diversion, if other than the applicant is (please print):
	(name, address and telephone number) WATER RESOURCES RECEIVED
	(name, address and telephone number) NOV 0 6 2013
	You must provide evidence of legal access to, or control of, the point of diversion from the landowner or the landowner's authorized representative. Provide a copy of a recorded deed, lease, easement or other document with this application. In lieu thereof, you may sign the following sworn statement:
	I have legal access to, or control of, the point of diversion described in this application from the landowner or the landowner's authorized representative. I declare under penalty of perjury that the foregoing is true and correct. Executed on October 18, 2013. Applicant's Signature
	The applicant must provide the required information or signature irrespective of whether they are the landowner. Failure to complete this portion of the application will cause it to be unacceptable for filing and the application will be returned to the applicant.
7.	The proposed project for diversion of water will consist of
	and (was)(will be) completed (by) 8 27 200
_	
8.	The first actual application of water for the proposed beneficial use was or is estimated to be

Will	pesticide, fer	tilizer, or other	foreign substant	ce be inject	ed into the w	ater pumped t	from the diversion	n works?
□Y	es ■ No	If "yes", a c	heck valve shall l	be required				
All	chemigation s	afety requiren	nents must be me	et including	a chemigati	on permit and	reporting require	ements.
sub	mitting the ap	plication. Ple	ease attach a res					
			ation for a permit	for constru	ction of this	dam and res	ervoir with the D	ivision o
•	If yes, show t	the Water Stru	ıctures permit nu	mber here	N/A		_	
						N/A		
sho sec	wing the follow tion, the section	wing information lines or the	on. On the topog section corners a	raphic map	, aerial phot	ograph, or plat	t, identify the cen	ter of the
(a)	works) shoul	d be plotted a	as described in I	Paragraph	No. 5 of the	application,	showing the Nor	
(b)	mile of the pro	oposed well o	r wells. Identify e	ach existing	g well as to it	ts use and furr	nish the name and	
(c)						e landowner(s	s) ½ mile downstr	eam and
			d place of use sh	ould be sho	wn by cross	hatching on th	e topographic ma	ap, aeria
				eservoirs or	other facilit	ies for conveyi	ng water from the	e point o
	numbers to:	Kansas Geole	ographic map m ogical Survey, 19	ay be obta 930 Constai	ned by pro nt, Campus	viding the sec West, Univers	tion, township ar sity of Kansas, La	nd range awrence
poir	nts or any of th	e same place s or water righ	of use described nts in conjunction	in this appli with the fili	cation. Also	list any other r		
DI	10/1-				488 59	- A 4881	/ WATER RESC	LIDOES
	1R 017					,	RECEIVE	
	ru,066,	70,060,	10,007	10,06	J, 4 10	71 DOG-	NOV 06 2	2013
							KS DEPT OF AGRI	GULTURE
	All of your substantial of	All chemigation s If you are planning submitting the appurate drainage. Have you also make the property of t	All chemigation safety requirements of the propose works) should be plotted a distance and the East-West works) should be plotted a distance and the East-West works) should be proposed well on address of the proposed well on address of the proposed photograph or plat. (e) Show the location of the proposed photograph or plat. (e) Show the location of the proposed when the proposed well on address of the propos	All chemigation safety requirements must be medifyou are planning to impound water, please of submitting the application. Please attach a resurface drainage area above the reservoir. Have you also made an application for a permit Water Resources? Yes No If yes, show the Water Structures permit nu If no, explain here why a Water Structures permit nu the application must be supplemented by a U showing the following information. On the topog section, the section lines or the section corners at Also, please show the following information: (a) The location of the proposed point(s) of dive works) should be plotted as described in a distance and the East-West distance from a distance and the East-West distance from a mile of the proposed well or wells. Identify a address of the property owner or owners. If the application is for surface water, the name made upstream from your property lines mediately and the location of the proposed place of use shiphotograph or plat. (c) If the application of the proposed place of use shiphotograph or plat. (d) The location of the proposed place of use shiphotograph or plat. (e) Show the location of the pipelines, canals, rediversion to the place of use. A 7.5 minute U.S.G.S. topographic map menumbers to: Kansas Geological Survey, 19 Kansas 66047. List any application, appropriation of water, water points or any of the same place of use described to existing permits or water rights in conjunction of the existing permits or water rights in conjunction of the existing permits or water rights in conjunction of the existing permits or water rights in conjunction of the existing permits or water rights in conjunction of the existing permits or water rights in conjunction of the existing permits or water rights in conjunction of the existing permits or water rights in conjunction of the existing permits or water rights in conjunction of the existing permits or water rights in conjunction of the existing permits or water rights in conjunction of the proposed permits or water rig	□ Yes ■ No If "yes", a check valve shall be required All chemigation safety requirements must be met including If you are planning to impound water, please contact the D submitting the application. Please attach a reservoir area surface drainage area above the reservoir. Have you also made an application for a permit for construy Water Resources? □ Yes ■ No If yes, show the Water Structures permit number here If no, explain here why a Water Structures permit is not showing the following information. On the topographic map section, the section lines or the section corners and show the Also, please show the following information: (a) The location of the proposed point(s) of diversion (wells, works) should be plotted as described in Paragraph I distance and the East-West distance from a section line (b) If the application is for groundwater, please show the loc mile of the proposed well or wells. Identify each existing address of the property owner or owners. If there are reference in the property of the property lines must be shown (d) The location of the proposed place of use should be shown photograph or plat. (e) Show the location of the pipelines, canals, reservoirs or diversion to the place of use. A 7.5 minute U.S.G.S. topographic map may be obtain numbers to: Kansas Geological Survey, 1930 Constant Kansas 66047. List any application, appropriation of water, water right, or very points or any of the same place of use described in this applit to existing permits or water rights in conjunction with the fill to existing permits or water rights in conjunction with the fill to existing permits or water rights in conjunction with the fill to existing permits or water rights in conjunction with the fill to existing permits or water rights in conjunction with the fill to exist the place of use described in this applit to existing permits or water rights in conjunction with the fill to exist the place of use	Yes No	Yes No If "yes", a check valve shall be required. All chemigation safety requirements must be met including a chemigation permit and If you are planning to impound water, please contact the Division of Water Resource submitting the application. Please attach a reservoir area capacity table and informatiface drainage area above the reservoir. Have you also made an application for a permit for construction of this dam and reservoir. Have you also made an application for a permit for construction of this dam and reservoir. Have you also made an application for a permit for construction of this dam and reservoir. Have you also made an application for a permit for construction of this dam and reservoir. Have you also made an application for a permit for construction of this dam and reservoir. Have you also made an application for a permit for construction of this dam and reservoir. Water Resources?	All chemigation safety requirements must be met including a chemigation permit and reporting requirements must be met including a chemigation permit and reporting requirements from you are planning to impound water, please contact the Division of Water Resources for assistance submitting the application. Please attach a reservoir area capacity table and inform us of the total surface drainage area above the reservoir. Have you also made an application for a permit for construction of this dam and reservoir with the D Water Resources? Yes No No How Water Structures permit number here N/A How you also made an application for a permit number here N/A No No How water Structures permit is not required N/A How you water structures permit is not required N/A How you water section, the section lines or the section corners and show the appropriate section, township and range r Also, please show the following information. On the topographic map, aerial photograph, or plat, identify the cerescition, the section lines or the section corners and show the appropriate section, township and range r Also, please show the following information: (a) The location of the proposed point(s) of diversion (wells, stream-bank installations, dams, or other works) should be plotted as described in Paragraph No. 5 of the application, showing the Nordistance and the East-West distance from a section line or southeast corner of section. (b) If the application is for groundwater, please show the location of any existing water wells of any kind mile of the proposed well or wells. Identify each existing well as to its use and furnish the name an address of the proposed well or wells. Identify each existing well as to its use and furnish the name an address of the proposed place water, the names and addresses of the landowner(s) ½ mile downstr ½ mile upstream from your property lines must be shown by crosshatching on the topographic map photograph or plat. (c) If the application of the proposed place of use should be shown by c

13.	Furnish the following well inf has not been completed, giv					oundwater. If the well
	Information below is from:	☐ Test holes	■ Well a	as complete	d ☐ Drillers	s log attached
	Well location as shown in pa	aragraph No.	(A)	(B)	(C)	(D)
	Date Drilled	2	27/2001		F	
	Total depth of well	_	34'			
	Depth to water bearing form	ation _	121			
	Depth to static water level	_	<u></u>			
	Depth to bottom of pump int	ake pipe _				
15.	The undersigned states that	(name, addr (name, addr the information s	ess and tele	phone num	Der) Marint	-316-526-4379
	this application is submitted Dated at Withite	in good faith. , Kansas	. this 10.11	dov of 1	October	2013
	Dated at	, Kansas	s, this <u>17/44</u>	voay of	(month)	(year)
<u>By</u>	(Agent or Office) Sign Duba E. Ary	ature)		IDENTI	NT(S) SOCIAL SEC FICATION NUMBEI 653 and/or T(S) TAXPAYER I.D	R(S)
	(Agent or Officer - Pleas	e Print)				RECEIVED
Assiste	d by				Date: _	NOV 0 6 2013
			(0	ffice/title)		KS DEPT OF AGRICULTURE



IRRIGATION USE SUPPLEMENTAL SHEET

File No. 48, 859-A

Name of Applicant (Please Print): <u>CITY OF WITCHITA – PARK & RECREATION DEPT.</u>

1. Please supply the name and address of each landowner, the legal description of the lands to be irrigated, and designate the actual number of acres to be irrigated in each forty acre tract or fractional portion thereof:

Landowner of Record NAME: CITY OF WICHITA – PARK & RECREATION DEPARTMENT 455 N MAIN ST, 11TH FLOOR WICHITA, KS 67202

	ST			NI	Ε1/4			NV	V1/4			SV	V1/4			SE	E1/4		TOTAL
S	ı	R	NE	NW	sw	SE	NE	NW	sw	SE	NE	NW	sw	SE	NE	NW	SW	SE	TOTAL
5	28S	1E		0.5 -	17.0	4	1.0			1.5					11.5	23.0	10.5	5.0	74
				0.2	9.8	5.8									1.8	20.5	9.7	5.4	
				L-3 9.7											L-5				

KAB/DWR 6-27-17

Landowner of Record NAME:

ADDRESS:

 	_	NE¼				NV	V1/4			sv	V1⁄4			SE	Ε1/4		TOTAL	
 T R NE NW SW SI			SE	NE	NW	SW	SE	NE	NW	sw	SE	NE	NW	sw	SE	IOIAL		


Landowner of Record NAME: _____

ADDRESS:

	STR			NI	Ξ1/4			NV	W1/4			SV	V1/4			SE	E1/4		TOTAL
8	1	K	NE	NW	sw	SE	NE	NW	sw	SE	NE	NW	SW	SE	NE	NW	sw	SE	TOTAL
						ļ													
				-								ļ			ļ			-	
						<u> </u>						<u> </u>							

CITY OF WICHITA - O J WATSON PARK IRR PLACE OF USE MAP

Section 5, Township 28 South, Range 1 East Sedgwick County



Proposed Place of Use

From:

Townsend, Matt < MTownsend@wichita.gov>

Sent:

Monday, June 5, 2017 11:07 AM

To:

Schemm, Doug

Cc:

Ary, Debra; Houtman, Troy

Subject:

Re: Water Rights Inquiry

Doug,

That is great news! Thank you very much for the update, we really appreciate all of the work you all have done on this.

Matt

From: Schemm, Doug < Doug. Schemm@ks.gov>

Sent: Monday, June 5, 2017 11:03 AM

To: Townsend, Matt **Cc:** Ary, Debra

Subject: RE: Water Rights Inquiry

Good Morning Matt,

I just got the ok on these from the Stafford Water Commissioner. So now I just have to finish up the paperwork and get them to HQ in Manhattan for final review and signature. They have to be signed by the Chief Engineer, so it is going to take a few weeks to get them through the system, but we are making progress.

Have a great day,

Doug

From: Townsend, Matt [mailto:MTownsend@wichita.gov]

Sent: Friday, May 26, 2017 9:35 AM

To: Schemm, Doug < Doug. Schemm@ks.gov>

Cc: Ary, Debra < DAry@wichita.gov>
Subject: Water Rights Inquiry

Good Morning Doug,

I wanted to know the status of our application for a change of water right for the remediation wells that feed into the Gilbert Mosley facility that we want to use for irrigation for O.J. Watson Park.

Matt Townsend

City of Wichita, Park and Recreation Department

455 N Main, 11th Floor Wichita, KS 67202

T: 316.268.4665

4 OWNER

Mission-

Wichita Park and Recreation provides high-quality life experiences to the Wichita community through the enhancement of world-class amenities and activities.

Vision-

To excel at what we do for the benefit of our community and generations to come.

From:

Ary, Debra < DAry@wichita.gov>

Sent:

Friday, March 3, 2017 10:49 AM

To:

Schemm, Doug

Subject:

RE: City of Wichita - Gilbert Mosley - Watson Park

Good morning Doug,

Do you have time for a call today or early next week? I would like to provide you with whatever I can to get these water rights moving again and I think there were two issues in the last phone conversation we had that needed to be addressed. The issues were safe yield and the operation of the existing term permits.

I had thought that the safe yield of the wells we would like to use for Watson was okay as long as we operated them under the 185 AF limitation. Is the original file submittal inclusion of 48,860 still impacting the overall quantity and safe yield calculations? If so, I would be happy to ask that that application be dismissed (even though the thermal right SG 71 is no longer accessible).

As for the reporting conflict between the term permits and the requested rights, could the use of the irrigation rights be tied to the term permit reports as long as the mitigation need for that particular well exists? When the mitigation need is officially cleared, the term right would be dismissed/inactivated and the well would become a standalone irrigation right.

Thank you, have a wonderful rest of the day and weekend,

Deb

Debra Ary, PE Wichita Public Works & Utilities Utilities Engineer 316-268-4614

From: Schemm, Doug [mailto:Doug.Schemm@ks.gov]

Sent: Thursday, November 17, 2016 10:39 AM

To: Ary, Debra < DAry@wichita.gov>

Subject: RE: City of Wichita - Gilbert Mosley - Watson Park

Good Morning Deb,

So we have justification for the 2.5 AF/acre. I came up with a 74 acre place of use, which would calculate out to a total of 185 acre-feet. We could modify File No. 48,855 that is requesting 161.3 AF, and 48,856 which is also requesting 161.3 AF. File No. 48,858 would have to be reduced to 185 acre-feet, etc. Of course all of the junior files would have to be limited to 185 AF when combined with File No. 48,855. This gives you flexibility of using several different wells as your source of supply.

From:

Ary, Debra < DAry@wichita.gov>

Sent:

Tuesday, November 15, 2016 1:40 PM

To:

Schemm, Doug

Subject:

RE: City of Wichita - Gilbert Mosley - Watson Park

Attachments:

Place of Use.pdf; K-State Soil Analysis - Watson Park.pdf

Good afternoon Doug, and happy Tuesday.

Below is what the Park Department came up with. If it is in line with what you need, do I need to send it in as a hard copy? Also attached is the soil analysis that they requested from K-State.

O.J. Watson Park is one of the largest parks in the City of Wichita park system and the 119 acre site offers a rustic setting which includes a 40-acre lake for fishing, a miniature train ride, pony rides, miniature golf, and volleyball courts. In order to promote a greater awareness of the park by making it an attractive and known destination park, staff has identified the need for additional irrigation to make the park more visually appealing to local and regional visitors so that it can continue to be one of the signature parks in the system.

Due to the nature of the soil at OJ Watson Park, loamy sand, and its water holding capacity of 1.10-1.20 inches per foot of soil, the necessary amount of water allocated to will need to be increased than what would normally be allotted. Due to the low-quality of the existing soil at Watson Park, the Department is looking to increase the standard amount of the water right to 2.5 acre feet/per acre irrigated. Water will be managed using Cal-sense water management system, which will be operate using a Bermuda grass coefficient and a ceramic plate evapotranspiration gauge. The irrigation system will be designed by an Irrigation Association Certified Irrigation Designer. From May to September turf grass needs approximately 1" of water per week during this time period, 21 weeks, when planted on a higher quality soil.

I am still working on a layout of the planned route. They have provided the faded yellow line crossing the river on the attachment named "Place of Use" and I am trying to get a schematic of the piping from the Water Center to the outfall structure for a better feel of the system as a whole.

Please let me know what my next steps are, and have a wonderful rest of the week!

Deb

Debra Ary, PE Wichita Public Works & Utilities Utilities Engineer 316-268-4614

From:

Sent: Tuesday, November 08, 2016 9:06 AM

To: Ary, Debra < DAry@wichita.gov>

Subject: RE: City of Wichita - Gilbert Mosley - Watson Park

Hello Deb,

It doesn't have to be anything elaborate. They can just state something like "The requested quantity of water exceeds the maximum quantity of 1.3 acre-feet per acre for irrigation purposes in Sedgwick County. However, per K.A.R. 5-3-20 the additional water is necessary based on the type of turf grass (Bermuda Grass) and anticipated water needs for this specialty crop. Information from Kansas State University Extension Service, shows that the additional water is necessary for proper turf management, both to get any new grass established and to prevent the existing grass from being damaged during high traffic, public recreational use of the park grounds. The proposed type of grass is similar to golf courses, which typically require additional water for similar reasons". They can also point out that the soil has a high sand content, with a corresponding high permeability rate, requiring additional water to maintain the grass especially during dry and hot conditions.

If they have some supporting information like anticipated watering schedule that would be great. Something like "One inch of water per acre per week, will be applied during the spring growing season from April through June, and then as needed during the drier summer months". etc.

Please don't go to a lot of trouble. If we need additional quantity justification as we work through this, then I will certainly let you know.

Have a great day,

Doug

From: Ary, Debra [mailto:DAry@wichita.gov] Sent: Tuesday, November 08, 2016 8:23 AM

To: Schemm, Doug

Subject: RE: City of Wichita - Gilbert Mosley - Watson Park

Good morning Doug,

Our Park department is struggling a bit on the format of what the justification for additional AF/acre should look like. Do you by any chance have an example of what you are looking for that I can share with them?

Thank you, and have a wonderful day.

Deb

From: Ary, Debra

Sent: Thursday, October 13, 2016 12:48 PM **To:** 'Schemm, Doug' < <u>Doug.Schemm@ks.gov</u>>

Subject: RE: City of Wichita - Gilbert Mosley - Watson Park

Good morning Doug,

Thank you for putting this together and providing the link. I have forwarded it on to the Parks group to peruse and provide the supporting thoughts.

Have a great afternoon!

Deb

K-STATE

Research and Extension

KSU Soil Testing Laboratory 2308 Throckmorton Plant Sciences Center 1712 Claflin Road Manhattan, KS 66506-5503



Tel: 785-532-7897 Fax: 785-532-7412 www.agronomy.ksu.edu/soiltesting

Soil Test Report

Prepared For:

Matthew McKernan

Sedgwick County Extension

7001 W. 21st Street N

Wichita, KS 67205

dbindrum@ksu.edu; mckernan@ksu.edu

316-660-0100

Send Copy To:

Tom Nordick

1245 S. Mclean Blvd

Wichita, KS 67203

Tnordick@wichita.gov

316-350-3173

Sample Information:

Sample ID: Watson Park Lawn

Lab Number:

Order Number: 5277 002827

10/27/2016

Received: Reported:

11/2/2016

County:

Sedgwick

(Where sample was taken)

Results

Soil pH (1:1, soil:water)	7.4		Organic Matter (LOI), %	1.5 %
Nitrate (NO3) surface or 1st sample	3	ppm	Phosphorus (P) Mehlich-3	43 ppm
Potassium (K)	144	ppm	Texture - Soil Type	loamy sand
Sand	80	%	Silt	14 %
Clay	6	%		

Tall Fescue

1 of 4

Soil pH

(Shaded area is acceptable pH range for tall fescue)

4	5	6	7	8	9	10
		48.				

Shaded area below represents the level of nutrients in the area tested.

Organic Matter

≲2%(Low)	2.0 – 2.9 % (Good)	3.0 – 3.9% (Very Good)	> 4 % (Excellent)

Phosphorous

	0-5 (Very Low)	6-10 (Low)	11-20 (Medium)	्रेडिश (दिएवर)	>50 (Very High)
_					

Potassium

0-40 (Very Low)	4947616.00	176-250	(Medium)	251-300 (High)	>300 (Very High)

Organic Matter

<29c(Low):	2.0 - 2.9 % (Good)	3.0 – 3.9% (Very Good)	> 4 % (Excellent)

Recommendations

pH: The pH is higher than normal but OK for tall fescue. If you have any other species of turf or are going to plant

K-STATE

Research and Extension

KSU Soil Testing Laboratory 2308 Throckmorton Plant Sciences Center

2308 Throckmorton Plant Sciences Center 1712 Claflin Road Manhattan, KS 66506-5503

Tel: 785-532-7897 Fax: 785-532-7412 www.agronomy.ksu.edu/soiltesting



trees or shrubs, the pH should be dropped by adding 15 pounds of sulfur per 1000 square feet to bring the soil to an optimum pH. The total amount of sulfur can be added to the area before planting if it is incorporated into the soil to a depth of 6 inches. However for existing lawns, only 5 pounds of sulfur per 1000 square feet should be added at one time to established turf. Sulfur can be added each March and September until the total amount has been applied. For sulfur applications to be most effective, core aerate your lawn before applying sulfur. This allows the sulfur to enter deeper into the soil profile, and more quickly benefit the plant. Pelletized sulfur is easier to work with than the dust.

Fertilizer: Your soil is high in phosphorus and low in potassium. Phosphorus and potassium are usually applied in the September application. You have adequate levels of phosphorous, and do not need to add more. The nitrogen level in your soil is **low**. Nitrogen is regularly used up by plants, and naturally leaches from the soil profile and becomes unavailable.

Use a fertilizer that contains no phosphorus but significant levels of potassium such as one of the following.

A 4-0-10 fertilizer at the rate of 20 pounds per 1000 square feet.

A 15-0-15 fertilizer at the rate of 7 pounds per 1000 square feet.

OR you may use a high nitrogen fertilizer such as those described below under "November Application" plus Muriate of Potash (0-0-60) at the rate of 3 pounds per 1000 square feet.

Phosphorus and potassium tend to bind on the surface layer of the soil where roots may have difficulty absorbing them. It will help if the fertilizer is applied in September immediately after the lawn is core aerated. This will allow the nutrients to penetrate more deeply into the soil where roots are more likely to take them up.

Tall fescue is normally fertilized two or three times each year. The most important fertilizations are done in September and again in November. For a high quality turf that will be watered during the summer, also fertilize in May. If nitrogen is only applied once per year, fertilize in September for best results.

September Application: You will need to core aerate and apply the 4-0-10 fertilizer for two Septembers in a row or the 15-0-15 fertilizer for three Septembers in a row. Every September after that use a high nitrogen fertilizer at the rate of 1 pound of nitrogen per 1000 square feet. Or you may use a high nitrogen lawn fertilizer such as a 27-3-3, 29-3-4, 30-3-3 or something similar at the rate suggested on the bag. Continue to core aerate each September to relieve compaction and increase soil aeration.

November Application: Use a high nitrogen fertilizer for the November application as well. Also apply the November application at 1 pound of nitrogen per 1000 square feet or use a high nitrogen lawn fertilizer such as a 27-3-3, 29-3-4, 30-3-3 or something similar at the rate suggested on the bag. Fertilizer should be watered in.

May Application: If you decide to use a May fertilization, apply a slow-release lawn fertilizer at the rate suggested on the bag.

Organic Matter: The organic matter of your soil sample is low, mulching mower clippings into the lawn will help increase the organic matter in your soil over time. Another option to increase soil organic matter is to incorporate 1-3 inches of compost six inches deep into the existing soil before planting. You can also spread a 1 inch layer of compost over your lawn in late fall, just before the dead of winter, for existing lawns. The freezing and thawing action of the soil during the winter will help incorporate the compost into the soil, without the need for tilling.

K-STATE Research and Extension


KSU Soil Testing Laboratory 2308 Throckmorton Plant Sciences Center 1712 Claflin Road Manhattan, KS 66506-5503 Knowledge for Life

Tel: 785-532-7897 Fax: 785-532-7412 www.agronomy.ksu.edu/soiltesting

Bermudagrass Turf

Soil pH

(Shaded area is acceptable pH range for Bermuda)



Shaded area below represents the level of nutrients in the area tested.

Organic Matter										
<2° % (Low)	2.0 – 2.9 % (Go	od) $3.0 - 3.9^{\circ}$	% (Very Good)	> 4 % (Excellent)						
		Phosphorous								
0-5 (Very Low)	6-10 (Low) 1	1-20 (Medium)	21-50((1):1(95))	>50 (Very High)						
		Potassium								
0-40 (Very Low)	49A75 (Low) 17	6-250 (Medium)	251-300 (High)	>300 (Very High)						
Organic Matter										
$\leq 2\% (4 \text{ agy})^{\circ}$	2.0 – 2.9 % (Go	od) $3.0 - 3.99$	% (Very Good)	> 4 % (Excellent)						

Recommendations

pH: The pH is higher than normal but, fine for bermudagrass. If you have any other species of turf or are going to plant trees or shrubs, the pH should be dropped by adding 15 pounds of sulfur per 1000 square feet to bring the soil to an optimum pH. The total amount of sulfur can be added to the area before planting if it is incorporated into the soil to a depth of 6 inches. However for existing lawns, only 5 pounds of sulfur per 1000 square feet should be added at one time to established turf. Sulfur can be added each March and September until the total amount has been applied. For sulfur applications to be most effective, core aerate your lawn before applying sulfur (but do not core aerate the same times of year that you apply the sulfur, as this may damage your bermudagrass). Core aeration allows the sulfur to enter deeper into the soil profile, and more quickly benefit the plant. Pelletized sulfur is easier to work with than the dust.

Fertilizer: Your soil is high in phosphorus and low in potassium. Phosphorus and potassium are usually applied in the September application. You have adequate levels of phosphorous, and do not need to add more. The nitrogen level in your soil is low. Nitrogen is regularly used up by plants, and naturally leaches from the soil profile and becomes unavailable.

Use a fertilizer that contains no phosphorus but significant levels of potassium such as one of the following:

A 4-0-10 fertilizer at the rate of 20 pounds per 1000 square feet.

A 15-0-15 fertilizer at the rate of 7 pounds per 1000 square feet.

K-STATE

Research and Extension

KSU Soil Testing Laboratory 2308 Throckmorton Plant Sciences Center 1712 Claflin Road Manhattan, KS 66506-5503

Tel: 785-532-7897 Fax: 785-532-7412 www.agronomy.ksu.edu/soiltesting



OR you may use a high nitrogen fertilizer such as those described below under "November Application" plus Muriate of Potash (0-0-60) at the rate of 3 pounds per 1000 square feet.

Phosphorus and potassium tend to bind on the surface layer of the soil where roots may have difficulty absorbing them. It will help if the fertilizer is applied in September immediately after the lawn is core aerated. This will allow the nutrients to penetrate more deeply into the soil where roots are more likely to take them up.

Every fertilization after that, use a fertilizer that contains primarily nitrogen such as one of the following:

Iron + (12-0-0) at the rate of 8 pounds per 1000 square feet

Nitrate of Soda (16-0-0) at the rate of 7 pounds per 1000 square feet.

Ammonium sulfate (21-0-0) at the rate of 5 pounds per 1000 square feet

Urea (46-0-0) at the rate of $2\frac{1}{2}$ pounds per 1000 square feet.

You can also use a 27-3-3, 28-4-4, 29-3-3 or something similar at the rate suggested on the bag. Core aerate each June to relieve compaction and increase soil aeration.

Bermuda is normally fertilized two to four times each year at the following times.

Two applications per year: May and July

Three applications per year: May, June and early August Four applications per year: May, June, July and August

Organic Matter: The organic matter of your soil sample is low, mulching mower clippings into the lawn will help increase the organic matter in your soil over time. Another option to increase soil organic matter is to incorporate 1-3 inches of compost six inches deep into the existing soil before planting. You can also spread a 1 inch layer of compost over your lawn in late fall, just before the dead of winter, for existing lawns. The freezing and thawing action of the soil during the winter will help incorporate the compost into the soil, without the need for tilling.

Recommendations by:	
---------------------	--

K-STATE Research and Extension

KSU Soil Testing Laboratory 2308 Throckmorton Plant Sciences Center 1712 Claflin Road Manhattan, KS 66506-5503 Knowledge for Life

Tel: 785-532-7897 Fax: 785-532-7412 www.agronomy.ksu.edu/soiltesting

General References:


For current information and order forms, please visit

http://www.agronomy.k-state.edu/services/soiltesting/Prices%20and%20Analysis%20Request%20Forms.html



OJ Watson Park





This information is not an official record, and cannot be used as such. The user should rely only upon official records available from the custodian of records in the appropriate City and/or County department. Some data provided here and used for the preparation of these maps has been obtained from public records not created or maintained by the City of Wichita.

1: 10,000



F	r٥	m	•
•			•

Ary, Debra <DAry@wichita.gov> Tuesday, October 04, 2016 9:57 AM

Sent: To:

Schemm, Doug

Subject:

RE: Water Right modification guestion or two

Attachments:

Watson Place of Use with Water.pdf

Good morning Doug,

Attached is the proposed place of use.

Thank you,

Deb

From: Schemm, Doug [mailto:Doug.Schemm@ks.gov]

Sent: Tuesday, October 04, 2016 7:34 AM **To:** Ary, Debra <DAry@wichita.gov>

Subject: RE: Water Right modification question or two

Deb.

I'm ready to discuss this project once you get settled in this morning, and have your coffee ready!!

Please give me a call,

Thanks, Doug

From: Ary, Debra [mailto:DAry@wichita.gov]
Sent: Thursday, September 29, 2016 3:29 PM

To: Schemm, Doug

Subject: RE: Water Right modification question or two

Hi Doug,

Monday or Tuesday would be just fine. I am free between 11 and 3 on Monday and all morning on Tuesday.

Thank you!

Deb

From: Schemm, Doug [mailto:Doug.Schemm@ks.gov]

Sent: Thursday, September 29, 2016 3:04 PM

To: Ary, Debra < DAry@wichita.gov>

Subject: RE: Water Right modification question or two

Hello Deb,

Always great to hear from you. I just got into the office today and I'm not in tomorrow. Let me look this over and we can talk Monday or Tuesday of next week, if that's ok.

Doug

From: Ary, Debra [mailto:DAry@wichita.gov]
Sent: Thursday, September 29, 2016 11:41 AM

To: Schemm, Doug

Subject: Water Right modification question or two

Good morning Doug,

I hope that all is well with you and yours.

I am finally sitting down to put all the documentation together for the request to change the place of use and use of for the water rights we had requested for Spirit Aerosystems to Watson Park. The system they plan on constructing is to irrigate the recreational areas at OJ Watson Park, so pretty sandy soil with high use. The system for today is to be designed at approximately 200 gpm and the hope of course is to be able to reestablish and maintain a quality recreation area.

The history of these water rights in a nutshell.

- Wichita has a battery of term permits for groundwater remediation, with the water directed to an air sparging facility and then released into the river. The desire has been to put this water to beneficial use rather than send to the river, but it is understood that the contaminant plumes will eventually be mitigated and the term water right will cease.
- An initial water rights application was made to obtain permanent groundwater rights at these locations to provide continued industrial water to Spirit. Spirit is now to receive water from the effluent of Wastewater Treatment Plant 2.
- The desire now is to use this water to improve OJ Watson Park which surrounds a water feature that is
 not dependable enough to use as an irrigation source for the park. As with Spirit, there is enough
 effluent to support the park's needs now, but a continued water right is desired.

The files we are considering requesting to change use of and place of use are:
48855, 48856, 48858, 48859-A, 48861, 48862, 48863, 48864, 48865 and 48866. These do add up to quite a bit more than 200 gpm, but they are also pulling less than desirable water and require a lot of maintenance to keep running at full capacity so the thought was to provide as much flexibility in the use of these wells as possible.

I do have a few questions as my memory is pretty spotty from our conversation in May even though I thought I took decent notes.

My notes say that I need an Irrigation Use Supplemental, to request the change to irrigation and to change the point of use. I also had in my notes that there were no new application fees. This doesn't line up well with the change application fee schedule which indicates the combined fee for the changes as \$500 per right number so thought I had better double check. Is the base Change Application the correct form?

- 48865 and 48866 were not supported due to safe yield calculations. Is there a specific amount I should consider requesting to reduce from their quantity or is the projected use of the wells in a battery style more acceptable than the initially proposed 24/7 potential industrial use?
- Cleanup efforts for the plumes are projected to continue through 2060 so it is projected that it will be
 many years before the park actually has to start using an official water right vs. enjoying the product of
 the term permit. Will there be issues with a water right whose well may use more than that water

right's approved quantity while it is meeting the requirements of its term permit? Should we consider applying for conservation status for these rights while the mitigation is still active and the term permits are still in place?

• The initial application was for City of Wichita – Public Works & Utilities, the new holder will be the Parks Department. Do we simply put City of Wichita – Parks Department in the applicant line or will this cause issues in your database?

I think those are my questions for now, please let me know if any of this doesn't make sense and as always, I am open for a phone conversation if that is easiest.

Thank you and have a wonderful Thursday!

Deb

Debra Ary, PE Wichita Public Works & Utilities Utilities Engineer 316-268-4614

48,859- A
Meets Safe
Yeld with Senior
Apps-No Add'l aty.

Analysis Results

The selected PD is in an area to new appropriations.

The safe yield, based on the variables listed below is 2,714.18 AF.

Total prior appropriation in the circle is 4,780.52 AF. ← 1290.5 −

Total quantity of water available for appropriation is 0.00 AF.

520(Nodes) = 2970.02 - 484 - 137.6 = 2348.4

365.8AF

Safe Yield Variables

The area used for the analysis is set at 8,042 acres. Potential annual recharge of the area is estimated to be 5.4 inches. The percent of recharge available for appropriation is 75%.

File # 48,859 - A also O additional Oty.

Authorized Quantity values are as of 06-JAN-2014 and are based on Appropriated and Vested ground water right and possible stream nodes for GMD #2. Domestic, Term and Temporary water rights have been excluded.


There are 41 water right(s) and 37 point(s) of diversion within the circle. There are 5 GMD #2 stream node(s) also within the circle.

File	Number		Use	ST	SR	Q4	Q3	Q2	Q1	FeetN	FeetW	Sec	Twp	Rng	ID	Qind	Auth_Quant	Add_Quant	Tacres	Nacres
A	7486	00	IRR	NK	G		NW	NW	NW	5180	4880	34	27	01E	2	WR	14.00	14.00	20.00	20.00
A	7494	00	IRR	NK	G	NC	N2	SE	NE	3630	660	31	27	01E	1	WR	26.00	26.00	20.00	20.00
A	31635	00	THX	NK	G		SW	SE	NE	2840	710	20	27	01E	11	WR	70.51	70.51		
A	33667	00	IND	NK	G					2300	4310	29	27	01E	3	WR	0.45	0.45		
A	34480	00	IND	NK	G		NW	NW	NE	5030	2200	33	27	01E	2	WR	38.36	38.36		
A	36164	00	THX	NK	G		SW	NW	NE	4540	2490	20	27	01E	30	WR	92.56	92.56		
A	36196	00	THX	NK	G		SW	NW	NE	4570	2490	20	27	01E	25	WR	116.00	116.00		
A	36534	00	THX	NK	G					980	165	20	27	01E	22	WR	22.28	22.28		
A	36615	00	THX	NK	G					3850	2220	20	27	01E	23	WR	18.41	18.41		
Same			THX	NK	G					3880	2330	20	27	01E	24	WR				
Same			THX	NK	G					3865	2275	20	27	01E	64	WR			·	
A	36616	00	THX	NK	G					3850	2220	20	27	01E	23	WR	18.41	18.41		
Same			THX	NK	G					3880	2330	20	27	01E	24	WR				
Same			THX	NK	G					3865	2275	20	27	01E	64	WR				
A	36767	00	DEW	NK	G		SW	NW	NW	4200	5220	21	27	01E	13	WR	188.94	188.94		
A	39757	00	THX	NK	G		SW	SE	NE	2840	675	20	27	01E	10	WR	84.92	84.92		
A	40020	00	THX	NK	G		SW	SE	NE	2840	710	20	27	01E	11	WR	14.36	14.36		

```
40835 00 IRR NK G
                              NW SE NW
                                        4950
                                               3900
                                                      29
                                                          27 01E
                                                                                16.00
                                                                                            16.00
                                                                                                     10.62
                                                                                                              10.62
Α
                                                                  5
                                                                       WR
                                                      30
                                                          27 01E
                                                                                 24.96
                                                                                            24.96
                                                                                                     16.64
                                                                                                              16.64
Α
      40836 00 IRR NK G
                              NE SE NW
                                         3780
                                               2882
                                                                       WR
                                                                                19.50
                                                                                            19.50
                                                                                                     13.00
                                                                                                              13.00
      40838 00 IRR NK G
                              NE SE NW
                                         3550
                                               2887
                                                      30
                                                          27 01E
Α
                                                                       WR
                                                                                            13.41
                                                                                                      8.94
                                                                                                               8.94
                              SW NE NW
                                               3950
                                                      29
                                                          27 01E
                                                                                13.41
Α
      40839 00 IRR NK G
                                         4600
                                                                                            13.70
                                               2926
                                                     17
                                                          27 01E 16
                                                                                13.70
Α
      45599 00 REC NK G
                              NE SE SW
                                         1234
                                                                       WR
                                                          27 01E 23
                                                                                181.06
                                                                                           181.06
      47471 00 THX LO G
                                         3850
                                               2220
                                                      20
                                                                       WR
Α
                                                          27 01E 24
                THX LO G
                                         3880
                                               2330
                                                      20
                                                                       WR
Same
                                                                                                       362.12
                                               2275
                                                      20
                                                          27 01E 64
Same
                THX LO G
                                         3865
                                                                       WR
                                                                                           181.06
                                               2220
                                                          27 01E 23
                                                                       WR
                                                                                181.06
Α
      47472 00 THX KE G
                                         3850
                                                      20
                                                          27 01E 24
Same
                THX KE G
                                         3880
                                               2330
                                                      20
                                                                       WR
                                               2275
                THX KE G
                                         3865
                                                      20
                                                          27 01E 64
                                                                       WR
Same
                                                                                 22.10
                                                                                            22.10
      48491 00 THX AY G
                              SW NW NE
                                        4570
                                               2490
                                                      20
                                                          27 01E 25
Α
                                                                       WR
                                                                                            45.60
                                                      20
                                                          27 01E 30
                                                                                 45.60
Α
      48492 00 THX AY G
                              SW NW NE
                                         4540
                                               2490
                                                                                           161.30 Senior pendera
161.30 23.7 odd'l
161.30 0 odd'l
                              NW SE SE
                                               1102
                                                      32
                                                          27 01E
                                                                                161.30
Α
      48855 00 IND AY G
                                         1320
                                                                       WR
                                                                                161.30
Α
      48856 00 IND AY G
                              SE SW NE
                                         3310
                                               1475
                                                      32
                                                          27 01E
                                                                       WR
      48857 00 IND AY G
                                                          27 01E 29
                                                                                161.30
Α
                              NE SE SE
                                          680
                                                335
                                                      29
                                                                       WR
                                                                                242.00185
Α
      48858 00 IND AY G
                              NW SE NW
                                         3700
                                               3840
                                                      28
                                                          27 01E
                                                                       WR
                                                                                242.00185
                              SE NE SW
                                         1290
                                                          27 01E 2
Α
      48859 00 IND AY G
                                               2695
                                                      28
                                                                       WR
                                                                               242.00
Α
      48859 A IND AY G
                             NE NE NW
                                        5140
                                              3050
                                                     28
                                                         27 01E
                                                                      WR
                                               2250
                                                      21
                                                          27 01E 32
                                                                                161.30
                                                                                            161.30
Α
      48860 00 IND AY G
                              NW NW SE
                                         2565
                                                                       WR
                                                                                            161.30.
      48861 00 IND AY G
                              NE NW NW
                                         5350
                                               4085
                                                      04
                                                          28 01E
                                                                       WR
                                                                                161.30
Α
      48863 00 IND AY G
                              SW NW SW
                                         1970
                                                4890
                                                      33
                                                          27 01E
                                                                       WR
                                                                                161.30
                                                                                            161.30.
Α
Α
      48864 00 IND AY G
                              SW NE SW
                                         1970
                                                4170
                                                      33
                                                          27 01E
                                                                       WR
                                                                                161.30
                                                                                            161.30
      48865 00 IND AY G
                              NW NW NW
                                         4720
                                                4940
                                                      33
                                                          27 01E
                                                                       WR
                                                                                161.30
                                                                                            161.30.
Α
      48866 00 IND AY G
                              NE SE NW
                                         3990
                                                3810
                                                      33
                                                          27 01E
                                                                       WR
                                                                                242.00
                                                                                            242.00
Α
                                                                   8
                                                                                            389.75
          54 00 THX AA G
                                         2120
                                                5160
                                                      21
                                                          27 01E
                                                                       WR
                                                                                389.75
V SG
                                                                                            181.06
V SG
          69 00 THX AA G
                                 NE NW
                                            0
                                                   0
                                                      21
                                                          27 01E
                                                                       WR
                                                                                181.06
          71 00 THX AA G
                                         2480
                                                4240
                                                      21
                                                          27 01E
                                                                       WR
                                                                                 15.34
                                                                                             15.34
V SG
                                                                                             38.36
V SG
          78 00 THX AA G
                              NW NW SE
                                            0
                                                   0
                                                      27
                                                          27 01E
                                                                  1
                                                                       WR
                                                                                 38.36
          94 00 IRR AA G
                              NW SE SW
                                                   0
                                                      17
                                                          27 01E
                                                                       WR
                                                                                 87.00
                                                                                             87.00
                                                                                                      58.00
                                                                                                              58.00
V SG
                                             0
                                                          27 01E
                                                                                 50.00
                                                                                             50.00
                                                                                                      45.00
                                                                                                               45.00
V SG
          95 00 IRR AA G
                              SW NW NW
                                             0
                                                   0
                                                      34
                                                                       WR
                                                                        WR
                                                                                 18.00
                                                                                             18.00
                                                                                                       8.00
                                                                                                               8.00
V SG
          97 00 IRR AA G
                              NE SE SW
                                             0
                                                   0
                                                      20
                                                          27 01E
                                                                                    104,00
                                                                                                104.00
GMD #2 Stream Node VC165 (1)
                                                                                    104.00
                                                                                                    00
GMD #2 Stream Node VC166 (1)
                                                                                                104
                                                                                                            520
GMD #2 Stream Node VC167 (1)
                                                                                    104
                                                                                        .00
                                                                                    104
                                                                                                104
GMD #2 Stream Node VC168 (1)
                                                                                                104.00
GMD #2 Stream Node VC169 (1)
                                                                                    104.00
```

12

Safe Yield Report Sheet Water Right A48859A Point of Diversion in NWNENE 28-275 1E 1 (82347)



AMOUNT STATISTICS REPORT FOR POINTS OF DIVERSION UNDER A 48859 A

AMOUNT STATISTICS REPORT FOR POINTS OF DIVERSION UNDER A 48859 A IND

Water Right and Points of Diversion Within 2.00 miles of point defined as:

5140 Feet North and 3050 Feet West of the Southeast Corner of Section 28 T 27S R 1E

GROUNDWATER ONLY

	NDWATER			===:			===	===		===:	======	-====	====	====	=====	.===:		========	=======	=====
File	Number		Use	ST	SR	Dist (ft)	Q4	Q3	Q2	Q1	FeetN	FeetW	Sec	Twp	Rng	ID	Batt	Auth_Quan	Add_Quan	Unit
A	7486	00	IRR	NK	G	6268		NW	NW	NW	5180	4880	34	27	1E	2		14.00	14.00	AF
A	7494	00	IRR	NK	G	10074	NC	N2	SE	NE	3630	660	31	27	1E	1		26.00	26.00	AF
A	31635	00	THX	NK	G	4287		SW	SE	NE	2840	710	20	27	1E	11		70.51	70.51	AF
A	33667	00	IND	NK	G	7186					2300	4310	29	27	1E	3		.45	.45	AF
A	34480	00	IND	NK	G	5456		NW	NW	NE	5030	2200	33	27	1E	2		38.36	38.36	AF
A	36164					6644					4540	2490	20	27	1E	30		92.56	92.56	AF
A	36196					6664					4570	2490	20	27	1E	25		116.00	116.00	AF
A	36534					2690					980	165	20	27	1E	22		22.28	22.28	AF
A	36615	00	THX	NK	G	6028					3865	2275	20	27	1E	64			18.41	AF
Same						5977					3850	2220	20	27	1E	23				
Same	26616	0.0	mrrv	3777	~	6113					3880	2330	20 20	27 27	1E	24			10 41	AF
A Same	36616	00	IHA	NK	G	6028 5977					3865 3850	2275 2220	20	27	1E 1E	64 23			18.41	Ar
Same						6113					3880	2330	20	27	1E		B 2			
A	36767	nn	ששמ	NK	G	4880					4200	5220	21	27	1E	13	<i>D</i> 2	188.94	188.94	AF
Α	39757					4265					2840	675	20	27	1E	10		84.92	84.92	AF
Α	40020					4287					2840	710	20	27	1E	11		14.36	14.36	AF
A	40835					6189					4950	3900	29	27	1E	5		16.00	16.00	AF
Α	40836					10200					3780	2882	30	27	1E	1		24.96	24.96	AF
Α	40838	00	IRR	NK	G	10229		NE	SE	NW	3550	2887	30	27	1E	2		19.50	19.50	AF
A	40839	00	IRR	NK	G	6261	. .	SW	NE	NW	4600	3950	29	27	1E	6		13.41	13.41	AF
A	45599	00	REC	NK	G	8484		NE	SE	SW	1234	2926	17	27	1 E	16		13.70	13.70	AF
A	47471	00	THX	LO	G	6028					3865	2275	20	27	1 E	64	G 2	181.06	181.06	AF
Same						5977					3850	2220	20	27	1E	23	В 2			
Same						6113					3880	2330	20	27	1E	24	В 2			
A	47472	00	THX	KE	G	6028					3865	2275	20	27	1 E	64	G 2	181.06	181.06	AF
Same						5977					3850	2220	20	27	1E	23	В 2			
Same						6113					3880	2330	20	27	1 E	24	В 2			
A	48491	00	THX	AY	G	6664		SW	NW	NE	4570	2490	20	27	1E	25		22.10	22.10	AF
A	48492					6644		SW	NW	NE	4 5 4 0	2490	20	27	1E	30		45.60	45.60	AF
A	<u>4</u> 8855	00	IND	AY	G	9773		NW	SE	SE	1320	1102	32	27	1 E	2		161.30	161.30	AF
A	48856	00	IND	AY	G	8102		SE	SW	NE	3310	1475	32	27	1E	3		161.30	161.30	AF
A	48857	00	IND	ΑY	G	5197		NE	SE	SE	680	335	29	27	1 E	29		161.30	161.30	AF
A	48858	00	IND	AY	G	1642		NW	SE	NW	3700	3840	28	27	1E	3		242.00	242.00	AF
A	48859	00	IND	AY	G	3866		SE	NE	SW	1290	2695	28	27	1E	2		242.00	242.00	AF
A	48859							NE			5140	3050	28	27	1E	1		242.00	242.00	AF
A	48860					2835					2565	2250	21	27	1E	32		161.30	161.30	AF
A	48863					8645					1970	4890	33	27	1E	6		161.30	161.30	
A	48864					8522					1970	4170	33	27	1E	7		161.30	161.30	
A	48865					6002					4720	4940	33	27	1E	9		161.30	161.30	
A	48866					6473					3990	3810	33	27	1E	8	. .	242.00	242.00	
T	919043	UU	CON	nK.	G.	3849					3570	3990	21	27	1E	15		286.33	286.33	AF
Same						3955					3685	3965	21 21	27 27	1E		В 3			
Same						3815		1.A C.	JW	TA AA	3515	4063	Z I	21	1 E	Ι/.	В 3			

neets spains

					I	Report DateN	Monday, Ja	nuary 6
Same	4010 NW SE NW	3780 3784	21 27	1E 2	9 B 3			
T 929082 00 CON HK G	3687 NW SE NW	3500 3500	21 27	1E 1	8	95.75	95.75	AF
T 959144 00 DEW GY G	7403 SE NW SW	1860 4070	16 27	1E '	7	241.98	241.98	AF
T20009098 00 CON II G	6092 SE NW NW	4500 4500	33 27	1E :	3	1863.00	1863.00	AF
T20089075 00 CON GY G	8052 NE SW SW	1300 4000	15 27	1E (6	242.00	242.00	AF
VSG 54 00 THX AA G	3112	2120 5160	21 27	1E 4	4	389.75	389.75	AF
VSG 69 00 THX AA G	4799 NE NW		21 27	1E	1	181.06	181.06	AF
VSG 71 00 THX AA G	2898	2480 4240	21 27	1E :	2	15.34	15.34	AF
VSG 78 00 THX AA G	6629 NW NW SE		27 27	1E	1	38.36	38.36	AF
VSG 94 00 IRR AA G	8722 NW SE SW		17 27	1E	1	87.00	87.00	AF
VSG 95 00 IRR AA G	6998 SW NW NW		34 27	1E :	1	50.00	50.00	AF
VSG 🌞 97 00 IRR AA G	5342 NE SE SW	r	20 27	1E :	1	18.00	18.00	AF
			======	======	=====	========	=======	====
Total Net Quantities Author	ized: Direct	Storage						
Total Requested Amount (AF)	= 2164.80	.00						
Total Permitted Amount (AF)	= 2910.12	.00						
Total Inspected Amount (AF)	= 181.06	.00						
Total Pro_Cert Amount (AF)	= .00	.00						
Total Certified Amount (AF)	= 792.77	.00						
Total Vested Amount (AF)	= 779.52	.00						
TOTAL AMOUNT (AF)	= 6828.27	.00						
An * after the source of su	pply indicates a pe	nding applica	tion for	change	under	the file nu	ımber.	
An * after the ID indicates	a 15 AF exemption	was granted u	nder the	file n	umber.			
A "G" in the Batt column in	dicates the GEO CTR	of a battery	. A "B"	indicat	tes a	well in the	battery.	
The number in the Batt colu	mn is the number of	wells in the	battery	· .				
Water Rights and Points of 1	Diversion Within 2	.00 miles of	point de	fined as	3:			
5140 Feet North and 3	050 Feet West of th	e Southeast C	orner of	Section	n 28 '	T 27S R 1E		
GROUNDWATER ONLY								
WATER USE CORRESPONDENTS:								
=======================================			======	=======		========	:== = =====	====
File Number Use ST SR								
A 7486 00 IRR NK G								
> CITY OF WICHITA PARKS & 1	RECREATION							
> LINWOOD PARK N								
> 455 N MAIN ST								
> WICHITA KS 67202								
>								
A 7494 00 IRR NK G								
> CITY OF WICHITA PARKS & H	RECREATION							
> ALEY PARK								
> 455 N MAIN ST								
> WICHITA KS 67202								
>								
A 31635 00 THX NK G								
> INTRUST BANK NA								
> FACULITIES MGNT OFFICER								

> SEDGWICK CO NOXIOUS WEED DEPT

> PO BOX 1

> WICHITA KS 67201

A__ 33667 00 IND NK G



Topeka Field Office 6531 SE Forbes Ave., Suite B Topeka, Kansas 66619

Jackie McClaskey, Secretary David W. Barfield, Chief Engineer Katherine A. Tietsort, Water Commissioner Fax: (785) 862-2460 www.agriculture.ks.gov

Phone: (785) 296-5733

Sam Brownback, Governor

August 27, 2014

CITY OF WICHITA
PUBLIC WORKS & UTILITIES
% DEBRA E ARY PE
455 N MAIN 7TH FLOOR
WICHITA KS 67202

Re: Pending Applications, File Nos. 48,855 through 48,866 Gilbert and Mosley site

Dear Ms. Ary:

In response to our discussion on August 26, 2014, the Chief Engineer is allowing an additional extension of time in which to further review operational requirements and potential uses of your proposed well field. The thirteen (13) applications referenced above are proposing to use groundwater from existing wells for industrial use. The existing wells were installed to extract groundwater for a contamination remediation project identified as the Gilbert and Mosley site. The wells are located throughout Sections 21; 28; 29; 32; and 33 in Township 27 South, Range 1 East, and Section 4, Township 28 South, Range 1 East.

This extension of time appears reasonable based on the in-depth review to better determine safe yield quantities, and the complexity of this well field project. No specific deadline is being proposed to complete the review process, in order to minimize unnecessary correspondence and provide for more efficient evaluation of your options. If you have any questions, please contact me at (785) 296-3495. If you wish to discuss a specific file, please have the file number ready so that I may help you more efficiently.

Sincerely,

Douglas Schemm

Environmental Scientist

Topeka Field Office



Topeka Field Office 6531 SE Forbes Ave., Suite B Topeka, Kansas 66619

Jackie McClaskey, Secretary David W. Barfield, Chief Engineer Katherine A. Tietsort, Water Commissioner

Fax: (785) 862-2460 www.agriculture.ks.gov

Phone: (785) 296-5733

Sam Brownback, Governor

June 30, 2014

CITY OF WICHITA **PUBLIC WORKS & UTILITIES** % DEBRAEARY PE 455 N MAIN 7TH FLOOR WICHITA KS 67202

> Pending Applications, File Nos. 48,855 through 48,866 Re: Gilbert and Mosley site

Dear Ms. Ary:

In response to your written request received in our office on June 6, 2014, the Chief Engineer is allowing an extension of time until August 30, 2014, in which to further review operational requirements The thirteen (13) applications referenced above are proposing to use of your proposed well field. The existing wells were installed to extract groundwater from existing wells for industrial use. groundwater for a contamination remediation project identified as the Gilbert and Mosley site. The wells are located throughout Sections 21; 28; 29; 32; and 33 in Township 27 South, Range 1 East, and Section 4, Township 28 South, Range 1 East. The water is to be used at the Spirit AeroSystems facility, which is located in Section 11, Township 28 South, Range 1 East, all in Sedgwick County.

As noted in our previous correspondence to you dated May 22, 2014, based on safe yield determinations, Application, File Nos. 48,860; 48,865; and 48,866 do not meet safe yield criteria. It would be recommended to the Chief Engineer that pending application, File Nos. 48,860; 48,865; and 48,866 be denied and dismissed due to the failure to meet safe yield criteria, as required by K.A.R. 5-3-10. and K.A.R. 5-3-11.

This extension of time appears reasonable based on the in depth review to better determine safe yield quantities, and the complexity of this well field project. If you have any questions, please contact me at (785) 296-3495. If you wish to discuss a specific file, please have the file number ready so that I may help you more efficiently.

Sincerely,

Douglas Schemm **Environmental Scientist** Topeka Field Office

Stafford Field Office

pc:



Public Works & Utilities

WATER RESOURCES RECEIVED

JUN 0 6 2014

KS DEPT OF AGRICULTURE

Division of Water Resources
Kansas Department of Agriculture
% Doug Schemm, New Application Unit Supervisor
Water Appropriation Program
109 SW 9th St.
Topeka, KS 66612-1283

June 4, 2014

RE: Pending Application, File Nos. 48,855 through 48,866 Gilbert and Mosley site.

Dear Mr. Schemm,

The City of Wichita has received your letter recommending that pending Application File Nos. 48,860: 48,865; and 48,866 be considered for denial as they do not meet safe yield criteria as required by K.A.R. 5-3-10 and K.A.R. 5-3-11. The City is hereby requesting additional time to review the operational requirements of the proposed well field and to determine what impact the potential loss of the requested wells will have. The City would like to consider at a minimum, the possibilities of reducing the amount requested on related pending applications or requesting that all files be approved with a limited quantity

If you have any questions or need additional information, please do not hesitate to contact me at 316-268-4614 or dary@wichita.gov.

Respectfully,

CITY OF WICHITA PUBLIC WORKS & UTILITIES

Debra Ary, PE. Utilities Enginee



109 SW 9th Street, 2nd Floor Topekr Kansas 66612-1280

Jackie McClaskey, Secretary David W. Barfield, Chief Engineer www.agriculture.ks.gov Sam Brownback, Governor

Phone: (785) 296-3717

Fax: (785) 296-1176

May 22, 2014

CITY OF WICHITA
PUBLIC WORKS & UTILITIES
% DEBRA E ARY PE
455 N MAIN 8TH FLOOR
WICHITA KS 67202

Re: Pending Application, File Nos. 48,855 through 48,866

Gilbert and Mosley site

Dear Ms. Ary:

We have conducted further review of your thirteen (13) applications referenced above, which are proposing to use groundwater from existing wells for industrial use. The existing wells were installed to extract groundwater for a contamination remediation project identified as the Gilbert and Mosley site. The wells are located throughout Sections 21; 28; 29; 32; and 33 in Township 27 South, Range 1 East, and Section 4, Township 28 South, Range 1 East. The water is to be used at the Spirit AeroSystems facility, which is located in Section 11, Township 28 South, Range 1 East, all in Sedgwick County.

Based on the shallow depth of the wells, and geographical location, the source of water for the pending applications appears to be the Arkansas River alluvium. The specific method for calculating safe yield for unconfined groundwater aquifers is described in K.A.R. 5-3-11. Per K.A.R. 5-3-11(d)(1), the safe yield area of consideration represents the portion of the two-mile circle located witi. in the limit of the unconfined aquifer expressed in acres. For these applications, the alluvium extends across the entire area of consideration, so the entire 8,042 acres were used to evaluate safe yield for each application. In addition, DWR has completed an evaluation of the USGS Scientific Investigations Report 2004-5204 entitled "Characterization and Simulation of Flow in the Lower Arkansas River Alluvial Aquifer, South-Central Kansas", and has determined that the precipitation recharge value of 5.4 inches per year that is used in the model is reasonable and appropriate. In order to reserve water in the alluvial aquifers that can contribute to base flow to area streams and for domestic use, it was determined that 75 percent of the 5.4 inches of precipitation recharge shall be available for appropriation. Therefore, for all pending applications within the model area, safe yield is evaluated using the standard methodology in K.A.R. 5-3-11, which is based on the extent of the unconfined aquifer (area of consideration), a Potential Annual Recharge value of 5.4 inches, and a percent of recharge available for appropriation of 75%.

Based on safe yield determinations, Application, File Nos. 48,860; 48,865; and 48,866 do not meet safe yield criteria. Therefore, it will be recommended to the Chief Engineer that pending application, File Nos. 48,860; 48,865; and 48,866 be denied and dismissed due to the failure to meet safe yield criteria, as required by K.A.R. 5-3-10 and K.A.R. 5-3-11.

We are advising you of this recommendation in order to allow you an opportunity to submit additional information to show why our evaluation should be reconsidered. You have a period of 15 days (until June 6, 2014) to either (1) submit additional information to our office or (2) request additional time beyond the 15 days to submit additional information. If you wish to request additional time, you must do so in writing, before the 15 day period expires. Such a request should state what steps are being taken to obtain the information and the amount of time you will need to supply the information to our office. If you do not request more time within the 15 day period, or if your request is not granted, the above-referenced applications will be submitted to the Chief Engineer for final decision based on the recommendation stated above. Any relevant credible information submitted within the time allowed will be given due consideration, prior to final action on the applications. If you have any questions, please contact me at (78_) 296-3495. If you wish to discuss a specific file, please have the file number ready so that I may help you more efficiently.

Sincerely.

Douglas Schemm

New Application Unit Supervisor Water Appropriation Program



Public Works & Utilities

Chief Engineer Division of Water Resources Kansas Department of Agriculture 109 SW 9th St. Topeka, KS 66612-1283

October 28, 2013

WATER RESOURCES
RECEIVED

RE: Applications for Permits to Appropriate Water for Beneficial Use

NOV 06 2013

KS DEPT OF AGRICULTURE

Dear Mr. Barfield.

The City of Wichita has been operating thirteen (13) extraction wells in the Gilbert and Mosley site under Term Permit 20009098. Water from these wells is transported to the City's WATER Center where it is treated using a hydraulic-venturi air stripper treatment system designed to remove volatile organic compounds (VOCs) from the groundwater prior to discharge to the Arkansas River.

The City of Wichita has been researching alternate sources of water for some time and the beneficial reuse of this water rather than the loss to the river has been one of the sources under consideration. This wellfield has been in operation since 2002 and KDHE's authorized pumping rate can provide up to 1.7 million gallons per day. The project is proving to be effective reducing the contamination plume and three wells have been turned off as the groundwater quality in their area of influence has returned to an acceptable level. To secure this wellfield as a long term water source, the City desires a permanent water right for each of the 13 extraction wells.

Spirit AeroSystems has approached the City with a request to provide an alternate source of water that will not be affected if water restrictions are implemented in response to drought mitigation. Their current water request is for 1.4 million gallons a day which could be met with the existing Gilbert and Mosley wellfield with some level of redundancy.

As these wells have been operational for 11 years and have shown no signs of impairment to the area, the existing Gilbert and Mosley extraction wells can support Industrial water rights with Spirit AeroSystems as the Place of Use. The water would be transported through the WATER Center, where after treatment it would be delivered via a pipeline to Spirit AeroSystem's Reverse

Osmosis treatment plant for industrial use. Future expansion of the City's Northwest Industrial Corridor mitigation project will deliver additional water to the WATER Center for treatment and can be used to supply Spirit as their use increases and provide redundancy to the Gilbert and Mosley wellfield.

Please find enclosed 13 individual Applications for Permits to Appropriate Water for Beneficial Use for Gilbert and Mosley Wells, A-1, A-2, A-3, A-4, B-1, B-2, B-3, E-1, E-2, E-3, E-4, E-5 and E-6 as well as the associated application fee of \$3,900. Spirit's desire is to pursue this project with haste to ensure that their operations may continue in the event of an extended drought. Also included is an Industrial Use Supplemental Sheet for Spirit AeroSystems, a site plan showing their current Place of Use boundaries and an aerial depicting two potential pipeline routes from the WATER Center to Spirit AeroSystems.

If you have any questions or need additional information, please do not hesitate to contact me at 316-268-4614 or dary@wichita.gov.

Respectfully,

CITY OF WICHITA PUBLIC WORKS & UTILITIES

Debra Ary, P.E.
Utilities Engineer

WATER RESOURCES
RECEIVED

NOV 0 6 2013

KS DEPT OF AGRICULTURE

48,859-A




	553	→ WA	ITER WELL R	(ECORO	Form WY	IC-O KSM	. 82a-1212 II	No/ B-2						
LOCATIO	N OF WA	ER WELL:	Fraction				ection Numb		waship Nu	uper	Ra	•	umber	
ounty: St			NE			NW 114	28	T	27	\$	R	_1_	<u> (</u>	, v
		from nearest t			ss of wall if I	ocalog within	city?							
Southwes	I of the ime	rsection of EI D	Jora and High	way 54										
WAIGR V	MEET OM	NER: City of W	Vichita					g,	ard of Agri	endice D	الممانية	d War	ar Bass	
	ziP Code	 455 N. W Wichita, 							pication N		*******	,,	401 1 1 U BC	
		CATION WITH		OF COMPL	CTED WELL	. 34	M. CLC	VATION: U	·					
	N SECTION		Dopin(s) Gr					ft. 2		ft. 3				R
ī —	-11 -		WELL'S STA	TIC WATE	RLEVEL		elow land surf							
T I	NW.	NE NE			data: Well w		of checked (ĢP
	1	" NE "	Est. Yield				ا						• • • •	
₫ w	<u> </u>	E	Bare Hole D					t. end	nditioning		ın.10. 1 İnyec	****		*1
1	1 1	1 1 1		CA TO BE US		5 Public was								
	- sw -	- \$E	1 Domes:			6 Oul Seid wa		9 Dowe 10 Monit	-	,			dy below Hamil	,
₽ I			2 Irrigate				lawn & garden) Occurrence (C)		No.	16		action		
- L	5		mitted	Canpaciona	nobicor sambi	e submissed to	Department? \ W	ter Well D					No	•
TYPE OF	F BLANK C	ASING USED:		5 YVro	ught iron	8 Con	crete tile		SING JOIN			Clan	nped	
1 Stee		3 RWP (SP)			estos-Coment	3 CAM	r (specify below	0		Weld			,	
@pvc		4 A8S		7 F.b	englass					Thre	8 60 6		. Y	
	ng diamele		in. lo	14.3	IIDa		in, lo		I., Die		in to			
Casing ho	ight stove l	osehue bne	12	in , weig	ghi	12.23	ere in the end of	as.At. Wall t	hickness o	r gauge N	•	. , , , 5	93	
		OR PERFORA				7 PV(SICOS-CAMINO	a .			
1 Steel		(3) Stanless			orglass.	8 RM				(specfy)				٠.
2 Brass		4 Garyaniza			increte tile	9 A85	i	8 Sa		used (ope	n nove) None (a	aan ba	la)	
_	ON PENING Snuous plot	RATION OPE	MINGS ARE:		5 Gauzed 6 Wire wr				w cut izod holes		race as (c)	penino		
	enuous exec vered shutter		Key gunched		7 Torchic				her (specify)					
	EEN-PERFOR													
			From	14.3	ff. 50	33	R., Fr			11. 1	D			. 1
		TIEW WIENVALO	From	14.3	#1. %	33	R., Fr	om		11. i				
	GRAVEL	PACKINTERVA	From	14.3		, ,	R., Fr	om om om		ft. 1	o			
	GRAVEL		From		11. 14	34.5	16, 21	om om om		TL I	o			•
GROU			From LS From From	11	11. % 11. % 11. %	34.5 stones	R., Fr	om om om	Bentorila Ha	ft i ft i	o			•
,	JT MATER	PACK INTERVAL	From LS From From	11 Coment grou	11. to 11. to 11. to 11. to	34.5 Sorte	R., Fr	om om om om		ft i ft i	o		11	•
Grout Inic	JT MATERI	PACK INTERVA	From LS From From I cement 2 C	11 Coment grav	11. to 11. to 11. to 11. to	34.5 Sorte	R., Fr	om om om 4 Other	Bentorsta Ha	ft i ft i ft i ft: 1	0			
Grout Inle	JT MATERI ervals: Fro no nearest :	PACK INTERVAL AL: 1 Noal 3.5 course of possi	From LS From From I cement 2 C	11 Coment grav	11. to 11. to 11. to 11. to	34.5 Sorte	ft., Fr	om om om om 4 Otter .5 ft.,	Bentorsta Ha	ft i ft i ft i ft i ft i	0 0 0	nator		
Grout Inle	UT MATERI ervals: Fro to nearest s c tark	PACK INTERVAL AL: 1 Noal m 3.5 course of possil	From LS From From I cemont 2 C ft to big contaming	11 Coment grav	11. % 11. % 11. % 11. 3 Ber 11., From	34.5 Sonte Soil	ft. lo (10 Livestock	om om om om om 4 Cther .5 ft.,	Bentorsta Ha	ft i ft i ft i ft i ft i ft i	o di to	well water	#0 3	
Grout Inte What is th 1 Sopie 2 Sowe	UT MATERI ervals: Fro to nearest s c tark	PACK INTERVAL AL: 1 Noal m 3.5 course of possis	From LS From From Icement 2 C It to ble contamine I Lateral ines	11 Coment grav	fl. to fl. from	Soute Sout 0	ft., Fr	om om om om 4 Cther .5 ft., pens storage	Bentorsta Ha	ft i ft i ft i ft i ft i ft i	fl to andoned well-Gar for (apec	well water	#0 3	
Grout Inte What is th 1 Sopie 2 Sowe 3 Wele	UT MATERI ervals: Fro to nearest s c tark or irres oright sower	PACK INTERVAL AL: 1 Noal m 3.5 course of possis	From LS From From I cement 2 C It to bits contamins I tateral ines I Cess pool	11 Coment grow	11. % 11. % 11. % 11. 3 Ber 11., From 7 Peprov 8 Sewag	Soute Sout 0	ft. lo 3 10 Livestock 11 Fuel stor 12 Fartizer 13 Insocsició	om om om om 4 Cther .5 ft., pens storage	Bentorsta Ha	ft i ft i ft i ft i ft i ft i ft i ft i	fl to andoned well-Gar for (apec	well water	#0 3	tı
Grout Inte What is th 1 Sopie 2 Sowo 3 Wete Director in	UT MATERI ervals: Fro to nearest s c tark or irres oright sower	PACK INTERVAL TAL: ① Noal TAL: ① Noal TAL: ② Noal TAL: ② Noal TAL: ③ Noal TAL: ③ Noal TAL: ③ Noal TAL: ③ Noal TAL: ⑤ Noal TAL: ⑥ Noal	From LS From From I cement 2 C It to bits contamins I tateral ines I Cess pool	11 Coment grou 9	11. % 11. % 11. % 11. 3 Ber 11., From 7 Peprov 8 Sewag	Soute Sout 0	ft. to 5 10 Livestock 11 Fuel stor. 12 Farbizer 13 Insocicid How m	om om om om 4 Ctrar tb. pens spens storage ostorage	Bentorita Ho	ft i ft i ft i ft i ft i ft i ft i ft i	ti to andoned well-Gar her (spec	malor well ify bak	#0 3	tı
Grout Inte What is th 1 Sopie 2 Sowe 3 Wele	UT MATERI ervals: Fro to nearest s c tark or ines oright sewer i rom well?	PACK INTERVAL TAL: ① Noal TAL: ① Noal TAL: ② Noal TAL: ② Noal TAL: ③ Noal TAL: ③ Noal TAL: ③ Noal TAL: ③ Noal TAL: ⑤ Noal TAL: ⑥ Noal	From LS From From Icement 2 C It to ble contamine I Lateral ines i Cess pool 3 Seepege p4	11 Coment grou 9	11. % 11. % 11. % 11. 3 Ber 11., From 7 Peprov 8 Sewag	34.5 Sol Sol	ft. to 5 10 Livestock 11 Fuel stor. 12 Farbizer 13 Insocicid How m	om om om om 4 Ctrar tb. pens spens storage ostorage	Bentorita Ho	ft i ft i ft i ft i ft i ft i ft i ft i	ti to andoned well-Gar her (spec	malor well ify bak	#0 3	
Grout Inte What is th 1 Sopie 2 Sewe 3 Wele Director to	UT MATERI ervals: Fro to nearest s c tark or lines oright sewer i rom well?	PACK INTERVAL AL: 1 Noal m 3.5 source of possi	From LS From From Icement 2 C It to ble contamine I Lateral ines i Cess pool 3 Seepege p4	11 Coment grou 9	11. % 11. % 11. % 11. 3 Ber 11., From 7 Peprov 8 Sewag	34.5 Sol Sol	ft. to 5 10 Livestock 11 Fuel stor. 12 Farbizer 13 Insocicid How m	om om om om 4 Ctrar tb. pens spens storage ostorage	Bentorita Ho	ft i ft i ft i ft i ft i ft i ft i ft i	ti to andoned well-Gar her (spec	malor well ify bak	#0 3	ft.
Grout Inte What is th 1 Sopia 2 Sowe 3 Wele Direction to FROM	UT MATERI orvals: Fro io nearest s c tark or incs ortight sever i rom well? TO 3	PACK INTERVAL TO S.5 Since 6 Topsoil Clay, brown	From LS From From Icement 2 C It to ble contamine I Lateral ines i Cess pool 3 Seepege p4	11 Coment grow 9 Strion:	11. % 11. % 11. % 11. 3 Ber 11., From 7 Peprov 8 Sewag	34.5 Sol Sol	ft. to 5 10 Livestock 11 Fuel stor. 12 Farbizer 13 Insocicid How m	om om om om 4 Ctrar tb. pens spens storage ostorage	Bentorita Ho	ft i ft i ft i ft i ft i ft i ft i ft i	ti to andoned well-Gar her (spec	mater well ify bak	#0 3	
Brout fine What is th 1 Sople 2 Sowo 3 Wele Direction to FROM 0 3 12	UT MATERI ervals: Fro no nearest s c tark or ires subjet sever ! TO 3 12 17 34	PACK INTERVAL AL: (1) Noal m 3.5 course of possi ince 6 Topsoil Ctay, brown Sand and gra Sand and gra	From LS From From Icement 2 C It to bits contaminas I Lateral Inas I Cess pool 3 Seepege p4 LITHOLOGIC	20 Coment grow	fl, x fl. x fl, x al 3 Ber fl., From 7 Peprin 8 Sameg 9 Foodys	34.5 Sol Sol	ft. to 5 10 Livestock 11 Fuel stor. 12 Farbizer 13 Insocicid How m	om om om om 4 Ctrar tb. pens spens storage ostorage	Bentorita Ho	ft i ft i ft i ft i ft i ft i ft i ft i	ti to andoned well-Gar her (spec	mater well ify bak	#0 3	
Grout Inte What is th 1 Sopie 2 Sowe 3 Wete Direction fr FROM 0 3	UT MATERI orvals: Fro no notrost s c lark. or lines ortight sever l trom wes? TO 3 12 17	PACK INTERVAL TO Source of possiones Topsoil Clay, brown Sand and gra	From LS From From Icement 2 C 11 to bla contamina Lateral inas 5 Cess pool 3 Seepoge p2 LITHOLOGIC	20 Coment grow	fl, x fl. x fl, x al 3 Ber fl., From 7 Peprin 8 Sameg 9 Foodys	34.5 Sol Sol 9	ft. to 5 10 Livestock 11 Fuel stor. 12 Farbizer 13 Insocicid How m	om om om om 4 Ctrar tb. pens spens storage ostorage	Bentorita Ho	ft i ft i ft i ft i ft i ft i ft i ft i	ti to andoned well-Gar her (spec	mater well ify bak	#0 3	
Brout fine What is th 1 Sople 2 Sowo 3 Wele Direction to FROM 0 3 12	UT MATERI ervals: Fro no nearest s c tark or ires subjet sever ! TO 3 12 17 34	PACK INTERVAL AL: (1) Noal m 3.5 course of possi ince 6 Topsoil Ctay, brown Sand and gra Sand and gra	From LS From From Icement 2 C 11 to bla contamina Lateral inas 5 Cess pool 3 Seepoge p2 LITHOLOGIC	20 Coment grow	fl, x fl. x fl, x al 3 Ber fl., From 7 Peprin 8 Sameg 9 Foodys	34.5 Sol Sol 9	ft. to 5 10 Livestock 11 Fuel stor. 12 Farbizer 13 Insocicid How m	om om om om 4 Ctrar tb. pens spens storage ostorage	Bentorita Ho	ft i ft i ft i ft i ft i ft i ft i ft i	ti to andoned well-Gar her (spec	mater well ify bak	#0 3	
Srout fine What is the 1 Sopie 2 Sowo 3 Wele Direction to FROM 0 3 12 17	UT MATERI ervals: Fro no nearest s c tark or ires subjet sever ! TO 3 12 17 34	PACK INTERVAL AL: (1) Noal m 3.5 course of possi ince 6 Topsoil Ctay, brown Sand and gra Sand and gra	From LS From From Icement 2 C 11 to bla contamina Lateral inas 5 Cess pool 3 Seepoge p2 LITHOLOGIC	20 Coment grow	fl, x fl. x fl, x al 3 Ber fl., From 7 Peprin 8 Sameg 9 Foodys	34.5 Sol Sol 9	ft. to 5 10 Livestock 11 Fuel stor. 12 Farbizer 13 Insocicid How m	om om om om 4 Ctrar tb. pens spens storage ostorage	Bentorita Ho	ft i ft i ft i ft i ft i ft i ft i ft i	ti to andoned well-Gar her (spec	mater well ify bak	#0 3	gt -
Brout fine What is th 1 Sople 2 Sowo 3 Wele Direction to FROM 0 3 12	UT MATERI ervals: Fro no nearest s c tark or ires subjet sever ! TO 3 12 17 34	PACK INTERVAL AL: (1) Noal m 3.5 course of possi ince 6 Topsoil Ctay, brown Sand and gra Sand and gra	From LS From From Icement 2 C 11 to bla contamina Lateral inas 5 Cess pool 3 Seepoge p2 LITHOLOGIC	20 Coment grow	fl, x fl. x fl, x al 3 Ber fl., From 7 Peprin 8 Sameg 9 Foodys	34.5 Sol Sol 9	ft. to 5 10 Livestock 11 Fuel stor. 12 Farbizer 13 Insocicid How m	om om om om 4 Ctrar tb. pens spens storage ostorage	Bentorita Ho	ft i ft i ft i ft i ft i ft i ft i ft i	ti to andoned well-Gar her (spec	mater well ify bak	#0 3	fi
Brout fine What is th 1 Sople 2 Sowo 3 Wele Direction to FROM 0 3 12	UT MATERI ervals: Fro no nearest s c tark or ires subjet sever ! TO 3 12 17 34	PACK INTERVAL AL: (1) Noal m 3.5 course of possi ince 6 Topsoil Ctay, brown Sand and gra Sand and gra	From LS From From Icement 2 C 11 to bla contamina Lateral inas 5 Cess pool 3 Seepoge p2 LITHOLOGIC	20 Coment grow	fl, x fl. x fl, x al 3 Ber fl., From 7 Peprin 8 Sameg 9 Foodys	34.5 Sol Sol 9	ft. to 5 10 Livestock 11 Fuel stor. 12 Farbizer 13 Insocicid How m	om om om om 4 Ctrar tb. pens spens storage ostorage	Bentorita Ho	ft i ft i ft i ft i ft i ft i ft i ft i	ti to andoned well-Gar her (spec	mater well ify bak	#0 3	
Brout fine What is th 1 Sople 2 Sowo 3 Wele Direction to FROM 0 3 12	UT MATERI ervals: Fro no nearest s c tark or ires subjet sever ! TO 3 12 17 34	PACK INTERVAL AL: (1) Noal m 3.5 course of possi ince 6 Topsoil Ctay, brown Sand and gra Sand and gra	From LS From From Icement 2 C 11 to bla contamina Lateral inas 5 Cess pool 3 Seepoge p2 LITHOLOGIC	20 Coment grow	fl, x fl. x fl, x al 3 Ber fl., From 7 Peprin 8 Sameg 9 Foodys	34.5 Sol Sol 9	ft. to 5 10 Livestock 11 Fuel stor. 12 Farbizer 13 Insocicid How m	om om om om 4 Ctrar tb. pens spens storage ostorage	Bentorita Ho	ft i ft i ft i ft i ft i ft i ft i ft i	ti to andoned well-Gar her (spec	mater well ify bak	#0 3	ft .
Grout Inte What is th 1 Sopie 2 Sowe 3 Wete Director in FROM 0 3 12	UT MATERI ervals: Fro no nearest s c tark or ires subjet sever ! TO 3 12 17 34	PACK INTERVAL AL: (1) Noal m 3.5 course of possi ince 6 Topsoil Ctay, brown Sand and gra Sand and gra	From LS From From Icement 2 C 11 to bla contamina Lateral inas 5 Cess pool 3 Seepoge p2 LITHOLOGIC	20 Coment grow	fl, x fl. x fl, x al 3 Ber fl., From 7 Peprin 8 Sameg 9 Foodys	34.5 Sol Sol 9	ft. to 5 10 Livestock 11 Fuel stor. 12 Farbizer 13 Insocicid How m	om om om om 4 Ctrar tb. pens spens storage ostorage	Bentorita Ho	ft i ft i ft i ft i ft i ft i ft i ft i	ti to andoned well-Gar her (spec	mater well ify bak	#0 3	
Grout Inte What is th 1 Sopie 2 Sowo 3 Wele Direction to FROM 0 3 12	UT MATERI ervals: Fro no nearest s c tark or ires subjet sever ! TO 3 12 17 34	PACK INTERVAL AL: (1) Noal m 3.5 course of possi ince 6 Topsoil Ctay, brown Sand and gra Sand and gra	From LS From From Icement 2 C 11 to bla contamina Lateral inas 5 Cess pool 3 Seepoge p2 LITHOLOGIC	20 Coment grow	fl, x fl. x fl, x al 3 Ber fl., From 7 Peprin 8 Sameg 9 Foodys	34.5 Sol Sol 9	ft. to 5 10 Livestock 11 Fuel stor. 12 Farbizer 13 Insocicid How m	om om om om 4 Ctrar tb. pens spens storage ostorage	Bentorita Ho	ft i ft i ft i ft i ft i ft i ft i ft i	ti to andoned well-Gar her (spec	mater well ify bak	#0 3	
Grout Inte What is th 1 Sopie 2 Sowo 3 Wele Direction to FROM 0 3 12	UT MATERI ervals: Fro no nearest s c tark or ires subjet sever ! TO 3 12 17 34	PACK INTERVAL AL: (1) Noal m 3.5 course of possi ince 6 Topsoil Ctay, brown Sand and gra Sand and gra	From LS From From Icement 2 C 11 to bla contamina Lateral inas 5 Cess pool 3 Seepoge p2 LITHOLOGIC	20 Coment grow	fl, x fl. x fl, x al 3 Ber fl., From 7 Peprin 8 Sameg 9 Foodys	34.5 Sol Sol 9	ft. to 5 10 Livestock 11 Fuel stor. 12 Farbizer 13 Insocicid How m	om om om om 4 Ctrar tb. pens spens storage ostorage	Bentorita Ho	ft i ft i ft i ft i lecaug 9 14 At 15 O 16 Ot None k	II to andoned well-Gar	mater well ify bak	#0 3	
Grout Intel What is th 1 Sopie 2 Sowo 3 Wete Director ir FROM 0 3 12 17 34	UT MATERI ervals: Fro to nearest s c tav. bright some i rom we? TO 3 12 17 34 34.5	PACK INTERVAL TO Note that the second of possions of possions of possions of possions of possions of the second o	From LS From From Icement 2 C It to bits contamina is Cess pool 3 Seepege pt LITHOLOGIC avel, fine, med	11 Coment group 9 Stillon: LOG	11, X 11, X 11, X 11, X 11, X 11, X 11, From 11, From 17 Paper 18 Sewag 19 Feedyd 19 F	34.5 Sol 0 Y e lagoon wid	ft. to 3 10 Lives'oci 11 Fuel stor 12 Fertikzer 13 Insectical How m	om om om om 4 Other 1.5 ft. pens 199 storage o ottrage any feet?	Bentorita Ho	R 1 R 1 R 1 R 1 R 1 R 1 R 1 R 1 R 1 R 1	11 to 0	nator is well in the second se	we3	
Grout Intel What is th 1 Sopie 2 Sowe 3 Wete Direction is FROM 0 3 12 17 34 CONTRA	UT MATERI ervals: Fro to nearest r c tark or fres shight seven i tom we? TO 3 12 17 34 34.5	PACK INTERVAL AL: (1) Noal m. 3.5 source of possiones Topsoil Clay, brown Sand and gra Sand and gra Shale	From LS From From Icement 2 C It to bits contamina is Cess pool 3 Seepege pt LITHOLOGIC avel, fine, med	11 Coment grow 9 Store LOG Hurn Hurn, coars	11, x 11, x 11, x 11, x 11, x 11, x 11, From 11, From 2 Paper 8 Sewag 9 Foodys 10	34.5 Sol 0 Y e lagoon wid	ft. lo 3 10 Livestock 11 Fuel stor 12 Fartizzer 13 Insocretic How m	om om om om 4 Coor i,5 tt., pens ige storage o storage any feet?	Bentorita Ho from PLUG (3) plugos	R i i i i i i i i i i i i i i i i i i i	11 to 0 11 to 10 11 to 1	water is well in the second se	on and w	11
Grout Inte What is th 1 Sopie 2 Sowe 3 Wele Director it FROM 0 3 3 12 17 34	UT MATERI ervals: Fro to no rosts t c tark or incs origin sound 1 12 17 34 34.5	PACK INTERVAL AL: ① Noal m 3.5 Source of possi fines 6 Topsoil Clay, brown Sand and gra Sand and gra Shale LANDOANER'S	From LS From LS From From I cament 2 C It to bis contamina I Lateral lines i Cess pool) Seepege pt LITHOLOGIC avel, fine, med avel, fine, med	11 Sement grow 9 Sition: LOG Hum Hum, coars	11, x 11, x 11, x 11, x 11, x 11, x 11, From 7 Pepm 8 Samag 9 Feedys 10 10 10 10 10 10 11 11 11 11 11 11 11	34.5 Sol 7 e lagoon ed FROM	ft. lo 3 10 Livestock 11 Fuel stor 12 Fartizzer 13 Insocretic How m	om om om om 4 Char l.5 tt. pens storage o storage any feet?	PLUG PLUG (3) plugger to the bost	R i i i i i i i i i i i i i i i i i i i	11 to 0 11 to 10 11 to 1	water is well in the second se	on and w	11
Grout Intel What is the 1 Sopie 2 Sowo 3 Wete Direction is FROM 0 3 12 17 34 CONTRA C	UT MATERI ervals: Fro to nearest s to lavi. sortines digresome t tom well? TO 3 12 17 34 34.5	PACK INTERVAL TO Note that the second of th	From LS From From Icement 2 C It to bits contaminate is Cess pool 3 Seepege piz LITHOLOGIC avel, fine, med avel, fine, med	11 Coment grow 9 Infon: LOG Hurn Hurn, coars	11, x 11, x 11, x 11, x 11, x 11, x 11, From 7 Pepm 8 Samag 9 Feedys 10 10 10 10 10 10 11 11 11 11 11 11 11	34.5 Sol 7 e lagoon ed FROM	ft. to 3 10 Livestock 11 Fuel store 12 Fartikzer 13 Insocsock How m 1 TO (2) recon and this re was complete	om om om om 4 Char l.5 tt. pens storage o storage any feet?	PLUG (3) plugger to the bost	R i i i i i i i i i i i i i i i i i i i	11 to 0 11 to 10 11 to 1	water is well in the second se	on and w	tı dı
CONTRA UT MATERI ervals: Fro to no roots to to law. or loos original some i tom we? TO 3 12 17 34 34.5	PACK INTERVAL AL: ① Noal m 3.5 Source of possi fines 6 Topsoil Clay, brown Sand and gra Sand and gra Shale LANDOANER'S	From LS From LS From From I cament 2 C It to bis contamina I Lateral lines i Cess pool) Seepege pt LITHOLOGIC avel, fine, med avel, fine, med centification CERTIFICATIO Well & Equipm In 915450 PRESS	11 Sement grow Selection: LOG Hum Hum, coers NY This was 8/27/05 Selection: Select	11, x 11, x 11, x 11, x 11, x 11, x 11, From 7 Paper 8 Saving 9 Feedys 10 Feedys 11 This Wate	34.5 Sol 7 e lagoon and FROM FROM (1) constructed (2) Well Record case is in banks.	ft. to 3 10 Livestock 11 Fuel stor. 12 Fartizzer 13 Insociock How m 1 TO (2) reconsend this rewas complete	om om om om 4 Coor t.,5 tt., pens storage o storage o storage sny feet?	PLU((3) piugos to the bost lay/yr) ys Seed top 3	R. II. II. II. II. II. II. II. II. II. I	4 to 0 4 to 0 And the second of the second	water well and the second seco	on and w	anı	

WATER RESOURCES RECEIVED

NOV 06 2013

KS DEPT OF AGRICULTURE

Kansas Geological Survey Comments to webadmin@kgs.ku.edu URL=http://www.kgs.ku.edu/Magellan/WaterWell/index.html Display Programs Updated July 29, 2004 Data added continuously.



Well B-2

Section 28, T27S, R1E

1023 E Lincoln Wichita, KS 67211 Mailing Address:

PO Box 17087

Wichita, KS 67217

Section 28, T27S, R1E

Domestic Well Owners within KGS WWC5 Database

It is recommended that a Public Notice be published in the Wichita Eagle rather than send individual letters to homeowners due to the potential for domestic water wells to NOT be listed in the KGS WWC5 Database.

Bell, Christopher	NGUYEN, T TRAMY	Taylor, Rosa L
934 S Emporia	813 S Topeka	1117 S Emporia
Wichita, KS 67214	Wichita, KS 67211	Wichita, KS 67211
Section 28, T27S, R1E	Section 28, T27S, R1E	Section 28, T27S, R1E


Injection Well/Air Sparge/SVE Operators within KGS WWC5 Database

QuikTrip Corporation	City of Wichita	Four of Waterman LLC
220 E. Kellogg	Mailing Address:	(United Warehouse on map)
Mailing Address:	1900 E 9 th Street	811 E Waterman
PO Box 3475	Wichita KS 67214	Wichita KS 67202
Tulsa, OK 74101	Sections 20 & 28, T27S, R1E	Section 21, T27S, R1E
Section 20, T27S, R1E		
Lovin Leases (Sara Lee on map) 427 S Washington Wichita KS 67202 1535 Freedom Road Wichita KS 67230 Section 21, T27S, R1E	AT & SF RAILWAY COMPANY (IRON on map) 800 S St. Francis Wichita, KS 67211 Mailing Address: PO Box 961089 Ft. Worth, TX 76161	SHIRLEY BOBBY E (Stewart Enterprises on map) 1202 S Washington Wichita, KS 67211 Mailing Address: 7121 W Hollywood Wichita, KS 67215
	Section 28, T27S, R1E	Section 28, T27S, R1E
RUFFIN, PHILLIP G Diamond Shamrock on map)		

WATER RESOURCES RECEIVED

NOV **06** 2013

KS DEPT OF AGRICULTURE



INDUSTRIAL USE
SUPPLEMENTAL SHEET

File No. 48,859-A

Name of Applicant (Please Print): City of Wichita Rubic Works + Utilities / Spirit Aersysteribe type of industry or produced. A. C.

1.	Please describe type of industry or product produced: Aircraft Manuschypus / Fabrication
	Standard Industrial Classification Code Number: 3728
2.	Please complete the following table to show your past and present water requirements:

PAST PRODUCT PRODUCTION AND WATER DIVERTED, IF APPLICABLE

LAST 5 YEARS	AMOUNT OF PRODUCT	WATER DIVERTED (GAILONS)	GALLONS PER PRODUCT PEI DAY				
5 years ago		613,143,000					
Last year		551,312,000					
Present year		5,000,000					

3. Please complete the following table to show your future water requirements:

ESTIMATED FUTURE PRODUCT PRODUCTION AND WATER DIVERTED

NEXT 5 YEARS	AMOUNT OF PRODUCT	WATER TO BE DIVERTED (GALLONS)	GALLONS PER PRODUCT PER DAY			
Year 1		511,000,000	1,400,000			
Year 2		511,000,000	1,400,000			
Year 3		511,000,006	1,400,000			
Year 4		511,000,000	1,400,000			
Year 5		511,000,000	1,400.000 WATER F			

Number of days of operation of the industry per year is 365 days.


NOV 0 6 2013

Please attach any bables, curves or additional information showing past, present and estimated future water requirements to substantiate the amount of water requested. KS DEPT OF AGRICULTURE

4. Please designate the legal description of the location where the water is to be used. Show in the space provided below the Section (S), Township (T), and Range (R), and the number of acres in each forty acre tract or fractional portion thereof.

s T		R	NE¼			NW¼			SW¼				SE¼				TOTAL		
	Z	IX.	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	sw	SE	TOTAL
11	23	E	275	O	225	4					5	0	4	24.5	40	40	40	40	283.5
12/	28	E					165	20.5	18	0	0	10.5	10,5						76
\int_{S}	ļ.,.	R		N	$\mathrm{E}^{1}a$		NW%			SW_4			SE ¹ 4				TOTAL		
	<u></u>		NE	NW	SW	SE	NE :	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	TOTAL.
13	28	IE		 				3									ļ		.3
14	28	IE	40	40	40	40	205	0	0	19.5	0	0	0	2	13.8	21.5	20	0	257.3

You may attach any additional information you believe will assist in informing the Division of the need for your request.





109 SW 9th Street, 2nd Floor Topeka, Kansas 66612-1283

Dale A. Rodman, Secretary David W. Barfield, Chief Engineer Sam Brownback, Governor

phone: (785) 296-3717

fax: (785) 296-1176

www.ksda.gov/dwr

November 7, 2013

CITY OF WICHITA PUBLIC WORKS & UTILITIES 455 N MAIN 8TH FLOOR WICHITA KS 67202

RE: Application File No. 48,859-A

Dear Sir or Madam:

Your application for permit to appropriate water in 28-27S-1E, in Sedgwick County, was received and has been assigned the file number noted above.

As a matter of record, the Division of Water Resources has on hand a large number of applications awaiting processing. Therefore to be fair to all concerned, and so that we can process those applications on hand in the order they were received, we intend to concentrate on the backlog of applications until the issue is resolved. Once review of your application has begun, we will contact you, if additional information is required.

In accordance with the provisions of the Kansas Water Appropriation Act, a portion of which is included below, the use of water as proposed prior to approval of the application is unlawful. Once approved, compliance with the terms, conditions and limitations of the permit is necessary. Conservation of the water resources of Kansas is required.

Section 82a-728 of the Kansas Water Appropriation Act, provides (a) except for the appropriation of water for the purpose of domestic use, . . . it shall be unlawful for any person to appropriate or threaten to appropriate water from any source without first applying for and obtaining a permit to appropriate water in accordance with the provisions of the Water Appropriation Act or for any person to violate any condition of a vested right, appropriation right or an approved application for a permit to appropriate water for beneficial use.

(b) (1) The violation of any provision of this section by any person is a class C misdemeanor...

A class C misdemeanor is punishable by a fine not to exceed \$500 and/or a term of confinement not to exceed one month in the county jail. Each day that the violation occurs constitutes a separate offense.

If you have any questions, please contact our office. If you wish to discuss a specific file, please have the file number ready so that we may help you more efficiently.

Sincerely, Douglas W. Schemm

Douglas W. Schemm

New Application Unit Supervisor Water Appropriation Program

DWS: al

pc: Stafford Field Office



Potential Transmission Pipeline Routing



WATER RESOURCES
RECEIVED

NOV 06 2013

KS DEPT OF AGRICULTURE

