Kansas Department of Agriculture Division of Water Resources

CHANGE: P/D WORKSHEET

1. File Number:	2. Status Change Date:	3. Change Num:	4. Field Office:	5. GMD:
24268		1	02	05
6. Status: Approved Deni	ed by DWR/GMD	Dismiss by Reques	t/Failure to Return	7. Filing Date of Change:
		· · · · · · · · · · · · · · · · · · ·		3/14/18
8a. Applicant(s)	Person ID	8c. Landown		Person ID
New to system □	Add Seq#	New to sy	stem 🗀	Add Seq#
8b. Landowner(s)	Person ID <u>25206</u>	8d. WUC		Person ID 25206
New to system □	Add Seq# 1	New to sy		Add Seq# 1
ONA CROSS FIRST NATIONAL BANK		ONA C	ROSS NATIONAL BANI	K
PO BOX 913		РО ВО	X 913	
HUTCHINSON KS 67504		HUICE	IINSON KS 6750)4
9. Documents and Enclosure(s): 🛛 DV	VR Meter(s) Date to Comp	ly: <u>12/31/18</u>	N & P Date to	Comply: 12/31/18
☐ Anti-Reverse Meter ☐ Meter	Seal 🛛 Check Valve	⊠ N & P Form	☑ Water Tube	riller Copy X H & E Letter
☐ Conservation Plan Date Requir	ed: Da	ite Approved:3	8/14/18 Date to	Comply:
10. Use Made of Water From:		To: _		
			Date Prepared: 3/14/1	18 By: TJS
			Date Entered:	By:

File No	24268	3	11. County:	ED	Ba	sin: Aı	rkans	as Riv	er			S	tream:							Fo	ormatio	on Code: 18	Special Us	se: None
12. Po	ints of Dive	ersion				-										Rate	and Q	uantity						
MOD	PDIV															P	Author	zed		А	dditior	nal		
ENT		Qualifier	S	Т	R	ID		'N	'W	<u>'</u>	Com	nment	(AKA	Line)		Rate gpm/c		Quantit af/mgy		Rate gpm/e		Quantity af/mgy	Overlap PD Files	
DEL	22420					1																	None	
ENT		NC NE	6 24	4 17\	N		3	3967	13	47						285 (3PM	53 AF	-	285	GPM	53 AF	None	
снк	45407					2																	None	
																·					·			
			=	·		-																		
13. Sto		·		1F								Α	dditior	nal Rat	e				NF	Add	itional	Quantity		ac/ft
14. Lim				t								cfs) w	hen co	mbine	d with	ı file nı	umber	(s)						
Lin	nitation:		af/yr a	t	====	===	==	gpm (_				cfs) w	hen co	mbine	d with	ı file nı	umber	(s)						
15. 5Y	R Allocation	n: Allocation	Туре	_ Sta	ırt Year	·		5 YR	Amou	nt _		Amo	ount U	nit		Base	Acres		_ c	omment				
16. Pla	ace of Use				NE	Ξ1/4	=		NV	V¹/4			sv	N¹/4	===		5	E1/4		Total	Own	er Chg1	? Overlap Files	
MOD DEL ENT	PUSE	STR	ID	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE ¼	NE 1/4	NW 1/4	SW 1/4	SE 1/4					
		6 24S 17																			8b.	No	None	
																							·	
Base A	cres:	Year:	Minimum Rea	asonat	ole Qua	entity:			 -	<u> </u>		'	<u></u>	-	<u></u>	<u> </u>	<u> </u>		-	 _	' -			
Comm	ents:					·																		

Submit completed application to: Kansas Department of Agriculture Division of Water Resources Field Office for your area. Call for address:

Topeka -- (785) 296-5733 Stafford -- (620) 234-5311 Stockton -- (785) 425-6787 Garden City -- (620) 276-2901 http://agriculture.ks.gov/dwr

DWR FIELD OFFICE APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF USE AND/OR THE POINT OF DIVERSION



STATE OF KANSAS

WATER METER REQUIRED

Filing Fee Must Accompany the Application, K.S.A. 82a-708b(b), as amended. Fee Schedule is on the third page of this application form.

than	100 fee	t, or if	place	of use	will be	e char													ion is greater and proposed
poin	t(s) of div	ersion a	and/or	place	of use	į.		_				7						ECEN 1:27	The second secon
						F	File No	. <u>2426</u>	8									R14	
	Application					□Р	lace of	f Use		\boxtimes	Point	of Dive	ersion			Div	islon c	of Water	ld Office r Resources
	The sour		_		, 110 0.	-	Fround		auon	_		ce wate		Tutto.	5 4000	illoca .	50.011.		
	Name ar PO Box 9 Phone N Name ar PO Box 9	913, Hu lumber: nd addre	(620) ess of	on, KS 694-23 Water	6. 6750 387 Use C	orresp			Email a E. Cr		ss: <u>bra</u>	andon.	thomp	son@	fnbhut	ch.ban	ık		
	Phone N								Email	addre	ss: bra	andon.	thomp	son@	fnbhut	ch.ban	ık		
	The pres					se is:													
	Owner o						s												
		/	ADDRI	ESS:	PO Bo	x 913,	Hutch	inson,	KS. 6	7504						-			
	(If there is	s more th	an one	landov	vner, at	tach su	ippleme	ental sh	eets as	neces	sary.)								
				NE	Ξ1⁄4			NV	N1/4			SV	N1/4			SI	E1/4		TOTAL
Se	c. Twp.	Range	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	ACRES
6	24	17W	40	40	40	40					-	1				127		- 57	160
_							-												
4.	If this ap Owner o	of Land -	NA ADDRI	AME: ESS:	No cha	ange						ace of	use be	e chan	ged to	c			
_	(If there is	s more tr	an one	_		tach su	Ippleme			neces	sary.)		- 14 /		I	-			
•	_		NEW		E1/4	054/	NEW		N1/4	051/	NEW		N1/4	051/	NIE1/	SE1/4		CF1/	TOTAL
Se	c. Twp.	Range	NE¼	NW1/4	SW1/4	SE1/4	NE¼	NW1/4	SW1/4	SE1/4	NE¼	NW1/4	SW1/4	SE¼	NE1/4	NW1/4	SW1/4	SE1/4	
	For Offic	ce Use	Only:	Code		Fe	e \$ /t	20 -	_ TR	#		Re	eceipt	Date			Chec	k # /2	31403

One in the		Quarter of the	NC	Quarter of the	NE	Quart
of Section	6	. Township	24	South, Range	17	(V
				1367 feet West of S		
				Depth of well		
				feet North		
				☐ No change, point better d		
				ed or if existing point is		
				Quarter of the		
				South, Range		
n Edwards	Co	unty Kansas 3967	feet North	1347 feet West of S	Southeast corne	er of section
				Proposed well depth		
				that will use this point		
роли от			ouror motor m	, the tillet till dee tille point	C P F F F F F F F	
Presently autho	rized point of	diversion:				
A THE RESERVE AND A STREET OF THE PARTY OF T			NIVA/	Quarter of the	NE	Ouer
				Quarter of the South, Range		
				South, Range 2600 feet West of S		
Authorized Rate	345	Authorized Quantity	04	Depth of well	(Te	et)
				feet North		
				No change, point better de		
				ed or if existing point is		
				Quarter of the		
				South, Range		
				feet West of S		
Proposed Rate _		Proposed Quantity _		Proposed well depth	(feet)	
This point is:	Additional Wel	I ☐ Geo Center List	other water rig	that will use this point		
	t hole log attack as)(will be) com of April	pleted by?	re	North State Note: The "X" presents presently authors North State Note: North State Note: North State Note: N	ized point of di th 50 1	diagram beversion.)
Plug it				50 + =	+ -	50
(b) When will this	be done? ASA	\P		100 50 _0	50 1	100
	lanagement ′es ⊠ No	District recommendate		Scale: 1	ith " = 100 "	
Assisted by <u>Jeff L</u>	anterman	\	10 div Fo wit na	the proposed point of divers of feet but within 1320 for the rersion, attach a topograph of groundwater sources, should be soundwater sources, should be reported and mailing addresses and mailing addresses atter sources, show the response of the property	eet from the e hic map or ae ow all wells (incl posed point of d es of the owner	existing poir rial photogr luding dome liversion and rs. For sur

14. If the proposed groundwater point of diversion is 300 o	or fewer feet from existing point of diversion, complete the following.
(a) Does the undersigned represent all owners of the ⊠ Yes ☐ No (If no, all owners must	currently authorized place(s) of use identified in this application? sign this application.)
(b) Will the ownership interest of any owner of the conficted if this application is approved as requested Yes No (If yes, all owners must	
(c) If this application is not approved expeditiously, wi ⊠ Yes □ No (If no, all owners must	ill there be substantial damage to property, public health or safety? sign this application.)
	of diversion, a groundwater change in point of diversion greater than 300 feed by all owners of the currently authorized place of use, or their duly authorized place of use.
age and the owner, the spouse of the owner, or a	ath or affirmation and under penalty of perjury, that I am of lawfu duly authorized agent of the owner(s) to make this application o hich this application pertains. I further verify that the statement I complete.
	, Kansas, this <u>14</u> day of <u>March</u> , 20 <u>18</u>
ona cross	
by IW (Owner)	(Spouse)
Brandon Thompson (Please Print)	(Please Print)
(Owner)	(Spouse)
(Please Print)	(Please Print)
(Owner)	(Spouse)
(Please Print)	(Please Print)
State of Kansas County of SS	
	signed in my presence and sworn to before me this /4th day or
JESSICA ENGELBRECHT My Appointment Expires	Jessica N. Cigethrichs
My Commission Expiles August 11, 2021	Notary Public
	be complete, all of the applicable portions of the application form must be completed w tures of all the appropriate owners' must be affixed to the application and notarized; an
	FEE SCHEDULE
forth in the schedule below: Make checks payable to: Kan (1) Application to change a point of diversion 300 (2) Application to change a point of diversion more	diversion under this section shall be accompanied by the application fee set under the section shall be accompanied by the application fee set under the section shall be accompanied by the application fee set under the section shall be accompanied by the application fee set under the section shall be accompanied by the application fee set under the section shall be accompanied by the application fee set under the section shall be accompanied by the application fee set under the section shall be accompanied by the application fee set under the section shall be accompanied by the application fee set under the section shall be accompanied by the application fee set under the section shall be accompanied by the application fee set under the section shall be accompanied by the application fee set under the section shall be accompanied by the application fee set under the section shall be accompanied by the application fee set under the section shall be accompanied by the application fee set under the section shall be accompanied by the application fee set under the section shall be accompanied by the application fee set under the section shall be accompanied by the application fee set under the section shall be accompanied by the application fee set under the section shall be accompanied by the application fee set under the section shall be accompanied by the application fee set under the section shall be accompanied by the application fee set under the section shall be accompanied by the application fee set under the section shall be accompanied by the application fee set under the section shall be accompanied by the application fee set under the section shall be accompanied by the application fee set under the section shall be accompanied by the application fee set under the section shall be accompanied by the application fee set under the section shall be accompanied by the application fee set under the section shall be accompanied by the application fee set under the section shall be accompanied by the accompani

SUMMARY ORDER APPROVING APPLICATION FOR CHANGE AND IMPOSING CONDITIONS

This Summary Order is issued under authority of K.S.A. 82a-708b, as amended, and K.A.R. 5-5-1, et seq. and other applicable provisions of the Kansas Water Appropriation Law, K.S.A. 82a-701 et. seq., and rules and regulations promulgated thereunder, With the exception of those conditions expressly contained herein, this Summary Order does not change the terms, conditions and limitations of File No. 24268 A change application was received on 3/14/2018 requesting that the place of use and / or point of diversion authorized under the above-referenced file number be changed as described in the application. On and after the effective date of this summary order, the authorized place(s) of use shall be located substantially as shown on the topographic map accompanying the application to change the place of use.

Applicable The change in point of diversion shall not impair existing rights and shall be limited to the same source or sources of water as previously authorized. The point of diversion authorized by this summary order shall be located within a 50 foot radius of the authorized point(s) of diversion.

Applicable ☐ Not Applicable The point(s) of diversion authorized herein shall not actually be located more than 70 feet from the previously authorized point(s) of diversion. Applicable ■ Not Applicable As required by K.A.R. 5-3-5d, if the works for diversion is a well with a diversion rate of 100 gallons per minute or more, a tube or other device suitable for making water level measurements shall be installed, operated and maintained in accordance with K.A.R. 5-6-13. ⊠ Applicable □ Not Applicable The owner of the authorized place(s) of use shall properly install an acceptable water flow meter on or before December 31, 2018, or before the first use of water, whichever occurs first. The water flow meter shall be installed, operated and maintained in accordance with K.A.R. 5-1-4 through 5-1-12. As required by K.S.A. 82a-732, as amended, and K.A.R. 5-3-5e, the owner shall maintain records and report the reading of the water flow meter and the total quantity of water diversely annually to the Chief Engineer by March 1 following the end of each calendar year. □ Applicable ☐ Not Applicable Installation of the works for diversion of water shall be completed on or before December 31, 2018, or within any authorized extension of time. By March 1, 20<u>19</u> the applicant shall notify the Chief Engineer that construction of the works for diversion has been completed, on the form provided by the Chief Engineer, as required by K.A.R. 5-8-4e. ☐ Not Applicable The completed well log shall be submitted with the required notice. □ Applicable ■ Not Applicable All diversion works into which any type of chemical or other foreign substance will be injected into the water shall be equipped with an in-line, automatic, quick-closing check valve capable of preventing pollution of the source of the water supply. The check valve(s) shall be installed, operated and maintained in accordance with K.A.R. 5-3-5c. Applicable Applicable Additional Conditions are attached. ☐ Yes ⋈ No 11. In accordance with K.S.A. 82a-708a, as amended, and K.A.R. 5-5-14, all of the owners of the authorized place(s) of use of water appropriated under the above-referenced file number are responsible for compliance with its terms, conditions and limitations, as amended and/or supplemented by this Summary Order, and with applicable provisions of the Kansas Water Appropriation Law and the Rules and Regulations promulgated thereunder. Failure to comply with these provisions may result in civil penalties pursuant to K.S.A. 82a-737, as amended, and/or the suspension or revocation and dismissal of the water or appropriation right or any other enforcement actions authorized by law. FOR OFFICE USE ONLY Administrative Appeal and Effective Date of Order APPLICATION APPROVED AND If you are aggrieved by this order, pursuant to K.S.A. 82a-1901, SUMMARY ORDER ISSUED you may request an evidentiary hearing before the Chief Engineer or request administrative review by the Secretary of Agriculture. A request for hearing by the Chief Engineer must be filed within 15 days of service of this Order and a request for administrative review by the Secretary must be filed within 30 days pursuant to K.S.A. 77-531. Any request for administrative Duly Authorized Designee of the Chief Engineer review must state a basis for review pursuant to K.S.A. 77-527. (Print Name): Jeff Lanterman File any request with Kansas Department of Agriculture, Division of Water Resources - Kansas Department of Agriculture Legal Division, 1320 Research Park Drive, Manhattan, KS 66502. Failure to timely request a hearing or review may Date of Issuance: preclude review under the Kansas Judicial Review Act. State of Kansas For Use by Register of Deeds County of Acknowledged before me on Signature: Public JE SICA ENGELBRECHT My Appointment Expires August 11, 2021

My commission expires

(Notary Seal)

File No. 24268

9	92	CLARKE WELL & EQUIPMENT, INC. FORMATION TEST HOLE / 2" OB WELL	FORMA	TION TEST ONLY
JOB NU	MBER _	14616		
WELL C	WNER	Ona Cross WELL NO. TH-1-18		
WELL U	SE Fo	rmation Test APPR. NO.	- +	1 ×+ -
LEGAL	SE 1/4	NW 1/4 NE 1/4 Sect 6 Twp 24 S Rng 17 W Edwards	KS	+
	_ FSL,	FEL COUNTY	STATE	
GPS-	480	001 E 4205227 N Zone 14 NAD 27	+	† † †
Drilled 2	0' north	of pivot; Existing well is 20' west of pivot		
Format			FGL SE	CTION 6
FROM	ТО	FEET FORMATION / COMMENTS		SAMPLES TAKEN
0	3	Topsoil		
3	6	Sand, fine to very fine		
6	19	Clay, brown		
19	27	Clay, brown, sandy, soft		
27	39	Sand & gravel, fine to coarse		
39	39.5	Clay, white & yellow clay streaks		
39.5	45	Sand & gravel, fine to coarse, with very fine sand		
45	56	Sand, coarse to very fine, with clay streak at 50'		
56	58	Clay, white, with caliche		
58	59	Sand & gravel, medium to very fine		
59	63	Clay, white		
63	65	Drift gravel		
65	69	Clay, white sand, very fine stone		
69	70	Shale, red	18-51	
70	72	Clay, gray, red	-	
		* Will not screen my in bedrock		
				· · · · · · · · · · · · · · · · · · ·

DRILLED BY Edward Cass

DATE _____2/2/18

(Well Construction on Other Side)

CERTIFICATE OF SERVICE

On this 14 day of March, 2018, I hereby certify that the attached DWR Field Office Application for Change in Point of Diversion for Water Right, File No. 24268, dated March 14, 2018 was hand delivered to the following:

Brandon Thompson PO Box 913 Hutchinson, KS.67504

Staff Gents