

File No. **32527** 11. County: **BARTON** Basin: **Walnut Creek** Stream: --- Formation Code: **113 (Main Stem Alluvium)** Special Use: **None**

12. Points of Diversion Rate and Quantity
 CHK MOD PDIV Authorized Additional
 DEL Qualifier S T R ID 'N 'W Comment (AKA Line) Rate Quantity Rate Quantity
 ENT gpm/cfs af/mgy gpm/cfs af/mgy Overlap PD Files

CHK 12327 **4** **BT 19**

13. Storage: Rate _____ NF Quantity _____ ac/ft Additional Rate _____ NF Additional Quantity _____ ac/ft

14. Limitation: _____ af/yr at _____ gpm (_____ cfs) when combined with file number(s) _____
 Limitation: _____ af/yr at _____ gpm (_____ cfs) when combined with file number(s) _____

15. 5YR Allocation: Allocation Type _____ Start Year _____ 5 YR Amount _____ Amount Unit _____ Base Acres _____ Comment _____

16. Place of Use CHK MOD DEL ENT	PUSE	S	T	R	ID	NE¼				NW¼				SW¼				SE¼				Total	Owner	Chg?	Overlap Files
						NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼				
ENT/MOD, 10460, 26 19S 14W, 4						0.5	33.25	39	6	33.25	0.5	6	39							157.5	8b.	Yes No	16718		

Base Acres: **25** Year: **1984** Minimum Reasonable Quantity: **1.18 AF/acre**

Comments:

TS-SFP0

Submit completed application to:
 Kansas Department of Agriculture
 Division of Water Resources
 Field Office for your area.

Call for address:

Topeka -- (785) 296-5733
 Stafford -- (620) 234-5311
 Stockton -- (785) 425-6787
 Garden City -- (620) 276-2901
<http://agriculture.ks.gov/dwr>

DWR FIELD OFFICE APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF USE AND/OR THE POINT OF DIVERSION **WATER METER REQUIRED**



STATE OF KANSAS

Filing Fee Must Accompany the Application, K.S.A. 82a-708b(b), as amended.
 Fee Schedule is on the third page of this application form.

Paragraph Nos. 1, 2, 3 & 5 must be completed. Complete all other applicable portions. If change in point of diversion is greater than 100 feet, or if place of use will be changed, include a topographic map or detailed plat showing the authorized and proposed point(s) of diversion and/or place of use.

RECEIVED

1:46pm
FEB 19 2018

Stafford Field Office
 Division of Water Resources

File No. 32,527

1. Application is hereby made for approval of the Chief Engineer to change the (check one or both):

Place of Use Point of Diversion

under the water right which is the subject of this application in accordance with the conditions described below.

The source of supply is: Groundwater Surface water

2. Name and address of Applicant: David D Essmiller

66 SW 30th Avenue, Great Bend, KS 67530

Phone Number: (620)786-0349

Email address: essmillerfarms@cox.net

Name and address of Water Use Correspondent: David D Essmiller

66 SW 30th Avenue, Great Bend, KS 67530

Phone Number: (620)786-0349

Email address: essmillerfarms@cox.net

3. The presently authorized place of use is:

Owner of Land ---- NAME: David D Essmiller Revocable INTER VIVOS TRUST

ADDRESS: 66 SW 30th Avenue, Great Bend, KS 67530

(If there is more than one landowner, attach supplemental sheets as necessary.)

Sec.	Twp.	Range	NE¼				NW¼				SW¼				SE¼				TOTAL ACRES
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
26	19S	14W							5	20									25

4. If this application is for a change in place of use, it is proposed that the place of use be changed to:

Owner of Land ---- NAME: David D Essmiller Revocable INTER VIVOS TRUST

ADDRESS: 66 SW 30th Avenue, Great Bend, KS 67530

(If there is more than one landowner, attach supplemental sheets as necessary.)

Sec.	Twp.	Range	NE¼				NW¼				SW¼				SE¼				TOTAL ACRES
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
26	19S	14W	0.5	33.25	39	6	33.25	0.5	6	39									157.5

For Office Use Only: Code _____ Fee \$ 300 TR # _____ Receipt Date _____ Check # 6433

5. **Presently authorized point of diversion:**
 One in the SE Quarter of the NW Quarter of the SW Quarter of Section 26, Township 19 South, Range 14 (W), in Barton County, Kansas, 1,910 feet North 4,340 feet West of Southeast corner of section.
 Authorized Rate 1170 GPM (limited) Authorized Quantity 38 acre-feet Depth of well 75 (feet)
(DWR use only: Computer ID No. 4 scaled from aerial 1,930 feet North 4,300 feet West)
 This point will not be changed This point will be changed as follows: No change, point better described with GPS as follows:
Proposed point of diversion: (Complete only if change is requested or if existing point is better described by GPS)
 One in the _____ Quarter of the _____ Quarter of the _____ Quarter of Section _____, Township _____ South, Range _____ (W), in _____ County, Kansas, _____ feet North _____ feet West of Southeast corner of section.
 Proposed Rate _____ Proposed Quantity _____ Proposed well depth (feet) _____
 This point is: Additional Well Geo Center List other water rights that will use this point BT-019 (pd overlap only)

6. **Presently authorized point of diversion:**
 One in the _____ Quarter of the _____ Quarter of the _____ Quarter of Section _____, Township _____ South, Range _____ (E/W), in _____ County, Kansas, _____ feet North _____ feet West of Southeast corner of section.
 Authorized Rate _____ Authorized Quantity _____ Depth of well _____ (feet)
(DWR use only: Computer ID No. _____ GPS _____ feet North _____ feet West)
 This point will not be changed This point will be changed as follows: No change, point better described with GPS as follows:
Proposed point of diversion: (Complete only if change is requested or if existing point is better described by GPS)
 One in the _____ Quarter of the _____ Quarter of the _____ Quarter of Section _____, Township _____ South, Range _____ (E/W), in _____ County, Kansas, _____ feet North _____ feet West of Southeast corner of section.
 Proposed Rate _____ Proposed Quantity _____ Proposed well depth (feet) _____
 This point is: Additional Well Geo Center List other water rights that will use this point _____

7. The changes herein are desired for the following reasons?
 (please be specific) make a complete place of use overlap with File No. 16718. In the near future an additional well app will be filed to stack this file on pd for 16718.

8. If a well, is the test hole log attached? Yes No


9. The change(s) (was)(will be) completed by?
prior to 2018 irrigation season

10. If the point of diversion is a well:
 (a) What are you going to do with the old well?
N/A
 (b) When will this be done? N/A

11. Groundwater Management District recommendation attached? Yes No 3/1/2018 TJS-SFFO

12. Assisted by CRC-SFFO

13a. If the proposed point of diversion will be relocated within 100 feet of the existing point of diversion, indicate its location on the diagram below in relation to the existing point of diversion. (PLEASE NOTE: The "X" in center of diagram below represents presently authorized point of diversion.)



13b. If the proposed point of diversion will be relocated more than 100 feet but within 1320 feet from the existing point of diversion, attach a topographic map or aerial photograph. For groundwater sources, show all wells (including domestic) within one-half mile of the proposed point of diversion and the names and mailing addresses of the owners. For surface water sources, show the names and addresses of the landowner(s) one-half mile downstream and one-half mile upstream from your property lines.


RECEIVED

FEB 19 2018

Stafford Field Office
 Division of Water Resources

14. If the proposed groundwater point of diversion is 300 or fewer feet from existing point of diversion, complete the following:

- (a) Does the undersigned represent all owners of the currently authorized place(s) of use identified in this application?
 Yes No (If no, all owners must sign this application.)
- (b) Will the ownership interest of any owner of the currently authorized place(s) of use identified in this application be adversely affected if this application is approved as requested?
 Yes No (If yes, all owners must sign this application.)
- (c) If this application is not approved expeditiously, will there be substantial damage to property, public health or safety?
 Yes No (If no, all owners must sign this application.)



If the application proposes a surface water change in point of diversion, a groundwater change in point of diversion greater than 300 feet, or a change in place of use, the application must be signed by all owners of the currently authorized place of use, or their duly authorized agent (attach notarized statement authorizing representation).

I hereby verify, being first duly sworn upon my oath or affirmation and under penalty of perjury, that I am of lawful age and the owner, the spouse of the owner, or a duly authorized agent of the owner(s) to make this application on their behalf, in regards to the water right(s) to which this application pertains. I further verify that the statements contained in this application are true, correct and complete.

Dated at Great Bend, Barton County, Kansas, this 23rd day of January, 20 18.

David D. Essmiller
(Owner)

Deanna Essmiller
(Spouse)

David D. Essmiller
(Please Print)

Deanna Essmiller
(Please Print)

(Owner)

(Spouse)

(Please Print)

(Please Print)

(Owner)


(Spouse)

(Please Print)

(Please Print)

State of Kansas }
County of Barton } SS

I hereby certify that the foregoing application was signed in my presence and sworn to before me this 23rd day of January, 20 18



Deidra Mason
Notary Public

My Commission Expires 10/22/21

ONLY COMPLETE APPLICATIONS WILL BE PROCESSED. To be complete, all of the applicable portions of the application form must be completed with accurate information; maps, if necessary, must be included; signatures of all the appropriate owners' must be affixed to the application and notarized; and the appropriate fee must be paid.

FEE SCHEDULE

Each application to change the place of use or the point of diversion under this section shall be accompanied by the application fee set forth in the schedule below: Make checks payable to: **Kansas Department of Agriculture**

- (1) Application to change a point of diversion 300 feet or less \$100
- (2) Application to change a point of diversion more than 300 feet \$200
- (3) Application to change the place of use \$200

RECEIVED

FEB 19 2018

SUMMARY ORDER APPROVING APPLICATION FOR CHANGE AND IMPOSING CONDITIONS

This Summary Order is issued under authority of K.S.A. 82a-708b, as amended, and K.A.R. 5-5-1, et seq. and other applicable provisions of the *Kansas Water Appropriation Law, K.S.A. 82a-701 et. seq.*, and rules and regulations promulgated thereunder, With the exception of those conditions expressly contained herein, this Summary Order does not change the terms, conditions and limitations of File No. 32,527.

1. A change application was received on 2/19/18 requesting that the place of use and / or point of diversion authorized under the above-referenced file number be changed as described in the application.
2. On and after the effective date of this summary order, the authorized place(s) of use shall be located substantially as shown on the topographic map accompanying the application to change the place of use. Applicable Not Applicable
3. The change in point of diversion shall not impair existing rights and shall be limited to the same source or sources of water as previously authorized. The point of diversion authorized by this summary order shall be located within a _____ foot radius of the authorized point(s) of diversion. Applicable Not Applicable
4. The point(s) of diversion authorized herein shall not actually be located more than _____ feet from the previously authorized point(s) of diversion. Applicable Not Applicable
5. As required by K.A.R. 5-3-5d, if the works for diversion is a well with a diversion rate of 100 gallons per minute or more, a tube or other device suitable for making water level measurements shall be installed, operated and maintained in accordance with K.A.R. 5-6-13. Applicable Not Applicable
6. **The owner of the authorized place(s) of use shall properly install an acceptable water flow meter on or before December 31, 2018**, or before the first use of water, whichever occurs first. The water flow meter shall be installed, operated and maintained in accordance with K.A.R. 5-1-4 through 5-1-12. As required by K.S.A. 82a-732, as amended, and K.A.R. 5-3-5e, the owner shall maintain records and report the reading of the water flow meter and the total quantity of water diverted annually to the Chief Engineer by March 1 following the end of each calendar year. Applicable Not Applicable
7. **Installation of the works for diversion of water shall be completed on or before December 31, 20____**, or within any authorized extension of time. By March 1, 20____ the applicant shall notify the Chief Engineer that construction of the works for diversion has been completed, on the form provided by the Chief Engineer, as required by K.A.R. 5-8-4e. Applicable Not Applicable
8. **The completed well log shall be submitted with the required notice.** Applicable Not Applicable
9. All diversion works into which any type of chemical or other foreign substance will be injected into the water shall be equipped with an in-line, automatic, quick-closing check valve capable of preventing pollution of the source of the water supply. The check valve(s) shall be installed, operated and maintained in accordance with K.A.R. 5-3-5c. Applicable Not Applicable
10. Additional Conditions are attached. Yes No
11. In accordance with K.S.A. 82a-708a, as amended, and K.A.R. 5-5-14, all of the owners of the authorized place(s) of use of water appropriated under the above-referenced file number are responsible for compliance with its terms, conditions and limitations, as amended and/or supplemented by this Summary Order, and with applicable provisions of the *Kansas Water Appropriation Law* and the *Rules and Regulations* promulgated thereunder. Failure to comply with these provisions may result in civil penalties pursuant to K.S.A. 82a-737, as amended, and/or the suspension or revocation and dismissal of the water or appropriation right or any other enforcement actions authorized by law.

Administrative Appeal and Effective Date of Order

If you are aggrieved by this order, pursuant to K.S.A. 82a-1901, you may request an evidentiary hearing before the Chief Engineer or request administrative review by the Secretary of Agriculture. A request for hearing by the Chief Engineer must be filed within **15 days** of service of this Order and a request for administrative review by the Secretary must be filed within **30 days** pursuant to K.S.A. 77-531. Any request for administrative review must state a basis for review pursuant to K.S.A. 77-527. File any request with **Kansas Department of Agriculture, Legal Division, 1320 Research Park Drive, Manhattan, KS 66502**. Failure to timely request a hearing or review may preclude review under the Kansas Judicial Review Act.

For Use by Register of Deeds

FOR OFFICE USE ONLY
**APPLICATION APPROVED AND
SUMMARY ORDER ISSUED**

By: Jeff Lanterman
Duly Authorized Designee of the Chief Engineer


(Print Name): Jeff Lanterman
Division of Water Resources - Kansas Department of Agriculture

Date of Issuance: 3/9/2018

State of Kansas)
County of Stafford) SS

Acknowledged before me on 3/09/2018
by Jeff Lanterman

Signature: Jessica Engelbrecht
Notary Public











My commission expires _____ (Notary Seal)
File No. 32,527

RECEIVED

FEB 19 2018

P/U Change Application Map, File No. 32,527
Sec.26-T19S-R14W in Barton County



-  currently authorized P/D ~1,930'N & 4,300'W
-  nearby permitted wells  nearby domestic wells
-  currently authorized place of use covering 25 acres
-  proposed place of use covering 157.5 acres
-  section corners  1/2 mile circle around proposed P/D

By signing below I agree that all wells, including domestic, within 1/2 mile of the point of diversion have been shown on the map.

David H Essmiller 1/9/2018

signature

date

-NEARBY WELLS-

#1-32528
 Robert H Essmiller
 380 W Barton County RD
 Great Bend, KS 67530

#2 domestic
 Robert H Essmiller

#3 domestic
Samuel & Ashley Trahan
57 NW 90 Avenue
Great Bend, KS 67530


#4 16718
 owned by applicant










RECEIVED
 FEB 19 2018


1 inch = 1,000 feet

P/U Change Application Map, File No. 32,527
Sec.26-T19S-R14W in Barton County



-  currently authorized P/D ~1,930'N & 4,300'W
-  nearby permitted wells  nearby domestic wells
-  currently authorized place of use covering 25 acres
-  proposed place of use covering 157.5 acres
-  section corners  1/2 mile circle around proposed P/D

- NEARBY WELLS-**
- #1-32528
Robert H Essmiller
380 W Barton County RD
Great Bend, KS 67530
 - #2 domestic
Robert H Essmiller
 - #3 domestic
Samuel & Ashley Trahan
57 NW 40 Avenue
RECEIVED 67530
 - #4 16718
owned by applicant



By signing below I agree that all wells, including domestic, within 1/2 mile of the point of diversion have been shown on the map.

Paul H. Grant *1/9/2018*
 signature date



Stafford Field Office
300 S. Main Street
Stafford, Kansas 67578-1521

Jackie McClaskey, Secretary
David W. Barfield, Chief Engineer
Jeff Lanterman, Water Commissioner

Phone: 620-234-5311
Fax: 620-234-6900
www.agriculture.ks.gov
Governor Jeff Colyer, M.D.

March 12, 2018

David D Esmiller
66 SW 30 Ave
Great Bend KS 67530-9707

Re: Vested Right, File No(s). 32527

Dear Water Right Owner:

Enclosed is the order executed by the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, approving the application for change under the above referenced file number(s).

Your attention is directed to the enclosures and to the terms, conditions and limitations specified in this approval for change. An acceptable water flow meter must be installed on your well before any water is applied as authorized under this change approval. A copy of the approved list of Certified Water Flowmeters as well as the regulations regarding the installation of flowmeters, measurement tubes and check valves can be found at <http://agriculture.ks.gov/divisions-programs/dwr/water-appropriation/water-flowmeters>. If you do not have access to the internet, please contact this office and we will send you a paper copy of the referenced information.

Since this order modifies the original document referred to above, it should be recorded with the Register of Deeds as other instruments affecting real estate.

Should you have any questions, please feel free to contact this office. If you wish to refer to a specific file, please reference it when you contact us.

Sincerely,

A handwritten signature in black ink, appearing to read "Jeff Lanterman".

Jeff Lanterman
Water Commissioner

Enclosures

pc: Water Rights Section
Groundwater Management District No.5

CERTIFICATE OF SERVICE

On this **March** day of **12, 2018**, I hereby certify that the attached Change in Place of Use for Water Right, File No. **32527**, dated **March 9, 2018** was mailed via Certified U.S. mail to the following:

David D Esmiller
66 SW 30 Ave
Great Bend KS 67530-9707

A copy of the letter was sent to the following:

GMD 5



Staff



KANSAS DEPARTMENT OF AGRICULTURE

Division of Water Resources

Stafford Field Office

MEMORANDUM

TO: File

DATE: 2/23/2018

FROM: Tyler Saryerwinnie

RE: File No. 32,527

This is a memorandum regarding surrounding well owner notification on irrigation field office PU changes and pertains to decisions made during the Water Commissioner meeting which took place on 11/16/2016 with directive from Lane Letourneau, Program Manager.

This is applicable to field office changes to increase the place of use by 10 acres or 10% (whichever is less) or a change in place of use to create a complete overlap in which ~~no new acres are being irrigated.~~ *I think new acres are being irrigated*
place of use. just leave this out dx

During that meeting it was determined that no surrounding well owner notification will be sent under this type of Place of Use change. All well rates and quantities will remain unchanged and the referenced change will not cause impairment or impact surrounding well owners.

The change in place of use filed on 2/19/2018 for the above referenced file meets this criteria and surrounding well owners will not be notified.

Saryerwinnie, Tyler [KDA]

From: Conant, Cameron [KDA]
Sent: Tuesday, February 27, 2018 8:40 AM
To: Saryerwinnie, Tyler [KDA]
Subject: FW: Phone Message (ESSMILLER PACKET OF CHANGES) 16718, ect

Tyler, I called Bob back and we discussed the changes a bit. He had no concerns with 16718 moving to the south, nor did he have issues with the proposed place of use changes.

I believe Bob was the only nearby well owner within ½ mile, so I guess we can move it on to GMD#5 if/when time allows!!

Cameron

From: Engelbrecht, Jessica [KDA]
Sent: Tuesday, February 27, 2018 8:36 AM
To: Conant, Cameron [KDA] <Cameron.Conant@ks.gov>
Subject: Phone Message

Bob Esmiller
620-617-6030

Jessica Engelbrecht, Administrative Assistant
Kansas Department of Agriculture
Division of Water Resources
Stafford Field Office
(620) 234-5311
jessica.engelbrecht@ks.gov (Please note change of email address)

Saryerwinnie, Tyler [KDA]

From: Saryerwinnie, Tyler [KDA]
Sent: Tuesday, February 27, 2018 9:57 AM
To: Orrin Feril (oferil@gmd5.org)
Cc: Conant, Cameron [KDA]
Subject: GMD Recommendation Request - File Nos. 16718 & 32527
Attachments: 16718.32528.Cover letter.pdf; 16718.Change App.pdf; 32527.Change App.pdf; 16718.notifications + base.pdf; BT19.32527.32528.base review.pdf

Orrin,

I have attached a cover letter and copies of two (2) change applications for GMD recommendation. I have also included a memorandum outlining the response received and copies of the base acre reviews for each file. Please provide the GMD recommendation by no later than March 19, 2018.

Please let me know if you are needing anything else, or have any questions.

Thank you,

Tyler

Tyler Saryerwinnie, Environmental Scientist
Kansas Department of Agriculture
Division of Water Resources
Stafford Field Office
Phone: (620)234-5311



1320 Research Park Drive
Manhattan, Kansas 66502
785-564-6700

900 SW Jackson, Room 456
Topeka, Kansas 66612
785-296-3556

Secretary Jackie McClaskey

Governor Jeff Colyer, M.D.

February 27, 2018

Orrin Feril
Big Bend – GMD No. 5
125 S Main St.
Stafford, KS 67578

RE: Change Applications, File Nos. 16,718 & 32,527

Dear Mr. Feril,

We are enclosing copies of the applications, as referenced above, for your review and recommendation. At this time the applications appear to be in proper form. Notification letters were sent to all nearby well owners shown on the application map. These owners were given a 15 day comment period; one response was received.

This office will delay any further action on this file for a period of 15 business days from the date of this letter to allow you time to submit your recommendations concerning the application. Please submit your recommendation within the allotted time, or any authorized extension of time thereof.

If you have any questions, please feel free to contact the office.

Sincerely,

Tyler Saryerwinnie
Environmental Scientist
Stafford Field Office
tyler.saryerwinnie@ks.gov

Enclosure

Saryerwinnie, Tyler [KDA]

From: Orrin Feril <oferil@gmd5.org>
Sent: Thursday, March 01, 2018 4:03 PM
To: Saryerwinnie, Tyler [KDA]
Subject: Application for Change, Water Right, File No. BT019, 16718, 32527, 32528
Attachments: BT019 16718 32527 32528 2018-03-01 Rec.pdf

Tyler,

I'm attaching the recommendation requested by your office in a letter dated February 27, 2018. Please let me know if you have any questions.

Thank you for your consideration in this matter,

Orrin

--

Orrin Feril

Manager
Big Bend GMD#5
Email: oferil@gmd5.org
Phone: (620) 234-5352
Mobile: (620) 388-0172
Fax: (620) 234-5718
www.gmd5.org

Darrell Wood - Edwards (Pres.)
Fred Grunder - Pratt (V Pres.)
John Janssen - Kiowa (Treas.)
Jerry Cullop - Rice (Sec.)
Justin Gatz - Reno
Kent Lamb - Stafford
Phil Martin - Barton
Kerry Froetschner - Pawnee
Tom Taylor - At-Large



Orrin Feril, Manager
125 South Main Street
Stafford, Kansas 67578
ph: (620) 234-5352
fx: (620) 234-5718
gmd5@gmd5.org
www.gmd5.org

March 1, 2018

Tyler Saryerwinnie
Division of Water Resources
Kansas Department of Agriculture
300 S Main St
Stafford, KS 67578

RE: Vested File No. BT019
Water Right File Nos. 32527, 32528
Change in the Place of Use
Water Right File No. 16718
Change in Point of Diversion and Place of Use

Dear Mr. Saryerwinnie,

Big Bend Groundwater Management District #5 has reviewed the above referenced applications to change the place of use and point of diversion. It is the understanding of the District that these changes are intended to clean up the ownership of the places of use and allow for a more efficient application of water through center pivot irrigation in the N2 of Section 26. The applications appear to be consistent with 5-25-20(b) and are recommended for approval.

The applications to change are subject to the District's well equipment regulation K.A.R. 5-25-5 for a required flow meter.

Please feel free to give me a call if you have any questions.

Sincerely,

Orrin Feril
Manager

RECEIVED

MAR 01 2018

Stafford Field Office
Division of Water Resources

9th day of February, A.D., 2018

Deanna Zimmerman
by Bev Schneider, County Clerk

STATUTORY WARRANTY DEED

On this 7th day of February, 2018, Robert H. Essmiller, Jr. and Evelyn M. Essmiller, his wife, Grantors,

In exchange of property for valuable but non-monetary consideration

CONVEYS AND WARRANTS

to David D. Essmiller and Deanna Essmiller, as Trustees of the Revocable Inter Vivos Trust of David D. Essmiller dated October 5, 2011, as Grantees, all of the following-described real estate in Barton County, Kansas:

The South Half of the South Half of the Northeast Quarter (S/2 S/2 NE/4) of Section 26, T19S-R14W, Barton County, Kansas, less and except a tract by metes and bounds described as follows: Beginning at a point on the south line of said NE 1/4 Section 26 which bears from the east 1/4 corner N89°41'15"W, 24.68 ft.; thence continuing N89°41'15"W on and along the south line of said NE 1/4 section, 920.10 ft.; thence N00°00'00"W, 660.12 ft.; thence S89°39'39"E, 918.25 ft. to the west right-of-way of the township road; thence S00°09'38"E, 659.70 ft. to the point of beginning.

Reserving unto grantors, their heirs and assigns all water rights appurtenant to or associated with the above described property, including but not limited to Kansas Water Right File Numbers 32,528 and BT 19.

By: Robert H. Essmiller, Jr.
Robert H. Essmiller, Jr.


By: Evelyn M. Essmiller
Evelyn M. Essmiller

STATE OF KANSAS)
) ss.
COUNTY OF BARTON)

This instrument was acknowledged before me on the 7th day of February, 2018, by Robert H. Essmiller, Jr. and Evelyn M. Essmiller, his wife.

My Commission Expires: 11-18-18

John L. Horner
Notary Public



COPY

Index 50
Numerical 8
Cross _____
DC Book _____
Plat Book _____
Military Book _____
Art of Inc Book _____
Scanned 50

RECEIVED

FEB 19 2018
sg14758a