

Kansas Department of Agriculture
 Division of Water Resources
CHANGE: P/U WORKSHEET

1. File Number: 34837	2. Status Change Date:	3. Change Num: 1	4. Field Office: 02	5. GMD: 02
---------------------------------	------------------------	----------------------------	-------------------------------	----------------------

6. Status: <input checked="" type="checkbox"/> Approved <input type="checkbox"/> Denied by DWR/GMD <input type="checkbox"/> Dismiss by Request/Failure to Return	7. Filing Date of Change: 4/26/18
--	---

8a. Applicant(s) Person ID _____ New to system <input type="checkbox"/> Add Seq# _____	8c. Landowner(s) Person ID _____ New to system <input type="checkbox"/> Add Seq# _____ <p style="text-align: center;">NAME CHANGE</p> <p style="text-align: center;">LOREN D & DENISE POSTIER 209 12TH AVE INMAN KS 67546</p>
---	---

8b. Landowner(s) Person ID 64807 New to system <input type="checkbox"/> Add Seq# 1 <p style="text-align: center;">NAME CHANGE</p> <p style="text-align: center;">SERENITY TRUST LOWEL R & JACQUELEN POSTIER 568 10 AVE INMAN KS 67546</p>	8d. WUC Person ID 664807 New to system <input type="checkbox"/> Add Seq# 1 <p style="text-align: center;">NAME CHANGE</p> <p style="text-align: center;">SERENITY TRUST LOWEL R & JACQUELEN POSTIER 568 10 AVE INMAN KS 67546</p>
---	---

9. Documents and Enclosure(s): DWR Meter(s) Date to Comply: **12/31/18** N & P Date to Comply: _____

Anti-Reverse Meter Meter Seal Check Valve N & P Form Water Tube Driller Copy H & E Letter

Conservation Plan Date Required: _____ Date Approved: **5/18/18** Date to Comply: _____

10. Use Made of Water From: _____ To: _____

Date Prepared: **5/16/18** By: **TJS**
 Date Entered: _____ By: _____

File No. **34837** 11. County: **MCPHERSON** Basin: **LITTLE ARKANSAS RIVER** Stream: --- Formation Code: --- Special Use: ---

12. Points of Diversion
 CHK
 MOD
 DEL PDIV
 ENT Qualifier S T R ID 'N 'W Comment (AKA Line) Rate gpm/cfs Quantity af/mgy Additional Rate gpm/cfs Quantity af/mgy Overlap PD Files

CHK 3707 **1** **None**

13. Storage: Rate _____ NF Quantity _____ ac/ft Additional Rate _____ NF Additional Quantity _____ ac/ft

14. Limitation: _____ af/yr at _____ gpm (_____ cfs) when combined with file number(s) _____
 Limitation: _____ af/yr at _____ gpm (_____ cfs) when combined with file number(s) _____

15. 5YR Allocation: Allocation Type _____ Start Year _____ 5 YR Amount _____ Amount Unit _____ Base Acres _____ Comment _____

16. Place of Use CHK MOD DEL ENT	PUSE	S	T	R	ID	NE¼				NW¼				SW¼				SE¼				Total	Owner	Chg?	Overlap Files
						NE ¼	NW ¼	SW ¼	SE ¼	NE ¼	NW ¼	SW ¼	SE ¼	NE ¼	NW ¼	SW ¼	SE ¼	NE ¼	NW ¼	SW ¼	SE ¼				
MOD 8916	2	21S	4W	3					Lot 2 28	Lot 2 28	Lot 1 1	Lot 1 13								71	8b.	Yes	None		
ENT	3	21S	4W	---														3		37	40	8b.	Yes	None	
MOD 31137	35	20S	4W	9									40				39			79	8c.	Yes	None		

Base Acres: **180** Year: **1994** Minimum Reasonable Quantity: **1.06 AF/acre**

Comments:

Submit completed application to:
 Kansas Department of Agriculture
 Division of Water Resources
 Field Office for your area.
 Call for address:

Topeka -- (785) 296-5733
 Stafford -- (620) 234-5311
 Stockton -- (785) 425-6787
 Garden City -- (620) 276-2901
<http://agriculture.ks.gov/dwr>

DWR FIELD OFFICE APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF USE AND/OR THE POINT OF DIVERSION WATER METER REQUIRED



STATE OF KANSAS

Filing Fee Must Accompany the Application, K.S.A. 82a-708b(b), as amended.
 Fee Schedule is on the third page of this application form.

Paragraph Nos. 1, 2, 3 & 5 must be completed. Complete all other applicable portions. If change in point of diversion is greater than 100 feet, or if place of use will be changed, include a topographic map or detailed plat showing the authorized and proposed point(s) of diversion and/or place of use.

File No. 34837

RECEIVED
 9:49 am
 APR 26 2018

1. Application is hereby made for approval of the Chief Engineer to change the (check one or both):

Place of Use Point of Diversion

under the water right which is the subject of this application in accordance with the conditions described below.

The source of supply is: Groundwater Surface water

Stafford Field Office
 Division of Water Resources

2. Name and address of Applicant: Lowel R. Postier
568 10th Ave., Inman, KS 67546

Phone Number: (620) 664-8953 Email address: ljp@lrmutual.com

Name and address of Water Use Correspondent: Serenity Trust
568 10th Ave., Inman, KS 67546

Phone Number: (620) 664-8953 Email address: ljp@lrmutual.com

3. The presently authorized place of use is:

Owner of Land --- NAME: A) Serenity Trust; Lowel R. & Jacquelen Postier; B) Loren D. & Denise Postier
 ADDRESS: A) 568 10th Ave Inman, KS 67546; B) 209 12th Ave Inman, KS

(If there is more than one landowner, attach supplemental sheets as necessary.)

Sec.	Twp.	Range	NE¼				NW¼				SW¼				SE¼				TOTAL ACRES
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
A) 2	21S	4W		36.72			36.4	36.34										109.51	
B) 35	20S	4W								40						35		75	
																	<u>184.51</u>		

4. If this application is for a change in place of use, it is proposed that the place of use be changed to:

Owner of Land --- NAME: A) Serenity Trust; Lowel R. & Jacquelen Postier B) Loren D. & Denise Postier
 ADDRESS: A) 568 10th Ave Inman, KS 67546 B) 209 12th Ave Inman, KS 67056

(If there is more than one landowner, attach supplemental sheets as necessary.)

Sec.	Twp.	Range	NE¼				NW¼				SW¼				SE¼				TOTAL ACRES
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
A) 2	21S	4W					28*	29*	1**	13**								71	
A) 3	21S	4W												3			37	40	
B) 35	20S	4W								40						39		79	
																	<u>190</u>		

For Office Use Only: Code _____ Fee \$ 200 TR # _____ Receipt Date _____ Check # 478

* Lot 2, T15-SFPD

** Lot 1, T15-SFPD

5. **Presently authorized point of diversion:**
 One in the _____ Quarter of the _____ Quarter of the Lot 2 (N/2-NW) Quarter
 of Section 2, Township 21 South, Range 4W (E/W),
 in McPherson County, Kansas, 4000 feet North 4000 feet West of Southeast corner of section.
 Authorized Rate 845 GPM Authorized Quantity 97 AF Depth of well _____ (feet)
 (DWR use only: Computer ID No. _____ GPS _____ feet North _____ feet West)
 This point will not be changed This point will be changed as follows: No change, point better described with GPS as follows:
Proposed point of diversion: (Complete only if change is requested or if existing point is better described by GPS)
 One in the _____ Quarter of the _____ Quarter of the Lot 2 (N/2-NW) Quarter
 of Section 2, Township 21 South, Range 4W (E/W),
 in McPherson County, Kansas, 4000 feet North 4000 feet West of Southeast corner of section.
 Proposed Rate 845 GPM Proposed Quantity 97 AF Proposed well depth (feet) _____
 This point is: Additional Well Geo Center List other water rights that will use this point _____

6. **Presently authorized point of diversion:**
 One in the _____ Quarter of the _____ Quarter of the _____ Quarter
 of Section _____, Township _____ South, Range _____ (E/W),
 in _____ County, Kansas, _____ feet North _____ feet West of Southeast corner of section.
 Authorized Rate _____ Authorized Quantity _____ Depth of well _____ (feet)
 (DWR use only: Computer ID No. _____ GPS _____ feet North _____ feet West)
 This point will not be changed This point will be changed as follows: No change, point better described with GPS as follows:
Proposed point of diversion: (Complete only if change is requested or if existing point is better described by GPS)
 One in the _____ Quarter of the _____ Quarter of the _____ Quarter
 of Section _____, Township _____ South, Range _____ (E/W),
 in _____ County, Kansas, _____ feet North _____ feet West of Southeast corner of section.
 Proposed Rate _____ Proposed Quantity _____ Proposed well depth (feet) _____
 This point is: Additional Well Geo Center List other water rights that will use this point _____

7. The changes herein are desired for the following reasons?
 (please be specific) Changing the place of use to
more accurately describe current and planned
irrigation.

8. If a well, is the test hole log attached? Yes No


9. The change(s) (was)(will be) completed by?
ASAP

10. If the point of diversion is a well:
 (a) What are you going to do with the old well?
NA
 (b) When will this be done? _____

11. Groundwater Management District recommendation
 attached? Yes No 5/15/18 TS-SFFD

12. Assisted by T. Boese, GMD2

13a. If the proposed point of diversion will be relocated within 100 feet of the existing point of diversion, indicate its location on the diagram below in relation to the existing point of diversion. (PLEASE NOTE: The "X" in center of diagram below represents presently authorized point of diversion.)



13b. If the proposed point of diversion will be relocated more than 100 feet but within 1320 feet from the existing point of diversion, attach a topographic map or aerial photograph. For groundwater sources, show all wells (including domestic) within one-half mile of the proposed point of diversion and the names and mailing addresses of the owners. For surface water sources, show the names and addresses of the landowner(s) one-half mile downstream and one-half mile upstream from your property lines.

14. If the proposed groundwater point of diversion is 300 or fewer feet from existing point of diversion, complete the following:

- (a) Does the undersigned represent all owners of the currently authorized place(s) of use identified in this application?
 Yes No (If no, all owners must sign this application.)
- (b) Will the ownership interest of any owner of the currently authorized place(s) of use identified in this application be adversely affected if this application is approved as requested?
 Yes No (If yes, all owners must sign this application.)
- (c) If this application is not approved expeditiously, will there be substantial damage to property, public health or safety?
 Yes No (If no, all owners must sign this application.)

If the application proposes a surface water change in point of diversion, a groundwater change in point of diversion greater than 300 feet, or a change in place of use, the application must be signed by all owners of the currently authorized place of use, or their duly authorized agent (attach notarized statement authorizing representation).

I hereby verify, being first duly sworn upon my oath or affirmation and under penalty of perjury, that I am of lawful age and the owner, the spouse of the owner, or a duly authorized agent of the owner(s) to make this application on their behalf, in regards to the water right(s) to which this application pertains. I further verify that the statements contained in this application are true, correct and complete.

Dated at McPherson County, Kansas, this 13 day of April, 20 2018

Lowel Postier
 (Owner)

 (Spouse)

Lowel R. Postier, Trustee of the Serenity Trust

Lowel Postier
 (Please Print)
Lowel Postier
 (Owner)

 (Please Print)
Jacquelin Postier
 (Spouse)

Lowel R. Postier

Jacquelin Postier

Loren D Postier
 (Please Print)
Loren D Postier
 (Owner)


 (Please Print)

 (Spouse)

Loren D. Postier

(Please Print)

State of Kansas }
 County of McPherson } SS



I hereby certify that the foregoing application was signed in my presence and sworn to before me this 13th day of April, 20 18.

Kiley Farnsworth
 Notary Public

My Commission Expires 5/08/18

ONLY COMPLETE APPLICATIONS WILL BE PROCESSED. To be complete, all of the applicable portions of the application form must be completed with accurate information; maps, if necessary, must be included; signatures of all the appropriate owners' must be affixed to the application and notarized; and the appropriate fee must be paid.

FEE SCHEDULE

Each application to change the place of use or the point of diversion under this section shall be accompanied by the application fee set forth in the schedule below: Make checks payable to: **Kansas Department of Agriculture**

- (1) Application to change a point of diversion 300 feet or less \$100
- (2) Application to change a point of diversion more than 300 feet \$200
- (3) Application to change the place of use \$200

14. If the proposed groundwater point of diversion is 300 or fewer feet from existing point of diversion, complete the following:
- (a) Does the undersigned represent all owners of the currently authorized place(s) of use identified in this application?
 Yes No (If no, all owners must sign this application.)
 - (b) Will the ownership interest of any owner of the currently authorized place(s) of use identified in this application be adversely affected if this application is approved as requested?
 Yes No (If yes, all owners must sign this application.)
 - (c) If this application is not approved expeditiously, will there be substantial damage to property, public health or safety?
 Yes No (If no, all owners must sign this application.)

If the application proposes a surface water change in point of diversion, a groundwater change in point of diversion greater than 300 feet, or a change in place of use, the application must be signed by all owners of the currently authorized place of use, or their duly authorized agent (attach notarized statement authorizing representation).

I hereby verify, being first duly sworn upon my oath or affirmation and under penalty of perjury, that I am of lawful age and the owner, the spouse of the owner, or a duly authorized agent of the owner(s) to make this application on their behalf, in regards to the water right(s) to which this application pertains. I further verify that the statements contained in this application are true, correct and complete.

Dated at McPherson County, Kansas, this 30 day of April, 2018.

Loren D Postier
 (Owner)

Denise Postier
 (Spouse)

Loren D. Postier

Denise Postier

(Please Print)

(Please Print)

(Owner)

(Spouse)

(Please Print)

(Please Print)

(Owner)

(Spouse)

(Please Print)

(Please Print)

State of Kansas

County of McPherson } SS



I hereby certify that the foregoing application was signed in my presence and sworn to before me this 30th day of April, 2018.

Kathleen K. Kroeker
 Notary Public

My Commission Expires 6-22-2018

ONLY COMPLETE APPLICATIONS WILL BE PROCESSED. To be complete, all of the applicable portions of the application form must be completed with accurate information; maps, if necessary, must be included; signatures of all the appropriate owners' must be affixed to the application and notarized; and the appropriate fee must be paid.

FEE SCHEDULE

Each application to change the place of use or the point of diversion under this section shall be accompanied by the application fee set forth in the schedule below: Make checks payable to: **Kansas Department of Agriculture**

- (1) Application to change a point of diversion 300 feet or less \$100
- (2) Application to change a point of diversion more than 300 feet \$200
- (3) Application to change the place of use \$200

SUMMARY ORDER APPROVING APPLICATION FOR CHANGE AND IMPOSING CONDITIONS

This Summary Order is issued under authority of K.S.A. 82a-708b, as amended, and K.A.R. 5-5-1, *et seq.* and other applicable provisions of the *Kansas Water Appropriation Law, K.S.A. 82a-701 et. seq.*, and rules and regulations promulgated thereunder, With the exception of those conditions expressly contained herein, this Summary Order does not change the terms, conditions and limitations of File No. 34837.

1. A change application was received on 4/26/18 requesting that the place of use and / or point of diversion authorized under the above-referenced file number be changed as described in the application.
2. On and after the effective date of this summary order, the authorized place(s) of use shall be located substantially as shown on the topographic map accompanying the application to change the place of use. Applicable Not Applicable
3. The change in point of diversion shall not impair existing rights and shall be limited to the same source or sources of water as previously authorized. The point of diversion authorized by this summary order shall be located within a _____ foot radius of the authorized point(s) of diversion. Applicable Not Applicable
4. The point(s) of diversion authorized herein shall not actually be located more than _____ feet from the previously authorized point(s) of diversion. Applicable Not Applicable
5. As required by K.A.R. 5-3-5d, if the works for diversion is a well with a diversion rate of 100 gallons per minute or more, a tube or other device suitable for making water level measurements shall be installed, operated and maintained in accordance with K.A.R. 5-6-13. Applicable Not Applicable
6. The owner of the authorized place(s) of use shall properly install an acceptable water flow meter on or before December 31, 2018, or before the first use of water, whichever occurs first. The water flow meter shall be installed, operated and maintained in accordance with K.A.R. 5-1-4 through 5-1-12. As required by K.S.A. 82a-732, as amended, and K.A.R. 5-3-5e, the owner shall maintain records and report the reading of the water flow meter and the total quantity of water diverted annually to the Chief Engineer by March 1 following the end of each calendar year.
 Applicable Not Applicable
7. Installation of the works for diversion of water shall be completed on or before December 31, 20____, or within any authorized extension of time. By March 1, 20____ the applicant shall notify the Chief Engineer that construction of the works for diversion has been completed, on the form provided by the Chief Engineer, as required by K.A.R. 5-8-4e.
 Applicable Not Applicable
8. The completed well log shall be submitted with the required notice. Applicable Not Applicable
9. All diversion works into which any type of chemical or other foreign substance will be injected into the water shall be equipped with an in-line, automatic, quick-closing check valve capable of preventing pollution of the source of the water supply. The check valve(s) shall be installed, operated and maintained in accordance with K.A.R. 5-3-5c. Applicable Not Applicable
10. Additional Conditions are attached. Yes No
11. In accordance with K.S.A. 82a-708a, as amended, and K.A.R. 5-5-14, all of the owners of the authorized place(s) of use of water appropriated under the above-referenced file number are responsible for compliance with its terms, conditions and limitations, as amended and/or supplemented by this Summary Order, and with applicable provisions of the *Kansas Water Appropriation Law* and the *Rules and Regulations* promulgated thereunder. Failure to comply with these provisions may result in civil penalties pursuant to K.S.A. 82a-737, as amended, and/or the suspension or revocation and dismissal of the water or appropriation right or any other enforcement actions authorized by law.

Administrative Appeal and Effective Date of Order

If you are aggrieved by this order, pursuant to K.S.A. 82a-1901, you may request an evidentiary hearing before the Chief Engineer or request administrative review by the Secretary of Agriculture. A request for hearing by the Chief Engineer must be filed within 15 days of service of this Order and a request for administrative review by the Secretary must be filed within 30 days pursuant to K.S.A. 77-531. Any request for administrative review must state a basis for review pursuant to K.S.A. 77-527. File any request with Kansas Department of Agriculture, Legal Division, 1320 Research Park Drive, Manhattan, KS 66502. Failure to timely request a hearing or review may preclude review under the Kansas Judicial Review Act.

For Use by Register of Deeds

FOR OFFICE USE ONLY
**APPLICATION APPROVED AND
SUMMARY ORDER ISSUED**

By: Cameron P. Conant
Duty Authorized Designee of the Chief Engineer
(Print Name): Cameron P. Conant
Division of Water Resources - Kansas Department of Agriculture

Date of Issuance: 5/18/18

State of Kansas)
County of Stafford) SS


Acknowledged before me on 5/18/18
by Cameron Conant

Signature: Jessica Engelbrecht
Notary Public



My commission expires _____
(Notary Seal) File No. 34837

Change in Place of Use Application Map No 34837



I declare that all water wells or diversion sites using the same source of supply and within 1/2 mile of the proposed point of diversion have been plotten on the application map.

Rachel Kestin trustee
Signature

4-18-2018
Date

- New Application
- Application No. To Change:
 - Point of Diversion
 - Place of Use
 - Use Made of Water

- No 34837 Point of Diversion
- Existing Points of Diversion
- Authorized Place of Use
- Proposed Place of Use

See attached sheet for well owners within 1/2 mile



Wells Within ½ Mile of No. 34837

1. Domestic Well
Denton L & Jodi L Baerg
1052 Chisolm Rd
Inman, KS 67546

2. Domestic Well
David E. & Donna Saunders
933 Chisolm Rd.
Inman, KS 67546

3. Domestic Well
Serenity Trust; Lowel R & Jacquelen Postier
568 10th Ave.
Inman, KS 67546

4. Irrigation Well – Water Permit No. 29984
Serenity Trust Lowel R & Jacquelen Postier
568 10th Ave.
Inman, KS 67546

STATE OF KANSAS



DEPARTMENT OF AGRICULTURE
DIVISION OF WATER RESOURCES
STAFFORD FIELD OFFICE
300 S. MAIN STREET
STAFFORD, KS 67578-1521

PHONE: (620) 234-5311
FAX: (620) 234-6900
www.agriculture.ks.gov

GOVERNOR JEFF COLYER, M.D.
JACKIE MCCLASKEY, SECRETARY OF AGRICULTURE

May 18, 2018

Lowel R Postier
568 10th Ave
Inman KS 67546

Re: Water Right, File No(s). 34837

Dear Water Right Owner:

Enclosed is the order executed by the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, approving the application for change under the above referenced file number(s).

Your attention is directed to the enclosures and to the terms, conditions and limitations specified in this approval for change. An acceptable water flow meter must be installed on your well before any water is applied as authorized under this change approval. A copy of the approved list of Certified Water Flowmeters as well as the regulations regarding the installation of flowmeters, measurement tubes and check valves can be found at <http://agriculture.ks.gov/divisions-programs/dwr/water-appropriation/water-flowmeters>. If you do not have access to the internet, please contact this office and we will send you a paper copy of the referenced information.

Since this order modifies the original document referred to above, it should be recorded with the Register of Deeds as other instruments affecting real estate.

Should you have any questions, please feel free to contact this office. If you wish to refer to a specific file, please reference it when you contact us.

Sincerely,

Jeff Lanterman
Water Commissioner

Enclosures

pc: Water Rights Section
Groundwater Management District No. 2

CERTIFICATE OF SERVICE

On this **18th** day of **May, 2018**, I hereby certify that the attached Change in Place of Use for Water Right, File No. **34837**, dated **May 18, 2018** was mailed via Certified U.S. mail to the following:

Lowel R Postier
568 10th Ave
Inman KS 67546

A copy of the letter was sent to the following:

GMD 2



Staff



KANSAS DEPARTMENT OF AGRICULTURE

Division of Water Resources

Stafford Field Office

MEMORANDUM

TO: File

DATE: 5/2/2018

FROM: Tyler Saryerwinnie

RE: File No. 34837

This is a memorandum regarding surrounding well owner notification on irrigation field office PU changes and pertains to decisions made during the Water Commissioner meeting which took place on 11/16/2016 with directive from Lane Letourneau, Program Manager.

This is applicable to field office changes to increase the place of use by 10 acres or 10% (whichever is less) or a change in place of use to create a complete overlap in which no new acres are being irrigated.

During that meeting it was determined that no surrounding well owner notification will be sent under this type of Place of Use change. All well rates and quantities will remain unchanged and the referenced change will not cause impairment or impact surrounding well owners.

The change in place of use filed on 4/26/2018 for the above referenced file meets this criteria and surrounding well owners will not be notified.

Saryerwinnie, Tyler [KDA]

From: Saryerwinnie, Tyler [KDA]
Sent: Wednesday, May 02, 2018 4:02 PM
To: 'Rebecca Wilson'
Cc: Conant, Cameron [KDA]
Subject: GMD Recommendation Request - File No. 34837
Attachments: 34837.Cover Letter.pdf; 34837.Change App.pdf

Rebecca,

I have attached a cover letter and a copy of one (1) place of use application for GMD review and recommendation. Please provide the GMD recommendation by no later than May 22, 2018.

Please let me know if you have any questions or concerns.

Tyler

Tyler Saryerwinnie, Environmental Scientist

Kansas Department of Agriculture

Division of Water Resources

Stafford Field Office

Phone: (620)234-5311

STATE OF KANSAS

DEPARTMENT OF AGRICULTURE
DIVISION OF WATER RESOURCES
STAFFORD FIELD OFFICE
300 S. MAIN STREET
STAFFORD, KS 67578-1521



PHONE: (620) 234-5311
FAX: (620) 234-6900
www.agriculture.ks.gov

GOVERNOR JEFF COLYER, M.D.
JACKIE McCLASKEY, SECRETARY OF AGRICULTURE

May 2, 2018

Tim Boese
Equus Beds – GMD No. 2
313 Spruce Street
Halstead, KS 67056

RE: Place of Use Change Application, File No(s). 34,837

Dear Mr. Boese,

We are enclosing a copy of the application, as referenced above, for your review and recommendation. At this time the application appears to be in proper form.

This office will delay any further action on this file for a period of 15 business days from the date of this letter to allow you time to submit your recommendation concerning the application. Please submit your recommendation within the allotted time, or any authorized extension of time thereof.

If you have any questions, please feel free to contact the office.

Sincerely,

Tyler Saryerwinnie
Environmental Scientist
Stafford Field Office
tyler.saryerwinnie@ks.gov

Enclosure

Saryerwinnie, Tyler [KDA]

From: Rebecca Wilson <rwilson@gmd2.org>
Sent: Tuesday, May 15, 2018 8:59 AM
To: Saryerwinnie, Tyler [KDA]
Subject: 29984 34837 PU Change App Approval Letters
Attachments: 29984 PU Change App Approval Letter 5-14-18.pdf; 34837 PU Change App Approval Letter 5-14-18.pdf

Follow Up Flag: Follow up
Flag Status: Flagged

Good morning!

Attached you will find the Place of Use Change Application Approval Letters from Manager Tim Boese for #29984 and #34837.

Please let me know if you have any difficulties opening the attachments.

Thanks!

Rebecca Wilson

Rebecca Wilson
Administrative Assistant
Equus Beds GMD2
313 Spruce Street
Halstead, KS 67056
316-835-2224
316-835-2225 Fax
rwilson@gmd2.org
www.gmd2.org

JEFF WINTER, PRESIDENT
VIN KISSICK, VICE PRESIDENT
ALAN BURGHART, SECRETARY
MIKE MCGINN, TREASURER
TIM BOESE, MANAGER
THOMAS A. ADRIAN, ATTORNEY



DIRECTORS:
DAVID BOGNER
JOE PAJOR
DALE SCHMIDT
BOB SEILER
DAVID STROBERG

EQUUS BEDS GROUNDWATER MANAGEMENT DISTRICT NO. 2

313 SPRUCE STREET • HALSTEAD, KANSAS 67056-1925 • PHONE (316) 835-2224 • FAX (316) 835-2225 • equusbeds@gmd2.org • www.gmd2.org

May 14, 2018

Chief Engineer, Division of Water Resources
Attn: Tyler Saryerwinnie
300 S. Main St.
Stafford, Kansas 67578

Re: Place of Use Change Application, File No. 34837 – Lowel R. Postier

Mr. Saryerwinnie:

The Equus Beds Groundwater Management District No. 2 reviewed the referenced change in place of use application on May 14, 2018, using the District's Revised Management Program (effective May 1, 1995) and Rules and Regulations K.A.R. 5-22-1 through 5-22-17.


The change application proposes to reconfigure the place of use and change the total authorized acres from 184.51 to 190 acres, which is a 10 acre increase of the 180 authorized base acres. The proposed place of use results in a water to land ratio of 0.51 acre-feet per acre.

The District's review found that the change application complies with the Revised Aquifer Management program approved by the Chief Engineer and with the District's Rules and Regulations K.A.R. 5-22-1 through 5-22-17. Based upon the review, the application is recommended for approval by the Equus Beds Groundwater Management District No. 2.

A District decision may be appealed to the District Board of Directors by submitting a written petition to the District office within 30 days from date of this notification, pursuant to K.A.R. 5-22-12. Please contact the District should you have any questions regarding the review or recommendation.

Sincerely,
EQUUS BEDS GROUNDWATER
MANAGEMENT DISTRICT NO. 2

Tim Boese
Manager
TDB/STF



pc: Lowel R. & Jacquen Postier, Applicant and Landowner
Loren D. & Denise Postier, Landowner

DIVISION OF WATER RESOURCES
Stafford Field Office

MAY 15 2018

H:\MSOFFICE\LETTERS\APPLIC\CHANGE_PU\Recommendation\form\#34837_Postier.doc

RECEIVED



EQUUS BEDS GROUNDWATER MANAGEMENT DISTRICT NO. 2 FINAL APPLICATION REVIEW CHECKLIST

1) Application No. 34837 Date filed: 4/26/18
 2) Applicant: Lowel R. Postier County: McPherson
 3) Proposed maximum quantity: 97 acre-feet/year Rate: 845 GPM
 4) Proposed Use: Irrigation
 5) P/D location: Lot 2 (N/2-NW) 2-21S-4W Geo Center: North 4000 ft, West 4000 ft
 6) Number and type of points of diversion listed on the application 1 Well

7) Meter required K.A.R. 5-22-4a or K.A.R. 5-22-8? Yes No, Why _____
 8) Meets change app requirements K.A.R. 5-22-8? Yes No N/A
 9) Overlapping PU File No. 0
 10) Overlapping PD File No. 0
 11) Authorized Acres 184.51 Acres
 12) Base Acres 180 Acres

13) Meets Max Reasonable Quantity K.A.R. 5-22-14? Yes No N/A
 (a) Irrigation max quantity: .51 acre-feet / acre
 (b) Stockwater max quantity: _____ GPD _____ unit
 (c) Industry max quantity: _____ Acre _____
 Industry standard: _____
 14) Reasonable rate for intended use? Yes No N/A
 15) Depth to water: _____ bls at observation well: _____

16) Date reviewed: 5/11/18
 17) Reviewed by: S. Flaherty Title: Hydrogeologist *Revised 5-14-18*
 18) District recommendation: Approve Deny Other, see comment *Those*

19) Comments and Calculations:
 Review completed for a change in place of use application for irrigation use in McPherson County. Application proposed to reconfigure the palce of use from 184.51 acres to 190 acres
 AF/Ac Ratio: 97 AF / 190 Ac = 0.51 AF/Ac
 180 base acres
 expansion of 10 acres to 190 acres.
 Recommend Approval, Complies with K.A.R. 5-22-1 through 5-22-17.

RECEIVED
 MAY 15 2018
 Stafford Field Office
 DIVISION OF WATER RESOURCES

Saryerwinnie, Tyler

From: Saryerwinnie, Tyler
Sent: Friday, October 27, 2017 10:23 AM
To: tboese@gmd2.org
Subject: Water Right, File Nos. 29984 & 34837
Attachments: 29984.34837.BaseAcreReview.pdf; 29984.34837.PU map.pdf

Tim,

I have attached the base acre reviews for the files referenced above, along with the map that was sent to Mr. Postier. I have also included Mr. Postier's contact information below. Please let me know if you need any other information.

Lowell Postier
Cell: 620-664-8953
Home: 620-585-2354

Thanks and have a good day,
Tyler

Tyler Saryerwinnie, Environmental Scientist
Kansas Department of Agriculture
Division of Water Resources
Stafford Field Office
Phone: (620)234-5311

Saryerwinnie, Tyler

From: Conant, Cameron
Sent: Monday, October 16, 2017 9:13 AM
To: Saryerwinnie, Tyler
Subject: File Nos. 29984 & 34837-please return call to Lowel Postier

Follow Up Flag: Follow up
Flag Status: Flagged

Tyler, Lowel called to discuss the letter you had sent him and was talking about needing to change into a trust or something. While on the phone I looked in docuware to try to work through it with Lowel. After a quick look, I decided it best to pass it on to you if you have it all figured out already!

Can you please call Lowel back at (620) 664-8953? He said he would like to set up an appointment in November if that could be arranged. Let me know if there are any issues.

Thanks, Cameron