# Kansas Department of Agriculture Division of Water Resources

# **CHANGE: P/D WORKSHEET**

1. File Number:	2. Status Change Date:	3. Change Num:	4. Field Office:	5. GMD:				
34918		1	02	05				
6. Status: ☐ Approved ☐ Den	ied by DWR/GMD	Dismiss by Reques	t/Failure to Return	7. Filing Date of Change:				
				3/7/18				
8a. Applicant(s)  New to system □	Person ID Add Seq#		8c. Landowner(s) Person II  New to system ☐ Add Seq					
8b. Landowner(s)  New to system □	Person ID <u><b>59931</b></u> Add Seq# <b>1</b>	8d. WUC New to sy	rstem 🗀	Person ID <u>59931</u> Add Seq# <u>1</u>				
ILS LAND LLC PO BOX 1506 GREAT BEND KS 67530		8B						
9. Documents and Enclosure(s): ⊠ D\	VR Meter(s) Date to Comp	ly: <u>12/31/18</u>	N & P Date to	Comply: <u>12/31/18</u>				
☐ Anti-Reverse Meter ☐ Meter	Seal 🛚 Check Valve	⊠ N & P Form	☑ Water Tube   ☑ D	riller Copy 🛛 H & E Letter				
☐ Conservation Plan Date Requir	ed: Da	te Approved:	Approved: Date to Comply:					
10. Use Made of Water From:		To: <u>-</u>						
			Date Prepared: <b>3/8/18</b> Date Entered:	By: <b>EKF</b> By:				

File No	o. <b>3</b> 4	34918			County	y: <b>PN</b>	Ва	asin: Al	RKAN	SAS F	RIVER		Stream:								Formation Code: 180			Special Use:		
12. P	oints o	of Dive	rsion								• •									uantity			.1.111			
MOD DEL ENT	PD	١V	Qualifier		S	T	R	ID		'N	'W	,	Com	ment	(AKA I	Line)		Rate		zed Quantit <u>y</u> af	y	Rate gpm		intity if	Overlap PD Files	
DEL	421	14	NW NE SE		34	22	16W	2	2	600	129	0			•		-		<u></u>						NONE	
ENT			NE NW SE		34	22	16W		2	633	133	35					-	755		195		755	19	95	NONE	
										-																
														·												
		,																								
		····																	<del></del>							
13. Sto	orage:	: Rate				NF	Qua	intity _					ac/ft	A	ddition	nal Rat	e		•		NF	Add	tional Qua	ntity		_ ac/ft
14. Lir	nitatio	n:			_af/yr	at				gpm (_																
Lir	nitatio	on:			_af/yr	at				gpm (_				cfs) wl	nen co	mbine	ed with	file n	umber	(s)						
15. 5Y	'R Allo	ocation	: Allocation	Туре		_ s	start Yea	ar		5 YR	Amou	nt		Amo	unt U	nit	_	Base	Acres		_ C	omment .				
16. P	lace o	ace of Use			NE1/4				NW1/4			SW1/4				SE1/4				Total	Owner	Chg?	Overlap Files			
MOD DEL ENT	PU:	SE	STR	II	D	N 1/2		SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE ¼	NW 1⁄4	SW 1/4	SE ¼	NE ¼	NW 1⁄4	SW 1/4	SE ¼					
			34 22 16		2																		59931	N	NONE	
,																										
Base /			Year:	Minim	ium R	teason	able Qu	antity:																		

Submit completed application to: Kansas Department of Agriculture Division of Water Resources Field Office for your area. Call for address:

Topeka -- (785) 296-5733 Stafford -- (620) 234-5311 Stockton -- (785) 425-6787 Garden City -- (620) 276-2901 http://agriculture.ks.gov/dwr

# DWR FIELD OFFICE APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF USE AND/OR THE POINT OF DIVERSION WATER METER REQUIRED



STATE OF KANSAS

Filing Fee Must Accompany the Application, K.S.A. 82a-708b(b), as amended.

Fee Schedule is on the third page of this application form.

Paragraph Nos. 1, 2, 3 & 5 must be completed. Complete all other applicable portions. If change in point of diversion is greater than 100 feet, or if place of use will be changed, include a topographic map or detailed plat showing the authorized and proposed point(s) of diversion and/or place of use.

. Application	on is he	ehv m	nade fr	or anni			. 3491	444	er to ch	ange t	the (ch	neck or	ne or b	oth).	R	ECE 3:3	1VED 569 720	~ ~
								_							ribea t	afford pelow.	Field Vater F	Office Resources
. Name an									Щ.	Suriac	e wat	ei						
ILS Land					Del III	17000		506		-	- 414			- ,-		4 4	-	0.105.0
Phone N	Delt I Have I	September 1	H EEL IN						addres	ss: bro	onson.	smith@	Dilsbee	ef.com				
Name an			- 017 14		AT THE PERSON					7.5								
PO Box					d Sch.		1. 199										1	
Phone N	umber:	(620)	792-61	166	la instituti	ha ket i	nog ag lif	Email	addres	ss:	Al market	era Di Ji	arti und			71-12-1	d sur	grebs, e.d.
The pres						1-5												
Owner of	Land	NA	ME: I	LS La	nd LLC		AA H				- 1-		211		in pi	24	eths a	d gaven a
	A	DDRE	ESS: I	РО Во	x 1506	Grea	t Bend	KS 6	7530-	1506								
(If there is	more tha	an one	landow	ner, at	ach su	ppleme	ntal sh	eets as	neces	sary.)								
		NE¼				NW1/4				S	W1/4		SE1/4			TOTAL		
Sec. Twp.	Range	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	ACRES
No Change	9										3							
Ud						114						1 1	bir Al	1, 1	(In the	ALC:	TEVAD	(6-1-1-1)
														-, -		-12		A PARK
If this app Owner of (If there is	Land	NA	ME: .			- t	Brie					use be	e chang	ged to	b be po	layur	ib to a	norufill prys (g):
	A Hate		NE	1/4			NV	V1/4			SV	N1/4	www.or	terba	SE	1/4	11/8-0	TOTAL
Sec. Twp.	Range	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	ACRES
		in the	Mil 4.		-77	- Grand	É sau	IL CLASS	3112	1 5	Let yet	41	tattak	Top to	amage	H STAT	1918	gong and
4	Olol a Luli	al allud		WALL TO	- 411									110	1567	Day I		Marte He
Maria profes		mo.	Pest	05511	7. Iw		77	T.										
The state of	10 1 1	-	_	TEVEN T			-											
COLUMN CONTRACTOR	Charles I						19,194							-				
		2 I	Cada		For	2 \$	00-	TP:	#		D	coint	Date			Chac	L #	

r											
5.	Presently authori										1
	One in the										
	of Section										
	in <u>Pawnee</u>										ction.
	Authorized Rate _										
	(DWR use only:	Compute	r ID No. 2	GP:	S <u>263</u>	3 fee	et North	1305	feet V	lest)	-
	☐This point will not	t be change	ed  This point wil	be change	d as follows	: No cha	ange, point b	etter descri	ibed with G	PS as foll	lows:
	Proposed point of	of diversion	n: (Complete onl	y if chang	e is reque	sted or if	existing po	int is bett	er descri	bed by G	SPS)
	One in the										
	of Section										
	in Pawnee		County, Kansas, _	2633	_feet North	1335	feet We	est of South	neast corr	er of sec	ction.
	Proposed Rate	no chang	Proposed (	Quantity	no chang	e Pro	posed well	depth (feet)		-215	
	This point is: A	dditional \	Well ☐ Geo Cen	ter List of	ther water r	ights that v	will use this	point none	е		
					T				C THE		
3	Presently authori	zed point	of diversion:		7						
•	One in the			f the		Q	uarter of the	е		Q	uarter
	of Section										
	in										
	Authorized Rate _										
	(DWR use only:	Compute	ID No.	GP	S	fee	t North	1	feet W	lest)	
	☐This point will not				7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7		THE PARTY OF THE P		THE STATE OF THE S		ows.
	Proposed point o										
	One in the of Section										
	in										
	Proposed Rate										
	This point is:										
L	This point is. $\square$ A	dullional	Well Geo Cell	lei List of	nei watei i	ignis mai v	viii use triis	point			· .
7.	The changes herei (please be specific)				ti (	eet of the ence of the ence of the ence of the ence of the ence of	sed point of existing poin below in rel IOTE: The presently a	ation to the "X" in o	ion, indicate existing p center of	te its loca point of di diagram	version.  below
								North			
						100	50	0	50	100	
	16 0 10 11 11 11		10 🔽			E		117111	11111		
3.	If a well, is the test	nole log at	tached? Yes	∐ No		F		=		7	
9	The change(s) (was	s)(will be) (	completed by?			50	- +	_	+ -	<b>=</b> 50	
		.,( 20)						=		===	
	ASAP									_	
10.	If the point of divers	sion is a we	ell:			West 0	-	111 <b>X</b> 111	1   1   1   1	0 Eas	st
	(a) What are you g	oina to do	with the old well?			1	i arelu u	_		$\dashv$	
	(-,	,			REC	EIVED		=		750	
	plug it				1 1120		- +	_	+ -	$\pm^{50}$	
					MAD	7 2010	1207	_			
	(b) When will this b	be done? <u>v</u>	vhen new well drille	d	MAR	7 2018	шШп	ш±ш	шш		
11.	Groundwater Ma	anagemen	t District reco	mmendatiç	Stafford Vision of V	Field de	e 50	0 South		100	
	attached?	es 🗌 No						diversion		cated ma	are then
12.	Assisted by EKF // S	SFFO	-		1 d F w n w	00 feet buiversion, a or groundwithin one-hames and vater sourcendowner(s	sed point of ut within 13 ttach a top vater source alf mile of mailing add ces, show ) one-half om your prop	320 feet f ographic r es, show al he propose dresses of the name mile down	rom the emap or act I wells (income of the owners and act	existing perial photological ph	point of tograph. omestic) and the surface of the

14. If the proposed groundwater point of diversion is 300 or fewer feet from	existing point of diversion, complete the following:
(a) Does the undersigned represent all owners of the currently authori.  ☐ Yes ☐ No (If no, all owners must sign this applicate	
<ul> <li>(b) Will the ownership interest of any owner of the currently authorized affected if this application is approved as requested?</li> <li>☐ Yes</li> <li>☑ No</li> <li>(If yes, all owners must sign this application)</li> </ul>	
(c) If this application is not approved expeditiously, will there be substa  ☐ Yes ☐ No (If no, all owners must sign this applicate	
If the application proposes a surface water change in point of diversion, a g or a change in place of use, the application must be signed by all owners of agent (attach notarized statement authorizing representation).	
I hereby verify, being first duly sworn upon my oath or affirmat age and the owner, the spouse of the owner, or a duly authorize their behalf, in regards to the water right(s) to which this appli contained in this application are true, correct and complete.	ed agent of the owner(s) to make this application o
Dated at Stafford Kansas, this 7th	day of <u>March</u> , 2018.
	A CONTROL OF THE PROPERTY OF T
(Owner)	(Spouse)
(Please Print)	(Please Print)
(Owner)	(Spouse)
(Please Print)	(Please Print)
(Owner)	(Spouse)
(Please Print)	(Please Print)
State of Kansas  County of Stafford  SS	of the sale of the same to same the same same same same same same same sam
hereby certify that the foregoing application was signed in my	presence and sworn to before me this 1771 day of
JESSICA ENGELBRECHT My Appointment Expires  My Commission Expires  August 11, 2021	Justica N. Protopult
ONLY COMPLETE APPLICATIONS WILL BE PROCESSED. To be complete, all of accurate information; maps, if necessary, must be included; signatures of all the apprehe appropriate fee must be paid.	
Each application to change the place of use or the point of diversion under the forth in the schedule below: Make checks payable to: Kansas Departmen  (1) Application to change a point of diversion 300 feet or less  (2) Application to change a point of diversion more than 300 feet	his section shall be accompanied by the application fee set t of Agriculture \$100 \$200
JESSICA ENGELBRECHT  ANY Appointment Expires  MY Appointment Expires	MAR <b>0 7</b> 2018
P August 11, 2021	WITH U LUIU

Stafford Field Office Division of Water Resources File No. 34918

#### SUMMARY ORDER APPROVING APPLICATION FOR CHANGE AND IMPOSING CONDITIONS

This Summary Order is issued under authority of K.S.A. 82a-708b, as amended, and K.A.R. 5-5-1, et seq. and other applicable provisions of the Kansas Water Appropriation Law, K.S.A. 82a-701 et. seq., and rules and regulations promulgated thereunder, With the exception of those conditions expressly contained herein, this Summary Order does not change the terms, conditions and limitations of File No. 34918 requesting that the place of use and / or point of A change application was received on March 7, 2018 diversion authorized under the above-referenced file number be changed as described in the application. On and after the effective date of this summary order, the authorized place(s) of use shall be located substantially as shown on the topographic map accompanying the application to change the place of use. 

Applicable The change in point of diversion shall not impair existing rights and shall be limited to the same source or sources of water as previously authorized. The point of diversion authorized by this summary order shall be located within a 50 foot radius of the authorized point(s) of diversion. 

Applicable ☐ Not Applicable The point(s) of diversion authorized herein shall not actually be located more than 80 feet from the previously authorized point(s) of diversion. 

Applicable As required by K.A.R. 5-3-5d, if the works for diversion is a well with a diversion rate of 100 gallons per minute or more, a tube or other device suitable for making water level measurements shall be installed, operated and maintained in accordance with K.A.R. 5-6-13. ☐ Applicable ☐ Not Applicable The owner of the authorized place(s) of use shall properly install an acceptable water flow meter on or before December 31, 2018, or before the first use of water, whichever occurs first. The water flow meter shall be installed, operated and maintained in accordance with K.A.R. 5-1-4 through 5-1-12. As required by K.S.A. 82a-732, as amended, and K.A.R. 5-3-5e, the owner shall maintain records and report the reading of the water flow meter and the total quantity of water diverted annually to the Chief Engineer by March 1 following the end of each calendar year. Applicable ☐ Not Applicable Installation of the works for diversion of water shall be completed on or before December 31, 2018, or within any authorized extension of time. By March 1, 2019 the applicant shall notify the Chief Engineer that construction of the works for diversion has been completed, on the form provided by the Chief Engineer, as required by K.A.R. 5-8-4e. ☐ Not Applicable The completed well log shall be submitted with the required notice. ☐ Not Applicable All diversion works into which any type of chemical or other foreign substance will be injected into the water shall be equipped with an in-line, automatic, quick-closing check valve capable of preventing pollution of the source of the water supply. The check valve(s) shall be installed, operated and maintained in accordance with K.A.R. 5-3-5c. Applicable Not Applicable 10. Additional Conditions are attached. ☐ Yes ⊠ No 11. In accordance with K.S.A. 82a-708a, as amended, and K.A.R. 5-5-14, all of the owners of the authorized place(s) of use of water appropriated under the above-referenced file number are responsible for compliance with its terms, conditions and limitations, as amended and/or supplemented by this Summary Order, and with applicable provisions of the Kansas Water Appropriation Law and the Rules and Regulations promulgated thereunder. Failure to comply with these provisions may result in civil penalties pursuant to K.S.A. 82a-737, as amended, and/or the suspension or revocation and dismissal of the water or appropriation right or any other enforcement actions authorized by law. RECEIVED FOR OFFICE USE ONLY Administrative Appeal and Effective Date of Order APPLICATION APPROVED AND If you are aggrieved by this order, pursuant to K.S.A. 82a-1901 MAR 0 7 2018 SUMMARY ORDER ISSUED you may request an evidentiary hearing before the Chief Engineer or request administrative review by the Secretary of Agriculture. A request for hearing by the Chief Engineer must be ford Field Office filed within 15 days of service of this Order and a request for some of WBy: Resources administrative review by the Secretary must be filed within 30 days pursuant to K.S.A. 77-531. Any request for administrative Duly Authorized Designee of the Chief Engineer Cameron R. Conant review must state a basis for review pursuant to K.S.A. 77-527. (Print Name): File any request with Kansas Department of Agriculture, Division of Water Resources - Kansas Department of Agriculture Legal Division, 1320 Research Park Drive, Manhattan, KS 66502. Failure to timely request a hearing or review may Date of Issuance: preclude review under the Kansas Judicial Review Act. State of Kansas For Use by Register of Deeds SS County of Acknowledged before me on Signature JESSICA ENGELBRECHT NOTARY My Appointment Expires PUBLIC August 11, 2021 My commission expi



Stafford Field Office 300 S. Main Street Stafford, Kansas 67578-1521 Phone: 620-234-5311 Fax: 620-234-6900 www.agriculture.ks.gov

Governor Jeff Colyer, M.D.

Jackie McClaskey, Secretary David W. Barfield, Chief Engineer Jeff Lanterman, Water Commissioner

March 7, 2018

Bronson Smith ILS Land LLC PO Box 1506 Great Bend KS 67530-1506

Re: Water Right, File No(s). 34918

Dear Water Right Owner:

Enclosed is the order executed by the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, approving the application for change under the above referenced file number(s).

Your attention is directed to the enclosures and to the terms, conditions and limitations specified in this approval for change. An acceptable water flow meter must be installed on your well before any water is applied as authorized under this change approval. A copy of the approved list of Certified Water Flowmeters as well as the regulations regarding the installation of flowmeters, measurement tubes and check valves can be found at <a href="http://agriculture.ks.gov/divisions-programs/dwr/water-appropriation/water-flowmeters">http://agriculture.ks.gov/divisions-programs/dwr/water-appropriation/water-flowmeters</a>. If you do not have access to the internet, please contact this office and we will send you a paper copy of the referenced information.

Since this order modifies the original document referred to above, it should be recorded with the Register of Deeds as other instruments affecting real estate.

This order requires that a notice and completion of works form be submitted once the diversion works are completed, including a properly installed flowmeter. This form is available at the referenced website.

Any abandoned well must be plugged in accordance with the requirements of Article 30 of the Rules and Regulations as adopted by the Kansas Department of Health and Environment.

Should you have any questions, please feel free to contact this office. If you wish to refer to a specific file, please reference it when you contact us.

Sincerely,

Jeff Lanterman

Water Commissioner

Enclosures

pc: Water Rights Section

Groundwater Management District No.5

### **CERTIFICATE OF SERVICE**

On this **7th** day of **March**, **2018**, I hereby certify that the attached Change in Point of Diversion for Water Right, File No. **34918**, dated **March 7**, **2018** was hand delivered to the following:

**Bronson Smith** 

A copy of the letter was sent to the following;

GMD 5

Staff Staff

LOCATION OF WATER WI	ELL Fract	ion A/1/	4.11		Number			Range Number
county: Pawnee			N'/2 14 SE	1 34		T 22	S	R 16 EV
Distance and direction from n 6 S . 2 E . 3 N .	earest town or ci	ity?	m Larned	Street address	of well if loc	ated within cit	y?	
WATER WELL OWNER:	Leonard							
RR#, St. Address, Box # :								ivision of Water Resou
City, State, ZIP Code :	Larned	Ks.	67550					34918
DEPTH OF COMPLETED	WELL. 215	ft. Bo	ore Hole Diameter2	9 in. to	21.5	ft., and		in. to
Vell Water to be used as:	5 Pub	olic water su	apply	8 Air conditioni	ing	11 1	njection well	
1 Domestic 3 Feedlot	6 Oil	field water	supply	9 Dewatering		12 (	Other (Specify	below)
1 Irrigation 4 Industria	7 Law	n and gard		10 Observation				
Vell's static water level								
Pump Test Data est. Yield 1300			.119 ft. after . 130 ft. after	13	ho	ours pumping	1300	) g
TYPE OF BLANK CASING			5 Wrought iron	8 Concrete t	ile	Casing	Joints: Glued	Clamped
() Steel 3	RMP (SR)		6 Asbestos-Cement	9 Other (spe	cify below)		Welde	dX
2 PVC	ABS		7 Fiberglass				Threa	d
Blank casing dia16.	in. to	185	ft., Dia	in. to		ft., Dia		in. to
casing height above land sur								
YPE OF SCREEN OR PER			_	7 PVC			bestos-ceme	
O Steel 3	Stainless steel		5 Fiberglass	8 RMP (8	SR)	11 Ot	her (specify)	
	Galvanized stee		6 Concrete tile	9 ABS	mt kg.,		one used (ope	
creen or Perforation Openin	gs Are:		5 Gauze	d wrapped	8	Saw cut		11 None (open hole)
1 Continuous slot	3 Mill slot			vrapped		Drilled holes		
	4 Key pun		7 Torch					
creen-Perforation Dia	1.6in. to	215	ft., Dia	in. to .				
creen-Perforated Intervals:			ft. to 215.					
			ft. to					
ravel Pack Intervals:			ft. to 220.					
	From							
			π. το	ft.,	From		ft. to	
GROUT MATERIAL:		-	ft. to			ner		
	Neat cement		2 Cement grout	3 Bentonite	4 Ott	ner		
routed Intervals: From	Neat cement     O ft. to	10	2 Cement grout	3 Bentonite	4 Ott	ner		
routed Intervals: From What is the nearest source of	Neat cement     O ft. to f possible contain	10	2 Cement grout	3 Bentonite	4 Ott	nerft., From	14 At	ft. to
routed Intervals: From	Neat cement     O ft. to     possible contain     Cess pool	nination:	Cement grout     ft., From     Sewage lago	3 Bentonite	4 Ott	ner ft., From rage storage	14 At	ft. to
routed Intervals: From Vhat is the nearest source o 1 Septic tank	Neat cernent     O ft. to     possible contain     Cess pool     Seepage pit	nination:	Cement grout     tt., From     7 Sewage lago     8 Feed yard	3 Bentonite ft. to	4 Ott	nerft., From rage storage de storage	14 Ab (5 Oi 16 Ot	ft. to
routed Intervals: From	Neat cernent  O ft. to possible contant Cess pool Seepage pit Pit privy	o 10 nination:	Cement grout     ft., From     Sewage lago     Feed yard     Uivestock per	3 Bentonite ft. to	4 Ott 10 Fuel stor 11 Fertilizer 12 Insecticit 13 Watertig	ner	14 Ab (5 Oi 16 Ot	ft. to
Frouted Intervals: From  What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines	Neat cement  O ft. to possible contant Cess pool Seepage pit Pit privy	nination:	Cement grout     ft., From     Sewage lago     Feed yard     Uivestock per	3 Bentoniteft. to	10 Fuel stor 11 Fertilizer 12 Insecticion 13 Watertig	ner	14 At (5 Oi 16 Ot 17 Yes HTH	andoned water well well/Gas well her (specify below)
routed Intervals: From  That is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines  Tirection from well  Tas a chemical/bacteriological	Neat cement  O ft. to f possible contan 4 Cess pool 5 Seepage pit 6 Pit privy  N.E	nination:  t How atted to Depart	2 Cement grout ft., From 7 Sewage lago 8 Feed yard 9 Livestock per many feet	3 Bentoniteft. to	10 Fuel stor 11 Fertilizer 12 Insecticie 13 Watertigi ? Water We	ner	14 At (5 Oi 16 Ot ? Yes HTH	ft. to
routed Intervals: From  That is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines  Trection from well  Tas a chemical/bacteriologic as submitted	Neat cement  O ft. to f possible contain 4 Cess pool 5 Seepage pit 6 Pit privy  N.E	nination:	2 Cement grouttt., From 7 Sewage lago 8 Feed yard 9 Livestock per many feet	3 Bentonite	10 Fuel stor 11 Fertilizer 12 Insecticion 13 Watertigie? Water WesNo2 up Installed?	rage storage de storage ht sewer lines ell Disinfected YesX	14 At (5 Oi 16 Ot ? Yes HTH	ft. to
routed Intervals: From  That is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines  Trection from well  Tas a chemical/bacteriologic as submitted	Neat cement  O ft. to f possible contain 4 Cess pool 5 Seepage pit 6 Pit privy  N.E	nination:	2 Cement grouttt., From 7 Sewage lago 8 Feed yard 9 Livestock per many feet	3 Bentonite	10 Fuel stor 11 Fertilizer 12 Insecticion 13 Watertigie? Water WesNo2 up Installed?	rage storage de storage ht sewer lines ell Disinfected YesX	14 At (5 Oi 16 Ot ? Yes HTH	ft. to
routed Intervals: From  That is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines  Tirection from well  Tas a chemical/bactenological as submitted  Yes: Pump Manufacturer's lepth of Pump Intake	Neat cement  0 ft. to f possible contain 4 Cess pool 5 Seepage pit 6 Pit privy  1 E month name 140	nination:	2 Cement grout ft., From 7 Sewage lago 8 Feed yard 9 Livestock per many feet	3 Bentonite	10 Fuel stor 11 Fertilizer 12 Insecticion 13 Watertight ? Water Western No. 2 up Installed? tg. 12CF rated at	ner	14 At (5) Oi 16 Ot 16 Ot 17 Yes HTH	nt. to
routed Intervals: From  That is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines  Tirection from well  Tas a chemical/bactenological as submitted  Yes: Pump Manufacturer's lepth of Pump Intake	Neat cement  0 ft. to f possible contain 4 Cess pool 5 Seepage pit 6 Pit privy  1 E month name 140	nination:	2 Cement grout ft., From 7 Sewage lago 8 Feed yard 9 Livestock per many feet	3 Bentonite	10 Fuel stor 11 Fertilizer 12 Insecticion 13 Watertight ? Water Western No. 2 up Installed? tg. 12CF rated at	ner	14 At (5) Oi 16 Ot 16 Ot 17 Yes HTH	nt. to
2 Sewer lines 3 Lateral lines Direction from well	Neat cement  0 ft. to f possible contant 4 Cess pool 5 Seepage pit 6 Pit privy  NE al sample submitmonth name	hination:  How ted to Department of the Land	2 Cement grout ft., From 7 Sewage lago 8 Feed yard 9 Livestock per many feet Sartment? Yes ft. Turbine ON: This water well we	3 Bentonite	10 Fuel stor 11 Fertilizer 12 Insecticie 13 Watertigie Water Wester Wester No 2 10 Installed? 12 L2 CE 14 Centrifue 15 (2) recons	rage storage de storage ht sewer lines ell Disinfected YesX YesX gal 5 tructed, or (3)	14 At (5 Oi 16 Ot 16 Ot 17 Yes HTH	tt. to
routed Intervals: From	Neat cement  O ft. to f possible contant 4 Cess pool 5 Seepage pit 6 Pit privy  N.E	10 nination:  How ted to Department of the Company of the Com	2 Cement groutft., From	3 Bentonite	10 Fuel stor 11 Fertilizer 12 Insecticie 13 Watertigie ? Water We 	rage storage de storage ht sewer lines ell Disinfected X	14 At (5 Oi 16 Ot 16 Ot 18 Ot	ft. to
routed Intervals: From	Neat cement  O ft. to f possible contant 4 Cess pool 5 Seepage pit 6 Pit privy  All sample submitmonth name	hination:  How ted to Department of the Land	2 Cement grouttt., From	3 Bentonite	10 Fuel stor 11 Fertilizer 12 Insecticion 13 Watertigin 13 Water Wester Wester Water Wester 14 De Installed? 15 June 12 CE of the control of the contr	rage storage de storage ht sewer lines ell Disinfected	14 At (5 Oi 16 Ot 16 Ot 17 Yes HTH	ft. to
routed Intervals: From  That is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines irrection from well  Tas a chemical/bactenologicas submitted  Yes: Pump Manufacturer's lepth of Pump Intake  Yope of pump:  CONTRACTOR'S OR LANd ompleted on  Ind this record is true to the this Water Well Record was	Neat cement  0 ft. to f possible contain 4 Cess pool 5 Seepage pit 6 Pit privy  1 E al sample submitmonth name 1 40 1 Submersible NDOWNER'S CE 5 best of my know completed on	hination:  How ted to Department of the Department of ted to Department of the Department of the	2 Cement grouttt., From7 Sewage lago 8 Feed yard 9 Livestock per many feet	3 Bentonite	10 Fuel stor 11 Fertilizer 12 Insecticion 13 Watertigion 13 Water Western Western Water 14 Centrifund 15 Centrifund 16 (2) reconsiday 16 day 16 day 16 day 16 day 17 day 18 day	rage storage the sewer lines to	14 At (5 Oi 16 Ot 16 Ot 17 Yes HTH	ft. to
routed Intervals: From  That is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines irrection from well  That is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines irrection from well  The septic from well  The septic from well  The septic from well  The septic from well	Neat cement  O ft to f possible contant 4 Cess pool 5 Seepage pit 6 Pit privy  All sample submit  month name  140 1 Submersible NDOWNER'S CE 5 best of my know completed on  Tz-Remis	nination:  t  How ted to Department of the	2 Cement grouttt., From	3 Bentonite	10 Fuel stor 11 Fertilizer 12 Insecticion 13 Watertige Water Western No. 2 15 Installed? 15 Installed? 16 Installed? 17 Installed? 18 Installed? 19 Installed? 19 Installed? 10 Installed? 10 Installed? 11 Installed? 12 Insecticion 13 Watertige 14 Centrifue 15 Installed? 16 Installed? 17 Installed? 18 Installed? 19 Installed? 10 Installed? 10 Installed? 11 Installed? 12 Installed? 13 Installed? 14 Installed? 15 Installed? 16 Installed? 17 Installed? 18 Installed? 18 Installed? 19 Installed? 10 Installed? 10 Installed? 10 Installed? 10 Installed? 10 Installed? 10 Installed? 10 Installed? 10 Installed? 11 Installed? 12 Installed? 13 Installed? 14 Installed? 15 Installed? 16 Installed? 17 Installed? 18	rage storage de storage ht sewer lines fill Disinfected  Yes . X. I HP . 1.0  gal 5 tructed, or (3) 81 y 81	14 At (5) Oi 16 Ot	nt. to
routed Intervals: From  That is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines irrection from well  That is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines irrection from well  The septimental irrection from irrection from its irrection fr	Neat cement  O for the top of possible contain a Cess pool of Seepage pit of Pit privy  NE  al sample submit for month for mame for my know completed on the complete on th	10 nination:  How ted to Department of the decident of the	2 Cement grout ft., From 7 Sewage lago 8 Feed yard 9 Livestock per many feet Sartment? Yes ft. Turbine ON: This water well was	3 Bentonite	10 Fuel stor 11 Fertilizer 12 Insecticie 13 Watertig 13 Water We No 2 15 Installed? 15 Installed? 16 Installed? 17 Installed? 18 Installed? 19 Installed? 19 Installed? 10 Installed? 10 Installed? 11 Installed? 12 Insecticie 13 Water We 14 Installed? 15 Installed? 16 Installed? 17 Installed? 18 Installed? 18 Installed? 19 Installed? 10 Installed? 10 Installed? 10 Installed? 10 Installed? 11 Installed? 12 Installed? 13 Installed? 14 Installed? 15 Installed? 16 Installed? 17 Installed? 18 Installed? 18 Installed? 19 Installed? 10 Inst	rage storage de storage ht sewer lines fill Disinfected  Yes. X. I. HP .10  gal 5 tructed, or (3) 81  134	14 At (5 Oi 16 Oi	ft. to
Provided Intervals: From  What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines 1 Septic from well  Was a chemical/bacteriologic was submitted  Yes: Pump Manufacturer's 1 Septh of Pump Intake  Yepe of pump: CONTRACTOR'S OR LAN completed on  Ind this record is true to the This Water Well Record was 1 ame of Rosencram LOCATE WELL'S LOCATE	Neat cement  O ft. to f possible contant 4 Cess pool 5 Seepage pit 6 Pit privy  NE al sample submitmonth name	How ted to Department of the ted to Department	2 Cement grouttt., From7 Sewage lago 8 Feed yard 9 Livestock per many feet	3 Bentonite	10 Fuel stor 11 Fertilizer 12 Insecticie 13 Watertigie 13 Water Wester Wester 14 No 2 15 Installed? 15 Installed? 16 Installed? 16 Installed? 17 Installed? 18 Installed? 19 Installed? 19 Installed? 10 Installed? 10 Installed? 10 Installed? 10 Installed? 10 Installed? 10 Installed? 10 Installed? 11 Installed? 12 Installed? 12 Installed? 13 Installed? 14 Installed? 15 Installed? 16 Installed? 17 Installed? 18 Installed? 18 Installed? 19 Installed? 10 I	rage storage de storage ht sewer lines ell Disinfected  Yes . X. H	14 At (5 Oi 16 Oi	ft. to
routed Intervals: From  /hat is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines irrection from well  //as a chemical/bactenological as submitted  Yes: Pump Manufacturer's lepth of Pump Intake  Yepe of pump:  CONTRACTOR'S OR LANd or properties on  Ind this record is true to the his Water Well Record was a me of Rosencran LOCATE WELL'S LOCAT WITH AN "X" IN SECTION.	Neat cement  0 ft. to f possible contant 4 Cess pool 5 Seepage pit 6 Pit privy  1 Submersible  NDOWNER'S CE 5 best of my know completed on 1 Z-Bemis NON 0 5	How ted to Department of the ted to Depart	2 Cement grouttt., From	3 Bentonite	10 Fuel store 11 Fertilizer 12 Insecticit 13 Watertig! Water Wester Wester 14 Centrifued, (2) reconsider No	rage storage de storage ht sewer lines ell Disinfected  X YesX IHP10  gal 5 tructed, or (3) 81 134 by81	14 At (5 Oi 16 Oi	the to and oned water well well/Gas well her (specify below)  No If yes, date same so your gal./r 6 Other er my jurisdiction and so year under the busing thought of the clay and gravel
routed Intervals: From  what is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines irrection from well  was a chemical/bacteriological as submitted  Yes: Pump Manufacturer's lepth of Pump Intake  ype of pump:  CONTRACTOR'S OR LANd ompleted on  nd this record is true to the his water Well Record was lame of Rosencram LOCATE WELL'S LOCAT WITH AN "X" IN SECTION BOX:	Neat cement  O ft. to f possible contant 4 Cess pool 5 Seepage pit 6 Pit privy  N.E	M. I. R.  RTIFICATIO  Medge and  September 10  10  10  10  10  10  10  10  10  10	2 Cement grouttt From	3 Bentonite	10 Fuel stor 11 Fertilizer 12 Insecticie 13 Watertige? Water We No. 2 10 Installed? 12 CF 12 CF 14 Centrifuel 16 (2) reconse 16 day	rage storage de storage ht sewer lines ell Disinfected (Control of the control of	14 At (5 Oi 16 Ot	nt. to
routed Intervals: From  /hat is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines irection from well  //as a chemical/bactenological as submitted  Yes: Pump Manufacturer's epth of Pump Intake  Yepe of pump:  CONTRACTOR'S OR LANd or pumpleted on  Ind this record is true to the his Water Well Record was ame of ROSENCY and LOCATE WELL'S LOCAT WITH AN "X" IN SECTION IN SECT	Neat cement  0 ft. to f possible contant 4 Cess pool 5 Seepage pit 6 Pit privy  1 month month month 140 1 Submersible NDOWNER'S CE 5 best of my know completed on tz=Bemis ION FROM DN 0 5 10 30	M. L. R.  Pleage and S.  Ent. TO  5  10  30  50	2 Cement grout	3 Bentonite	4 Ott  10 Fuel stor  11 Fertilizer  12 Insecticie  13 Watertig  2 Water We  No. 2  10 Installed?  12 Insecticie  13 Watertig  2 Water We  12 Installed?  12 Insecticie  14 Centrifu  16 (2) reconst  16 Installed?  16 Insecticie  17 Insecticie  18 I	rage storage de storage ht sewer lines ell Disinfected (1	14 At (5 Oi 16 Ot 16 Ot 18 Ot	nt. to
routed Intervals: From /hat is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines irection from well //as a chemical/bactenological as submitted Yes: Pump Manufacturer's epth of Pump Intake ype of pump:  CONTRACTOR'S OR LANd ompleted on	Neat cement  0 ft. to f possible contant 4 Cess pool 5 Seepage pit 6 Pit privy  1 E al sample submitmonth name 1 40 1 Submersible NDOWNER'S CE 5 best of my know completed on 1 Z-Bemis ION FROM DN 0 5 10 30 50	M. L. R.  RTIFICATIO  Sent.  TO  5  10  30  50  65	2 Cement grout	3 Bentonite	4 Ott  10 Fuel stor  11 Fertilizer  12 Insecticie  13 Watertigie  Water We  No 2  p Installed?  trated at  4 Centrifue  d. (2) reconst  day  icense No.  FROM  120  163  165  168  172	rage storage de storage ht sewer lines ell Disinfected (Control of the control of	14 At (5 Oi 16 Ot 16 Ot 18 Ot	nt. to
routed Intervals: From  /hat is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines irrection from well  //as a chemical/bacteriological as submitted  / Yes: Pump Manufacturer's lepth of Pump Intake  / ype of pump:  CONTRACTOR'S OR LANd or properties on  Ind this record is true to the this Water Well Record was ame of Rosencham LOCATE WELL'S LOCAT WITH AN "X" IN SECTION BOX:	Neat cement  0 ft. to f possible contant 4 Cess pool 5 Seepage pit 6 Pit privy  1 E al sample submitmonth name 1 40 1 Submersible NDOWNER'S CE 5 best of my know completed on 1 Tz-Bemis ION FROM DN 0 5 10 30 50 65	M. L. R.  Property of the state	2 Cement grout	3 Bentonite	4 Ott  10 Fuel stor  11 Fertilizer  12 Insecticie  13 Watertigie  Water We  No. 2  p Installed?  tg. 12CF  rated at  4 Centrifue  d. (2) reconst  day  icense No.  FROM  120  163  165  168  172  183	rage storage de storage ht sewer lines ell Disinfected (1	14 At (5 Oi 16 Ot 16 Ot 18 Ot	nt. to
routed Intervals: From  /hat is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines irection from well  //as a chemical/bactenologicas submitted  Yes: Pump Manufacturer's epth of Pump Intake  ype of pump:  CONTRACTOR'S OR LANd or pumping the control of th	Neat cement  0 ft. to f possible contant 4 Cess pool 5 Seepage pit 6 Pit privy  1 Submersible NDOWNER'S CE 5 best of my know completed on 1 Z-Bemis NON 0 5 10 30 50 65 85	How ted to Department of the degree and the degree	2 Cement grouttt From	3 Bentonite	4 Ott  10 Fuel stor  11 Fertilizer  12 Insecticie  13 Water We  No 2  15 Installed?  16 Installed?  17 Insecticie  18 Water We  18 Installed?  19 Installed?  10 Installed?	rage storage de storage ht sewer lines ell Disinfected  Yes. X. H. HP .10  gal 5 tructed, or (3) 81  TO  163  165  168  172  183  217	Yes.HTH  O  Yes.HTH  O  Reciprocating plugged und  Sandy Sand a  Sandy Sand a  Brown Sand a	nt. to
routed Intervals: From  /hat is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines irrection from well  //as a chemical/bactenological as submitted  Yes: Pump Manufacturer's lepth of Pump Intake  Yepe of pump:  CONTRACTOR'S OR LANd ompleted on  Ind this record is true to the his Water Well Record was ame of Rosencram LOCATE WELL'S LOCAT WITH AN "X" IN SECTION IN SECTI	Neat cement  0 ft. to f possible contant 4 Cess pool 5 Seepage pit 6 Pit privy  1 Submersible  NDOWNER'S CE 5 best of my know completed on 1 Z-Bemis 1 NON 1 Submersible  NON 2 Submersible  NON 3 Submersible  N	How ted to Department of the degree and the degree	2 Cement grouttt From	3 Bentonite	4 Ott  10 Fuel stor  11 Fertilizer  12 Insecticie  13 Water We  No 2  15 Installed?  15 Installed?  16 Installed?  17 Installed?  18 Installed?  19 Installed?  10 Installed?  11 Installed?  12 Installed?  12 Installed?  13 Installed?  14 Installed?  15 Installed?  16 Installe	rage storage de storage ht sewer lines ell Disinfected (Control of the control of	14 At (5 Oi 16 Ot 16 Ot 18 Ot	nt. to
routed Intervals: From  That is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines irrection from well  That is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines irrection from well  That is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines irrection from well  That is the nearest source of 1 Sewer lines irrection from well  That is the nearest source of 1 Sewer lines irrection from well  That is the nearest source of 1 Sewer lines irrection from well  That is the nearest source of 1 Sewer lines irrection from well  That is the nearest source of 1 Sewer lines if the nearest source of 1 Sewer lines irrection from well  That is the nearest source of 1 Sewer lines if the nea	Neat cement  0 ft. to f possible contant 4 Cess pool 5 Seepage pit 6 Pit privy  1 Submersible NDOWNER'S CE 5 best of my know completed on 1 Z-Bemis NDN 0 5 10	How atted to Department of the ted to Departme	2 Cement grouttt From	3 Bentonite	4 Ott  10 Fuel stor  11 Fertilizer  12 Insecticie  13 Water We  No 2  15 Installed?  15 Installed?  16 Installed?  17 Installed?  18 Installed?  19 Installed?  10 Installed?  11 Installed?  12 Installed?  12 Installed?  13 Installed?  14 Installed?  15 Installed?  16 Installe	rage storage de storage ht sewer lines ell Disinfected  Yes. X. H. HP .10  gal 5 tructed, or (3) 81  TO  163  165  168  172  183  217	Yes.HTH  O  Yes.HTH  O  Reciprocating plugged und  Sandy Sand a  Sandy Sand a  Brown Sand a	nt. to
routed Intervals: From  What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines birection from well  Was a chemical/bacteriologic as submitted  Yes: Pump Manufacturer's bepth of Pump Intake  Yepe of pump:  CONTRACTOR'S OR LANd ompleted on  Ind this record is true to the this Water Well Record was lame of Rosencram  LOCATE WELL'S LOCAT WITH AN "X" IN SECTION BOX:	Neat cement  0 ft. to f possible contant 4 Cess pool 5 Seepage pit 6 Pit privy  1 Submersible  NDOWNER'S CE 5 best of my know completed on 1 Z-Bemis 1 NON 1 Submersible  NON 2 Submersible  NON 3 Submersible  N	How atted to Department of the tent of the	2 Cement grouttt From	3 Bentonite	4 Ott  10 Fuel stor  11 Fertilizer  12 Insecticie  13 Water We  No 2  15 Installed?  15 Installed?  16 Installed?  17 Installed?  18 Installed?  19 Installed?  10 Installed?  11 Installed?  12 Installed?  12 Installed?  13 Installed?  14 Installed?  15 Installed?  16 Installe	rage storage de storage ht sewer lines ell Disinfected  Yes. X. H. HP .10  gal 5 tructed, or (3) 81  TO  163  165  168  172  183  217	Yes.HTH  O  Yes.HTH  O  Reciprocating plugged und  Sandy Sand a  Sandy Sand a  Brown Sand a	nt. to
routed Intervals: From  That is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines sirection from well  Tas a chemical/bacteriologic as submitted  Yes: Pump Manufacturer's lepth of Pump Intake  Yepe of pump:  CONTRACTOR'S OR LANd ompleted on  Ind this record is true to the his Water Well Record was ame of Rosencran LOCATE WELL'S LOCAT WITH AN "X" IN SECTION BOX:	Neat cement  0 ft. to f possible contant 4 Cess pool 5 Seepage pit 6 Pit privy  1 E al sample submitmonth name	M. L. R.  W. L. R.  Medge and Company of the compan	2 Cement grouttt From	3 Bentonite  1. to  1.	4 Ott  10 Fuel stor  11 Fertilizer  12 Insecticie  13 Water We  13 Water We  14 Centrifue  15 (2) recons  16 (2) recons  17 (2) recons  18 (2	rage storage de storage ht sewer lines ell Disinfected (1.5 m. HP . 1.0 m. 1.3 m. 1.3 m. 1.3 m. 1.4 m. 1.5 m. 1.5 m. 1.6	Yes.HTH  Yes.HTH  10	ft. to

# **DRILLER'S TEST LOG**

Customer	Name:	ILS Land #	Date:	3/2/2018								
Address										Test No:		
County:_		Pawnee	Quarter:	SE	Section:	3	4	Town	ship:	22	Range:	16
Drilled Fo From	otage To		Description of	Strata			Indicate	Test Locat	ion by ar	X		
0	2	Top soil										
2	10	Brown cla	У									
10	52	Soft sandy	clay								ļ	
52	62	Soft ceme	nted sand									
62	85	Sand & gra	avel- small med	d clean coa	rse							
		loose	<u> </u>						_			
85	89	Green gra	y tinted clay									
89	110	Tan clay										
110	152	Green gra	y tan clay								ļ	
152	155	Cemented	sand streaks									
155	165	Green gra	y clay									
165	180	Gravel- fin	e to small clea	n					丄			
180	184	Tan clay				Static \	Water Le	evel:			Ft	
184	215	Sand & gra	avel- med clear	n coarse		Remar	ks:					
		w/ broken	rock (ironated	1)								
215	220	Gray shale										
	-+						n GPS- N					
-	-						le: 38.09	7				
		-						.0634 W				
	-	-				Elevati	on:					
										RECEIVED		
									M	AR <b>0 7</b> 20	18	
									Stat	ford Field Og		
						Driller:	Luis Lui	na	DIVISION	OF WATER RES	OURCES	
						Spot Lo	cation:	NE/ NW/	SE			