Kansas Department of Agriculture Division of Water Resources

CHANGE: P/D WORKSHEET

1. File Number: 38914	2. Status Change Date:	3. Change Num:	4. Field Office: 02	5. GMD: 05
6. Status: ☑ Approved ☐ Den	ied by DWR/GMD	Dismiss by Reques	t/Failure to Return	7. Filing Date of Change:
8a. Applicant(s) New to system □	Person ID Add Seq#	8c. Landown New to sy	· ·	Person ID Add Seq#
8b. Landowner(s) New to system ADDRESS CHANGE DENNIS & RUTH A TEIC 434 E OLD HWY 50 STAFFORD KS 67578-78		8d. WUC New to sy		Person ID <u>27543</u> Add Seq# <u>1</u>
9. Documents and Enclosure(s): 🛛 D	WR Meter(s) Date to Comp	oly: 12/31/18	☑ N & P Date to	Comply: 12/31/18
☐ Anti-Reverse Meter ☐ Meter☐ Conservation Plan Date Requi			☑ Water Tube ☑ D 7/31/18 Date to	riller Copy
10. Use Made of Water From:		To:		
			Date Prepared: 7/31/ Date Entered:	18 By: TJS By:

File No. 38914	11. County: STAFFORD		Bas	sin: Ar	'kansa	as Riv	er	_		s	tream	: -						(L	Indiffere	Code: 18 ntiated ebraskan	Special Use: -	
12. Points of Diversion CHK														Rate	and Q	uantity						
MOD DEL PDIV														,	Authori	zed		А	dditional			
ENT Qualifier	S	Т	R 	ID		'N	'VV		Com	ment	(AKA	Line)		Rate gpm/e		Quanti af/mg		Rate gpm/e		uantity f/mgy	Overlap PD Files	
DEL 1810				1												<u>.</u>	,				None	i
ENT NC SE	16 24	S 12	w		1	340	1366	0						No d	hang	e to ra	te or	quant.			None	
															_							
																						
		==		<u>.</u>		= _		<u></u>				_				·						
13. Storage: Rate			Quan						_ac/ft	A	dditior	nal Rat	e			-	NF	Add	itional Qu	antity		ac/ft
14. Limitation:																						
Limitation:	af/yr at			-	<u> </u>	gpm (_		_	===	cfs) w	hen co	ombine	d with	i file n	umber	(s)	_==					
15. 5YR Allocation: Allocation	Type	Stai	rt Year			5 YR	Amou	int		Amo	ount U	nit _		Base	Acres		_ c	omment				
16. Place of Use CHK			NE	1/4			NV	V ½	-		SI	N1/4			S	E1/4		Total	Owner	Chg?	Overlap Files	
MOD DEL ENT PUSE S T R	ID	NE ¼	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE ¼	NE ¼	NW ¼	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW ¼	SE ¼			-		i
CHK 34587 16 24S											-	<u> </u>							8b.	No	None	
																				,		
				_																	···	
																			<u> </u>			
	· ··			_	_									_		· <u>-</u>						
Base Acres: Year:	Minimum Rea	L	<u>ــــــــــا</u> در مام	ntitye		<u> </u>		<u></u>	<u> </u>	I		<u> </u>	<u>— </u>	<u> </u>		<u> </u>	l <u> </u>	<u> </u>	<u> </u>			
Comments:	мининит кеа	OBIIO	ie Qua	aruty:																		
Comments.																						

CERTIFICATE OF SERVICE

On this **31**st day of **July**, **2018**, I hereby certify that the attached Change in Point of Diversion for Water Right, File No. **38914**, dated **July 31**, **2018** was hand delivered to the following:

Dennis Teichman

Staff

Submit completed application to: Kansas Department of Agriculture Division of Water Resources Field Office for your area. Call for address:

Topeka -- (785) 296-5733 Stafford -- (620) 234-5311 Stockton -- (785) 425-6787 Garden City -- (620) 276-2901 http://agriculture.ks.gov/dwr

DWR FIELD OFFICE APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF USE AND/OR THE POINT OF DIVERSION



STATE OF KANSAS

WATER METER REQUIRED

Filing Fee Must Accompany the Application, K.S.A. 82a-708b(b), as amended. Fee Schedule is on the third page of this application form.

Paragraph Nos. 1, 2, 3 & 5 must be completed. Complete all other applicable portions. If change in point of diversion is greater than 100 feet, or if place of use will be changed, include a topographic map or detailed plat showing the authorized and proposed point(s) of diversion and/or place of use.

						F	File No	. <u>38,9</u> ′	14								7	recen // ://5 L 3 1	AM
1. 7	Application	on is he	reby n	nade fo	or appi	oval o	f the C	hief E	nginee	er to ch	ange t	he (ch	eck or	ie or b	oth):			-	
						□Р	lace of	f Use		\boxtimes	Point o	of Dive	ersion			DIV		ford Field WME	d Office P RESOURCES
l	under the	e water	right w	<i>i</i> hich is	s the s	ubject	of this	applic	ation i	n acco	rdance	with t	he cor	nditions	s desc	ribed t	elow.		
-	The sour	rce of su	si ylqqı	3:		⊠G	Ground	water			Surfac	e wate	er						
2. 1	Name an	nd addri	eee nf	Applic:	ant: D	ennis '	Teichn	nan											
	434 E Ol			• •				IGII			•								
_	Phone N					010 .	000		Email	addres	ss: n/a	 1					-		
	Name an		~			orresp	 onden	t: Der											
	434 E OI																		
_	Phone N								Email	addre:	ss: <u>n/a</u>	3							
	The pres					ise is:						_							
	Owner of	-		•			th A Te	eichma	an										
			ADDRE							S 6757	8-780	5							
((If there is	s more th	ian one	landov	vner, at	tach su	ppleme	ental sh	ieets as	neces	sary.)								
				NE	E1⁄4			NV	N¼			SV	V¼			SF	Ε1/4		TOTAL
Sec	. Twp.	Range	NE¼	NW1/4		SE1/4	NE1/4	NW1/4	T	SE1/4	NE1/4	NW¼		SE1/4	NE1/4	NW1/4	SW1/4	SE¼	ACRES
16		12W													40	40	40	40	160
									 							 	 		
(If this ap Owner of	of Land -	NA ADDRI	AME: J ESS: :	<u>NO CF</u>	HANGE	<u> </u>					ace of	use be	e chan	ged to	:			
				N!	E¼			N\	W1/4				N1/4			SI	E¼		TOTAL
Sec	. Twp.	Range	NE1/4	Ι΄ Ι		SE1/4	NE1/4	NW¼	T	SE1/4	NE1/4	NW¼	1	SE¼	NE¼	1	T	SE1/4	ACRES
						 	#		 	 	 				1	\dagger	 		
			<u> </u>	<u> </u>	<u></u>	<u> </u>	<u> </u>		<u></u>	<u> </u>	<u></u>			1	<u></u>	1	<u></u>	<u> </u>	
	For Offic	ce Use	Only:	Code		Fe	e \$ <u>/0</u>	0	TR	#		Re		Date _			Chec	:k# <u>2</u>	759

_	The state of the s					
5.	Presently authorized point of diversion:		_		0-	
1	One in the Quarter of the	NC	Quarter of	the	SE	Quarter
	of Section 16, Township 2	24	South, Ra	nge	12	(W),
	in Stafford County, Kansas, 1,340 feet					
	Authorized Rate 930 GPM Authorized Quantity 180					
	(DWR use only: Computer ID No. 1 GPS		feet North		feet We	st)
	☐This point will not be changed ☐This point will be changed as f					
	Proposed point of diversion: (Complete only if change is t					
Ì	One in the Quarter of the	NC	Quarter of	the	SE	Quarter
	of Section 16 , Township 2	24	South, Ra	nge	12	(W),
ļ	in Stafford County, Kansas, 1,340 feet	t North1	1 <u>,360</u> feet '	West of Sou	theast corner	of section.
	Proposed Rate <u>no chang</u> Proposed Quantity <u>no</u>	change	Proposed w	ell depth (fee	t)~1	
	This point is: Additional Well Geo Center List other v	water rights	that will use t	his point <u>nor</u>	ne	
_						
6.	Presently authorized point of diversion:		-			
0.	One in the Quarter of the		Quarter of	the		Quarter
Ì	of Section, Township		South Ra	nne	** *	(ΕΛΛΛ)
	in County, Kansas, fee					
1	Authorized Rate Authorized Quantity					
	(DWR use only: Computer ID No GPS This point will not be changed This point will be changed as f					
ŀ	Proposed point of diversion: (Complete only if change is			 :	==	
ļ	One in the Quarter of the		Quarter of	r the		Quarter
	of Section, Township					
ŀ	in County, Kansas, fee					
	Proposed Rate Proposed Quantity					
	This point is: Additional Well Geo Center List other	water rights	that will use t	his point		·
_		40h		f alice and a series	ll bala aatad	within 200 foo
7.	The changes herein are desired for the following reasons? (please be specific) old well has failed.		oposed point o existing point			
	(please be specific) old well rias lailed.	diagran	n shown abov	∕e in relatio	n to the exi	sting point of
		diversio	n. (PLEASE represents	NOIE: The	: "X" in cent itly authoriz	er of diagram red point of
	*	diversi		the proces	ing additiona	ou ponit s
8.	If a well, is the test hole log attached? Yes No					
Ω	The change(s) (was)(will be) completed by?	30	0 200	North	100 2	00 300
9.			<u>indungindu</u>	HITTER HITTER	սուլյուսո ւ	
	as soon as possible			<u> </u>	<u>'</u> -	<u>'</u> - = 1
10	If the point of diversion is a well:	200	<u> </u>	+ 1 = = = + 1 = = = + 1 = = = = = = = =	1 1	<u> </u>
10.	•	200	-	' ' <u>=</u>	1 1	1 = 200
	(a) What are you going to do with the old well?		_	_ =		_ =
	plug it	100	- +	+ =	1 + 1 -	
			<u> </u>	<u> </u>		_ 🗐
	(b) When will this be done? when new well is complete		=	=		, <u>.</u>
	0 1 4 14 15 15 15 15 15 15 15 15 15 15 15 15 15	West 0] 	· —	•	
11.	Groundwater Management District recommendation attached?	,	-	_ =	- -	- =
	Yes No	100	<u> </u>	+ =	+ 1 -	<u>+ ∃</u> 100
12	Assisted by CRC-SFFO	100		' -	1 1 1	']
12.,	Assisted by Otto-of 1 O	}	_ _	_ =		- =
13a	a. If the proposed point of diversion will be relocated more than 300	200		- = + 1 = =	1 + 1 -	│
	feet but within 2,640 feet of the existing point of diversion, attach a topographic map or aerial photograph. For groundwater		<u> </u>	_ =		
	sources, show all wells (including domestic) within one-half mile			etygų Ē.	ااا	11
	of the proposed point of diversion and the names and mailing		200 200	100 0	100 2	<i>00</i> 300
	addresses of the owners. For surface water sources, show the names and addresses of the landowner(s) one-half mile		101 3	1 2018 South	Scale: 1 ha.	shmark=10 ft
	downstream and one-half mile upstream from your property			- en - p. 52 (52		
	lines			field Office	t:	
	*115-5FF0		DIVISION OF W.	vers (0.800.AU)	.5	

*13-5FF0

14. If the proposed groundwater point of diversion is 300 or fewer fee	t from the existing point of diversion, complete the following:
 (a) Does the undersigned represent all owners of the currently at	
 (b) Will the ownership interest of any owner of the currently aut affected if this application is approved as requested? ☐ Yes ☑ No (If yes, all owners must sign this at the currently automated) 	thorized place(s) of use identified in this application be adversely pplication.)
(c) If this application is not approved expeditiously, will there be ⊠ Yes □ No (If no, all owners must sign this ap	substantial damage to property, public health or safety? oplication.)
If the application proposes a surface water change in point of diversio or a change in place of use, the application must be signed by all own agent (attach notarized statement authorizing representation).	
I hereby verify, being first duly sworn upon my oath or affi age and the owner, the spouse of the owner, or a duly auth their behalf, in regards to the water right(s) to which this contained in this application are true, correct and complete	norized agent of the owner(s) to make this application on application pertains. I further verify that the statements
Dated at <u>Stafford</u> , Kansas, t	his <u>31st</u> day of <u>July</u> , 20 <u>18</u> .
(Owner)	(Spouse)
(Please Print)	(Please Print)
Owner) Teichman	(Spouse)
(Please Print)	(Please Print)
(Owner)	(Spouse)
(Please Print)	(Please Print)
State of Kansas County of Stafford Ss	
I hereby certify that the foregoing application was signed of 2014 2018	in my presence and sworn to before me this <u>3</u> day
NOTARY PUBLIC - State of K	DEZ Den de Helmandy Notary Public
My Commission Expires 6	
ONLY COMPLETE APPLICATIONS WILL BE PROCESSED. To be complete accurate information; maps, if necessary, must be included; signatures of all the appropriate fee must be paid.	, all of the applicable portions of the application form must be completed with ne appropriate owners' must be affixed to the application and notarized; and
FEE SCH	<u>EDULE</u>
Each application to change the place of use or the point of diversion use forth in the schedule below: Make checks payable to: Kansas Depa (1) Application to change a point of diversion 300 feet or less (2) Application to change a point of diversion more than 300 (3) Application to change the place of use	rtment of Agriculture \$100 feet\$200

Stafford field Office DIVISION OF WATER RESOURCES

SUMMARY ORDER APPROVING APPLICATION FOR CHANGE AND IMPOSING CONDITIONS

This Summary Order is issued under authority of K.S.A. 82a-708b, as amended, and K.A.R. 5-5-1, et seq. and other applicable provisions of the Kansas Water Appropriation Law, K.S.A. 82a-701 et. seq., and rules and regulations promulgated thereunder, With the exception of those conditions expressly contained herein, this Summary Order does not change the terms, conditions and limitations of File No. 38,914 requesting that the place of use and / or point of A change application was received on July 31, 2018 diversion authorized under the above-referenced file number be changed as described in the application. On and after the effective date of this summary order, the authorized place(s) of use shall be located substantially as shown on the topographic map accompanying the application to change the place of use. ☐ Applicable Not Applicable The change in point of diversion shall not impair existing rights and shall be limited to the same source or sources of water as previously authorized. The point of diversion authorized by this summary order shall be located within a 50 ______ foot 3. radius of the authorized point(s) of diversion.

Applicable ☐ Not Applicable The point(s) of diversion described herein is administratively corrected to be more accurately described using the Global Positioning System (GPS), as described in the application. ☐ Applicable ☒ Not Applicable The point(s) of diversion authorized herein shall not actually be located more than <u>90</u> authorized point(s) of diversion.

☐ Applicable ☐ Not Applicable feet from the previously 5. As required by K.A.R. 5-3-5d, if the works for diversion is a well with a diversion rate of 100 gallons per minute or more, a tube or other device suitable for making water level measurements shall be installed, operated and maintained in accordance with Applicable Not Applicable The owner of the authorized place(s) of use shall properly install an acceptable water flow meter on or before December 31, 2018, or before the first use of water, whichever occurs first. The water flow meter shall be installed, operated and maintained in accordance with K.A.R. 5-1-4 through 5-1-12. As required by K.S.A. 82a-732, as amended, and K.A.R. 5-3-5e, the owner shall maintain records and report the reading of the water flow meter and the total quantity of water diverted annually to the Chief Engineer by March 1 following the end of each calendar year. Applicable Not Applicable Installation of the works for diversion of water shall be completed on or before December 31, 2018, or within any authorized extension of time. By March 1, 2019 the applicant shall notify the Chief Engineer that construction of the works for diversion has been completed, on the form provided by the Chief Engineer, as required by K.A.R. 5-8-4e. ☐ Not Applicable The completed well log shall be submitted with the required notice. Applicable ☐ Not Applicable 10. All diversion works into which any type of chemical or other foreign substance will be injected into the water shall be equipped with an in-line, automatic, quick-closing check valve capable of preventing pollution of the source of the water supply. The check valve(s) shall be installed, operated and maintained in accordance with K.A.R. 5-3-5c. ☒ Applicable ☐ Not Applicable 11. Additional Conditions are attached. ☐ Yes ⊠ No 12. In accordance with K.S.A. 82a-708a, as amended, and K.A.R. 5-5-14, all of the owners of the authorized place(s) of use of water appropriated under the above-referenced file number are responsible for compliance with its terms, conditions and limitations, as amended and/or supplemented by this Summary Order, and with applicable provisions of the *Kansas Water Appropriation Law* and the *Rules and Regulations* promulgated thereunder. Failure to comply with these provisions may result in civil penalties pursuant to K.S.A. 82a-737, as amended, and/or the suspension or revocation and dismissal of the water or appropriation right or any other enforcement actions authorized by law. Administrative Appeal and Effective Date of Order FOR OFFICE USE ONLY APPLICATION APPROVED AND If you are aggrieved by this order, pursuant to K.S.A. 82a-1901, SUMMARY ORDER ISSUED you may request an evidentiary hearing before the Chief Éngineer or request administrative review by the Secretary of Agriculture. A request for hearing by the Chief Engineer must be filed within 15 days of service of this Order and a request for Duly Authorized Designee of the Chief Engineer administrative review by the Secretary must be filed within 30 days pursuant to K.S.A. 77-531. Any request for administrative review must state a basis for review pursuant to K.S.A. 77-527. Lenterman (Print Name): Division of Water Resources - Kansas Department of Agriculture File any request with Kansas Department of Agriculture, Date of Issuance: Legal Division, 1320 Research Park Drive, Manhattan, KS 66502. Failure to timely request a hearing or review may State of Kansas preclude review under the Kansas Judicial Review Act. SS For Use by Register of Deeds County of * IIS-SFFO Acknowledged before me on NOTARY PUBLIC - State of Kansas ELIZABETH M. DAVIDSON My Appt. Exp. 10/31/2001 Signature: <u>1</u> Notary Public RECEIVED My commission expires:

DWRS1aff21d(Revised 04/5/2018)

JUL **3 1** 2018

(Notary Seal)

		WAIL	R WELL RECORD	Form WWC-5				
LOCATION OF WA		Fraction	er ila	ŀ	tion Number	,		Range Number
County: Staff	<u>ford</u>			1/4	16	<u>T 24</u>	<u> </u>	R 12 F(W)
istance and directio	n from nearest tov	wn or city street a	address of well if located	within city?				
			cd, KS					
WATER WELL O								
R#, St. Address, B itv. State. ZIP Code	ox # : 402 N	. Union	7.70					Division of Water Resource
ity, State, ZIP Code	: Staile	ord, K5 6/2	0/8	1.63		Applicat	ion Number:	38,914
LOCATE WELL'S	LOCATION WITH	4 DEPTH OF (COMPLETED WELL	103	. ft. ELEVA	NTION:		
AN "X" IN SECTION	N BOX:							3 ,
; <u>!</u>								
\w	NE							umping gpm
NW	-	Est. Yield	²⁰⁰ . gpm: Well water	was	ft. ε	after	hours pu	umping gpm
i		Bore Hole Diam	neterin. to .			and	ir	umping gpm n. to
w	T '		TO BE USED AS:					
. 1	1 🖖 📗	1 Domestic						Other (Specify below)
sw	" "" 추 ""	2 Irrigation	4 Industrial	7 Lawn and g	arden only	10 Monitoring w	rell	
		Was a chemical	/bacteriological sample s	ubmitted to De	partment? Y	'esNo	; If yes	s, mo/day/yr sample was sul
,	S	mitted		-		ater Well Disinfe		
TYPE OF BLANK	CASING USED:		5 Wrought iron	8 Concre	rte tile	CASING .	IOINTS: Glue	ed Clamped
1 Steel	3 RMP (S	R)	6 Asbestos-Cement	9 Other (specify belo	w)	Wek	ded . 🗴
2 PVC	4 ABS		7 Fiberglass					aded
Mank casing diamete	er16	in to	ft., Dia	in. to		ft., Dia		. in. to ft.
asing height above	land surface	12 	in., weight42	• 05	Ibs.	/ft. Wall thicknes	s or gauge N	in. to
TYPE OF SCREEN	OR PERFORATIO	N MATERIAL:		7 PV	C	10 A	sbestos-cem	ent
1 Steel	3 Stainles	s steel	5 Fiberglass	8 RM	P (SR)	11 (Other (specify)
2 Brass	4 Galvania	zed steel	6 Concrete tile	9 ABS	S	12 N	lone used (o	pen hole)
CREEN OR PERF	ORATION OPENIN	IGS ARE:	5 Gauze	d wrapped		8 Saw cut		11 None (open hole)
1 Cantianana		ATIL ALAA	C 146			9 Drilled hole		
1 Continuous s	slot 3 N	Aill slot	P Mile /	vrapped				
2 Louvered shi		ley punched	7 Torch	cut		10 Other (spe	cify) Do.e.i	rr
2 Louvered shi	utter 4 K	ley punched	7 Torch	cut		10 Other (spe	cify) Do.e.i	rr
2 Louvered shi	utter 4 K	Sey punched	7 Torch	cut 103	ft., Frc	10 Other (spe	cify) . Doei	to
2 Louvered shi SCREEN-PERFORA	utter 4 K TED INTERVALS:	From	7 Torch 63 ft. to	cut 103	ft., Fro	10 Other (speom	cify) . Doe: ft. ft.	to
2 Louvered shi SCREEN-PERFORA	utter 4 K	From	7 Torch 63 ft. to ft. to 20 ft. to	cut 103	ft., Fro	10 Other (specom	cify) . Doe1 ft. ft. ft.	toft toft
2 Louvered shi SCREEN-PERFORA GRAVEL P	utter 4 K .TED INTERVALS: PACK INTERVALS. AL: 1 Neat	From	7 Torch 63 ft. to 10 ft. to 20 ft. to 2 Cement grout	103	ft., Fro	10 Other (specom	cify) Does ft ft ft ft.	to
2 Louvered shi SCREEN-PERFORA GRAVEL P	utter 4 K .TED INTERVALS: PACK INTERVALS. AL: 1 Neat	From	7 Torch 63 ft. to 10 ft. to 20 ft. to 2 Cement grout	103	ft., Fro	10 Other (specom	cify) Does ft ft ft ft.	to
2 Louvered shi SCREEN-PERFORA GRAVEL P GROUT MATERIA Grout Intervals: Fi	utter 4 K .TED INTERVALS: PACK INTERVALS AL: 1 Neat	From	7 Torch 63 ft. to 10 ft. to 20 ft. to 2 Cement grout	103	ft., Froft., Froft., Froft., Froft., Froft., Froft.	10 Other (specom	cify) Does	toft toft toft toft
2 Louvered ship SCREEN-PERFORA GRAVEL P GROUT MATERIA Grout Intervals: Fi What is the nearest	utter 4 K .TED INTERVALS: PACK INTERVALS AL: 1 Neat	From	7 Torch 63 ft. to 10 ft. to 20 ft. to 2 Cement grout	103	ft., Froft., Froft., Froft., Froft., Froft., Froft., Froft., Froft.	omom Other (spe	cify) Doesftftftft.	to
2 Louvered shi SCREEN-PERFORA GRAVEL P GROUT MATERIA Grout Intervals: Fi	utter 4 K TED INTERVALS: PACK INTERVALS AL: 1 Neat rom. 0 source of possible 4 Late	From	7 Torch 63 ft. to 20 ft. to 2 Cement grout ft., From 7 Pit privy	cut 103 	ft., Froft., F	omomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomomom	cify) Doesftftftft.	to
2 Louvered shifts CREEN-PERFORA GRAVEL P GROUT MATERIA Grout Intervals: Fit Mhat is the nearest 1 Septic tank 2 Sewer lines	utter 4 K TED INTERVALS: PACK INTERVALS AL: 1 Neat rom. 0 source of possible 4 Late 5 Cess	From	7 Torch 63 ft. to 10 ft. to 20 ft. to 2 Cement grout 11 ft., From	cut 103 	ft., Froft., Froft	omomomomomomomomomomomotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherotherother	cify) Doesftftftft.	to
2 Louvered shifts CREEN-PERFORA GRAVEL P GROUT MATERIA Grout Intervals: Fit Mhat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se	utter 4 K TED INTERVALS: PACK INTERVALS AL: 1 Neat rom. 0 Source of possible 4 Late 5 Cess ewer lines 6 See	From	7 Torch 63 ft. to 10 ft. to 20 ft. to 2 Cernent grout 11 ft., From 7 Pit privy 8 Sewage lago	cut 103 	ft., Froft.,	om	cify) Does ft ft ft ft ft ft ft.	to ft Chandoned water well Oil well/Gas well Other (specify below)
2 Louvered shifts CREEN-PERFORA GRAVEL P GROUT MATERIA Grout Intervals: Fit Mhat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se	utter 4 K TED INTERVALS: PACK INTERVALS AL: 1 Neat rom. 0 Source of possible 4 Late 5 Cess ewer lines 6 See	From	7 Torch 7 Torch 15. ft. to 20 ft. to 2 Cernent grout 15. From 7 Pit privy 8 Sewage lago 9 Feedyard	cut 103 	ft., Froft.,	om	cify) Does ft ft ft ft ft ft ft.	to
2 Louvered shifts CREEN-PERFORA GRAVEL P GROUT MATERIA Grout Intervals: From the nearest 1 Septic tank 2 Sewer lines 3 Watertight so Direction from well? FROM TO	utter 4 K TED INTERVALS: PACK INTERVALS AL: 1 Neat rom. 0	From	7 Torch 7 Torch 15	3 Bento	ft., Froft., Froft	om	cify) Doe:ftftftftft	to
2 Louvered shifts CREEN-PERFORA GRAVEL P GROUT MATERIA Grout Intervals: Fr What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO	utter 4 K TED INTERVALS: PACK INTERVALS AL: 1 Neat rom. 0	From	7 Torch 7 Torch 15	3 Bento	ft., Froft., Froft	om	cify) Doe:ftftftftft	to
2 Louvered shifts CREEN-PERFORA GRAVEL P GROUT MATERIA Grout Intervals: From the is the nearest 1 Septic tank 2 Sewer lines 3 Watertight second from well? FROM TO 0 12 12 18	utter 4 K TED INTERVALS: PACK INTERVALS AL: 1 Neat rom. 0 source of possible 4 Late 5 Cess ewer lines 6 Seel topsoil c clay grees	From	7 Torch 7 Torch 11. to 12. to 12. to 13. to 14. to 15. to 16. to 17. pit privy 18. Sewage lago 19. Feedyard 19. LOG 19. gray	3 Bento ft.	10 Lives 11 Fuel 12 Ferti 13 Inse How ma	om	cify) Doe:ftftftftft	to ft Chandoned water well Oil well/Gas well Other (specify below)
2 Louvered shifts and the second seco	tter 4 K TED INTERVALS: PACK INTERVALS AL: 1 Neat rom. 0 source of possible 4 Late 5 Cess ewer lines 6 Seep topsoil c clay greet sand fine	From	7 Torch 7 Torch 11. to 12. to 12. to 13. to 14. to 15. to 16. to 17. pit privy 18. Sewage lago 19. Feedyard 19. LOG 19. gray	3 Bento ft.	10 Lives 11 Fuel 12 Ferti 13 Inse How ma	om	cify) Doe:ftftftftft	to
2 Louvered shifts and the second seco	tter 4 K TED INTERVALS: PACK INTERVALS AL: 1 Neat rom. 0 source of possible 4 Late 5 Cess ewer lines 6 Seep topsoil c clay gree sand fine clay gree	From	7 Torch 63 ft. to 20 ft. to 20 ft. to 2 Cernent grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard C LOG gray	3 Bento 103 3 Bento ft.	10 Lives 11 Fuel 12 Ferti 13 Inse How ma	om	cify) Doe:ftftftftft	to
2 Louvered ships and the second secon	tter 4 K TED INTERVALS: PACK INTERVALS AL: 1 Neat rom. 0 source of possible 4 Late 5 Cess ewer lines 6 Seep topsoil c clay gree sand fine clay gree sand & gr	From	7 Torch 63 ft. to 10 ft. to 20 ft. to 2 Cement grout 11, From 7 Pit privy 8 Sewage lago 9 Feedyard 2 LOG gray clay to med to coars	3 Bento 103 3 Bento ft.	10 Lives 11 Fuel 12 Ferti 13 Inse How ma	om	cify) Doe:ftftftftft	to
2 Louvered ships of the second	utter 4 K TED INTERVALS: PACK INTERVALS AL: 1 Neat rom. 0 source of possible 4 Late 5 Cest ewer lines 6 Seep topsoil c clay greet sand fine clay greet sand & gr. clay tan	From	7 Torch 7 Torch 15 ft. to 16 ft. to 20 ft. to 16 to 17 ft. to 18 to 19 Cement grout 19 From 19 Pit privy 10 Sewage lago 10 Feedyard 10 LOG 11 gray 12 clay 13 clay 14 med to coars 15 gray clay	3 Bento 103 3 Bento ft.	10 Lives 11 Fuel 12 Ferti 13 Inse How ma	om	cify) Doe:ftftftftft	to
2 Louvered shifts and the second seco	tter 4 K TED INTERVALS: PACK INTERVALS AL: 1 Neat rom. 0 source of possible 4 Late 5 Cest ewer lines 6 Seep topsoil c clay greet sand fine clay greet sand & gr clay tan sand & gr	From	7 Torch 7 Torch 15 ft. to 16 ft. to 20 ft. to 16 to 17 Ft. to 18 Sewage lagon 19 Feedyard 10 LOG 10 gray 10 med to coars 10 gray clay 10 med	3 Bento 103 3 Bento ft.	10 Lives 11 Fuel 12 Ferti 13 Inse How ma	om	cify) Doe:ftftftftft	to
2 Louvered shifts CREEN-PERFORA GRAVEL P GROUT MATERIA Grout Intervals: From that is the nearest 1 Septic tank 2 Sewer lines 3 Watertight second from well? FROM TO 0 12 18 18 20 20 31 31 73 73 80 80 102	tter 4 K TED INTERVALS: ACK INTERVALS AL: 1 Neat rom. 0 source of possible 4 Late 5 Cess ewer lines 6 Seep topsoil c clay gree sand fine clay gree sand & gr clay tan sand & gr	From	7 Torch 7 Torch 15 ft. to 16 ft. to 20 ft. to 16 to 17 Ft. to 18 Sewage lagon 19 Feedyard 10 LOG 10 gray 10 med to coars 10 gray clay 10 med	3 Bento 103 3 Bento ft.	10 Lives 11 Fuel 12 Ferti 13 Inse How ma	om	cify) Doe:ftftftftft	to
2 Louvered shifts CREEN-PERFORA GRAVEL P Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 12 12 18 18 20 20 31 31 73 73 80	tter 4 K TED INTERVALS: ACK INTERVALS AL: 1 Neat rom. 0 source of possible 4 Late 5 Cess ewer lines 6 Seep topsoil c clay gree sand fine clay gree sand & gr clay tan sand & gr	From	7 Torch 7 Torch 15 ft. to 16 ft. to 20 ft. to 16 to 17 Ft. to 18 Sewage lagon 19 Feedyard 10 LOG 10 gray 10 med to coars 10 gray clay 10 med	3 Bento 103 3 Bento ft.	10 Lives 11 Fuel 12 Ferti 13 Inse How ma	om	cify) Doe:ftftftftft	to
2 Louvered shifts CREEN-PERFORA GRAVEL P GROUT MATERIA Grout Intervals: Fit Vhat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 12 12 18 18 20 20 31 31 73 73 80 80 102	tter 4 K TED INTERVALS: ACK INTERVALS AL: 1 Neat rom. 0 source of possible 4 Late 5 Cess ewer lines 6 Seep topsoil c clay gree sand fine clay gree sand & gr clay tan sand & gr	From	7 Torch 7 Torch 15 ft. to 16 ft. to 20 ft. to 16 to 17 Ft. to 18 Sewage lagon 19 Feedyard 10 LOG 10 gray 10 med to coars 10 gray clay 10 med	3 Bento 103 3 Bento ft.	10 Lives 11 Fuel 12 Ferti 13 Inse How ma	om	cify) Doe:ftftftftft	to
2 Louvered shifter and the CREEN-PERFORA GRAVEL P GROUT MATERIA Grout Intervals: Fire the properties of the propertie	tter 4 K TED INTERVALS: ACK INTERVALS AL: 1 Neat rom. 0 source of possible 4 Late 5 Cess ewer lines 6 Seep topsoil c clay gree sand fine clay gree sand & gr clay tan sand & gr	From	7 Torch 7 Torch 15 ft. to 16 ft. to 20 ft. to 16 to 17 Ft. to 18 Sewage lagon 19 Feedyard 10 LOG 10 gray 10 med to coars 10 gray clay 10 med	3 Bento 103 3 Bento ft.	10 Lives 11 Fuel 12 Ferti 13 Inse How ma	om	cify) Doe:ftftftftft	to fit to fit to fft to fft to fft to fft Abandoned water well Other (specify below)
2 Louvered shifts CREEN-PERFORA GRAVEL P GROUT MATERIA Grout Intervals: Fire Mhat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 12 12 18 18 20 20 31 31 73 73 80 80 102	tter 4 K TED INTERVALS: ACK INTERVALS AL: 1 Neat rom. 0 source of possible 4 Late 5 Cess ewer lines 6 Seep topsoil c clay gree sand fine clay gree sand & gr clay tan sand & gr	From	7 Torch 7 Torch 15 ft. to 16 ft. to 20 ft. to 16 to 17 Ft. to 18 Sewage lagon 19 Feedyard 10 LOG 10 gray 10 med to coars 10 gray clay 10 med	3 Bento 103 3 Bento ft.	10 Lives 11 Fuel 12 Ferti 13 Inse How ma	om	cify) Doe:ftftftftft	to fit to fit to fft to fft to fft to fft Abandoned water well Other (specify below)
2 Louvered shifter and the CREEN-PERFORA GRAVEL P GROUT MATERIA Grout Intervals: Fire the properties of the propertie	tter 4 K TED INTERVALS: ACK INTERVALS AL: 1 Neat rom. 0 source of possible 4 Late 5 Cess ewer lines 6 Seep topsoil c clay gree sand fine clay gree sand & gr clay tan sand & gr	From	7 Torch 7 Torch 15 ft. to 16 ft. to 20 ft. to 16 to 17 Ft. to 18 Sewage lagon 19 Feedyard 10 LOG 10 gray 10 med to coars 10 gray clay 10 med	3 Bento 103 3 Bento ft.	10 Lives 11 Fuel 12 Ferti 13 Inse How ma	om	cify) Doe:ftftftftft	tofi tof tof tof Abandoned water well Other (specify below)
2 Louvered shifts CREEN-PERFORA GRAVEL P GROUT MATERIA Grout Intervals: Fire Mhat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 12 12 18 18 20 20 31 31 73 73 80 80 102	tter 4 K TED INTERVALS: ACK INTERVALS AL: 1 Neat rom. 0 source of possible 4 Late 5 Cess ewer lines 6 Seep topsoil c clay gree sand fine clay gree sand & gr clay tan sand & gr	From	7 Torch 7 Torch 15 ft. to 16 ft. to 20 ft. to 16 to 17 Ft. to 18 Sewage lagon 19 Feedyard 10 LOG 10 gray 10 med to coars 10 gray clay 10 med	3 Bento 103 3 Bento ft.	10 Lives 11 Fuel 12 Ferti 13 Inse How ma	om	cify) Doe:ftftftftft	to
2 Louvered shifts CREEN-PERFORA GRAVEL P GROUT MATERIA Grout Intervals: Fit What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 12 12 12 18 18 20 20 31 31 73 73 80 80 102	tter 4 K TED INTERVALS: ACK INTERVALS AL: 1 Neat rom. 0 Source of possible 4 Late 5 Cess ewer lines 6 Seep topsoil c clay gree sand fine clay gree sand & gr clay tan sand & gr little co clay	From	7 Torch 63 ft. to 20 ft. to 20 ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lage 9 Feedyard CLOG gray clay to med to coars so gray clay to med	Cut 103	10 Lives 11 Fuel 12 Ferti 13 Inse How ms TO 63	10 Other (spectrum) om	cify) Doerft. ftft. 14 / 15 (16 (PLUGGING	to
2 Louvered ships CREEN-PERFORA GRAVEL P GROUT MATERIA Grout Intervals: From the properties of the prop	tter 4 K TED INTERVALS: PACK INTERVALS AL: 1 Neat rom. 0 source of possible 4 Late 5 Cess ewer lines 6 Seel topsoil c clay greet sand fine clay greet sand & gr clay tan sand & gr little co clay	From	7 Torch 63 ft. to 20 ft. to 20 ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lage 9 Feedyard CLOG gray clay to med to coars so gray clay to med	Cut 103	10 Lives 11 Fuel 12 Ferti 13 Inse How ma TO 63 103	10 Other (spectrum) om	PLUGGING	to
2 Louvered shifts CREEN-PERFORA GRAVEL P GROUT MATERIA Grout Intervals: From the second se	tter 4 K TED INTERVALS: PACK INTERVALS AL: 1 Neat rom. 0 source of possible 4 Late 5 Cess ewer lines 6 Seep topsoil c clay greet sand fine clay greet sand & gr. clay tan sand & gr. little co- clay S OR LANDOWNE	From	7 Torch 63 ft. to 20 ft. to 20 ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard C LOG gray clay to med to coars so gray clay to med TION: This water well w	Cut 103	tt., From tt., F	10 Other (spectrum) Officer of the common o	PLUGGING PLUGGING PLUGGING 14 / 15 (6 (6 (7))) PLUGGING	to
2 Louvered ships CREEN-PERFORA GRAVEL P GROUT MATERIA Grout intervals: Fire Mhat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight second from well? FROM TO 0 12 12 18 18 20 20 31 31 73 73 80 80 102 103 102 103 102 103 102 103 100 100 100 100 100 100 100 100 100	tter 4 K TED INTERVALS: ACK INTERVALS: AL: 1 Neat rom. 0 source of possible 4 Late 5 Cess ewer lines 6 Seep topsoil c clay greet sand fine clay greet sand & gr clay tan sand & gr little co- clay S OR LANDOWNE ay/year)	From	7 Torch 63 ft. to 20 ft. to 20 ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lage 9 Feedyard CLOG gray clay to med to coars so gray clay to med	as (1) constru	tt., From tt., F	10 Other (spectrum) Other	PLUGGING PLUGGING PLUGGING 14 / 15 (6 (6 (7))) PLUGGING	to