

Kansas Department of Agriculture
Division of Water Resources
PERMIT OF NEW APPLICATION WORKSHEET

1. File Number: <p style="text-align: center;">49285</p>	2. Status Change Date: <p style="text-align: center;"><i>1/5/2018</i></p>	3. Field Office: <p style="text-align: center;">02</p>	4. GMD: <p style="text-align: center;">02</p>
--	--	--	---

5. Status: Approved Denied by DWR/GMD Dismiss by Request/Failure to Return

6. Enclosures: Check Valve N of C Form Water Tube Driller Copy Meter

7a. Applicant(s) Person ID **61041**
New to system Add Seq# _____

**EDGEWATER HOA
HOA MANAGEMENT SERVICES
900 N TYLER SUITE 7
WICHITA KS 67212**

7c. Landowner(s) Person ID _____
New to system Add Seq# _____

7b. Landowner(s) Person ID _____
New to system Add Seq# _____

7A

7d. Misc Person ID _____
New to system Add Seq# _____

8. WUR Correspondent Person ID _____
New to system Add Seq# _____
Overlap File (s) WUC Notarized WUC Form
Agree Yes No

7a

9. Use of Water: Changing? Yes No

Groundwater Surface Water

IRR REC DEW MUN

STK SED DOM CON

HYD DRG WTR PWR ART RECHRG

IND SIC: _____ OTHER: _____

10. Completion Date: 12/31/2019 11. Perfection Date: 12/31/2023 12. Exp Date: _____

13. Conservation Plan Required? Yes No Date Required: _____ Date Approved: _____ Date to Comply: _____

14. Water Level Measuring Device? Yes No Date to Comply: _____ Date WLMD Installed: _____

Date Prepared: **1/4/18** By: **KAB**
Date Entered: *1/8/2018* By: *LLM*

File No. **49285** 15. Formation Code: **190 Equus** Drainage Basin: **Arkansas River** County: **SB 56** Special Use: Stream:

16. Points of Diversion										17. Rate and Quantity					
MOD	DEL	ENT	PDIV	Qualifier	S	T	R	ID	'N	'W	Authorized		Additional		Overlap PD Files
											Rate gpm	Quantity af	Rate gpm	Quantity af	
MOD			77148	SE NW NE	27	26S	1W	7	4111	1582	75	28	75	0	none *

18. Storage: Rate _____ NF Quantity _____ ac/ft Additional Rate _____ NF Additional Quantity _____ ac/ft

19. Limitation: **28** af/yr at _____ gpm (_____ cfs) when combined with file number(s) **49284**
 Limitation: _____ af/yr at _____ gpm (_____ cfs) when combined with file number(s) _____

20. Meter Required? Yes No To be installed by **12/31/2019** Date Acceptable Meter Installed _____

21. Place of Use	NE¼				NW¼				SW¼				SE¼				Total	Owner	Chg? NO	Overlap Files			
	MOD	DEL	ENT	ID	NE ¼	NW ¼	SW ¼	SE ¼	NE ¼	NW ¼	SW ¼	SE ¼	NE ¼	NW ¼	SW ¼	SE ¼							
CHK 60875	27	26S	1W	8	0.6	5.5	0.8	1.7	0.4									9.0	7a	no	49284		

Comments: *** Overlapping PD 47456 to be dismissed**

KANSAS DEPARTMENT OF AGRICULTURE
Division of Water Resources
M E M O R A N D U M

TO: Files
FROM: Kristen Baum

DATE: January 4, 2018
RE: Applications, File Nos. 49,284 & 49,285
Appropriations of Water, File Nos. 47,456 & 47,457

Edgewater HOA has filed the referenced applications to appropriate 28 acre-feet of groundwater at diversion rates of 75 gallons per minute for irrigation use. The existing points of diversion are single (1) wells located within the city limits of Wichita, in the Northeast Quarter of Section 27, Township 26 South, Range 1 West, Sedgwick County, Kansas. The proposed appropriations are located within the Arkansas River Basin, within the boundaries of Equus Beds GMD No. 2. The 9 acre place of use and points of diversion are all owned by the HOA. The applicant has signed the application form affirming legal access to the points of diversion. The existing wells are currently authorized by Appropriations of Water, File Nos. 47,456 and 47,457. The new applications were filed because additional water is needed for the place of use. If the new applications are approved, the existing appropriations will be dismissed. The applications will completely overlap in place of use. Since each application has requested 28 acre-feet, the junior file will require a limitation of 28 acre-feet total when combined with the senior file on the authorized place of use.

The requested quantity of 28 acre-feet applied to 9 acres will provide 3.1 acre-feet per acre, which exceeds the maximum reasonable quantity for irrigation use in Sedgwick County, per K.A.R. 5-3-24. In an email dated September 2, 2016, the applicant's consultant provided additional information in the form of a water balance based upon historic precipitation and evapotranspiration, taking into consideration the extremely sandy soil types and watering requirements for turf grass. The quantity of water requested is consistent with other turf grass irrigation projects already approved throughout the state. Therefore, the quantity appears to be reasonable. Furthermore, GMD2 recommends a waiver of K.A.R. 5-22-14 to allow the quantity requested.

The existing wells were drilled to a depth of 50 feet and have static water levels at 10 feet below the surface. Well logs for these wells describe medium to coarse sand down to 50 feet, interspersed with a few clay lenses at approximately 10-15 foot intervals. The source of supply for these wells is the Equus Beds.

Public Notice of the pending applications was published in The Wichita Eagle for three consecutive weeks from August 21 through September 4, 2015. No comments were received as a result of the Public Notice. The proposed points of diversion do not meet spacing to a number of domestic wells. The applicant's consultant notified the owners of any potential domestic wells within 660 feet of the points of diversion via certified mail. Eight individuals signed spacing consent forms, and the consultant indicated that no one that was notified had any negative comments or concerns. The proposed points of diversion do not meet spacing to industrial groundwater pits authorized by File Nos. 47,615 and 48,836; however, File No. 47,615 is owned by the same HOA and is a part of the same housing development. File No. 48,836 has not been completed yet and has been placed in partial offset status for a different appropriation. Finally, the proposed points of diversion do not meet spacing to each other, being located approximately 720 feet apart; however, they are intended to operate as system to supply water to a common place of use. In summary, waivers of both domestic and non-domestic well spacing will be necessary, but the wells have already been operating under the existing appropriations with no documented impairment concerns and GMD2 has expressed support for the waivers of spacing.

Copies of the applications were submitted to GMD2 for their review and recommendation. Based on the GMD2 safe yield analysis, the applications meet safe yield criteria. A letter was received from GMD2 on December 15, 2016 recommending approval. Their recommendation of approval was contingent upon the dismissal of File Nos. 47,456 and 47, 457 as well as the elimination any partial overlap in place of use with File No. 47,615. File No. 47,615 authorizes industrial evaporation from two groundwater pits located in the same subdivision. A change in place of use under File No. 47,615 approved on December 16, 2015 authorized a slight expansion of the southernmost pit by about 2.3 acres. This expanded portion has never been opened, and thus appears as a partial overlap in place of use since the pending applications propose the irrigation of areas around the pits. It was decided that since File No. 47,615 is still in the perfection period, it's place of use can be reduced during the certification process.

Jeff Lanterman, Water Commissioner for the Stafford Field Office, recommended approval of the referenced applications in an e-mail. Based on the above discussion, it is recommended that the referenced applications be approved with waivers of K.A.R. 5-22-14(a)(1) for the maximum reasonable quantity and K.A.R. 5-22-2(a)(1) & (2) for domestic and non-domestic well spacing, along with the dismissal of the above referenced appropriations.

Kristen A. Baum
Environmental Scientist
Permits Unit

1320 Research Park Drive
Manhattan, Kansas 66502
(785) 564-6700



900 SW Jackson, Room 456
Topeka, Kansas 66612
(785) 296-3556

Jackie McClaskey, Secretary

Governor Sam Brownback

January 9, 2018

EDGEWATER HOA
HOA MANAGEMENT SERVICES
900 N TYLER SUITE 7
WICHITA KS 67212

Re: Appropriation of Water, File Nos. 47,456; 47,457; 49,284 and 49,285

FILE COPY

Dear Sir or Madam:

There are enclosed permits to appropriate water authorizing you to proceed with construction of the proposed diversion works (except those dams and stream obstructions regulated by K.S.A. 82a-301 through 305a), to divert such unappropriated water as may be available from the sources and at the locations specified in these permits, and to use it for the purpose and at the location described in these permits.

Your attention is directed to the enclosures and to the terms, conditions, and limitations specified in these permits. Water meters are required and you must install them prior to water being put to beneficial use in order for you to maintain accurate records of water use. The meters should be used to provide the information required on the annual water use reports. There is also enclosed an information sheet setting forth the procedure to obtain Certificates of Appropriation which will establish the extent of your water rights.

Failure to notify the Chief Engineer of the Division of Water Resources of the completion of the diversion works within the time allowed, or within any authorized extension of time thereof, will result in the dismissal of these permits. Enclosed are forms which may be used to notify the Chief Engineer that the proposed diversion works have been completed for each file.

All requests for extensions of time to complete diversion works, or to perfect appropriations, must be submitted to the Chief Engineer before the expiration of time originally set forth in these permits to complete diversion works or to perfect an appropriation. If for any reason, you require an extension of time, you must request it before the expiration of time set forth in these permits. Failure to comply with this regulation will result in the dismissal of your permits or your water rights. Any request for an extension of time shall be accompanied by the required statutory fee, which is currently \$100.00 per file number.

In addition, we received your "Voluntary Waiver of Hearing & Dismissal of Water Right" forms on July 8, 2015. Enclosed are the orders by the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, dismissing Appropriation of Water, File Nos. 47,456 and 47,457, as you requested. According to State Law (K.S.A. 82a-718), a hearing must be held before any water right is declared abandoned. The voluntary dismissals dated July 8, 2015, are considered a waiver of any such hearing. Therefore, the water rights are dismissed as of the date of the enclosed orders. These orders should be recorded with the Register of Deeds Office in the county wherein the place of use was located. The successful recording of these documents could affect the property valuation of the former place of use thus reducing your tax assessment. Contact the local county appraiser for more information about this possibility.

Sincerely,

Kristen A. Baum
New Application Unit Supervisor
Water Appropriation Program

KAB:kab
Enclosures

pc: Stockton Field Office
Equus Beds GMD No. 2

THE STATE OF KANSAS



KANSAS DEPARTMENT OF AGRICULTURE
Jackie McClaskey, Secretary of Agriculture

DIVISION OF WATER RESOURCES
David W. Barfield, Chief Engineer

**APPROVAL OF APPLICATION
and
PERMIT TO PROCEED**

(This Is Not a Certificate of Appropriation)

This is to certify that I have examined Application, **File No. 49,285** of the applicant

**EDGEWATER HOA
HOA MANAGEMENT SERVICES
900 N TYLER SUITE 7
WICHITA KS 67212**

for a permit to appropriate water for beneficial use, together with the maps, plans and other submitted data, and that the application is hereby approved and the applicant is hereby authorized, subject to vested rights and prior appropriations, to proceed with the construction of the proposed diversion works (except those dams and stream obstructions regulated by K.S.A. 82a-301 through 305a, as amended), and to proceed with all steps necessary for the application of the water to the approved and proposed beneficial use and otherwise perfect the proposed appropriation subject to the following terms, conditions and limitations:

1. That the priority date assigned to such application is **February 12, 2015**.
2. That the water sought to be appropriated shall be used for irrigation use on land described in the application, as follows:

Sec.	Twp.	Range	NE¼				NW¼				SW¼				SE¼				TOTAL
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
27	26S	1W	0.6	5.5	0.8	1.7	0.4												9.0

3. That the authorized source from which the appropriation shall be made is groundwater, to be withdrawn by means of one (1) well located in the Southeast Quarter of the Northwest Quarter of the Northeast Quarter (SE¼ NW¼ NE¼) of Section 27, more particularly described as being near a point 4,111 feet North and 1,582 feet West of the Southeast corner of said section, in Township 26 South, Range 1 West, Sedgwick County, Kansas located substantially as shown on the map accompanying the application.

4. That the appropriation sought shall be limited to a maximum diversion rate not in excess of **75 gallons per minute (0.17 c.f.s.)** and to a quantity not to exceed **28 acre-feet** of water for any calendar year.

5. That installation of works for diversion of water shall be completed on or before **December 31, 2019** or within any authorized extension thereof. The applicant shall notify the Chief Engineer and pay the statutorily required field inspection fee of \$400.00 when construction of the works has been completed. Failure to timely submit the notice and the fee will result in revocation of the permit. Any request for an extension of time shall be submitted prior to the expiration of the deadline and shall be accompanied by the required statutory fee of \$100.00.

6. That the proposed appropriation shall be perfected by the actual application of water to the proposed beneficial use on or before **December 31, 2023** or any authorized extension thereof. Any request for an extension of time shall be submitted prior to the expiration of the deadline and shall be accompanied by the required statutory fee of \$100.00.

7. That the applicant shall not be deemed to have acquired a water appropriation for a quantity in excess of the amount approved herein nor in excess of the amount found by the Chief Engineer to have been actually used for the approved purpose during one calendar year subsequent to approval of the application and within the time specified for perfection or any authorized extension thereof.

8. That the use of water herein authorized shall not be made so as to impair any use under existing water rights nor prejudicially and unreasonably affect the public interest.

9. That the right of the appropriator shall relate to a specific quantity of water and such right must allow for a reasonable raising or lowering of the static water level and for the reasonable increase or decrease of the streamflow at the appropriator's point of diversion.

10. That this permit does not constitute authority under K.S.A. 82a-301 through 305a to construct any dam or other obstruction; nor does it grant any right-of-way, or authorize entry upon or injury to, public or private property.

11. That all diversion works constructed under the authority of this permit into which any type of chemical or other foreign substance will be injected into the water pumped from the diversion works shall be equipped with an in-line, automatic quick-closing, check valve capable of preventing pollution of the source of the water supply. The type of valve installed shall meet specifications adopted by the Chief Engineer and shall be maintained in an operating condition satisfactory to the Chief Engineer.

12. That an acceptable water flow meter shall be installed and maintained on the diversion works authorized by this permit in accordance with the Kansas Administrative Regulations 5-1-4 through 5-1-12 adopted by the Chief Engineer. This water flow meter shall be used to provide an accurate quantity of water diverted as required for the annual water use report (including the meter reading at the beginning and end of the report year).

13. That the applicant shall maintain accurate and complete records from which the quantity of water diverted during each calendar year may be readily determined and the applicant shall file an annual water use report with the Chief Engineer by March 1 following the end of each calendar year. Failure to file the annual water use report by the due date shall cause the applicant to be subject to a civil penalty.

14. That no water user shall engage in nor allow the waste of any water diverted under the authority of this permit.

15. That failure without cause to comply with provisions of the permit and its terms, conditions and limitations will result in the forfeiture of the priority date, revocation of the permit and dismissal of the application.

16. That the right to appropriate water under authority of this permit is subject to any minimum desirable streamflow requirements identified and established pursuant to K.S.A. 82a-703c for the source of supply to which this water right applies.

17. That the quantity of water approved under this permit is further limited to the quantity which combined with Appropriation of Water, File No. 49,284, will provide a total **not to exceed 28 acre-feet** of water per calendar year, for irrigation use on the land described herein.

RIGHT TO A HEARING AND TO ADMINISTRATIVE REVIEW

If you are aggrieved by this Order, then pursuant to K.S.A. 82a-1901, you may:

- 1) request an evidentiary hearing before the Chief Engineer, or
- 2) request administrative review by the Secretary of Agriculture.


Failure to request an evidentiary hearing before the Chief Engineer does not preclude your right to administrative review by the Secretary.

To obtain an evidentiary hearing before the Chief Engineer, a written request for hearing must be filed within 15 days after service of this Order as provided in K.S.A. 77-531 (i.e., **within a total of 18 days after this Order was mailed to you**), with: Kansas Department of Agriculture, Attn: Legal Section, 1320 Research Park Drive, Manhattan, Kansas 66502, FAX (785) 564-6777.

If you do not file a request for an evidentiary hearing before the Chief Engineer, you may petition for administrative review of the Order by the Secretary of Agriculture. A petition for review shall be in writing and state the basis for requesting administrative review. The request for hearing may be denied if the request fails to clearly establish factual or legal issues for review. See K.S.A. 77-527. The petition must be filed within 30 days after service of this Order as provided in K.S.A. 77-531 (i.e., **within a total of 33 days after this Order was mailed to you**), and be filed with: Secretary of Agriculture, Attn: Legal Division, Kansas Department of Agriculture, 1320 Research Park Drive, Manhattan, Kansas 66502, FAX (785) 564-6777.

If neither a request for an evidentiary hearing nor a petition for administrative review is filed as set forth above, then this Order shall be effective and become a final agency action as defined in K.S.A. 77-607(b). Failure to timely request either an evidentiary hearing or administrative review may preclude further judicial review under the Kansas Judicial Review Act.

Ordered this 5th day of January 2018, in Topeka, Shawnee County, Kansas.



David W. Barfield

 David W. Barfield, P.E.
 Chief Engineer
 Division of Water Resources
 Kansas Department of Agriculture

State of Kansas)
) SS
 County of Riley)

The foregoing instrument was acknowledged before me this 5th day of January 2018, by David W. Barfield, P.E., Chief Engineer, Division of Water Resources, Kansas Department of Agriculture.



Karen Hunter

 Notary Public

CERTIFICATE OF SERVICE


On this 9th day of January, 2018 I hereby certify that the foregoing Approval of Application and Permit to Proceed, File No. 49,285, dated January 5, 2018 was mailed postage prepaid, first class, US mail to the following:

EDGEWATER HOA
HOA MANAGEMENT SERVICES
900 N TYLER SUITE 7
WICHITA KS 67212

With photocopies to:

Stafford Field Office

Equus Beds GMD No. 2



Division of Water Resources

Kansas Department of Agriculture
Division of Water Resources
WAIVER REQUEST & WAIVER RULE WORKSHEET

File Number: 49284 & 49285

FO: 2

GMD: 2

WAIVER REQUEST:

UMW	Date Requested	Rule ID	Applies	Rule Type	Rule Subtype
IRR	5/24/16	154	GMD 2	MAX REASONABLE QUANTITY	MAXIMUM ALLOWANCES
Rule Number	Date Granted	Date Denied	Justification:	Maximum reasonable quantity for irrigation is based upon common agricultural crops in KS, not turf grass which typically has greater irrigation requirements.	
K.A.R. 5-22-14	1/5/18				

WAIVER RULE (complete only if a new rule needs to be created):

Rule ID	Applicability	Type	Subtype	Rule Number	Date Active	Date Inactive
				K.A.R.		

Date Prepared 1/5/18 By KAB

Date Entered 1/8/2018 By UM

Kansas Department of Agriculture
 Division of Water Resources
WAIVER REQUEST & WAIVER RULE WORKSHEET

File Number: 49284 & 49285

FO: 2

GMD: 2

WAIVER REQUEST:

UMW	Date Requested	Rule ID	Applies	Rule Type	Rule Subtype
IRR	5/24/16	20	GMD 2	Well Spacing	Well to well spacing
Rule Number	Date Granted	Date Denied	Justification:	Drawdown calculation using the proposed rate and quantity indicate that drawdown at nearby points of diversion would be less than 0.25 feet.	
K.A.R. 5-22-2	1/5/18				

WAIVER RULE (complete only if a new rule needs to be created):

Rule ID	Applicability	Type	Subtype	Rule Number	Date Active	Date Inactive
				K.A.R.		

Date Prepared 1/5/18 By KAB

Date Entered 1/8/2018 By UM

THE STATE OF KANSAS



KANSAS DEPARTMENT OF AGRICULTURE
Dale A. Rodman, Secretary of Agriculture

DIVISION OF WATER RESOURCES
David W. Barfield, Chief Engineer

File Number 49285
This item to be completed by the Division of Water Resources.

WATER RESOURCES
RECEIVED

FEB 12 2015
3:38

KS DEPT OF AGRICULTURE

SCANNED

APPLICATION COMPLETE
10/31/17
Reviewer KAB

**APPLICATION FOR PERMIT TO
APPROPRIATE WATER FOR BENEFICIAL USE**
Filing Fee Must Accompany the Application
(Please refer to Fee Schedule attached to this application form.)

To the Chief Engineer of the Division of Water Resources, Kansas Department of Agriculture,
109 SW 9th Street, Second Floor, Topeka, KS 66612-1283:

1. Name of Applicant (Please Print): Edgewater HOA
Address: PO Box 75337 900 N Tyler Suite 7
City: Wichita State Ks Zip Code 67205
Telephone Number: () _____ 67212

2. The source of water is: surface water in _____ (stream) *BART/DWR
OR groundwater in Arkansas River Basin - Equus Beds Aquifer (drainage basin) 2-25-15

Certain streams in Kansas have minimum target flows established by law or may be subject to administration when water is released from storage for use by water assurance district members. If your application is subject to these regulations on the date we receive your application, you will be sent the appropriate form to complete and return to the Division of Water Resources.

3. The maximum quantity of water desired is 28.00 acre-feet OR _____ gallons per calendar year, to be diverted at a maximum rate of 75 gallons per minute OR _____ cubic feet per second.

Once your application has been assigned a priority, the requested maximum rate of diversion and maximum requested quantity of water under that priority number can **NOT** be increased. Please be certain your requested maximum rate of diversion and maximum quantity of water are appropriate and reasonable for your proposed project and are in agreement with the Division of Water Resources' requirements.

4. The water is intended to be appropriated for (Check use intended):
(a) Artificial Recharge (b) Irrigation (c) Recreational (d) Water Power
(e) Industrial (f) Municipal (g) Stockwatering (h) Sediment Control
(i) Domestic (j) Dewatering (k) Hydraulic Dredging (l) Fire Protection
(m) Thermal Exchange (n) Contamination Remediation

YOU **MUST** COMPLETE AND ATTACH ADDITIONAL DIVISION OF WATER RESOURCES FORM(S) PROVIDING INFORMATION TO SUBSTANTIATE YOUR REQUEST FOR THE AMOUNT OF WATER FOR THE INTENDED USE REFERENCED ABOVE.

For Office Use Only:
F.O. 2 GMD 3 Meets K.A.R. 5-3-1 (YES/NO) Use IRR Source G/S County SG By KAG Date 2/12/15
Code _____ REG Fee \$ 200 TR # _____ Receipt Date 2/12/15 Check # 40996

2/19/2015 CCM

5. The location of the proposed wells, pump sites or other works for diversion of water is:

Note: For the application to be accepted, the point of diversion location must be described to at least a 10 acre tract, unless you specifically request a 60 day period of time in which to locate the site within a specifically described, minimal legal quarter section of land.

- (A) One in the SE quarter of the NW quarter of the NE quarter of Section 27, more particularly described as being near a point 4111 feet North and 1582 feet West of the Southeast corner of said section, in Township 26 South, Range 1 East/West (circle one), Sedgwick County, Kansas.
- (B) One in the _____ quarter of the _____ quarter of the _____ quarter of Section _____, more particularly described as being near a point _____ feet North and _____ feet West of the Southeast corner of said section, in Township _____ South, Range _____ East/West (circle one), _____ County, Kansas.
- (C) One in the _____ quarter of the _____ quarter of the _____ quarter of Section _____, more particularly described as being near a point _____ feet North and _____ feet West of the Southeast corner of said section, in Township _____ South, Range _____ East/West (circle one), _____ County, Kansas.
- (D) One in the _____ quarter of the _____ quarter of the _____ quarter of Section _____, more particularly described as being near a point _____ feet North and _____ feet West of the Southeast corner of said section, in Township _____ South, Range _____ East/West (circle one), _____ County, Kansas.

* KAB/DWR
10-13-17
as per
field
inspection
on 1-21-15
for file
no. 47,456

If the source of supply is groundwater, a separate application shall be filed for each proposed well or battery of wells, except that a single application may include up to four wells within a circle with a quarter (1/4) mile radius in the same local source of supply which do not exceed a maximum diversion rate of 20 gallons per minute per well.

A battery of wells is defined as two or more wells connected to a common pump by a manifold; or not more than four wells in the same local source of supply within a 300 foot radius circle which are being operated by pumps not to exceed a total maximum diversion rate of 800 gallons per minute and which supply water to a common distribution system.

6. The owner of the point of diversion, if other than the applicant is (please print):

_____ (name, address and telephone number)

_____ (name, address and telephone number)

You must provide evidence of legal access to, or control of, the point of diversion from the landowner or the landowner's authorized representative. Provide a copy of a recorded deed, lease, easement or other document with this application. In lieu thereof, you may sign the following sworn statement:

I have legal access to, or control of, the point of diversion described in this application from the landowner or the landowner's authorized representative. I declare under penalty of perjury that the foregoing is true and correct.

Executed on February 4th, 2015. [Signature] Agent
Applicant's Signature

7. The proposed project for diversion of water will consist of One well
(number of wells, pumps or dams, etc.)
and (was)(will be) completed (by) 02/13/2009
(Month/Day/Year - each was or will be completed)

8. The first actual application of water for the proposed beneficial use was or is estimated to be 03/01/2015
(Mo/Day/Year)

WATER RESOURCES
RECEIVED
FEB 12 2015
SCANNED
KS DEPT OF AGRICULTURE

- 9. Will pesticide, fertilizer, or other foreign substance be injected into the water pumped from the diversion works?
 Yes No If "yes", a check valve shall be required.

All chemigation safety requirements must be met including a chemigation permit and reporting requirements.

- 10. If you are planning to impound water, please contact the Division of Water Resources for assistance, prior to submitting the application. Please attach a reservoir area capacity table and inform us of the total acres of surface drainage area above the reservoir.

Have you also made an application for a permit for construction of this dam and reservoir with the Division of Water Resources? Yes No

- If yes, show the Water Structures permit number here _____
- If no, explain here why a Water Structures permit is not required _____

- 11. The application must be supplemented by a U.S.G.S. topographic map, aerial photograph or a detailed plat showing the following information. On the topographic map, aerial photograph, or plat, identify the center of the section, the section lines or the section corners and show the appropriate section, township and range numbers. Also, please show the following information:

- (a) The location of the proposed point(s) of diversion (wells, stream-bank installations, dams, or other diversion works) should be plotted as described in Paragraph No. 5 of the application, showing the North-South distance and the East-West distance from a section line or southeast corner of section.
- (b) If the application is for groundwater, please show the location of any existing water wells of any kind within 1/2 mile of the proposed well or wells. Identify each existing well as to its use and furnish the name and mailing address of the property owner or owners. If there are no wells within 1/2 mile, please advise us.
- (c) If the application is for surface water, the names and addresses of the landowner(s) 1/2 mile downstream and 1/2 mile upstream from your property lines must be shown.
- (d) The location of the proposed place of use should be shown by crosshatching on the topographic map, aerial photograph or plat.
- (e) Show the location of the pipelines, canals, reservoirs or other facilities for conveying water from the point of diversion to the place of use.

A 7.5 minute U.S.G.S. topographic map may be obtained by providing the section, township and range numbers to: Kansas Geological Survey, 1930 Constant, Campus West, University of Kansas, Lawrence, Kansas 66047.

- 12. List any application, appropriation of water, water right, or vested right file number that covers the same diversion points or any of the same place of use described in this application. Also list any other recent modifications made to existing permits or water rights in conjunction with the filing of this application.

Well and place of use is currently used for #47456, but it is requested that when this application is approved that #47456 be abandoned. Request to combine place of use for #47456 and #47457 to a net of 9.0 acres. Quantity will be limited to 28 Acre Feet when combined with additional application at location of #47457

WATER RESOURCES RECEIVED

FEB 12 2015 SCANNED

KS DEPT OF AGRICULTURE

13. Furnish the following well information if the proposed appropriation is for the use of groundwater. If the well has not been completed, give information obtained from test holes, if available.

Information below is from: Test holes Well as completed Drillers log attached

Well location as shown in paragraph No.	(A)	(B)	(C)	(D)
Date Drilled	<u>02/13/09</u>	_____	_____	_____
Total depth of well	<u>50</u>	_____	_____	_____
Depth to water bearing formation	<u>10</u>	_____	_____	_____
Depth to static water level	<u>10</u>	_____	_____	_____
Depth to bottom of pump intake pipe	<u>25</u>	_____	_____	_____

14. The relationship of the applicant to the proposed place where the water will be used is that of

Agent
(owner, tenant, agent or otherwise)

15. The owner(s) of the property where the water is used, if other than the applicant, is (please print):

_____ (name, address and telephone number)

_____ (name, address and telephone number)

16. The undersigned states that the information set forth above is true to the best of his/her knowledge and that this application is submitted in good faith.

Dated at _____, Kansas, this _____ day of _____ (month) (year)

(Applicant Signature)

By *Rooney Wright* Agent
(Agent or Officer Signature)

Rooney Z. Wright
(Agent or Officer - Please Print)

APPLICANT(S) SOCIAL SECURITY IDENTIFICATION NUMBER(S)

26-2515646
and/or
APPLICANT(S) TAXPAYER I.D. NO.(S)

Assisted by _____ (office/title) Date: _____

WATER RESOURCES RECEIVED

FEB 12 2015 SCANNED

KS DEPT OF AGRICULTURE

**IRRIGATION USE
SUPPLEMENTAL SHEET**

File No. 49,895

Name of Applicant (Please Print): Jay Russell Development

1. Please supply the name and address of each landowner, the legal description of the lands to be irrigated, and designate the actual number of acres to be irrigated in each forty acre tract or fractional portion thereof:

Landowner of Record NAME: Edgewater HOA, PO Box 75337
ADDRESS: Wichita, KS 67205

S	T	R	NE¼				NW¼				SW¼				SE¼				TOTAL
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
27	26	1W	.6	2.7	.8	1.7												5.8	
27	26	1W	X	2.8	X	X	.4											3.2	

Landowner of Record NAME: _____
ADDRESS: _____

S	T	R	NE¼				NW¼				SW¼				SE¼				TOTAL
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	

Landowner of Record NAME: _____
ADDRESS: _____

S	T	R	NE¼				NW¼				SW¼				SE¼				TOTAL
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	

2. Please complete the following information for the description of the operation for the irrigation project. Attach supplemental sheets as needed.

a. Indicate the soils in the field(s) and their intake rates:

Soil Name	Percent of field (%)	Intake Rate (in/hr)	Irrigation Design Group
Pratt LFS	50%	6-20	N/A
Corwile FSL	50%	1	N/A
_____	_____	_____	_____
_____	_____	_____	_____
Total:	100%		

b. Estimate the average land slope in the field(s): _____ %

Estimate the maximum land slope in the field(s): _____ %

c. Type of irrigation system you propose to use (check one):

- Center pivot Center pivot - LEPA "Big gun" sprinkler
 Gravity system (furrows) Gravity system (borders) Sideroll sprinkler

Other, please describe: zoned irrigation system

d. System design features:

i. Describe how you will control tailwater:

N/A

ii. For sprinkler systems:

(1) Estimate the operating pressure at the distribution system: _____ psi

(2) What is the sprinkler package design rate? _____ gpm

(3) What is the wetted diameter (twice the distance the sprinkler throws water) of a sprinkler on the outer 100 feet of the system? _____ feet

(4) Please include a copy of the sprinkler package design information.

e. Crop(s) you intend to irrigate. Please note any planned crop rotations:

Irrigation of turf grass and common areas

f. Please describe how you will determine when to irrigate and how much water to apply (particularly important if you do not plan a full irrigation).

schedule according to rain + ET

You may attach any additional information you believe will assist in informing the Division of the need for your request.

Baum, Kristen [KDA]

From: Lanterman, Jeff
Sent: Tuesday, October 31, 2017 2:33 PM
To: Baum, Kristen
Cc: Conant, Cameron
Subject: FW: File Nos. 49284 & 49285 - Edgewater HOA
Attachments: 49284_85 Memo To File.docx

WOW This has been a long time coming.

I remember the justification from Daniel on the turf grass. I kind of think could be a model for this kind of justification.

I recommend approval.

Jeff

From: Conant, Cameron
Sent: Tuesday, October 31, 2017 1:06 PM
To: Lanterman, Jeff <Jeff.Lanterman@ks.gov>
Subject: FW: File Nos. 49284 & 49285 - Edgewater HOA

Jeff, these have been in the hopper for a long time. GMD#2 spent considerable time polishing these up and working with the HOA and the consultant (B&M) to get everything in line. New applications originally came up and were deemed necessary due to continual (4 straight years) over pumping of the existing senior files which will be voluntarily dismissed if the 2 new apps are approved. The original apps were just filed for 1.3AF/acre which was just not enough in this case.

There are multiple waivers to get this done, but all seem appropriate and justified. A summary of the waivers is below.

Spacing to each other: I have no issue, these wells operate for the benefit of the HOA and have been in use for years together

Spacing to nearby homeowners: (consent forms received-no negative comments)-no complaints from nearby well owners and no negative comments

Spacing to pit owned by the HOA: I have no issue, HOA wells and HOA pit will always be included together in the same development

Spacing to a pit not owned by the HOA: I have no issue, this pit is not being developed and has been placed in a partial offset status for a different development

Quantity per acre is at 3.1 AF/acre: I have no issue, the consultant provide more than adequate justification based on turf grass needs and past use

Please note the new files will create an partial incomplete overlap with an existing GW pit owned by the HOA...we have both discussed this with Kristen and I believe we all agree that at this point, this issue can be cleaned up during the certification process for the existing GW pit. The partial overlap came after a 2015 p/u change on the pit showed an ~2 acre expansion in size which has not yet, and will likely not even happen, the additional ~2 acres of expansion are acres that are listed as irrigated green space around the pit hence the incomplete overlap.

GMD recommended approval for all the waivers, but they did want the incomplete overlap cleaned up...which we will just take care of during certification of the existing GW pit authorized by 47,615.

I think both of these apps can be recommended for approval with the waivers and the 2 existing files can be voluntarily dismissed.

Please pass on to Kristen if you agree.

Cameron

From: Baum, Kristen
Sent: Tuesday, October 17, 2017 3:21 PM
To: Lanterman, Jeff <Jeff.Lanterman@ks.gov>
Cc: Conant, Cameron <Cameron.Conant@ks.gov>
Subject: RE: File Nos. 49284 & 49285 - Edgewater HOA

Jeff,

Attached is a memo for the above-referenced new applications. Edgewater HOA needs additional water from two existing wells in order to maintain the commons areas turf. They are voluntarily dismissing the existing irrigation rights if these apps are approved. These will include waivers of spacing and maximum reasonable quantity as per GMD2 recommendation.

Please provide your recommendation.

Thanks,

Kristen A. Baum
Division of Water Resources – Water Appropriations
Kansas Department of Agriculture
1320 Research Park Drive
Manhattan KS 66502
(785) 564-6627

My email address has changed: kristen.baum@ks.gov

From: Conant, Cameron
Sent: Friday, October 13, 2017 9:28 AM
To: Baum, Kristen <Kristen.Baum@ks.gov>
Subject: FW: File Nos. 49284 & 49285 - Edgewater HOA

From: Lanterman, Jeff
Sent: Friday, April 7, 2017 5:03 PM
To: Conant, Cameron <Cameron.Conant@ks.gov>
Subject: FW: File Nos. 49284 & 49285 - Edgewater HOA

From: Baum, Kristen
Sent: Friday, April 7, 2017 4:05 PM

Turney, Brent

From: Clement, Daniel W <dwclement@burnsmcd.com>
Sent: Monday, March 20, 2017 5:36 PM
To: Turney, Brent
Cc: j@jrussellco.com
Subject: Edgewater HOA Place of Use Clarification
Attachments: Edgewater Partial Overlap Clarification.pdf

WATER RESOURCES
RECEIVED

MAR 21 2017

KS DEPT OF AGRICULTURE

Brent,

To clarify the potential overlap in place illustrated during the GMD2 review please see the attached letter.

There is no current is or anticipated physical overlap in place of use, and the precise description for both the final groundwater pit acres and the irrigated acres will occur during certification further insulating from any water rights with partial overlap.

It looks like to me that this issue might be from trying to apply exact precision in the original place of use drawing map made in 2010. The total authorized acres and location of those acres has not substantially changed (quarter calls, land ownership, project intent, geocenter, etc...) to warrant a voluntary reduction or change application especially during the perfection period.

If you have any questions please feel free to give me a call,

Daniel Clement \ Burns & McDonnell
Staff Hydrogeologist \ Water
o 316-616-0522 \ m 316-518-0893 \ f 316-941-4730
dwclement@burnsmcd.com \ burnsmcd.com
800 E. 1st Street North, Suite 400 \ Wichita , KS 67202

Proud to be one of *FORTUNE's* 100 Best Companies to Work For
Please consider the environment before printing this email.

This email and any attachments are solely for the use of the addressed recipients and may contain privileged client communication or privileged work product. If you are not the intended recipient and receive this communication, please contact the sender by phone at 816-333-9400, and delete and purge this email from your email system and destroy any other electronic or printed copies. Thank you for your cooperation.



March 20th 2017

Brent Turney
Kansas Department of Agriculture
Division of Water Resources
1320 Research Park Drive
Manhattan, Kansas 66502

WATER RESOURCES
RECEIVED

MAR 21 2017

KS DEPT OF AGRICULTURE

Re: Applications 49284 and 49285 potential overlap in place of use with 47615

Dear Mr. Turney:

During the review of applications 49284 and 49285, Groundwater Management District No. 2 (GMD2) and the Division of Water Resources (DWR) identified a possible place of use overlap between the proposed place of use for the two Edgewater HOA irrigation wells and the authorized place of use described by 47615.

Applications 49284 and 49285 will irrigate a total of nine acres based on the currently proposed place of use, however there is clearly no intention by the Edgewater HOA to irrigate any acreage that has or will be exposed to groundwater. To further specify the intent of both the irrigation and groundwater pit projects, we would like to submit the following statements of clarification:

- Applications 49284 and 49285 are fully anticipated to irrigate a complete total of nine acres based on the currently submitted and illustrated place of use within the applications.
- The identified potential place of use overlap with 47615 has not yet been excavated for groundwater exposure, thus no current physical overlap in place of use exists.
- The potential place of use overlap illustration provided during the review appears to be an artifact from a reasonable representation and description of the anticipated bounds of the groundwater pit project at the time of filing in October of 2010.
- Additional refinement of the precise bounds and exact legal description of the place of use for both the irrigation rights and adjacent groundwater pits will occur during the normal water rights certification process generated and determined by DWR and GMD2, further eliminating any possibility of partial overlap in place of use.

Thank you for your review and consideration of applications 49284 and 49285, please let us know if we can provide any additional clarifications

Sincerely,

Hydrogeologist
DWC/DWC

cc: Edgewater HOA

FRED SEILER, PRESIDENT
VIN KISSICK, VICE PRESIDENT
JEFF WINTER, SECRETARY
MIKE MCGINN, TREASURER
TIM BOESE, MANAGER
THOMAS A. ADRIAN, ATTORNEY



DIRECTORS:
DAVID BOGNER
ALAN BURGHART
JOE PAJOR
BOB SEILER
DAVID STROBERG

EQUUS BEDS GROUNDWATER MANAGEMENT DISTRICT NO. 2

313 SPRUCE STREET • HALSTEAD, KANSAS 67056-1925 • PHONE (316) 835-2224 • FAX (316) 835-2225 • equusbeds@gmd2.org • www.gmd2.org

December 15, 2016

Edgewater HOA
900 N. Tyler, Suite 7
Wichita, KS 67212

Re: Appropriation Application No. 49285

Dear Sir or Madam:

The Equus Beds Groundwater Management District No. 2 made a recommendation to the Division of Water Resources that Appropriation Application No. 49285 be approved. Pursuant to K.A.R. 5-22-4a, the well described in the application must be equipped with a District approved water flowmeter. The well is located in the Southeast Quarter of the Northwest Quarter of the Northeast Quarter of Section 27, Township 26 South, Range 1 West, Sedgwick County.

The well must be properly equipped with an approved meter within 30 days after the approved well battery is operational and prior to its operation. If more time is needed to install the meter or modify an existing meter installation, you may request an extension of time. The request must be made to the District before the end of the 30-day period.

Enclosed is a Flow Meter Installation form to be completed and returned to this office after completion of the meter installation or modifications. A copy of the Division of Water Resources' meter installation notification form (Notice and Proof of Completion of Works) may be substituted for the District form. Upon receiving the completed form, the District will inspect the installation.

Also enclosed is a copy of water meter and installation specifications. Water meter must meet these specifications and the list of certified water meters provided under K.A.R. 5-1-12, for District approval. The list of certified water meters can be obtained by contacting the District or at following link: <http://agriculture.ks.gov/divisions-programs/dwr/water-appropriation/water-flowmeters>. If you have any questions about the District's metering program or the enclosed material, please contact the District for assistance.

Sincerely,
EQUUS BEDS GROUNDWATER
MANAGEMENT DISTRICT NO. 2

Tim Boese
Manager
TDB/db

Enclosures

pc: Jeff Lanterman, Division of Water Resources, Stafford

FRED SEILER, PRESIDENT
VIN KISSICK, VICE PRESIDENT
JEFF WINTER, SECRETARY
MIKE MCGINN, TREASURER
TIM BOESE, MANAGER
THOMAS A. ADRIAN, ATTORNEY



DIRECTORS:
DAVID BOGNER
ALAN BURGHART
JOE PAJOR
BOB SEILER
DAVID STROBERG

EQUUS BEDS GROUNDWATER MANAGEMENT DISTRICT NO. 2

313 SPRUCE STREET • HALSTEAD, KANSAS 67056-1925 • PHONE (316) 835-2224 • FAX (316) 835-2225 • equusbeds@gmd2.org • www.gmd2.org

December 15, 2016

Chief Engineer, Division of Water Resources
Attn: Erin McGrogan
1320 Research Park Dr.
Manhattan, KS 66502

Re: Application No. 49285 – Edgewater HOA

Dear Ms. McGrogan:

The referenced application was reviewed by the Equus Beds Groundwater Management District No. 2, Board of Directors at the December 13, 2016 meeting. District staff and the applicant's consultant presented information regarding the application. A copy of the District's Application Review Information report is enclosed for your information.

Upon review of the information presented and discussed at the meeting, and based on findings that:

1. Application No. 49285 requests 28 acre-feet for irrigating 9 acres of turf grass and common areas at the Edgewater housing addition.
2. The application does not comply Maximum Reasonable Quantity for Beneficial Use Rule and Regulation K.A.R. 5-22-14(a)(1), as the application requests 3.1 acre feet per acre for irrigation use, which exceeds the maximum allowable 1.3 acre per acre irrigation limit in Sedgwick County.
3. The application does not comply with the Non-Domestic Well Spacing Rule and Regulation K.A.R. 5-22-2(a)(1), as the proposed point of diversion does not meet spacing to a non-domestic well and two groundwater pits.
4. The application does not comply with the Domestic Well Spacing Rule and Regulation K.A.R. 5-22-2(a)(2), as the proposed point of diversion does not meet spacing to several domestic wells and no spacing consent forms were submitted.
5. All nearby property owners with domestic wells within approximately 660 feet of the proposed well were notified via certified mail of the application by the applicant's consultant and asked to sign spacing consent forms.
6. Three spacing consent forms were submitted from domestic well owners within approximately 660 feet of the proposed well. No negative comments were received from those domestic well owners that did not sign spacing consent forms.
7. The domestic wells to which the proposed point of diversion does not meet spacing requirements to are part of the Edgewater housing development;
8. The application and senior existing non-domestic points of diversion are all located within and part of the Edgewater housing development or owned by the Edgewater developer;

9. Drawdown calculation using the proposed quantity and rate of 28 AF and 75 GPM indicates that drawdown at the nearest domestic well and non-domestic point of diversion (groundwater pit edge) will be less than 0.25 feet based on continuous pumping until the entire quantity has been pumped;
10. The minimal drawdown created by pumping of the proposed well will not impair existing senior domestic and non-domestic points of diversion.
11. The Applicant desires to maintain turf grass on loamy fine sand with intake rate of up to 6 to 20 inches per hour.
12. Precipitation and ET data submitted by the applicant's consultant indicates that fescue turf grass on the type of soil at the application site requires approximately 36.5 inches of irrigation based on a 75% sprinkler efficiency during an average rainfall growing season.

It was the decision of the Board of Directors to recommend to the Chief Engineer that Application No. 49285 is granted exceptions to the Maximum Reasonable Quantity for Beneficial Use Rule and Regulation K.A.R. 5-22-14(a)(1), and the Well Spacing Rule and Regulation K.A.R. 5-22-2(a)(1) & (2), and the application be recommended for approval, subject to:

1. Water Permit Nos. 47456 & 47457 are voluntarily dismissed as proposed by the applicant;
2. Application No. 49285 is further limited to 28 acre-feet per year when combined with No. 49284; and
3. The possible partial place of use overlap with Water Permit No. 47615 is determined and removed by either modifying the proposed place of use or modifying Water Permit No. 47615 authorized place of use.

A District Board of Director's decision may be requested for reconsideration by the Board by submitting a written request to the District office within 15 days from the date of this notification, pursuant to K.A.R. 5-22-12.

Please contact the District if you have any questions regarding the District's findings or recommendation.

Sincerely,



Tim Boese, Manager
Equus Beds Groundwater
Management District No. 2

TDB/rsw

Enclosure

pc: Edgewater HOA, Applicant
Daniel Clement, Burns & McDonnell
Jeff Lanterman, Division of Water Resources, Stafford

APPLICATION REVIEW INFORMATION

NAME <u>Edgewater HOA</u>	APPLICATION NO. <u>49285</u>
ADDRESS <u>900 N Tyler Suite 7</u>	APPL. <u>X</u>
<u>Wichita, KS</u>	COUNTY <u>Sedgwick</u> TRACT <u>NW-NW-NE</u>
	WELL LOCATION <u>S 27 T26S R1W</u>
	QUANT <u>28 AF/Y</u> RATE <u>75 GPM</u>
	WELL SPACING <u>D<660', ND<1320'</u>




Figure 1. General location of application within the District indicated by the red star.

ISSUE:

The new application does not comply with the Domestic Well Spacing Rule and Regulation K.A.R. 5-22-2(a)(2), Non-Domestic Well Spacing Rule and Regulation K.A.R. 5-22-2(a)(1), Maximum Reasonable Quantity for Beneficial Use Rule and Regulation K.A.R. 5-22-14(a)(1), and has a partial place of use overlap with an existing permit.

TIMELINE OF EVENTS:

Feb 12, 2015 – Applicant filed new Application No. 49285 which requests 28 acre-feet on 9 acres for irrigation use.

May 16, 2016 – District staff sent a recommendation for denial to DWR and the applicant because:

- 1) The application does not meet the spacing regulation to domestic and non-domestic points of diversion and;
- 2) The application does not comply with maximum reasonable quantity for beneficial use rule and regulation and;
- 3) The proposed place of use partially overlaps place of use with an existing permit.

June 10, 2016 – The applicant appealed the Districts recommendation for denial (Attachment A)

June 30, 2016 – The applicant and the applicants consultant were notified that the appeal will be reviewed at the August 23rd Board Meeting.

August 16, 2016 – The applicant and the consultant were notified again that the appeal will be reviewed at the August 23rd Board Meeting.

August 23, 2016 – The appeal was heard by the District Board of Directors. It was the decision of the Board of Directors to table making a recommendation on the application to allow the applicant time to justify and/or modify the quantity of water requested and also allow time for the applicant to contact nearby domestic well owners in an attempt to obtain signed domestic well spacing consent forms for domestic wells located within 660 feet of the proposed points of diversion.

December 6, 2016 – The applicant and the consultant were notified that the appeal will be reviewed at the December 13, 2016, Board Meeting.

SUMMARY OF APPLICATION REVIEW:

Surrounding well owners were notified via public notice in the Wichita Eagle. The Division of Water Resources (DWR) did not receive any calls or letters from nearby well owners.

Application No. 49285 proposes 28 acre-feet at 75 gallons per minute from a proposed well located 4149'N & 1564'W of the Southeast Corner of Section 27, Township 26 South, Range 1 West, Sedgwick County (Figure 1). This application will be limited to 28 acre feet when combined with No. 49284.

The 9 acre place of use proposed by No. 49285 includes the 3.2 acres authorized by No. 47457 and the 5.8 acres authorized by No. 47456. Application No. 49284 proposes to replace No. 47457 and proposes the same 9 acre POU as No. 49285 (Figure 3).

The application complies with the Safe Yield Regulation 5-22-7(a). The existing and proposed consumptive appropriations total 2145.23 AF/Y in the application's area of consideration (Figure 2 and Table 2). The maximum allowable appropriation for the area of consideration is 2472.5 AF/Y.

Equus Beds Groundwater Management District No. 2

Safe Yield Evaluation #49285

SEWNNE (4149'N & 1564'W) 27-26S-01W, Sedgwick County

Prepared By: Stephen Flaherty Date: 8/18/2016




Figure 2. Safe yield map. Proposed Application #49284 will replace existing Permit #47457 if approved.

SAFEYIELD EVALUATION No. 49285							
LOCATION: SENWNE (4149'N & 1564'W) 27-26S-01W, Sedgwick County							
SPECIAL USE AREA: None							
EVALUATION DATE:- 8/18/2016							
Total Areas: 4,945 acres; Area in 3 Inch discharge zone: 0 acres; Area In 6 inch discharge zone: 4,945 acres							
FILE_ID	WELL_ID	TOWNSHIP	RANGE	SECTION	QUALIFIER	USE	AUTHQUANTITY
A00552400	307	26S	01W	15	13864620	REC	67
A01527300	962	26S	01W	22	39601320	IRR	158
A026130D1JN	3736	26S	01W	21	35903885	IND	63.33
A026130D1JR	3735	26S	01W	21	39603921	IRR	41.75
A026130D2	1323	26S	01W	21	39603921	IRR	46.55
A04082600	1215	26S	01W	15	13200550	IND	150.06
A04083000	1219	26S	01W	27	14001600	REC	99
A040946D1	1094	26S	01W	15	16073226	IND	48.5
A040946D2	4882	26S	01W	15	16042134	IND	48.5
A04098100	471	26S	01W	21	12951980	REC	70
A04108400	594	26S	01W	16	7923828	REC	55
A04120900	45	26S	01W	14	11004200	IND	100
A04240000	2581	26S	01W	20	1880375	IND	15
A04365700	2660	26S	01W	23	31893085	REC	97
A04423900	2773	26S	01W	22	35293479	REC	20
A04480800	2898	26S	01W	28	41503800	IND	78.3
A04504300	2975	26S	01W	28	6751595	REC	18.33
A04515600	2958	26S	01W	28	10443946	REC	26
A04571900	3124	26S	01W	29	49511104	REC	0.5
A046003D1	3202	26S	01W	23	13203960	IND	384
A046003D2	4876	26S	01W	23	13203960	IND	216
A04616200	3257	26S	01W	28	21952353	REC	4.33
A04616300	3258	26S	01W	28	18591996	REC	2.48
A04640900	3344	26S	01W	20	4800552	IND	14.69
A04645300	3356	26S	01W	28	953228	IRR	7.74
A04645400	3358	26S	01W	28	21905180	IRR	11.17
A04681000	3459	26S	01W	21	16233397	REC	9.4
A04745600	3636	26S	01W	27	41491564	IRR	7.54
A04745700	3637	26S	01W	27	46692050	IRR	4.16
A047518IR	3656	26S	01W	23	43002640	IRR	13
A047518RE	3657	26S	01W	23	43002640	REC	70
A04761500	3708	26S	01W	27	43301540	IND	19.9
A04883600	4156	26S	01W	22	12201270	IND	150
A04928400P	4869	26S	01W	27	46692050	IRR	28
A04928500P	4870	26S	01W	27	41491564	IRR	0
A04948400P	4874	26S	01W	27	6303756	IRR	0
A04948400P	4875	26S	01W	27	6303756	REC	0
A20019068	2929	26S	01W	28	41503800	HYD	345
A20109084	3704	26S	01W	23	13203960	HYD	2386
A20109138	3752	26S	01W	14	11004200	IND	552
A20149062	4858	26S	01W	22	12201270	HYD	1066
A20159048	4881	26S	01W	21	35903885	HYD	371.2
A92911000	718	26S	01W	15	13200550	HYD	309
Allowable Appropriations		2,472.50			Total Existing Appropriation		7,174.43
Small User Quantity		0			Non Consumptive Appropriations		5,029.20
Remaining SUQ		45			Consumptive Appropriations		2,145.23
					Available Appropriations		327.27

Note- Values are in acre-feet
 Table 1. Safe yield table.

The proposed point of diversion does not meet spacing to nearby domestic wells, non-domestic groundwater pits No. 47165 and No. 48836, and an existing non-domestic well authorized by No. 47457 which is proposed to be replaced by No. 49284 (Figure 3).

Equus Beds Groundwater Management District No. 2

Spacing Evaluation #49285

SEWNNE (4149'N & 1564'W) 27-26S-01W, Sedgwick County

Prepared By: Stephen Flaherty Date: 8/18/2016




Figure 3. Spacing evaluation showing the proximity to all points of diversion and the place of use distribution.

The applicant's consultant sent letters to property owners in the Edgewater addition asking domestic well owners to sign spacing consent forms. The owners of 3 of the approximately 20 domestic wells within approximately 660 feet of the proposed well signed and returned the spacing consent forms (Figure 4). The applicant's consultant advised that none of the property owners responded negatively to the requests; rather they just did not return the spacing consent forms.





Figure 4. Domestic well spacing consent forms received.

The applicant previously submitted a letter requesting an exception to submitting individual well spacing consent forms for each domestic well (Attachment B).

Historically, an exception to the Non-Domestic Well Spacing Rule and Regulation K.A.R. 5-22-2(a)(1) was granted for No. 47456 to a senior groundwater pit because it was part of the Edgewater development. Permit No. 47456 received well spacing consent forms for nearby domestic wells at occupied homes. An exception to the Domestic Well Spacing Rule and Regulation K.A.R. 5-22-2(a)(2) was granted for No. 47456 to domestic wells at unoccupied spec. homes.

Drawdown calculation using the proposed quantity and rate of 28 AF and 75 GPM indicates that drawdown at the nearest domestic well and non-domestic point of diversion (groundwater pit edge) will be less than 0.25 feet based on continuous pumping until the entire quantity has been pumped (Figure 5).

Figure 5 - Drawdown



Q = 75 gpm
 S = 0.15
 T = 60000 ft²/d
 Time = 0.23145 years

The application proposes to use 28 acre feet on 9 acres which is a water to land ratio of 3.1 acre-feet/acre for irrigation of turf grass and common areas. The maximum allowable land to water ratio is 1.3 acre-feet/acre as described in K.A.R. 5-22-14(a)(1) An analysis of water use history from the existing permits is presented in Tables 2A-C.

Application No. 49285 proposes to replace permit No. 47456 and is proposed at the same well location as No. 47456. Permit No. 47456 is authorized for 7.54 acre feet on 5.8 acres. See figure 3 for place of use. 2013, 2014, and 2015 water use reports are in excess of the authorized quantity (Table 1A). A notice of non-compliance was issued by the Division of Water Resources for 2013 overpumping.

Year	AF Used	Water to Land Ratio
2012	0.00	0 AF/A
2013	9.18	1.58 AF/A
2014	11.07	1.91 AF/A
2015	9.65	1.66 AF/A

Table 2A. Water use history from permit no 47456.

Application No. 49284 proposes to replace permit No. 47457 and is proposed at the same well location as No. 47457. Permit No. 47457 is authorized for 4.16 acre feet on 3.2 acres. See figure 3 for place of use. 2013, 2014, and 2015 water use reports are in excess of the authorized quantity (Table 1B). A notice of non-compliance was issued by the Division of Water Resources for 2013 overpumping.

Year	AF Used	Water to Land Ratio
2012	0.00	0 AF/A
2013	9.41	2.94 AF/A
2014	13.93	4.35 AF/A
2015	10.22	3.19 AF/A

Table 2B. Water use history from permit no 47457.

Combined water to land ratio from permits 47456 and 47457. See figure 3 for POU.

Year	AF Used	Water to Land Ratio
2012	0.00	0 AF/A
2013	18.59	2.06 AF/A
2014	25	2.8 AF/A
2015	19.87	2.21 AF/A

Table 2C. Water use history combined from permits 47456 and 47457

The applicant's consultant June 14, 2016, appeal letter (Attachment A), stated:

1. The currently authorized points of diversion are authorized for 1.3 acre feet per acre and this is not sufficient to maintain soil moisture within the rooting zone for turf grass because of the steep slopes and sandy soils.
2. Sandy soils indicate that a significant portion of applied water is returning to the aquifer.
3. The existing wells have operated historically without affecting each other.
4. The proposed irrigation wells that do not meet spacing are owned by the same entity.
5. The applicant requests a spacing waiver as granted for 47456 and 47457.
6. Obtaining individual domestic consent forms would take a significant amount of time.
7. The 28 acre feet requested is reasonable.

On September 2, 2016, the applicant's consultant provided information and data regarding irrigation of turf grass (fescue) based on the soil type at the application site, maximum rooting depth of 12 inches and a growing season from April 11 – October 25. The six month growing season is longer than traditional irrigated crops such as corn and soybeans. A summary of irrigation requirements using 1998-2015 historical precipitation and ET data for the growing season from the District's Sedgwick County weather station yields the following:

Year	Precipitation (In)	ET Grass (In)	Irrigation Required	Sprinkler Efficiency 75%
1998	16.57	34.611	27.05	36.07
1999	24.32	33.741	23.17	30.89
2000	17.24	36.949	27.81	37.08
2001	16.6	37.169	27.40	36.53
2002	22.22	36.764	28.86	38.48
2003	19.1	36.761	27.34	36.46
2004	21.37	37.322	27.76	37.01
2005	27.18	39.108	28.19	37.58
2006	19.68	42.114	28.79	38.39
2010	20.54	41.36	30.54	40.72
2011	9.82	43.86	36.72	48.96
2012	11.13	45.59	36.55	48.73
2013	28.25	41.58	28.86	38.48
2014	16.11	41.17	31.81	42.41
2015	27.25	40.76	27.76	37.01

	Irrigation Avg Req. (In)	Efficiency 75% (In)
Normal Year Avg Irr.	27.26	36.35
Dry Year Avg Irr.	29.40	39.20
Drought Year Avg Irr.	35.03	46.70

HYDROGEOLOGIC REVIEW:

Hydrologic data indicates that depth to bedrock is approximately 95 feet below land surface at the proposed well site.

The nearest water level monitoring site to the application, EB223, is located approximately 1393 ft northwest of the proposed well and has been recording water-level data since 1988. Depth to static water currently ranges from 10 to 15 feet below land surface (Figure 6).




Figure 6 - Hydrograph from nearby monitoring well EB223A. See Figure 3 for location.

Soils in this area have a high infiltration rate of up to 6 to 20 inches per hour. Additional extracted water that is not lost to evaporation will likely return to the aquifer faster than less-sandy materials.

Most of the place of use is located on steep banks of the groundwater pits (Figure 7). Waters that do not infiltrate into the ground or evaporate will largely wash out into the groundwater pits.

Equus Beds Groundwater Management District No. 2 Elevation Map for Permit Nos. 49284 and 49285




Figure 5. Elevation survey of the area around applications 49284 and 49285. Water applied on the proposed place of use will generally runoff into the groundwater pits.

STAFF RECOMMENDATIONS:

Based on District findings and information provided by the applicant that:

1. Application No. 49285 requests 28 acre-feet for irrigating 9 acres of turf grass and common areas at the Edgewater housing addition.
2. The application does not comply Maximum Reasonable Quantity for Beneficial Use Rule and Regulation K.A.R. 5-22-14(a)(1), as the application requests 3.1 acre feet per acre for irrigation use, which exceeds the maximum allowable 1.3 acre per acre irrigation limit in Sedgwick County.
3. The application does not comply with the Non-Domestic Well Spacing Rule and Regulation K.A.R. 5-22-2(a)(1), as the proposed point of diversion does not meet spacing to a non-domestic well and two groundwater pits.

4. The application does not comply with the Domestic Well Spacing Rule and Regulation K.A.R. 5-22-2(a)(2), as the proposed point of diversion does not meet spacing to several domestic wells and no spacing consent forms were submitted.
5. All nearby property owners with domestic wells within approximately 660 feet of the proposed well were notified via certified mail of the application by the applicant's consultant and asked to sign spacing consent forms.
6. Three spacing consent forms were submitted from domestic well owners within approximately 660 feet of the proposed well. No negative comments were received from those domestic well owners that did not sign spacing consent forms.
7. The domestic wells to which the proposed point of diversion does not meet spacing requirements to are part of the Edgewater housing development;
8. The application and senior existing non-domestic points of diversion are all located within and part of the Edgewater housing development or owned by the Edgewater developer;
9. Drawdown calculation using the proposed quantity and rate of 28 AF and 75 GPM indicates that drawdown at the nearest domestic well and non-domestic point of diversion (groundwater pit edge) will be less than 0.25 feet based on continuous pumping until the entire quantity has been pumped;
10. The minimal drawdown created by pumping of the proposed well will not impair existing senior domestic and non-domestic points of diversion.
11. The Applicant desires to maintain turf grass on loamy fine sand with intake rate of up to 6 to 20 inches per hour.
12. Precipitation and ET data submitted by the applicant's consultant indicates that fescue turf grass on the type of soil at the application site requires approximately 36.5 inches of irrigation based on a 75% sprinkler efficiency during an average rainfall growing season.

Staff Recommends:

That exceptions to the Maximum Reasonable Quantity for Beneficial Use Rule and Regulation K.A.R. 5-22-14(a)(1), and the Well Spacing Rule and Regulation K.A.R. 5-22-2(a)(1) & (2), be granted and the application be recommended for approval, subject to:

1. Water Permit Nos. 47456 & 47457 are voluntarily dismissed as proposed by the applicant;
2. Application No. 49285 is further limited to 28 acre-feet per year when combined with No. 49284; and
3. The possible partial place of use overlap with Water Permit No. 47615 is determined and removed by either modifying the proposed place of use or modifying Water Permit No. 47615 authorized place of use.

Attachment A. Applicants appeal letter.



May 24, 2016

Tim Boese
 Manager
 Groundwater Management District No. 2
 313 Spruce Street
 Halstead, KS 67056-1925

RECEIVED

JUN 14 2016

Equus Beds Groundwater
 Management District No. 2

Re: Appeal Petition - Application Nos. 49284 and 49285

Dear Mr. Boese:

We are in receipt of your letters dated May 16th 2016 regarding the recommendation of denial by the Equus Beds Groundwater Management District. During the review of the applications the District found that the applications do not comply with one or more Groundwater Management District Rules and Regulations Including:

1. The applications do not comply with non-domestic spacing regulation 5-22-2(a)(1) as the proposed wells are closer than 1,320 feet to the edge of groundwater pit permitted by 47615 and 48836.
2. The applications do not comply with non-domestic spacing regulation 5-22-2(a)(1) as the proposed wells are closer than 1,320 feet to one another.
3. The application does not comply with domestic well spacing regulation 5-22-2(a)(2) as the proposed wells are closer than 660 feet to multiple nearby domestic wells in the area.
4. The proposed place of use appears to overlap the current place of use for the groundwater pit authorized by Water Permit 47615.
5. The application does not comply with the Maximum Reasonable Quantity for Beneficial Use Rule and Regulation K.A.R. 5-22-14(a)(1), as the proposed water to land ratio exceeds the maximum allowable of 1.3 acre-feet per acre for Sedgwick County.

The Edgewater HOA covers a small residential development located in Maize, KS. There are two existing water rights that the HOA utilizes to irrigate community open spaces within the subdivision (Water Permit Nos. 47456 and 47457). Water appropriation #47456 has an annual appropriation of 7.54 acre-feet and an approved place of use of 5.8 acres, and #47457 has an annual appropriation of 4.16 acre-feet and an approved place of use of 3.2 acres.

Because of the sandy soils at this location, the HOA has not been successful at maintaining the quality turf that is desired in this subdivision under the existing allowable appropriations. Therefore, the HOA is submitting new applications that will increase the amount of water available to the HOA's two existing irrigation wells. The proposed wells will remain identical to those currently in use and it is requested that upon approval of the enclosed applications that Water Permit Nos. 47456 and 47457 be dismissed. The applications request a net appropriation total of 28 acre-feet when combined, and the place of use for each application when combined will result in a total irrigated area of 9 acres.



RECEIVED

JUN 14 2016

Equus Beds Groundwater
Management District No. 2

Tim Boese

2

May 24, 2016

Page 2

We recognize that the requested quantities exceed the typical allotment of water per acre for the area, however as previously noted, this site has extremely sandy soils and steep slopes requiring additional and frequent irrigation to maintain soil moisture within the rooting zone. The sandy soils at this site also indicate that a significant portion of the water applied during irrigation is returning to the aquifer as infiltration.

K.A.R 5-3-20(c) indicates that a quantity above the established maximum reasonable annual amount can be exceeded if the applicant can demonstrate that an increased demand is needed for a specialty crop (in this case turf and not traditional large scale row crops). The quantities requested reflect the historic required amount of water pumped during a single year for turf maintenance. We feel that the amount requested is not wasteful and will not otherwise prejudicially or unreasonably affect the public interest based on the relatively low quantity and pumping rate. The HOA understands that the aquifer is a precious resource, and the utilization of the aquifer for the economic benefits of maintaining the Edgewater Development's aesthetics is a privilege.

On behalf of the Edgewater Homeowners Association we would like to request an appeal of the District's decision to recommend Application 49284 and 49285 based on the following:

1. *The applications do not comply with non-domestic spacing regulation 5-22-2(a)(1) as the proposed wells are closer than 1,320 feet to the edge of groundwater pit permitted by 47615 and 48836.*
 - Groundwater Pits 47615 and 48836 are currently owned by the developer of the Edgewater Housing Development (R&R Realty) and the dredged place of use for both of these groundwater pits and the associated water rights will eventually be relinquished to the Edgewater HOA.
 - A letter of support will be provided by the current owner (R&R Realty) of 47615 and 48836 for the proposed irrigation wells.
 - The wells have operated historically without prejudicially affecting the nearby groundwater pits, domestic wells, or other aquifer users.
 - Based on these items Edgewater HOA would like to request the District Board of Directors recommend a waiver of the non-domestic well to groundwater pit spacing regulations, as was previously granted for permits 47456 and 47457.
2. *The applications do not comply with non-domestic spacing regulation 5-22-2(a)(1) as the proposed wells are closer than 1,320 feet to one another.*
 - The proposed irrigation wells have operated historically at the proposed rates and quantities without impairing one another.
 - The proposed irrigation wells that do not meet spacing are owned by the same entity (Edgewater HOA).



RECEIVED

JUN 14 2016

Equus Beds Groundwater
Management District No. 2

Tim Boese
2
May 24, 2016
Page 3

- The District Board of Directors has previously granted a waiver for non-domestic well spacing based on the specific limited risk of impairment under Water Permits 47456 and 47457.
 - Based on these items Edgewater HOA would like to request the District Board of Directors recommend a waiver of the non-domestic well spacing regulation, as was previously granted for permits 47456 and 47457.
3. *The application does not comply with domestic well spacing regulation 5-22-2(a)(2) as the proposed wells are closer than 660 feet to multiple nearby domestic wells in the area.*
- The HOA collectively represents the interests of homeowners within the Edgewater development for management and maintenance of common areas, and as such provided a letter supporting the applications to the Division of Water Resources and the Groundwater Management District.
 - i. Obtaining spacing consent forms from individual homeowners within 660 feet surrounding the HOA's wells would take a significant amount of time based on the number of existing private irrigation wells;
 - ii. The existing irrigation wells have operated historically without any complaints of drawdown or impairment;
 - iii. Approval of the applications will not affect any individual homeowner's right to file an impairment complaint with the Chief Engineer, Division of Water Resources;
 - iv. Homes in the Edgewater development are on municipal water supply, the surrounding private domestic wells are for irrigation of private landscaping only;
 - The District Board of Directors has previously granted a waiver for domestic well spacing based on the specific limited risk of impairment under Water Permits 47456 and 47457, the rates and quantities of 49284 and 49285.
4. *The proposed place of use appears to overlap the current place of use for the groundwater pit authorized by Water Permit 47615.*
- According to the application documents the place of use includes
 - i. The community owned areas immediately surrounding the currently exposed groundwater pit located north of Driftwood Street and south of 49th Street N.
 - ii. The community owned areas immediately surrounding the currently exposed groundwater pit located south of Driftwood street and north of Kallmeyer Street
 - iii. An small strip of community owned area south and adjacent to 49th Street North and west of N. Cimmaron Street.
 - None of the currently proposed place of use for 49284 or 49285 is intended to include the exposed groundwater surface permitted by 47615, please advise if this area needs clarification.
 - The currently calculated place of use based on best match of property parcels and right of way analysis appears to be 9.0 acres.

Attachment B. Applicants support letter.

February 12, 2016

Erin McGrogan
 Environmental Scientist
 Division of Water Resources
 Kansas Department of Agriculture
 1320 Research Park Drive
 Manhattan, Kansas 66502

Re: Waiver of Domestic Well Spacing - Applications 49284 & 49285

Dear Ms. McGrogan:

At the February 11th meeting the Edgewater Homeowners Associations (HOA) reviewed the status of New Appropriation Application Nos. 49284 and 49285. The purpose of the new applications is to allow for the additional quantity of water required to maintain grass and vegetation in our sandy soils.

It is our understanding that under existing well spacing regulations, domestic water well owners within 660 feet of the irrigation wells are typically required to sign a water well spacing consent form.

Based on the HOA's review and findings that:

- The HOA collectively represents the interests of homeowners within the Edgewater development for management and maintenance of common areas;
- The additional quantity of water is being requested to maintain grass, shrubs, and trees common to the entire Edgewater development;
- Without the authorization of an additional quantity of water significant and costly changes would be required to existing landscaping;
- Obtaining spacing consent forms from individual homeowners within 660 feet surrounding the HOA's wells would take a significant amount of time based on the number of existing private irrigation wells;
- The existing irrigation wells have operated historically without any complaints of drawdown or impairment;
- Approval of the applications will not affect any individual homeowner's right to file an impairment complaint with the Chief Engineer, Division of Water Resources;
- Homes in the Edgewater development are on municipal water supply, the surrounding private domestic wells are for irrigation of landscaping only;

It was the decision of the Edgewater HOA to recommend that the Kansas Division of Water Resources and the Equus Beds Groundwater Management District No. 2 grant an exception to the requirement for obtaining water well spacing consent forms, and Well Spacing Rule and Regulation K.A.R. 5-22-2(a)(2).

Julie Frazer
 Edgewater HOA President
 02/15/16

WATER RESOUR
 RECEIVED

FEB 16 2016

KS DEPT OF AGRICULTURE

Lanterman, Jeff

From: Lanterman, Jeff
Sent: Wednesday, December 7, 2016 10:50 AM
To: McGrogan, Erin; Tietsort, Katie; Stewart, Kelly; Meyer, Mike; Conant, Cameron; Turney, Brent
Cc: Fitch, Elizabeth
Subject: FW: Edgewater HOA Irrigation Quantities
Attachments: EBW_KSURE_SedgwickPre2007.xlsx

This is some of the best justification I have ever seen to be filed with an app. Edgewater is a compliance problem fixing with these apps. Overpumping existing reasonable quantity apps.

This is justification for a reasonable quantity by Burns and Mac on an Housing Development on turf grass. They are trying to justify 36" irrigation quantity. Also they need waivers of spacing to surrounding well owners. I just had a CC with Daniel with B&M.

1. They are using site specific soil data and managing to 50% available soil water capacity or the wilting point for grass.
2. Using that information they used past daily data from GMD #2 weather stations to determine site specific water needs. GMD #2 stations give a grass ET for a growing grass. Data back to 1996.
3. Using that past data any time the ET was $> 0.15"$ he irrigated taking out any precipitation from the weather station(not irrigating in a precip event). Again shooting for more than 50% AWC.
4. Using this methodology he came up with an average of about 36" of irrigation needed. (2011 and 2012 it was up to mid 40's)

They have an actual pump test on site and using the requested flow rate and quantity 24x7 they had no impact to surrounding wells they don't meet spacing to.

This would shoot by me in a heartbeat. Maybe a model for future turf grass justifications if we have this kind of data? But this kind of work is expensive im sure.

Jeff

From: Clement, Daniel W [mailto:dwclement@burnsmcd.com]
Sent: Wednesday, December 7, 2016 10:23 AM
To: Lanterman, Jeff <Jeff.Lanterman@ks.gov>; Conant, Cameron <Cameron.Conant@ks.gov>
Cc: McGrogan, Erin <Erin.McGrogan@ks.gov>
Subject: FW: Edgewater HOA Irrigation Quantities

From: Clement, Daniel W
Sent: Friday, September 02, 2016 11:41 AM
To: tboese@gmd2.org
Cc: Steve Flahtery (sflaherty@gmd2.org) <sflaherty@gmd2.org>; Meier, Brian <bmeier@burnsmcd.com>
Subject: Edgewater HOA Irrigation Quantities

Tim & Steve

After some research on the available calculators and methodologies out there for quantifying annual irrigation demand for fescue at the Edgewater HOA, the most scientific approach I could find relates back to simply creating a water budget for the rooting zone of the plants you are trying to support, in our case fescue with a likely max rooting depth of 12 inches.

Easiest way to think of it is just like balancing the water budget in a sponge, too much irrigation and both precipitation and irrigation can run off or saturate the soil and force percolation past the root zone. If the soil gets too dry and the roots don't have enough contact with surrounding moisture we run into the wilting point. So to balance the budget in the rooting zone daily, weekly, etc, first we have to figure out how much water is theoretically available in the top 12 inches of soil, and then manage irrigation to maintain our soil water budget between saturation and the wilting point. Since your also looking at other applications that may not be apples to apples to our case thought I would include everything used in the calculations.

Las Vegas Valley, Nevada (certainly a water conscious area) recommends the following approach through their extension program:

1. Find your soil texture (jar testing) – We have this from NRCS data for our soil profile by %Sand/Silt/Clay
 - a. Pratt Loamy Fine Sand – 82.3/11.3/6.3
 - b. Carwile Fine Sandy Loam – 67.5/21.0/11.5
2. Calculate AWC based on NRCS data in our case
 - a. Pratt Loamy Fine Sand – 0.12cm/cm = 1.44in/foot
 - b. Carwile Fine Sandy Loam – 0.16cm/cm = 1.92in/foot
 - c. Average of Pratt & Carwile = 0.14cm/cm = 1.68in/foot
 - d. Table 2 Method = 1.00 to 1.80
3. Define Maintenance Factor based on percent depletion of water budget
 - a. Golf Courses often utilize 40%, high maintenance
 - b. Other resources recommend 50% for residential/commercial
 - c. Our case utilizes a maintenance factor of 50%
4. Define Grass Rooting Depth
 - a. KSRE suggests 12 inches, we utilized this as a reasonable max depth rooting zone for fescue in our soil
5. Calculate Water Available to Grass
 - a. (Available Water Capacity)x(Maintenance Factor)x(Rooting Zone)
 - b. (1.68in/ft)x(0.50)x(1.0 feet) = 0.84 inches

Resources

<http://websoilsurvey.nrcs.usda.gov/>

<https://www.unce.unr.edu/publications/files/ho/2001/fs0104.pdf>

For our approach I used a spreadsheet to maintain a water budget between ≥ 0 and 0.84 inches daily based on historical precipitation and the ET of grass from the Sedgwick weather station owned/maintained by GMD2. When the spreadsheet sees a negative water balance (including daily precip) it applies only the amount of irrigation necessary to restore the soil moisture budget to the full 0.84 inches. This is about as close as we can get to simulating consistent with watering a lawn "deeply and infrequently" as to mitigate shallow root zones, waste/runoff. We utilized a growing season April 11th through October 25th based on average frost, and when ET values begin to show up in the 0.17 range. This is extremely similar to the approach used by higher end irrigation controllers for commercial/residential irrigation, also some golf course controllers have real time data from soil moisture probes or pole data directly from onsite and offsite weather stations (toro/hunter/rainbird/etc).

The results of the soil moisture balance approach are given below:

Year	Precipitation (In)	ET Grass (In)	Irrigation Required	Sprinkler Efficiency 75%
1998	16.57	34.611	27.05	36.07
1999	24.32	33.741	23.17	30.89
2000	17.24	36.949	27.81	37.08
2001	16.6	37.169	27.40	36.53
2002	22.22	36.764	28.86	38.48
2003	19.1	36.761	27.34	36.46
2004	21.37	37.322	27.76	37.01
2005	27.18	39.108	28.19	37.58
2006	19.68	42.114	28.79	38.39
2010	20.54	41.36	30.54	40.72
2011	9.82	43.86	36.72	48.96
2012	11.13	45.59	36.55	48.73
2013	28.25	41.58	28.86	38.48
2014	16.11	41.17	31.81	42.41
2015	27.25	40.76	27.76	37.01

	Irrigation Avg Req. (In)	Efficiency 75% (In)
Normal Year Avg Irr.	27.26	36.35
Dry Year Avg Irr.	29.40	39.20
Drought Year Avg Irr.	35.03	46.70

As a qa/qc both the quantity and frequency of irrigation matched the general rules of thumb published by Kansas State Research & Extension, Sedgwick County. The efficiency factor is how effective sprinklers are at delivering water to the soil (wind transport, evaporation, interception), I placed a value of 75% based on a conglomerate of information from sprinkler head manufacturers.

I would be happy to discuss the results and approach with you guys at your convenience, and to help out with any other applications you guys have that might get some clarification from this approach.

If possible let's try to discuss this by the 16th of September to give us enough time to do follow up figures.

Sending out domestic well waiver requests via certified mail next week.

The place of use issue will be resolved by voluntary reduction or change in place of use in 47615 or these applications.

Thanks and enjoy the holiday weekend.

Daniel Clement \ Burns & McDonnell
 Staff Hydrogeologist \ Water
 O 316-616-0522 \ M 316-518-0893 \ F 316-941-4730
dwclement@burnsmcd.com \ burnsmcd.com
 800 E. 1st Street North, Suite 400 \ Wichita, KS 67202

Proud to be one of *FORTUNE's* 100 Best Companies to Work For
 Please consider the environment before printing this email.

This email and any attachments are solely for the use of the addressed recipients and may contain privileged client communication or privileged work product. If you are not the intended recipient and receive this communication, please contact the sender by phone at 816-333-9400, and delete and purge this email from your email system and destroy any other electronic or printed copies. Thank you for your cooperation.

FRED SEILER, PRESIDENT
VIN KISSICK, VICE PRESIDENT
JEFF WINTER, SECRETARY
MIKE MCGINN, TREASURER
TIM BOESE, MANAGER
THOMAS A. ADRIAN, ATTORNEY



DIRECTORS:
DAVID BOGNER
ALAN BURGHART
JOE PAJOR
BOB SEILER
DAVID STROBERG

EQUUS BEDS GROUNDWATER MANAGEMENT DISTRICT NO. 2

313 SPRUCE STREET • HALSTEAD, KANSAS 67056-1925 • PHONE (316) 835-2224 • FAX (316) 835-2225 • equusbeds@gmd2.org • www.gmd2.org

December 6, 2016

Daniel Clement
Burns & McDonnell
800 E. 1st Street North, Suite 400
Wichita, KS 67202

Re: Appropriation Application Nos. 49284 & 49285 – Edgewater HOA

Dear Mr. Clement:

The purpose of this correspondence is to advise you that the referenced water appropriation applications are scheduled for review at the December 13, 2016, Board of Directors meeting of the Equus Beds Groundwater Management District.

Please find enclosed a copy of the meeting agenda. The public meeting begins at 1:00 p.m. and will be held in the Equus Beds Groundwater Management District's conference room at 313 Spruce Street, Halstead, Kansas.

Please contact the District if you have any questions or need additional information.

Sincerely,
EQUUS BEDS GROUNDWATER
MANAGEMENT DISTRICT NO. 2

Tim Boese
Manager

TDB/db

Enclosure: Agenda

Pc: Edgewater HOA, with copy of agenda
Erin McGrogan, Division of Water Resources, Manhattan
Jeff Lanterman, Division of Water Resources, Stafford

WATER RESOURCES
RECEIVED
DEC 07 2016
KS DEPT OF AGRICULTURE

**PROPOSED AGENDA
BOARD OF DIRECTORS MEETING
EQUUS BEDS GROUNDWATER MANAGEMENT DISTRICT NO. 2**

Tuesday, December 13, 2016

1:00 p.m.

Conference room

313 Spruce Street • Halstead, KS 67056-1925

Phone: (316) 835-2224 • Fax: (316) 835-2225

E-mail: equusbeds@gmd2.org • Website: www.gmd2.org

1. APPROVAL OF MINUTES

2. APPROVAL OF AGENDA

3. FINANCIAL REPORT

4. APPROVAL OF EXPENDITURES

5. PUBLIC FORUM – Persons may present written or verbal comments concerning non-agenda business. Please state your name and address. Presentations are limited to five minutes.

6. APPEAL REVIEW

- a) Haven Public Schools USD 312, Application No. 49637, NE 05-25S-4W, Reno Co.

7. OLD BUSINESS

- a) Edgewater HOA, Application No. 49284, NE 27-26S-1W, Sedgwick Co.
- b) Edgewater HOA, Application No. 49285, NE 27-26S-1W, Sedgwick Co.
- c) GMD Assessment Cap Review

8. NEW BUSINESS

- a) New Copier/Printer Option Quote
- b) Review of November 21, 2016 Joint GMD / KDA-DWR Meeting
- c) District Lobbyist Options
- d) City of Wichita ASR Project Drought Pumping Modeling Results

9. AGENCY & COMMITTEE REPORTS

- a) Division of Water Resources
- b) Kansas Water Authority
- c) Equus - Walnut Regional Advisory Committee

10. MANAGER'S REPORT

- a) ASR Project Report
- b) Administrative and Field Tasks
- c) Monthly Information and Service Report

11. ADDITIONS TO THE AGENDA

12. BOARD ROUND TABLE DISCUSSION – Fred Seiler, President

13. EXECUTIVE SESSION – Annual Staff Performance Reviews

NOTICE: A Board of Directors meeting and any portion thereof is open to the public, except for closed or executive meetings, as prescribed by K.S.A. 75-4319.

Please complete a meeting notice form if you wish to be notified of Board of Directors meetings, hearings, work sessions or other business meetings. Notice forms may be obtained by contacting the Equus Beds Groundwater Management District No. 2.

DOMESTIC WELL OWNER
IRRIGATION WELL SPACING CONSENT FORM

K.A.R. 5-22-2

I, Anthony & Susan Esposito, whose address is, 4419 N Cimarron St, Wichita KS 67205, am the owner of a domestic well located within 660 feet of the two irrigation wells owned and utilized by the Edgewater HOA to maintain landscaping in common areas throughout the housing development.

I understand and acknowledge that Edgewater HOA has filed new applications #49284 & 49285 for a water permit to withdraw or appropriate groundwater for non-domestic beneficial use by means of two already existing irrigation wells:

One in the SE quarter of the NW quarter of the NE quarter of Section 27, more particularly described as being near a point 4149 feet North and 1564 feet West of the Southeast corner of said section in Township 26 South, Range 1 West, Sedgwick County, Kansas, at a proposed rate of 75 GPM and an annual quantity not to exceed 28 acre-feet.

One in the NW quarter of the NW quarter of the NE quarter of Section 27, more particularly described as being near a point 4669 feet North and 2050 feet West of the Southeast corner of said section in Township 26 South, Range 1 West, Sedgwick County, Kansas, at a proposed rate of 75 GPM and an annual quantity not to exceed 28 acre-feet.

The applicant has informed me that the proposed wells are within the minimum required spacing interval of 660 feet of my domestic water well.

Having full knowledge of the above and without waiving any right to file an Impairment complaint with the Chief Engineer, Division of Water Resources, I grant my permission to locate said irrigation wells less than the minimum required spacing interval from my domestic well.

Dated at Wichita, Kansas, this 31st day of October 2016.
City Day Month Year

Signed by: Anthony Esposito
Domestic Well Owner

WATER RESOURCES
RECEIVED

DEC 02 2016

KS DEPT OF AGRICULTURE

DOMESTIC WELL OWNER
IRRIGATION WELL SPACING CONSENT FORM
K.A.R. 5-22-2

I, Reichenberger Rv Family TR, whose address is, 6210 W Kollmeyer Ct, Wichita KS 67205, am the owner of a domestic well located within 660 feet of the two irrigation wells owned and utilized by the Edgewater HOA to maintain landscaping in common areas throughout the housing development.

I understand and acknowledge that Edgewater HOA has filed new applications #49284 & 49285 for a water permit to withdraw or appropriate groundwater for non-domestic beneficial use by means of two already existing irrigation wells:

One in the SE quarter of the NW quarter of the NE quarter of Section 27, more particularly described as being near a point 4149 feet North and 1564 feet West of the Southeast corner of said section in Township 26 South, Range 1 West, Sedgwick County, Kansas, at a proposed rate of 75 GPM and an annual quantity not to exceed 28 acre-feet.

One in the NW quarter of the NW quarter of the NE quarter of Section 27, more particularly described as being near a point 4669 feet North and 2050 feet West of the Southeast corner of said section in Township 26 South, Range 1 West, Sedgwick County, Kansas, at a proposed rate of 75 GPM and an annual quantity not to exceed 28 acre-feet.

The applicant has informed me that the proposed wells are within the minimum required spacing interval of 660 feet of my domestic water well.

Having full knowledge of the above and without waiving any right to file an Impairment complaint with the Chief Engineer, Division of Water Resources, I grant my permission to locate said irrigation wells less than the minimum required spacing interval from my domestic well.

Dated at Wichita, Kansas, this 1st day of November, 2016.
City Day Month Year
Signed by: Mary E. Reichenberger
Domestic Well Owner

DOMESTIC WELL OWNER
IRRIGATION WELL SPACING CONSENT-FORM

K.A.R. 5-22-2

I, Jane Paladino, whose address is, 4403 N Cimarron St, Wichita KS 67205, am the owner of a domestic well located within 660 feet of the two irrigation wells owned and utilized by the Edgewater HOA to maintain landscaping in common areas throughout the housing development.

I understand and acknowledge that Edgewater HOA has filed new applications #49284 & 49285 for a water permit to withdraw or appropriate groundwater for non-domestic beneficial use by means of two already existing irrigation wells:

One in the SE quarter of the NW quarter of the NE quarter of Section 27, more particularly described as being near a point 4149 feet North and 1564 feet West of the Southeast corner of said section in Township 26 South, Range 1 West, Sedgwick County, Kansas, at a proposed rate of 75 GPM and an annual quantity not to exceed 28 acre-feet.

One in the NW quarter of the NW quarter of the NE quarter of Section 27, more particularly described as being near a point 4669 feet North and 2050 feet West of the Southeast corner of said section in Township 26 South, Range 1 West, Sedgwick County, Kansas, at a proposed rate of 75 GPM and an annual quantity not to exceed 28 acre-feet.

The applicant has informed me that the proposed wells are within the minimum required spacing interval of 660 feet of my domestic water well.

Having full knowledge of the above and without waiving any right to file an Impairment complaint with the Chief Engineer, Division of Water Resources, I grant my permission to locate said irrigation wells less than the minimum required spacing interval from my domestic well.

Dated at Wichita, Kansas, this 27 day of October, 20 16.
City Day Month Year
Signed by: Jane E Paladino
Domestic Well Owner

WATER RESOURCES
RECEIVED

DEC 02 2016

KS DEPT OF AGRICULTURE

DOMESTIC WELL OWNER
IRRIGATION WELL SPACING CONSENT FORM
K.A.R. 5-22-2

I, Brenda Martin & Wayne Robert, whose address is, 4410 N Cimarron St, Wichita KS 67205, am the owner of a domestic well located within 660 feet of the two irrigation wells owned and utilized by the Edgewater HOA to maintain landscaping in common areas throughout the housing development.

I understand and acknowledge that Edgewater HOA has filed new applications #49284 & 49285 for a water permit to withdraw or appropriate groundwater for non-domestic beneficial use by means of two already existing irrigation wells:

One in the SE quarter of the NW quarter of the NE quarter of Section 27, more particularly described as being near a point 4149 feet North and 1564 feet West of the Southeast corner of said section in Township 26 South, Range 1 West, Sedgwick County, Kansas, at a proposed rate of 75 GPM and an annual quantity not to exceed 28 acre-feet.

One in the NW quarter of the NW quarter of the NE quarter of Section 27, more particularly described as being near a point 4669 feet North and 2050 feet West of the Southeast corner of said section in Township 26 South, Range 1 West, Sedgwick County, Kansas, at a proposed rate of 75 GPM and an annual quantity not to exceed 28 acre-feet.

The applicant has informed me that the proposed wells are within the minimum required spacing interval of 660 feet of my domestic water well.

Having full knowledge of the above and without waiving any right to file an Impairment complaint with the Chief Engineer, Division of Water Resources, I grant my permission to locate said irrigation wells less than the minimum required spacing interval from my domestic well.

Dated at Wichita, Kansas, this 27 day of Oct, 2006.
City Day Month Year
Signed by: Robert W. Pyne Martin
Domestic Well Owner

DOMESTIC WELL OWNER
IRRIGATION WELL SPACING CONSENT FORM
K.A.R. 5-22-2

I, Brian Cluck & Nickailar Sandate, whose address is, 6006 W Driftwood Ct, Wichita KS 67205, am the owner of a domestic well located within 660 feet of the two irrigation wells owned and utilized by the Edgewater HOA to maintain landscaping in common areas throughout the housing development.

I understand and acknowledge that Edgewater HOA has filed new applications #49284 & 49285 for a water permit to withdraw or appropriate groundwater for non-domestic beneficial use by means of two already existing irrigation wells:

One in the SE quarter of the NW quarter of the NE quarter of Section 27, more particularly described as being near a point 4149 feet North and 1564 feet West of the Southeast corner of said section in Township 26 South, Range 1 West, Sedgwick County, Kansas, at a proposed rate of 75 GPM and an annual quantity not to exceed 28 acre-feet.

One in the NW quarter of the NW quarter of the NE quarter of Section 27, more particularly described as being near a point 4669 feet North and 2050 feet West of the Southeast corner of said section in Township 26 South, Range 1 West, Sedgwick County, Kansas, at a proposed rate of 75 GPM and an annual quantity not to exceed 28 acre-feet.

The applicant has informed me that the proposed wells are within the minimum required spacing interval of 660 feet of my domestic water well.

Having full knowledge of the above and without waiving any right to file an Impairment complaint with the Chief Engineer, Division of Water Resources, I grant my permission to locate said irrigation wells less than the minimum required spacing interval from my domestic well.

Dated at Wichita, Kansas, this 30TH day of October, 2016.
Signed by: Brian Cluck & Nickailar Sandate
City Day Month Year
Domestic Well Owner

WATER RESOURCES
RECEIVED
DEC 02 2016
KS DEPT OF AGRICULTURE

DOMESTIC WELL OWNER
IRRIGATION WELL SPACING CONSENT FORM
K.A.R. 5-22-2

I, Randall Belles, whose address is, 6207 W Driftwood St, Wichita KS 67205, am the owner of a domestic well located within 660 feet of the two irrigation wells owned and utilized by the Edgewater HOA to maintain landscaping in common areas throughout the housing development.

I understand and acknowledge that Edgewater HOA has filed new applications #49284 & 49285 for a water permit to withdraw or appropriate groundwater for non-domestic beneficial use by means of two already existing irrigation wells:

One in the SE quarter of the NW quarter of the NE quarter of Section 27, more particularly described as being near a point 4149 feet North and 1564 feet West of the Southeast corner of said section in Township 26 South, Range 1 West, Sedgwick County, Kansas, at a proposed rate of 75 GPM and an annual quantity not to exceed 28 acre-feet.

One in the NW quarter of the NW quarter of the NE quarter of Section 27, more particularly described as being near a point 4669 feet North and 2050 feet West of the Southeast corner of said section in Township 26 South, Range 1 West, Sedgwick County, Kansas, at a proposed rate of 75 GPM and an annual quantity not to exceed 28 acre-feet.

The applicant has informed me that the proposed wells are within the minimum required spacing interval of 660 feet of my domestic water well.

Having full knowledge of the above and without waiving any right to file an Impairment complaint with the Chief Engineer, Division of Water Resources, I grant my permission to locate said irrigation wells less than the minimum required spacing interval from my domestic well.

Dated at Wichita, Kansas, this 29th day of October, 2016.
City Day Month Year
Signed by: Randall Belles
Domestic Well Owner

DOMESTIC WELL OWNER
IRRIGATION WELL SPACING CONSENT FORM
K.A.R. 5-22-2

I, Adan Rodriguez, whose address is, 1543 N Sheridan, Wichita KS 67203, am the owner of a domestic well located within 660 feet of the two irrigation wells owned and utilized by the Edgewater HOA to maintain landscaping in common areas throughout the housing development.

I understand and acknowledge that Edgewater HOA has filed new applications #49284 & 49285 for a water permit to withdraw or appropriate groundwater for non-domestic beneficial use by means of two already existing irrigation wells:

One in the SE quarter of the NW quarter of the NE quarter of Section 27, more particularly described as being near a point 4149 feet North and 1564 feet West of the Southeast corner of said section in Township 26 South, Range 1 West, Sedgwick County, Kansas, at a proposed rate of 75 GPM and an annual quantity not to exceed 28 acre-feet.

One in the NW quarter of the NW quarter of the NE quarter of Section 27, more particularly described as being near a point 4669 feet North and 2050 feet West of the Southeast corner of said section in Township 26 South, Range 1 West, Sedgwick County, Kansas, at a proposed rate of 75 GPM and an annual quantity not to exceed 28 acre-feet.

The applicant has informed me that the proposed wells are within the minimum required spacing interval of 660 feet of my domestic water well.

Having full knowledge of the above and without waiving any right to file an Impairment complaint with the Chief Engineer, Division of Water Resources, I grant my permission to locate said irrigation wells less than the minimum required spacing interval from my domestic well.

Dated at Wich. Kan, Kansas, this 27 day of October 20 16.
City Day Month Year
Signed by: Adan Rodriguez
Domestic Well Owner

WATER RESOURCES
RECEIVED
DEC 02 2016
KS DEPT OF AGRICULTURE

DOMESTIC WELL OWNER
IRRIGATION WELL SPACING CONSENT FORM

K.A.R. 5-22-2

I, Steven & Peggy Schremmer, whose address is, 4407 N Cimarron St, Wichita KS 67205, am the owner of a domestic well located within 660 feet of the two irrigation wells owned and utilized by the Edgewater HOA to maintain landscaping in common areas throughout the housing development.

I understand and acknowledge that Edgewater HOA has filed new applications #49284 & 49285 for a water permit to withdraw or appropriate groundwater for non-domestic beneficial use by means of two already existing irrigation wells:

One in the SE quarter of the NW quarter of the NE quarter of Section 27, more particularly described as being near a point 4149 feet North and 1564 feet West of the Southeast corner of said section in Township 26 South, Range 1 West, Sedgwick County, Kansas, at a proposed rate of 75 GPM and an annual quantity not to exceed 28 acre-feet.

One in the NW quarter of the NW quarter of the NE quarter of Section 27, more particularly described as being near a point 4669 feet North and 2050 feet West of the Southeast corner of said section in Township 26 South, Range 1 West, Sedgwick County, Kansas, at a proposed rate of 75 GPM and an annual quantity not to exceed 28 acre-feet.

The applicant has informed me that the proposed wells are within the minimum required spacing interval of 660 feet of my domestic water well.

Having full knowledge of the above and without waiving any right to file an Impairment complaint with the Chief Engineer, Division of Water Resources, I grant my permission to locate said irrigation wells less than the minimum required spacing interval from my domestic well.

Dated at Wichita, Kansas, this 30 day of November 20 16.
City Day Month Year
Signed by: Steven Schremmer
Domestic Well Owner

Ms. Brenda Martin
4410 N Cimarron St
Wichita, KS 67205-8824

WICHITA KS 670
27 OCT 2016 PM 2 L



Daniel W. Clement
C/O Burns McDonnell
800 E. First St. Ste 400
Wichita, KS 67202



Paladino
4403 N Cimarron
Wichita KS 67205

WICHITA KS 670
27 OCT 2016 PM 2 L



Daniel W. Clement
C/O Burns McDonnell
800 E. First St. Ste 400
Wichita, KS 67202



Adm. Rodriguez
2430 N. Payne
Wichita, KS
67205

WICHITA KS 670
27 OCT 2016 PM 3 L



Daniel W. Clement
C/O Burns McDonnell
800 E. First St. Ste 400
Wichita, KS 67202



Randall Belles
6207 W Driftwood St
Wichita, KS 67205

WICHITA KS 670
31 OCT 2016 PM 1 L



Daniel W. Clement
C/O Burns McDonnell
800 E. First St. Ste 400
Wichita, KS 67202



BRIAN CLUCKE
6006 W. PHILLIPWOOD CT.
WICHITA, KS 67205

WICHITA KS 670
31 OCT 2016 PM 3 L



Daniel W. Clement
C/O Burns McDonnell
800 E. First St. Ste 400
Wichita, KS 67202



Mary Reichenberger
6210 W Kollmeyer Ct.
Wichita, KS 67205

01 NOV 2016 PM 1 L



Daniel W. Clement
C/O Burns McDonnell
800 E. First St. Ste 400
Wichita, KS 67202



WATER RESOURCES
RECEIVED

DEC 02 2016

KS DEPT OF AGRICULTURE

FRED SEILER, PRESIDENT
VIN KISSICK, VICE PRESIDENT
JEFF WINTER, SECRETARY
MIKE MCGINN, TREASURER
TIM BOESE, MANAGER
THOMAS A. ADRIAN, ATTORNEY



DIRECTORS:
DAVID BOGNER
ALAN BURGHART
JOE PAJOR
BOB SEILER
DAVID STROBERG

EQUUS BEDS GROUNDWATER MANAGEMENT DISTRICT NO. 2

313 SPRUCE STREET • HALSTEAD, KANSAS 67056-1925 • PHONE (316) 835-2224 • FAX (316) 835-2225 • equusbeds@gmd2.org • www.gmd2.org

August 25, 2016

Chief Engineer, Division of Water Resources
Attn: Erin McGrogan
1320 Research Park Dr.
Manhattan, KS 66502

WATER RESOURCES
RECEIVED

AUG 29 2016

KS DEPT OF AGRICULTURE

Re: Appropriation Application Nos. 49284 & 49285 – Edgewater HOA

Dear Ms. McGrogan:

The referenced applications were reviewed by the Equus Beds Groundwater Management District No. 2 Board of Directors at the August 23, 2016, meeting. District staff and the applicant's consultant presented information regarding the applications.

It was the decision of the Board of Directors to table making a recommendation on the applications to allow the applicant time to justify and/or modify the quantity of water requested and also allow time for the applicant to contact nearby domestic well owners in an attempt to obtain signed domestic well spacing consent forms for domestic wells located within 660 feet of the proposed points of diversion.

Sincerely,

EQUUS BEDS GROUNDWATER
MANAGEMENT DISTRICT NO. 2

Tim Boese
Manager

TDB/db

pc: Edgewater HOA, Applicant and Landowner
Daniel Clement, Burns & McDonnell
Jeff Lanterman, Division of Water Resources, Stafford

SCANNED

FRED SEILER, PRESIDENT
VIN KISSICK, VICE PRESIDENT
JEFF WINTER, SECRETARY
MIKE MCGINN, TREASURER
TIM BOESE, MANAGER
THOMAS A. ADRIAN, ATTORNEY



DIRECTORS:
DAVID BOGNER
ALAN BURGHART
JOE PAJOR
BOB SEILER
DAVID STROBERG

EQUUS BEDS GROUNDWATER MANAGEMENT DISTRICT NO. 2

313 SPRUCE STREET • HALSTEAD, KANSAS 67056-1925 • PHONE (316) 835-2224 • FAX (316) 835-2225 • equusbeds@gmd2.org • www.gmd2.org

August 16, 2016

Daniel Clement
Burns & McDonnell
800 E. 1st Street North, Suite 400
Wichita, KS 67202

Re: Appropriation Application Nos. 49284 & 49285 – Edgewater HOA

Dear Mr. Clement:

The purpose of this correspondence is to advise you that the referenced water appropriation applications are scheduled for review at the August 23, 2016, Board of Directors meeting of the Equus Beds Groundwater Management District.

Please find enclosed a copy of the meeting agenda. The public meeting begins at 1:00 p.m. and will be held in the Equus Beds Groundwater Management District's conference room at 313 Spruce Street, Halstead, Kansas.

Please contact the District if you have any questions or need additional information.

Sincerely,
EQUUS BEDS GROUNDWATER
MANAGEMENT DISTRICT NO. 2

Tim Boese
Manager

TDB/db

Enclosure: Agenda

Pc: Edgewater HOA, with copy of agenda
Erin McGrogan, Division of Water Resources, Manhattan
Jeff Lanterman, Division of Water Resources, Stafford

WATER RESOURCES
RECEIVED

AUG 16 2016

KS DEPT OF AGRICULTURE



**PROPOSED AGENDA
BOARD OF DIRECTORS MEETING
EQUUS BEDS GROUNDWATER MANAGEMENT DISTRICT NO. 2**

Tuesday, August 23, 2016

1:00 p.m.

Conference room

313 Spruce Street • Halstead, KS 67056-1925

Phone: (316) 835-2224 • Fax: (316) 835-2225 • E-mail: equusbeds@gmd2.org

Website: www.gmd2.org

1. APPROVAL OF MINUTES

- a) July 12, 2016 Meeting
- b) July 12, 2016 Budget Hearing

2. APPROVAL OF AGENDA

3. FINANCIAL REPORT

4. APPROVAL OF EXPENDITURES

5. PUBLIC FORUM – Persons may present written or verbal comments concerning non-agenda business. Please state your name and address. Presentations are limited to five minutes.

6. APPEAL REVIEW

- a) Edgewater HOA, Application No. 49284, NE 27-26S-1W, Sedgwick Co.
- b) Edgewater HOA, Application No. 49285, NE 27-26S-1W, Sedgwick Co.

7. OLD BUSINESS – None Pending

8. NEW BUSINESS

- a) GMD's GIS Mobile Software Application Proposal
- b) Certification of 2015 Land and water Assessments to County Clerks

9. AGENCY & COMMITTEE REPORTS

- a) Division of Water Resources
- b) Kansas Water Authority
- c) Equus - Walnut Regional Advisory Committee

10. MANAGER'S REPORT

- a) ASR Project Report
- b) Administrative and Field Tasks
- c) Monthly Information and Service Report

11. ADDITIONS TO THE AGENDA

12. BOARD ROUND TABLE DISCUSSION – Fred Seiler, President

NOTICE: A Board of Directors meeting and any portion thereof is open to the public, except for closed or executive meetings, as prescribed by K.S.A. 75-4319.

Please complete a meeting notice form if you wish to be notified of Board of Directors meetings, hearings, work sessions or other business meetings. Notice forms may be obtained by contacting the Equus Beds Groundwater Management District #2.

FRED SEILER, PRESIDENT
VIN KISSICK, VICE PRESIDENT
JEFF WINTER, SECRETARY
MIKE MCGINN, TREASURER
TIM BOESE, MANAGER
THOMAS A. ADRIAN, ATTORNEY



DIRECTORS:
DAVID BOGNER
ALAN BURGHART
JOE PAJOR
BOB SEILER
DAVID STROBERG

EQUUS BEDS GROUNDWATER MANAGEMENT DISTRICT NO. 2

313 SPRUCE STREET • HALSTEAD, KANSAS 67056-1925 • PHONE (316) 835-2224 • FAX (316) 835-2225 • equusbeds@gmd2.org • www.gmd2.org

June 30, 2016

Daniel Clement
Burns & McDonnell
800 E. 1st Street North, Suite 400
Wichita, KS 67202

Re: Appropriation Application Nos. 49284 & 49285 – Edgewater HOA

Dear Mr. Clement:

The Equus Beds Groundwater Management District No. 2 received via email from Burns & McDonnell, on behalf of the Edgewater HOA, a Petition of Appeal on June 10, 2016 (original received by mail on June 14, 2016), in the matter of the District's May 16, 2016, recommendations of the above referenced applications. The petition was found to be in proper form and that, pursuant to K.A.R 5-22-12(b)(4), Burn & McDonnell, acting on behalf of the Edgewater HOA, is a valid petitioner.

The District Board of Directors will tentatively hear the appeal on Tuesday, August 23, 2016, in the conference room of the Equus Beds Groundwater Management District office, 313 Spruce Street, Halstead, Kansas. The meeting is tentatively planned to begin at 1:00 P.M. A copy of the meeting agenda will forwarded to you once the agenda is set.

At the appeal hearing, the Board will permit the petitioner to present briefs and may afford any interested party the opportunity to present oral or written arguments, if appropriate.

Please contact the District if you have any questions or need additional information.

Sincerely,
EQUUS BEDS GROUNDWATER
MANAGEMENT DISTRICT NO. 2

Tim Boese
Manager

TDB/db

Pc: Edgewater HOA
Erin McGrogan, Division of Water Resources, Manhattan
Jeff Lanterman, Division of Water Resources, Stafford

WATER RESOURCES
RECEIVED

AUG 09 2016

KS DEPT OF AGRICULTURE



May 24, 2016

Tim Boese
Manager
Groundwater Management District No. 2
313 Spruce Street
Halstead, KS 67056-1925

Re: Appeal Petition - Application Nos. 49284 and 49285

Dear Mr. Boese:

We are in receipt of your letters dated May 16th 2016 regarding the recommendation of denial by the Equus Beds Groundwater Management District. During the review of the applications the District found that the applications do not comply with one or more Groundwater Management District Rules and Regulations Including:

1. The applications do not comply with non-domestic spacing regulation 5-22-2(a)(1), as the proposed wells are closer than 1,320 feet to the edge of groundwater pit permitted by 47615 and 48836.
2. The applications do not comply with non-domestic spacing regulation 5-22-2(a)(1), as the proposed wells are closer than 1,320 feet to one another.
3. The application does not comply with domestic well spacing regulation 5-22-2(a)(2), as the proposed wells are closer than 660 feet to multiple nearby domestic wells in the area.
4. The proposed place of use appears to overlap the current place of use for the groundwater pit authorized by Water Permit 47615.
5. The application does not comply with the Maximum Reasonable Quantity for Beneficial Use Rule and Regulation K.A.R. 5-22-14(a)(1), as the proposed water to land ratio exceeds the maximum allowable of 1.3 acre-feet per acre for Sedgwick County.

The Edgewater HOA covers a small residential development located in Maize, KS. There are two existing water rights that the HOA utilizes to irrigate community open spaces within the subdivision (Water Permit Nos. 47456 and 47457). Water appropriation #47456 has an annual appropriation of 7.54 acre-feet and an approved place of use of 5.8 acres, and #47457 has an annual appropriation of 4.16 acre-feet and an approved place of use of 3.2 acres.

Because of the sandy soils at this location, the HOA has not been successful at maintaining the quality turf that is desired in this subdivision under the existing allowable appropriations. Therefore, the HOA is submitting new applications that will increase the amount of water available to the HOA's two existing irrigation wells. The proposed wells will remain identical to those currently in use and it is requested that upon approval of the enclosed applications that Water Permit Nos. 47456 and 47457 be dismissed. The applications request a net appropriation total of 28 acre-feet when combined, and the place of use for each application when combined will result in a total irrigated area of 9 acres.

WATER RESOURCES
RECEIVED

9400 Ward Parkway \ Kansas City, MO 64114
O 816-333-9400 \ F 816-333-3690 \ burnsacd.com

MAY 26 2016

SCANNED

KS DEPT OF AGRICULTURE

Tim Boese
RE: Appeal Petition Application Nos. 49284 and 49285
May 24, 2016
Page 2

We recognize that the requested quantities exceed the typical allotment of water per acre for the area, however as previously noted, this site has extremely sandy soils and steep slopes requiring additional and frequent irrigation to maintain soil moisture within the rooting zone. The sandy soils at this site also indicate that a significant portion of the water applied during irrigation is returning to the aquifer as infiltration.

K.A.R 5-3-20(c) indicates that a quantity above the established maximum reasonable annual amount can be exceeded if the applicant can demonstrate that an increased demand is needed for a specialty crop (in this case turf and not traditional large scale row crops). The quantities requested reflect the historic required amount of water pumped during a single year for turf maintenance. We feel that the amount requested is not wasteful and will not otherwise prejudicially or unreasonably affect the public interest based on the relatively low quantity and pumping rate. The HOA understands that the aquifer is a precious resource, and the utilization of the aquifer for the economic benefits of maintaining the Edgewater Development's aesthetics is a privilege.

On behalf of the Edgewater Homeowners Association we would like to request an appeal of the District's decision to recommend Applications 49284 and 49285 for denial based on the following:

1. *The applications do not comply with non-domestic spacing regulation 5-22-2(a)(1) as the proposes wells are closer than 1,320 feet to the edge of groundwater pit permitted by 47615 and 48836.*
 - Groundwater Pits 47615 and 48836 are currently owned by the developer of the Edgewater Housing Development (R&R Realty) and the dredged place of use for both of these groundwater pits and the associated water rights will eventually be relinquished to the Edgewater HOA.
 - A letter of support will be provided by the current owner (R&R Realty) of 47615 and 48836 for the proposed irrigation wells.
 - The wells have operated historically without prejudicially affecting the nearby groundwater pits, domestic wells, or other aquifer users.
 - Based on these items Edgewater HOA would like to request the District Board of Directors recommend a waiver of the non-domestic well to groundwater pit spacing regulations, as was previously granted for permits 47456 and 47457.

2. *The applications do not comply with non-domestic spacing regulation 5-22-2(a)(1) as the proposed wells are closer than 1,320 feet to one another.*
 - The proposed irrigation wells have operated historically at the proposed rates and quantities without impairing one another.
 - The proposed irrigation wells that do not meet spacing are owned by the same entity (Edgewater HOA).

WATER RESOURCES
RECEIVED

MAY 26 2016

SCANNED

KS DEPT OF AGRICULTURE

Tim Boese

RE: Appeal Petition Application Nos. 49284 and 49285

May 24, 2016

Page 3

- The District Board of Directors has previously granted a waiver for non-domestic well spacing based on the specific limited risk of impairment under Water Permits 47456 and 47457.
 - Based on these items Edgewater HOA would like to request the District Board of Directors recommend a waiver of the non-domestic well spacing regulation, as was previously granted for permits 47456 and 47457.
3. *The application does not comply with domestic well spacing regulation 5-22-2(a)(2) as the proposed wells are closer than 660 feet to multiple nearby domestic wells in the area.*
- The HOA collectively represents the interests of homeowners within the Edgewater development for management and maintenance of common areas, and as such provided a letter supporting the applications to the Division of Water Resources and the Groundwater Management District.
 - i. Obtaining spacing consent forms from individual homeowners within 660 feet surrounding the HOA's wells would take a significant amount of time based on the number of existing private irrigation wells;
 - ii. The existing irrigation wells have operated historically without any complaints of drawdown or impairment;
 - iii. Approval of the applications will not affect any individual homeowner's right to file an impairment complaint with the Chief Engineer, Division of Water Resources;
 - iv. Homes in the Edgewater development are on municipal water supply, the surrounding private domestic wells are for irrigation of private landscaping only;
 - The District Board of Directors has previously granted a waiver for domestic well spacing based on the specific limited risk of impairment under Water Permits 47456 and 47457, the rates and quantities of 49284 and 49285.
4. *The proposed place of use appears to overlap the current place of use for the groundwater pit authorized by Water Permit 47615.*
- According to the application documents, the place of use includes:
 - i. The community owned areas immediately surrounding the currently exposed groundwater pit located north of Driftwood Street and south of 49th Street N.
 - ii. The community owned areas immediately surrounding the currently exposed groundwater pit located south of Driftwood street and north of Kallmeyer Street
 - iii. An small strip of community owned area south and adjacent to 49th Street North and west of N. Cimmaron Street.
 - None of the currently proposed place of use for 49284 or 49285 is intended to include the exposed groundwater surface permitted by 47615, please advise if this area needs clarification.
 - The currently calculated place of use based on best match of property parcels and right of way analysis appears to be 9.0 acres.

WATER RESOURCES
RECEIVED

MAY 26 2016

SCANNED

KS DEPT OF AGRICULTURE

Tim Boese

RE: Appeal Petition Application Nos. 49284 and 49285

May 24, 2016

Page 4

5. *The application does not comply with the Maximum Reasonable Quantity for Beneficial Use Rule and Regulation K.A.R. 5-22-14(a)(1), as the proposed water to land ratio exceeds the maximum allowable of 1.3 acre-feet per acre for Sedgwick County.*
- The applications request a net appropriation total of 28 acre-feet when combined, and the place of use for each application when combined will result in a total irrigated area of 9 acres.
 - The 28 acre-feet requested represents a reasonable maximum amount of water based on historic use of the Edgewater HOA irrigation system, and will be required to go through the water right perfection process to establish a maximum reasonable need for:
 - i. Extremely sandy soils at this location, the HOA has not been successful at maintaining the quality turf that is required in this subdivision under the existing allowed appropriation to land ratio.
 - ii. The sandy soils at this site also indicate that a significant portion of the water applied during irrigation is returning to the aquifer through infiltration.
 - Pumping water in excess of the minimum required amount for irrigation is not in the interest of the HOA as electricity costs go up and the groundwater quality is such that iron staining of infrastructure occurs.
 - The HOA will remain committed to managing irrigation scheduling to eliminate runoff and manage water resources responsibly.

Sincerely,

Daniel Clement
Staff Hydrogeologist



DWC/dwc

cc: Edgewater HOA – c/o Baughman Company PA & R&R Realty
Erin McGrogan – Environmental Scientist, Division of Water Resources
Jeff Lanterman – Water Commissioner, Stafford F.O., Division of Water Resources

WATER RESOURCES
RECEIVED

MAY 26 2016

SCANNED

KS DEPT OF AGRICULTURE



1320 Research Park Drive
Manhattan, Kansas 66502
(785) 564-6700

900 SW Jackson, Room 456
Topeka, Kansas 66612
(785) 296-3556

Jackie McClaskey, Secretary

Governor Sam Brownback

May 23, 2016

FILE COPY

EDGEWATER HOA
ATTN JAY RUSSELL
900 N TYLER SUITE 7
WICHITA KS 67212

Re: New Application,
File Nos. 49,284 and 49,285

Dear Mr. Russell:

As you are aware, the above applications have been reviewed by the Equus Beds Groundwater Management District No.2, and on May 16, 2016 the Division of Water Resources received a recommendation that the referenced Applications for Permit to Appropriate Water for Beneficial Use be denied. Specifically, these applications do not comply with the Well Spacing Rule and Regulation K.A.R. 5-22-2 (a) (1) (2) for nearby non-domestics, domestic wells, and a proposed groundwater pit. The applications do not comply with the Maximum Reasonable Quantity for Beneficial use Rule and Regulation K.A.R. 5-22-(a) (1), and it appears that the place of use for both applications partially overlaps with a nearby groundwater pit.

We are advising you of this action in order to allow you an opportunity to consult with the District regarding their recommendation if you have not already done so. If you have already contacted the District, then we are allowing you this opportunity to discuss with the Board of Directors their recommendation and decision regarding the file. This office will consider any additional information you wish to have presented to the Chief Engineer.

We will delay any further action on the referenced applications until **June 15, 2016**, or any extension of time. If no additional information is supplied, the referenced applications will be submitted to the Chief Engineer for a final decision based on the information provided above. If you have any questions, please contact me at (785) 594-6640. If you wish to discuss a specific file, please have the file number ready so that I may help you more efficiently.

Sincerely,

Erin McGrogan
Environmental Scientist
Water Appropriation Program

SCANNED

pc: Stafford Field Office
Groundwater Management District No. 2
Burns and McDonnell Attn: Daniel Clement 800 E. First St. Suite 400 Wichita KS 67202

FRED SEILER, PRESIDENT
VIN KISSICK, VICE PRESIDENT
JEFF WINTER, SECRETARY
MIKE MCGINN, TREASURER
TIM BOESE, MANAGER
THOMAS A. ADRIAN, ATTORNEY



DIRECTORS:
DAVID BOGNER
ALAN BURGHART
JOE PAJOR
BOB SEILER
DAVID STROBERG

EQUUS BEDS GROUNDWATER MANAGEMENT DISTRICT NO. 2

313 SPRUCE STREET • HALSTEAD, KANSAS 67056-1925 • PHONE (316) 835-2224 • FAX (316) 835-2225 • equusbeds@gmd2.org • www.gmd2.org

May 16, 2016

Chief Engineer, Division of Water Resources
Attn: Erin McGrogan
1320 Research Park Dr.
Manhattan, KS 66502

WATER RESOURCES
RECEIVED

MAY 19 2016

Re: Application 49285 – Edgewater HOA

KS DEPT OF AGRICULTURE

Dear Ms. McGrogan:

The Equus Beds Groundwater Management District reviewed the referenced application on May 16, 2016, using the District's Revised Management Program (effective May 1, 1995) and Rules and Regulations K.A.R. 5-22-1 through 5-22-17.

The District's review found that the application does not comply with Well Spacing Rule and Regulation K.A.R. 5-22-2(a)(1), as the proposed point of diversion is located less than the required minimum spacing distance of 1,320 feet to the edge of the groundwater pits authorized by Water Permit Nos. 47615 and 48836, and 1,320 feet to the well authorized by Water Permit No. 47457 and proposed by Application No. 49284. The application also does not comply with the Well Spacing Rule and Regulation K.A.R. 5-22-2(a)(2), as the proposed point of diversion is located less than the required minimum spacing distance of 660 feet to numerous domestic wells.

The District's review also found that the application does not comply with the Maximum Reasonable Quantity for Beneficial Use Rule and Regulation K.A.R. 5-22-14(a)(1), as the proposed water to land ratio of approximately 3.11 acre-feet per acre exceeds the maximum allowable of 1.3 acre-feet per acre for Sedgwick County.

Additionally, it appears that the proposed place of use partially overlaps with the place of use (groundwater pit) authorized by Water Permit No. 47615.

Based upon the review findings, the application is recommended for denial by the Equus Beds Groundwater Management District.


A District decision may be appealed to the District Board of Directors by submitting a written petition to the District office within 30 days from date of this notification, pursuant to K.A.R. 5-22-12. An appeal petition must state the basis for the appeal and must include information/documentation supporting the appeal.

Please contact the District should you have any questions regarding the review or recommendation.

Sincerely,
EQUUS BEDS GROUNDWATER
MANAGEMENT DISTRICT NO. 2

Tim Boese
Manager
TDB/STF
Enclosures

pc: Edgewater HOA, Applicant and Landowner, with copy of K.A.R. 5-22-12
Daniel Clement, Burns & McDonnell, Consultant
Jeff Lanterman, Division of Water Resources, Stafford



H:\MSOFFICE\LETTERS\APP\NewApp\Recommendation\Deny\#49285_Edgewater.docx



SCANNED

ÉQUUS BEDS GROUNDWATER MANAGEMENT DISTRICT NO. 2 FINAL APPLICATION REVIEW CHECKLIST

1) Application No. 49285 Date filed: February 12, 2015
 2) Proposed maximum quantity: 28 acre-feet/year Rate: 75 GPM
 3) Proposed Use: Irrigation
 4) P/D location: SEWNNE 27-26S-1W Geo Center: North 4149 ft, West 1564 ft
 5) Number and type of points of diversion listed on the application 1 Well

6) Is the well location on the app the same on the evaluation sheet? Yes No
 7) Meter required K.A.R. 5-22-4a or K.A.R. 5-22-8? Yes No, Why
 8) Meets change app requirements K.A.R. 5-22-8? Yes No N/A

9) Meets Safe Yield K.A.R. 5-22-7? Yes No N/A
 9(b) Safe yield total allowable appropriations: 2472.5 af/yr
 9(a) Safe yield analysis total existing appropriations: 7228.84 af/yr
 9(c) Total appropriations for small user exemptions: 0.00 af/yr
 9(d) Total appropriations for non-consumptive use: 5029.20 af/yr
 9(e) Total appropriations for consumptive use: 2199.64 af/yr
 (total existing appropriations) – (non-consumptive appropriations)
 9(f) exempt from regulation? Yes No,
 Cite exemption:

10) Meets Well Spacing K.A.R. 5-22-2? Yes No N/A
 10(a) POD in enhanced well spacing area? Yes No
 10(b) Domestic well spacing interval: <660 ft
 10(c) Non-Domestic well spacing interval: <1320 ft

11) Meets Max Reasonable Quantity K.A.R. 5-22-14? Yes No N/A
 11(a) Irrigation max quantity: 3.11 acre-feet / acre
 application paragraph 3 value (acre-feet) / proposed acres = Q
 11(b) Stockwater max quantity: GPD unit
 11(c) Industry max quantity: Acre
 Industry standard:
 11(d) Municipal max quantity: GCD
 Lesser of either 200 GCD or
 $1.10 * (X - Y) * 365 d * (z + t)$
 X - Average of last three years usage in Gallons per Capita per Day (GCD)
 Y - water usage for industries that use over 200,000 gal/yr (GCD)
 Z - Projected population in 20 years
 T - Reasonable projected water use for industries that use over 200,000 gallons per year (GCD)
 11(e) Pond max quantity is
 (Net evap + seepage)/12 x pond area + any initial fill
 11(f) Groundwater pit max Q:
 Net evap * pit area/12

12) Reasonable rate for intended use? Yes No N/A
 13) Depth to water: 13 bls at observation well: EB223C

14) Date reviewed: 5/16/16
 15) Reviewed by: S. Flaherty Title: Hydrogeologist
 16) District recommendation: Approve Deny Other, see comment

Review 5-16-16 TF

17) Comments and Calculations:

Review completed for a new application submitted by Edgewater HOA for Irrigation use in Sedgwick County. PD overlap No. 47456. Place of use overlaps combined place of use for Nos. 47456 & 47457
 Item #10(b) – Does not meet spacing to groundwater pits authorized by Nos. 47615 & 48836, and well authorized by No. 47457 & proposed by No. 49284
 Item #10(c) – Does not meet spacing to numerous domestic wells.
 Item #11(a) – 28 acre-feet / 9 acres = 3.1 acre-feet / acre. Additional quantity not satisfactorily justified.
 Recommend denial, does not comply with domestic and nondomestic well spacing K.A.R. 5-22-2(a),(b)
 Does not comply with max reasonable use of 1.3 acre-feet /acre
 Application proposes a partial place of use overlap with 47615

WATER RESOURCES
RECEIVED

MAY 19 2016

1320 Research Park Drive
Manhattan, Kansas 66502
(785) 564-6700



900 SW Jackson, Room 456
Topeka, Kansas 66612
(785) 296-3556

Jackie McClaskey, Secretary

Governor Sam Brownback

FILE COPY

GROUNDWATER MANAGEMENT DISTRICT NO 2
TIM BOESE
313 SPRUCE ST
HALSTEAD KS 67056-1925

March 15, 2016

Re: Pending Application, File Nos. 49,284 &
49,285

Dear Mr. Boese:

We are enclosing a copy of the applications referred to above which appear to be in proper form. Please note the enclosed request for waiver of well spacing on the existing wells from the HOA dated February 12, 2016.

We are delaying any further action for a period of **30 days** from the date of this letter to allow you time to submit your recommendation concerning this application. Please submit your recommendation within the allotted time, or any authorized extension of time thereof.

If you have any questions, please contact me at (785) 564-6640. If you wish to discuss a specific file, please have the file number ready so that I may help you more efficiently.

Sincerely,

A handwritten signature in cursive script that reads "Erin McGrogan".

Erin McGrogan
Environmental Scientist
Water Appropriation Program

Enclosure
pc: Stafford Field Office

SCANNED

February 12, 2016

Erin McGrogan
Environmental Scientist
Division of Water Resources
Kansas Department of Agriculture
1320 Research Park Drive
Manhattan, Kansas 66502

Re: Waiver of Domestic Well Spacing - Applications 49284 & 49285

Dear Ms. McGrogan:

At the February 11th meeting the Edgewater Homeowners Associations (HOA) reviewed the status of New Appropriation Application Nos. 49284 and 49285. The purpose of the new applications is to allow for the additional quantity of water required to maintain grass and vegetation in our sandy soils.

It is our understanding that under existing well spacing regulations, domestic water well owners within 660 feet of the irrigation wells are typically required to sign a water well spacing consent form.

Based on the HOA's review and findings that:

- The HOA collectively represents the interests of homeowners within the Edgewater development for management and maintenance of common areas;
- The additional quantity of water is being requested to maintain grass, shrubs, and trees common to the entire Edgewater development;
- Without the authorization of an additional quantity of water significant and costly changes would be required to existing landscaping;
- Obtaining spacing consent forms from individual homeowners within 660 feet surrounding the HOA's wells would take a significant amount of time based on the number of existing private irrigation wells;
- The existing irrigation wells have operated historically without any complaints of drawdown or impairment;
- Approval of the applications will not affect any individual homeowner's right to file an impairment complaint with the Chief Engineer, Division of Water Resources;
- Homes in the Edgewater development are on municipal water supply, the surrounding private domestic wells are for irrigation of landscaping only;

It was the decision of the Edgewater HOA to recommend that the Kansas Division of Water Resources and the Equus Beds Groundwater Management District No. 2 grant an exception to the requirement for obtaining water well spacing consent forms, and Well Spacing Rule and Regulation K.A.R. 5-22-2(a)(2).

Julie Frazer
Edgewater HOA President
02/15/16

WATER RESOUR.
RECEIVED

FEB 16 2016

KS DEPT OF AGRICULTURE

1320 Research Park Drive
Manhattan, Kansas 66502
(785) 564-6700



900 SW Jackson, Room 456
Topeka, Kansas 66612
(785) 296-3556

Jackie McClaskey, Secretary

Governor Sam Brownback

February 22, 2016

MICHELLE MOORE
5911 W 45TH ST N
WICHITA KS 67205

Re: Application, File No. 49,285

Dear Sir or Madam:

This is to advise you that Edgewater HOA has filed the application referred to above for a permit to appropriate 28 acre-feet of groundwater per calendar year for irrigation use to be diverted at a maximum rate of 75 gallons per minute. The proposed point of diversion is an existing well located as follows:

One (1) in the Southeast Quarter of the Northwest Quarter of the Northeast Quarter (SE $\frac{1}{4}$ NW $\frac{1}{4}$ NE $\frac{1}{4}$), of Section 27, Township 26 South, Range 1 West, Sedgwick County, Kansas.

A map is enclosed indicating the location of the proposed point of diversion. Records in this office indicate that you may have a well or wells in this vicinity and you are notified of receipt of this application in order that you may be fully informed of the proposed location of the applicant's point of diversion and proposed use of water. Consideration will be given to comments or other information which you desire to submit to this office **within 15 days** from the date of this letter.

If you have any questions or comments, you may also contact me at (785) 564-6640. If you call, please reference the file number so I can help you more efficiently.

Sincerely,

Erin McGrogan
Environmental Scientist
Water Appropriation Program

Enclosure

pc: Stafford Field Office
GMD 2
Edgewater HOA

FILE COPY

SCANNED

S22-T26S-R1W

S23-T26S-R1W

6523

6373

4599

Michelle Moore
5911 W. 45th Street North
Wichita, KS 67205

1000' Radius
Wells Within
Edgewater Development

S27-T26S-R1W

S26-T26S-R1W

Application 49285

1:4,500



0 140 280 560
Feet

Legend

SCANNED

PLSS Sections

● Domestic Wells



Application 49285
Domestic Wells
Within 1000 Feet

49285

WATER RESOURCES
RECEIVED



NOV 30 2015

LEGAL PROOF OF PUBLICATION

Account #	Ad Number	Identification	PO	Amount	Cols	Lines
454118	0001911905	PUBLIC NOTICE File Nos. 49,284 and 49,285		\$880.50	1	50

Attention:

HOA MANAGEMENT SERVICES
900 N TYLER STE 7
WICHITA, KS 67212

In The STATE OF KANSAS
In and for the County of Sedgwick
AFFIDAVIT OF PUBLICATION

3 Insertions

Beginning issue of: 08/21/2015

Ending issue of: 09/04/2015

STATE OF KANSAS)
.SS
County of Sedgwick)

PUBLIC NOTICE

File Nos. 49,284 and 49,285
Page 2

Edgewater Homeowner's Association of Wichita, Kansas has filed with the Division of Water Resources, Kansas Department of Agriculture, two applications for a permit to appropriate groundwater for beneficial use, identified as File No. 49,284 and 49,285. The following is a description of each of the applications:

File No. 49,284: One (1) well located in the Northwest Quarter of the Northwest Quarter of the Northeast Quarter and,

File No. 49,285: One (1) well located in the Southeast Quarter of the Northwest Quarter of the Northeast Quarter, both located in Section 27, Township 26 South, Range 1 West, Sedgwick County, Kansas,

The water will be used for irrigation on 9 acres of landscaping areas within the subdivision for the proposed quantity of 28 acre-feet per year. The landscaping areas are located in the Northeast Quarter and Northwest Quarter of Section 27, Township 26 South, Range 1 West, Sedgwick County, Kansas. These are existing wells within the subdivision which is located at the corner of West 45th St. North and North Hoover Road in Wichita, Kansas.

Any interested party is invited to submit to this office on or before **September 21, 2015** written comments as to whether Application File Nos. 49,284 and 49,285 should be approved or not approved. Persons submitting comments should specially indicate their interest in the applications in a clear and concise manner.

Application File Nos. 49,284 and 49,285 are on file and available for public inspection in the office of the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture 1320 Research Park Drive, Manhattan, Kansas 66502.


Mark Fletchall, of lawful age, being first duly sworn, deposes and saith: That he is Record Clerk of The Wichita Eagle, a daily newspaper published in the City of Wichita, County of Sedgwick, State of Kansas, and having a general paid circulation on a daily basis in said County, which said newspaper has been continuously and uninterruptedly published in said County for more than one year prior to the first publication of the notice hereinafter mentioned, and which said newspaper has been entered as second class mail matter at the United States Post Office in Wichita, Kansas, and which said newspaper is not a trade, religious or fraternal publication and that a notice of a true copy is hereto attached was published in the regular and entire Morning issue of said The Wichita Eagle from 8/21/2015 to 09/04/2015.

I certify (or declare) under the penalty of perjury that the foregoing is true and correct.

Mark Fletchall
(Signature of Municipal Clerk)
DATED: 9/29/2015

[Signature]

Notary Public Sedgwick County, Kansas



49285



1320 Research Park Drive
Manhattan, Kansas 66502
(785) 564-6700

900 SW Jackson, Room 456
Topeka, Kansas 66612
(785) 296-3556

Jackie McClaskey, Secretary

Governor Sam Brownback

August 6, 2015

BURNS AND MCDONNELL
ATTN DANIEL CLEMENT
800 E FIRST SUITE 400
WICHITA KS 67202

FILE COPY

Re: Application File Nos. 49,284 and 49,285

Dear Mr. Clement:

Upon reviewing the referenced applications for permit to appropriate groundwater for irrigation use, it was determined that notification of potential nearby well owners would be best accomplished by publication of a public notice.

Enclosed is a copy of a notice to be published in a local newspaper once per week for three consecutive weeks at the applicant's expense. Copies of the notice as published are to be submitted within two weeks of the final publication date, or you may arrange for the newspaper to provide an affidavit of publication, which should be forwarded to us.

If the date given in the notice does not allow at least 15 days for public comment following the final publication date, this office should be contacted for permission to revise the date in the notice to allow adequate time for comments.

Should you have any questions regarding your applications, please feel free to contact me at (785) 564-6639.

Sincerely

Erin McGrogan

Erin McGrogan
Environmental Scientist
Water Appropriation Program

Enc: EMC
PC: Edgewater HOA 900 N Tyler Suite 7 Wichita KS 67212
Stafford Field Office
GMD No. 2

This institution is an equal opportunity employer and provider.

FILE COPY

PUBLIC NOTICE
File Nos. 49,284 and 49,285
Page 2

Edgewater Homeowner's Association of Wichita, Kansas has filed with the Division of Water Resources, Kansas Department of Agriculture, two applications for a permit to appropriate groundwater for beneficial use, identified as File No. 49,284 and 49,285. The following is a description of each of the applications:

File No. 49,284: One (1) well located in the Northwest Quarter of the Northwest Quarter of the Northeast Quarter and,

File No. 49,285: One (1) well located in the Southeast Quarter of the Northwest Quarter of the Northeast Quarter, both located in Section 27, Township 26 South, Range 1 West, Sedgwick County, Kansas,

The water will be used for irrigation on 9 acres of landscaping areas within the subdivision for the proposed quantity of 28 acre-feet per year. The landscaping areas are located in the Northeast Quarter and Northwest Quarter of Section 27, Township 26 South, Range 1 West, Sedgwick County, Kansas. These are existing wells within the subdivision which is located at the corner of West 45th St. North and North Hoover Road in Wichita, Kansas.

Any interested party is invited to submit to this office on or before **September 21, 2015** written comments as to whether Application File Nos. 49,284 and 49,285 should be approved or not approved. Persons submitting comments should specially indicate their interest in the applications in a clear and concise manner.


Application File Nos. 49,284 and 49,285 are on file and available for public inspection in the office of the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture 1320 Research Park Drive, Manhattan, Kansas 66502.

WATER WELL RECORD Form WWC-5 KSA 82a-1212

1 LOCATION OF WATER WELL: Sedgwick	FRACTION NE 1/4 NW 1/4 NE 1/4	SECTION NUMBER 27	TOWNSHIP NUMBER T 26 S	RANGE NUMBER R 1W E/W
--	---	-----------------------------	----------------------------------	---------------------------------

Distance and direction from nearest town or city street address of well if located within city?
Behind 6101 W. Driftwood Wichita, Kansas

2 WATER WELL OWNER: **RUSSELL, J. DEVELOPMENT & MANAGEMENT, INC.**
 RR#, ST. ADDRESS, BOX #: **P.O. Box 75337**
 CITY, STATE: **Wichita, Kansas** ZIP CODE: _____ Application Number: _____
 Board of Agriculture, Division of Water Resources



4 DEPTH OF COMPLETED WELL: **50** ft. ELEVATION: _____

Depth of groundwater Encountered: _____ ft.

WELL'S STATIC WATER LEVEL: **10** ft. BELOW LAND SURFACE MEASURED ON **7/12/00**

Pump test data: Well water was _____ ft. after _____ hours of pumping @ _____ gpm

Est. Yield: _____ gpm Well water was _____ ft. after _____ hours of pumping @ _____ gpm

Bore Hole Diameter **12** in. to **50** ft. and _____ in. to _____ ft.

WELL WATER TO BE USED AS: Public water supply Domestic use Irrigation Dewatering 11. Injection well 12. Other (Specify below) **TEST WELL**

2. Irrigation 4. Industrial 6. Oil field water supply 8. Air conditioning 10. Monitoring well

Was a chemical/bacteriological sample submitted to Department? **YES** **NO** ; If yes, what mo/day/yr was sample submitted

Was Water Well Disinfected? **YES** **NO**

5 TYPE OF CASING USED:

1. Steel 3. RPM (SR) 5. Wrought Iron 7. Fiberglass 9. Other (Specify below) CASING JOINTS: **Glued** Threaded
 2. PVC 4. ABS 6. Asbestos-Cement 8. Concrete tile SDR-26 Welded Clamped

Blank casing diameter **5** in. to **30** ft., Dia. _____ in. to _____ ft., Dia. _____ in. to _____ ft.

Casing height above land surface: **12** in., Weight: **2.35** lbs. / ft. Wall thickness or gauge No. **.214**

TYPE OF SCREEN OR PERFORATION MATERIAL:

1. Steel 3. Stainless Steel 5. Fiberglass **7. PVC** 9. ABS 11. Other (specify) _____
 2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:

1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut 9. Drilled holes 11. None (open hole)
 2. Louvered shutter 4. Key punched 6. Wire wrapped **8. Saw cut** 10. Other (specify) _____

SCREEN - PERFORATION INTERVAL From **30** ft. to **50** ft., From _____ ft. to _____ ft.
 From _____ ft. to _____ ft. From _____ ft. to _____ ft.

GRAVEL PACK INTERVALS: From **24** ft. to **50** ft., From _____ ft. to _____ ft.
 From _____ ft. to _____ ft. From _____ ft. to _____ ft.

6 GROUT MATERIALS: 1. Neat cement 2. Cement Grout 3. Bentonite Other **bentonite hole plug**

Grout intervals: From **4** ft. to **24** ft., From _____ ft. to _____ ft., From _____ ft. to _____ ft.

What is the nearest source of possible contamination:

1. Septic tank 4. Lateral lines 7. Pit privy 10. Livestock pens 13. insecticide storage 15. Oil well/Gas well
 2. Sewer lines 5. Cess Pool 8. Sewage lagoon 11. Fuel storage 14. Abandon water well 16. Other (specify below) _____
 3. Watertight sewer line 6. Seepage pit 9. Feed yard 12. Fertilizer storage

Direction from well? **North** How many feet? **10 ft. plus**

From	To	LITHOLOGIC LOG	From	To	LITHOLOGIC LOG
0	3	sandy soil			
3	10	clay			
10	18	fine sand			
18	20	clay			
20	40	coarse sand			
40	50	medium coarse sand			

7 Contractor's or Landowner's Certification: This water well was 1. **constructed** 2. reconstructed or 3. plugged under my jurisdiction and was completed on (mo/day/year) **2/13/2009** and this record is true to the best of my knowledge and belief. **JAN 13 2010**

Kansas Water Well Contractor's License No. **236** This water well record was completed on (mo/day/year) **2/18/2009**

under the business name of **Harp Well and Pump Service** by (signature) **Todd S. Harp**



December 19, 2014

David Barfield
Chief Engineer
Kansas Department of Agriculture – Division of Water Resources
1320 Research Park Drive
Manhattan, Kansas 66502

WATER RESOURCES
RECEIVED

FEB 12 2015

Re: New Appropriation Applications – Edgewater HOA

KS DEPT OF AGRICULTURE

Dear Mr. Barfield:

Attached are two applications for irrigation use for the Edgewater HOA. The Edgewater HOA covers a small residential development located in Maize, KS. There are two existing water rights that the HOA utilizes to irrigate community open spaces within the subdivision (Water Permit Nos. ⁴⁷⁶⁵⁶47656 and ⁴⁷⁶⁵⁷47657). Water appropriation #⁴⁷⁶⁵⁶47656 has an annual appropriation of 7.54 acre-feet and an approved place of use of 5.8 acres, and #⁴⁷⁶⁵⁷47657 has an annual appropriation of 4.16 acre-feet and an approved place of use of 3.2 acres. Because of the extremely sandy soils at this location, the HOA has not been successful at maintaining the quality turf that is required in this subdivision under the existing appropriations. Therefore, the HOA is submitting new applications that will increase the amount of water available under new appropriations. The proposed wells will remain identical to those currently in use and it is requested that upon approval of the enclosed applications that Water Permit Nos. 47656 and 47657 be dismissed. The attached applications request a net appropriation total of 28 acre-feet when combined, and the place of use for each application will combined and identical. The combined place of use will result in a total irrigated area of 9 acres.

We recognize that the requested quantities exceed the typical allotment per acre for the area, however as previously noted, this site has extremely sandy soils requiring additional irrigation to maintain soil moisture within the rooting zone. The sandy soils at this site also indicate that a significant portion of the water applied during irrigation is returning to the aquifer as infiltration.

K.A.R 5-3-20(c) indicates that a quantity above the established maximum reasonable annual amount can be exceeded if the applicant can demonstrate that an increased demand is needed for a specialty crop (in this case turf and not traditional large scale row crops). The quantities requested reflect the historic required amount of water pumped during a single year for turf maintenance. We feel that the amount requested is not wasteful and will not otherwise prejudicially and unreasonably affect the public interest based on the relatively low quantity and pumping rate.

Please feel free to contact our office directly with any questions,

Daniel Clement
DWC/dwc

SCANNED

Enclosures

FEE SCHEDULE

1. The fee for an application for a permit to appropriate water for beneficial use, except for domestic use, shall be (see paragraph No. 2 below if requesting storage):

ACRE-FEET	FEE
0-100	\$200.00
101-320	\$300.00
More than 320	\$300.00 plus \$20.00 for each additional 100 acre-feet or any part thereof.

2. The fee for an application in which storage is requested, except for domestic use, shall be:

ACRE-FEET	FEE
0-250	\$200.00
More than 250	\$200.00 plus \$20.00 for each additional 250 acre-feet of storage or any part thereof.

Note: If an application requests both direct use *and* storage, the fee charged shall be as determined under No. 1 or No. 2 above, whichever is greater, but not both fees.

3. The fee for an application for a permit to appropriate water for water power or dewatering purposes shall be \$100.00 plus \$200.00 for each 100 cubic feet per second, or part thereof, of the diversion rate requested.

Note: The applicant shall notify the Chief Engineer and pay the statutorily required field inspection fee of \$400.00 when construction of the works for diversion has been completed, except that for applications filed on or after July 1, 2009, for works constructed for sediment control use and for evaporation from a groundwater pit for industrial use shall be accompanied by a field inspection fee of \$200.00.

MAKE CHECKS PAYABLE TO THE KANSAS DEPARTMENT OF AGRICULTURE

ATTENTION

A Water Conservation Plan may be required per K.S.A. 82a-733. A statement that your application for permit to appropriate water may be subject to the minimum desirable streamflow requirements per K.S.A. 82a-703a, b, and c may also be required from you. After the Division of Water Resources has had the opportunity to review your application, you will be notified whether or not you will need to submit a Water Conservation Plan. You also may be required to install a water flow meter or water stage measuring device on your diversion works prior to diverting water. There may be other special conditions or Groundwater Management District regulations that you will need to comply with if this application is approved.

CONVERSION FACTORS

1 acre-foot equals 325,851 gallons

1 million gallons equal 3.07 acre-feet

WATER RESOURCES
RECEIVED

FEB 12 2015
SCANNED

KS DEPT OF AGRICULTURE

1320 Research Park Drive
Manhattan, Kansas 66502

Jackie McClaskey, Secretary



Phone: (785) 564-6700

Fax: (785) 564-6777

Email: ksag@kda.ks.gov

www.agriculture.ks.gov

Sam Brownback, Governor

February 16, 2015

EDGEWATER HOA
PO BOX 75337
WICHITA KS 67205

RE: Application
File No. 49285

Dear Sir or Madam:

Your application for permit to appropriate water in 27-26-1-W in Sedgwick County, was received and has been assigned the file number noted above.

As a matter of record, the Division of Water Resources has on hand a large number of applications awaiting processing. Therefore to be fair to all concerned, and so that we can process those applications on hand in the order they were received, we intend to concentrate on the backlog of applications until the issue is resolved. Once review of your application has begun, we will contact you, if additional information is required.

In accordance with the provisions of the Kansas Water Appropriation Act, a portion of which is included below, the use of water as proposed prior to approval of the application is unlawful. Once approved, compliance with the terms, conditions and limitations of the permit is necessary. Conservation of the water resources of Kansas is required.

Section 82a-728 of the Kansas Water Appropriation Act, provides (a) except for the appropriation of water for the purpose of domestic use, . . . it shall be unlawful for any person to appropriate or threaten to appropriate water from any source without first applying for and obtaining a permit to appropriate water in accordance with the provisions of the Water Appropriation Act or for any person to violate any condition of a vested right, appropriation right or an approved application for a permit to appropriate water for beneficial use.

(b) (1) The violation of any provision of this section by any person is a class C misdemeanor . . .

A class C misdemeanor is punishable by a fine not to exceed \$500 and/or a term of confinement not to exceed one month in the county jail. Each day that the violation occurs constitutes a separate offense.

If you have any questions, please contact me at (785) 564-6643. If you wish to discuss a specific file, please have the file number ready so that we may help you more efficiently.

Sincerely,

A handwritten signature in cursive script that reads "Brent A. Turney".

Brent Turney, L.G.
Change Application Unit Supervisor
Water Appropriation Program


BAT: dlw
pc: STAFFORD Field Office
GMD

SCANNED

Equus Beds Groundwater Management District No. 2

Safe Yield Evaluation #49285 for Edgewater HOA
 SENWNE (4149'N & 1564'W) 27-26S-01W, Sedgwick County

Prepared By: Stephen Flaherty Date: 4/20/2016



Map Legend

● Observation Well

● Proposed Point of Diversion

□ Authorized Place of Use

▲ Points of Diversion


WATER RESOURCES RECEIVED

Burrton IGUCA

Hollow Nickel SWQUA

McPherson IGUCA

Enhanced Water Spacing Area



SCANNED



Equus Beds Groundwater Management District No. 2
 313 Spruce Street, Halstead, KS 67056
 316-835-2224, equusbeds@gmd2.org

SAFE YIELD EVALUATION #49285 Edgewater
LOCATION: SENWNE (4149'N & 1564'W) 27-26S-01W, Sedgwick County
SPECIAL USE AREA: None
EVALUATION DATE:- 4/20/2016

Total Areas: 4,945 acres; Area in 3 inch discharge zone: 0 acres; Area in 6 inch discharge zone: 4,945 acres

FILE_ID	WELL_ID	TOWNSHIP	RANGE	SECTION	QUALIFIER	USE	AUTHQUANTITY
A04240000	2581	26S	01W	20	1880375	IND	15
A04571900	3124	26S	01W	29	49511104	REC	0.5
A04423900	2773	26S	01W	22	35293479	REC	20
A04098100	471	26S	01W	21	12951980	REC	70
A04504300	2975	26S	01W	28	6751595	REC	18.33
A04365700	2660	26S	01W	23	31893085	REC	97
A01527300	962	26S	01W	22	39601320	IRR	158
A047518IR	3656	26S	01W	23	43002640	IRR	13
A047518RE	3657	26S	01W	23	43002640	REC	70
A04681000	3459	26S	01W	21	16233397	REC	9.4
A04745700	3637	26S	01W	27	46692050	IRR	4.16
A04616200	3257	26S	01W	28	21952353	REC	4.33
A04616300	3258	26S	01W	28	18591996	REC	2.48
A20109138	3752	26S	01W	14	11004200	IND	552
A026130D1IR	3735	26S	01W	21	39603921	IRR	69.82
A026130D1IN	3736	26S	01W	21	37003100	IRR	46.67
A04645300	3356	26S	01W	28	953228	IRR	7.74
A04645400	3358	26S	01W	28	21905180	IRR	11.17
A04480800	2898	26S	01W	28	41503800	IND	78.3
A92911000	718	26S	01W	15	13200550	HYD	309
A04745600	3636	26S	01W	27	41491564	IRR	7.54
A20149062	4858	26S	01W	22	12201270	HYD	1066
A026130D2	1323	26S	01W	21	39603921	IRR	46.55
A00552400	307	26S	01W	15	13864620	REC	67
A04082600	1215	26S	01W	15	13200550	IND	150.06
A04083000	1219	26S	01W	27	14001600	REC	99
A04120900	45	26S	01W	14	11004200	IND	100
A20109084	3704	26S	01W	23	13203960	HYD	2386
A04761500	3708	26S	01W	27	43301540	IND	19.9
A20109067	3671	26S	01W	21	37003100	HYD	371.2
A04108400	594	26S	01W	16	7923828	REC	55
A04094600	1094	26S	01W	15	16062674	IND	97
A04600300	3202	26S	01W	23	13203960	IND	600
A20019068	2929	26S	01W	28	41503800	HYD	345
A04515600	2958	26S	01W	28	10443946	REC	26
A04928400P	4869	26S	01W	27	46692050	IRR	28
A04640900	3344	26S	01W	20	4800552	IND	29.69
A04883600	4156	26S	01W	22	12201270	IND	150
A04928500P	4870	26S	01W	27	41491564	IRR	28
Allowable Appropriations	2,472.50	Total Existing Appropriation				7,228.84	
Small User Quantity	0	Non Consumptive Appropriations				5,029.20	
Remaining SUQ	45	Consumptive Appropriations				2,199.64	
Note- Values are in acre-feet		Available Appropriations				172.86	

WATER RESOURCES
RECEIVED

SCANNED

MAY 19 2016

KS DEPT OF AGRICULTURE

Equus Beds Groundwater Management District No. 2

Spacing Evaluation #49285 Edgewater
 SENWNE (4149'N & 1564'W) 27-26S-01W, Sedgwick County

Prepared By: Stephen Flaherty Date: 5/16/2016



Map Legend


- Observation Well
- ▨ Authorized Place of Use
- Bedrock
- Proposed Point of Diversion
- ▲ Existing Points of Diversion
- Burrton IGUCA
- Hollow Nikkel SWQUA
- McPherson IGUCA
- Enhanced Well Spacing Area

Equus Beds Groundwater Management District No. 2
 313 Spruce Street, Halstead, KS 67056
 316-835-2224, equusbeds@gmd2.org

SCANNED

MAY 19 2016

KS DEPT OF AGRICULTURE



Legend

- Existing Water Permit PLSS Sections
- Proposed Place of Use Domestic Wells


KS DEPT OF AGRICULTURE
FEB 12 2015
 WATER RESOURCES
 RECEIVED



NEW APPLICATION MAP
Domestic Wells
Within 1/2 Mile
Request Publication Notice
Due to Number of Wells



Proposed Well Site
 Identical to #47456
 Sec 27, T26S, R1W
 4149' N & 1564' W



KS DEPT. OF AGRICULTURE

WATER RESOURCES RECEIVED

FEB 12 2015

Legend

Existing Water Permit PLSS Sections

Proposed Place of Use

NEW APPLICATION MAP

PROPOSED POINT OF
 DIVERSION & PLACE OF USE