NOTICE

This scan only represents the application as filed. The information contained herein meets the requirements of K.A.R. 5-3-1 or K.A.R. 5-5-1, and has been found acceptable for filing in the office of the Chief Engineer. The application should not be considered to be a complete application as per K.A.R. 5-3-1b or K.A.R. 5-5-2a.



OF KANSAS

WATER RESOURCES
RECEIVED

AUG 1 3 2018
12:35
KS DEPT OF AGRICULTURE

DIVISION OF WATER RESOURCES David W. Barfield, Chief Engineer

KANSAS DEPARTMENT OF AGRICULTURE
Jackie McClaskey, Secretary of Agriculture

File Number 50105 - A
This item to be completed by the Division of Water Resources.

WATER RESOURCES RECEIVED

APPLICATION FOR PERMIT TO APPROPRIATE WATER FOR BENEFICIAL USE

Filing Fee Must Accompany the Application (Please refer to Fee Schedule attached to this application form.)

KS DEPT OF AGRICULATOR

To the Chief Engineer of the Division of Water Resources, Kansas Department of Agriculture, 1320 Research Park Drive, Manhattan, Kansas 66502:

	Address: DG8 W City: Pecu		State //S	Zip Code <u>47/20</u>
	Telephone Number: (31)	6) 30 524-13		•
2.	The source of water is:	□ surface water in _	(stream	
	OR	groundwater in	, , , , , , , , , , , , , , , , , , , ,	•
	when water is released from	n storage for use by wate ate we receive your appli	ows established by law or may er assurance district members. If cation, you will be sent the appro	f your application is subject to
3.	The maximum quantity of v	water desired is 197.	acre-feet OR	_ gallons per calendar year,
	to be diverted at a maximu	m rate of <u>JOOO</u>	gallons per minute OR	cubic feet per second.
	requested quantity of water maximum rate of diversion	under that priority numb and maximum quantity	y, the requested maximum rate per can <u>NOT</u> be increased. Plea of water are appropriate and re Vater Resources' requirements.	se be certain your requested
4.	requested quantity of water maximum rate of diversion	under that priority numb and maximum quantity ant with the Division of W	per can <u>NOT</u> be increased. Plea of water are appropriate and re vater Resources' requirements.	se be certain your requested
4.	requested quantity of water maximum rate of diversion project and are in agreeme	under that priority numb and maximum quantity ant with the Division of W	per can <u>NOT</u> be increased. Plea of water are appropriate and re vater Resources' requirements.	se be certain your requested
4.	requested quantity of water maximum rate of diversion project and are in agreeme The water is intended to be	under that priority numb and maximum quantity ent with the Division of V e appropriated for (Check	per can <u>NOT</u> be increased. Plea of water are appropriate and revalet Resources' requirements. use intended):	se be certain your requested easonable for your proposed
4.	requested quantity of water maximum rate of diversion project and are in agreeme The water is intended to be (a) Artificial Recharge	under that priority number and maximum quantity ent with the Division of Western appropriated for (Check (b) [2] Irrigation	per can <u>NOT</u> be increased. Plea of water are appropriate and re later Resources' requirements. use intended): (c) □ Recreational	se be certain your requested easonable for your proposed (d) Water Power
4.	requested quantity of water maximum rate of diversion project and are in agreeme. The water is intended to be (a) Artificial Recharge (e) Industrial	and maximum quantity and maximum quantity ent with the Division of W e appropriated for (Check (b) ☑ Irrigation (f) ☐ Municipal (j) ☐ Dewatering	ber can NOT be increased. Plea of water are appropriate and revalent Resources' requirements. use intended): (c) Recreational (g) Stockwatering (k) Hydraulic Dredging	se be certain your requested easonable for your proposed (d) Water Power (h) Sediment Control
4.	requested quantity of water maximum rate of diversion project and are in agreeme. The water is intended to be (a) Artificial Recharge (e) Industrial (i) Domestic (m) Thermal Exchange	under that priority number and maximum quantity and maximum quantity and with the Division of We appropriated for (Check (b)	ber can NOT be increased. Plea of water are appropriate and revalent Resources' requirements. use intended): (c) Recreational (g) Stockwatering (k) Hydraulic Dredging	se be certain your requested easonable for your proposed (d) □ Water Power (h) □ Sediment Control (I) □ Fire Protection

DWR 1-100 (Revised 06/16/2014)

8/22/2018 UM

5.	The location of the proposed wells, pump sites or other works for diversion of water is:								
	Note: For the application to be accepted, the point of diversion location must be described to at least a 10 acre tract, unless you specifically request a 60 day period of time in which to locate the site within a specifically described, minimal legal quarter section of land.								
	(A) One in the \mathbb{N} quarter of the \mathbb{N} quarter of the \mathbb{N} quarter of Section \mathbb{N} , more particularly								
	described as being near a point feet North and 1349 feet West of the Southeast corner of said								
	section, in Township 3 South, Range 1 East/West (circle one), 5 County, Kansas.								
	(B) One in the quarter of the quarter of the quarter of Section, more particularly								
	described as being near a point feet North and feet West of the Southeast corner of said								
	section, in Township South, Range East/West (circle one), County, Kansas.								
	(C) One in the quarter of the quarter of the quarter of Section, more particularly								
	described as being near a point feet North and feet West of the Southeast corner of said								
	section, in Township South, Range East/West (circle one), County, Kansas.								
	(D) One in the quarter of the quarter of the quarter of Section, more particularly								
	described as being near a point feet North and feet West of the Southeast corner of said								
	section, in Township South, Range East/West (circle one), County, Kansas.								
	If the source of supply is groundwater, a separate application shall be filed for each proposed well or battery of wells, except that a single application may include up to four wells within a circle with a quarter (½) mile radius in the same local source of supply which do not exceed a maximum diversion rate of 20 gallons per minute per well as the same local source of supply which do not exceed a maximum diversion rate of 20 gallons per minute per well as the same local source of supply which do not exceed a maximum diversion rate of 20 gallons per minute per well as the same local source of supply which do not exceed a maximum diversion rate of 20 gallons per minute per well as the same local source of supply which do not exceed a maximum diversion rate of 20 gallons per minute per well as the same local source of supply which do not exceed a maximum diversion rate of 20 gallons per minute per well as the same local source of supply which do not exceed a maximum diversion rate of 20 gallons per minute per well as the same local source of supply which do not exceed a maximum diversion rate of 20 gallons per minute per well as the same local source of supply which do not exceed a maximum diversion rate of 20 gallons per minute per well as the same local source of supply which do not exceed a maximum diversion rate of 20 gallons per minute per well as the same local source of supply which do not exceed a maximum diversion rate of 20 gallons per minute per well as the same local source of supply which do not exceed a maximum diversion rate of 20 gallons per minute per well as the same local source of supply which do not exceed a maximum diversion rate of 20 gallons per minute per well as the same local source of supply which do not exceed a maximum diversion rate of 20 gallons per minute per well as the same local source of supply which do not exceed a maximum diversion rate of 20 gallons per minute per well as the same local source of supply which do not exceed a maximum diversion rate of 20 gallons per minute								
	A battery of wells is defined as two or more wells connected to a common pump by a manifold; or not more than four wells in the same local source of supply within a 300 foot radius circle which are being operated by pumps not to exceed a total maximum diversion rate of 800 gallons per minute and which supply water to a common distribution system.								
6.	The owner of the point of diversion, if other than the applicant is (please print):								
	Martin Scott Terms (name, address and telephone number)								
	(name, address and telephone number) 106P N West RD Pett NS 12120 316-B 24 - 135-1 (name, address and telephone number)								
	You must provide evidence of legal access to, or control of, the point of diversion from the landowner or the landowner's authorized representative. Provide a copy of a recorded deed, lease, easement or other document with this application. In lieu thereof, you may sign the following sworn statement:								
	I have legal access to, or control of, the point of diversion described in this application from the landowner or the landowner's authorized representative. I declare under penalty of perjury that the foregoing is true and correct.								
	foregoing is true and correct. Executed on July 20, 2018. Applicant's Signature								
	The applicant must provide the required information or signature irrespective of whether they are the landowner. Failure to complete this portion of the application will cause it to be unacceptable for filing and the application will be returned to the applicant.								
7.	The proposed project for diversion of water will consist of 4 we "5								
	The proposed project for diversion of water will consist of								
8.	(Month/Day/Year - each was or will be completed) The first actual application of water for the proposed beneficial use was or is estimated to be (Mo/Day/Year) WATER RESOURCES RECEIVED								

9.	Wil	I pesticide, fertilizer, or other foreign substance be injected into the water pumped from the diversion works?										
	1	Yes ☐ No If "yes", a check valve shall be required.										
	All	chemigation safety requirements must be met including a chemigation permit and reporting requirements.										
10.	If you are planning to impound water, please contact the Division of Water Resources for assistance, prior to submitting the application. Please attach a reservoir area capacity table and inform us of the total acres of surface drainage area above the reservoir.											
		ve you also made an application for a permit for construction of this dam and reservoir with the Division of the Resources? Yes No										
	•	If yes, show the Water Structures permit number here										
٠	•	If no, explain here why a Water Structures permit is not required										
11.	sho sec	e application <u>must</u> be supplemented by a U.S.G.S. topographic map, aerial photograph or a detailed plat by swing the following information. On the topographic map, aerial photograph, or plat, identify the center of the ction, the section lines or the section corners and show the appropriate section, township and range numbers. o, please show the following information:										
	(a)	The location of the proposed point(s) of diversion (wells, stream-bank installations, dams, or other diversion works) should be plotted as described in Paragraph No. 5 of the application, showing the North-South distance and the East-West distance from a section line or southeast corner of section.										
	(b)	If the application is for groundwater, please show the location of any existing water wells of any kind within $\frac{1}{2}$ mile of the proposed well or wells. Identify each existing well as to its use and furnish the name and mailing address of the property owner or owners. If there are no wells within $\frac{1}{2}$ mile, please advise us.										
	(c)	If the application is for surface water, the names and addresses of the landowner(s) $\frac{1}{2}$ mile downstream and $\frac{1}{2}$ mile upstream from your property lines must be shown.										
	(d)	The location of the proposed place of use should be shown by crosshatching on the topographic map, aerial photograph or plat.										
	(e)	Show the location of the pipelines, canals, reservoirs or other facilities for conveying water from the point of diversion to the place of use.										
		A 7.5 minute U.S.G.S. topographic map may be obtained by providing the section, township and range numbers to: Kansas Geological Survey, 1930 Constant, Campus West, University of Kansas, Lawrence, Kansas 66047.										
12.	poir	any application, appropriation of water, water right, or vested right file number that covers the same diversion on the same place of use described in this application. Also list any other recent modifications made existing permits or water rights in conjunction with the filing of this application.										
	_											
		WATER RESOURCES										

13.	Furnish the following well interest has not been completed, given					oundwater. If the wel
	Information below is from:	☐ Test holes	□ Well	as completed	☐ Drillers	s log attached
	Well location as shown in pa	aragraph No.	(A)	(B)	(C)	(D)
	Date Drilled	<u>0</u>	ULA			
	Total depth of well	_				
	Depth to water bearing form	ation _				
	Depth to static water level	-				
	Depth to bottom of pump int	ake pipe _				
14.	The relationship of the application of the applicat		proposed p	place where the	ne water will	be used is that of
15.	The owner(s) of the property	•		other than the		olease print):
16.	The undersigned states that this application is submitted Dated at	the information s	set forth abo		best of his/he	er knowledge and that
	Dated at	, Nansas	, uns	_ uay or	(month)	(year)
<u>B</u> y	Mark Scatt Zum (Applicant Signatur (Agent or Officer Signa	,	 .			
	(Agent or Officer - Pleas	e Print)				•
Assiste	d by			_	Date:	
			(0	office/title)		

WATER RESOURCES RECEIVED

IRRIGATION USE SUPPLEMENTAL SHEET

File No. <u>50105-A</u>

Name of Applicant (Please Print): Martin Terrus

Land	lowne	r of I	Recor	ď		NAN	1E: <u> </u>	Mar	41	5	<u> </u>	1-1	Tel	n.	<u>s</u>				
					AD	DRE	SS: <u> </u>	06	8_	N	معدر	+ (22	Pr	<u>u h</u>	<u> </u>	716	<u>ა</u>	
s	Т	R			E¼		ļ		NW¼		 	_	W¼	1	 		E¼	T	TOTAL
	4.5		NE		sw	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	10120
<u>25</u>	30	18	sya	59d	230	કે જિલ	 								 		ļ	ļ	152.26
		-											· · · · · ·						
	L		1			L	<u> </u>	<u> </u>	<u> </u>	<u> </u>	H	<u> </u>	İ	<u> </u>	II		.	L	<u> </u>
I .and	lowne	r of F	?ecor	ď		NAN	Æ:												
Lanu	OWIE	1 01 1	CCOI	u															
					AD	DRE	SS:_												
S	$\mid _{\mathrm{T}}\mid$	R			E¼		<u> </u>	NW¼			SW¼		SE¼			_	TOTAL		
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
																		<u> </u>	
															-				
							<u> </u>					<u> </u>	L						
				_															
Land	lowne	r of b	lecor	d		NAM	1E:							-					
					AD	DRES	SS:_												
s	Т	R	NE¼			NE¼			NW¼			SV	V1/4			SE¼			TOTAL
	1	Λ.	NE NW SW SE NE	NE	NW	sw	SE	SE NE NW SW SE NE	NE	NW	sw	SE	IOTAL						
		-																	
										\vdash				-	\vdash			-	
				1			8		1										I

WATER RESOURCES RECEIVED

Page 1 of 2

50105-A

	Indicate the soils in the field(s) and their intake rates:										
	Soil Name	Percent of field (%)	Intake Rate (in/hr) 1.0 + 2.0	Irrigation Design Group							
	Total:	100 %		-							
b.	Estimate the average land slop	e in the field(s):	<u></u>								
	Estimate the maximum land si	lope in the field(s):	1,5 %								
c.	Type of irrigation system you	propose to use (check one):									
	Center pivot	K Center pivot -	- LEPA "	Big gun" sprinkler							
	Gravity system (furrows	s) Gravity system	m (borders) S	ideroll sprinkler							
	Other, please describe:										
d.	System design features:										
	i. Describe how you will c										
	ii. For sprinkler systems:										
	(1) Estimate the oper	rating pressure at the distribut	tion system: 50 psi								
	(2) What is the sprin	kler package design rate? 3	≤ gpm								
	(3) What is the wetter	d diameter (twice the distance	the sprinkler throws water)	of a sprinkler on the							
	outer 100 feet of	the system? 1200 fe	eet								
	(4) Please include a c	copy of the sprinkler package	design information.								
e.	Crop(s) you intend to irrigate	. Please note any planned cro	op rotations:								
	Wheat, corn,	504 Beams									
		•									
		l determine when to irrigate	e and how much water to	apply (particularly							
f.	Please describe how you wil										
f.	Please describe how you wil important if you do not plan a Per Crop Complex										
f.	important if you do not plan a										

AUG 1 3 2018 Page 2 of 2

7/22/18	
(Date)	

Kansas Department of Agriculture Division of Water Resources David W. Barfield, Chief Engineer 1320 Research Park Drive Manhattan, Kansas 66502

Re:

Application

Minimum Desirable Streamflow

Dear Sir:

I understand that a Minimum Desirable Streamflow requirement has been established by the legislature for the source of supply to which the above referenced application applies.

I understand that diversion of water pursuant to this application will be subject to regulation any time Minimum Desirable Streamflow requirements are not being met.

I also understand that if this application is approved, there could be times, as determined by the Division of Water Resources, when I would not be allowed to divert water. I realize that this could affect the economics of my decision to appropriate water.

I am aware of the above factors, and with the knowledge thereof, request that the Division of Water Resources proceed with processing and approval, if possible, of the above referenced application.

Signature of Applicant

State of Kansas

) ss

Toppion Dock

ounty of Suhmer)

I hereby certify that the foregoing instrument was signed in my presence and sworn to before me this 22 day of 32.

Notary Public

My Commission Expires:

NOTARY PUBLIC - State of Kansas
ASHTON SPRINGER
My Appt Expires 3/24/2020

WATER RESOURCES RECEIVED

AUG 1 3 2018

KS DEPT OF AGRICULTURE

STATE OF KANSAS

DEPARTMENT OF AGRICULTURE 1320 RESEARCH PARK DRIVE MANHATTAN, KS 66502 PHONE: (785) 564-6700 Fax: (785) 564-6777



900 SW Jackson, Room 456 Topeka, KS 66612 Phone: (785) 296-3556 www.agriculture.ks.gov

GOVERNOR JEFF COLYER, M.D.

JACKIE McClaskey, Secretary of Agriculture

8/21/2018

MARTIN SCOTT TERNES 1068 W WEST RD PECK, KS 67120

RE: Application, File No. 50105-A

Dear Sir or Madam:

The Division of Water Resources (Division) has received your application for a permit to appropriate water for beneficial use. Your application has been assigned the file number referenced above. Please be aware that the Division may have a large number of pending applications on hand at times and makes every attempt to process them in the order in which they are received. You will be contacted if additional information is required.

Please note, this letter only acknowledges receipt of your application and does not guarantee approval. In accordance with the provisions of the Kansas Water Appropriation Act, the use of water as proposed prior to approval of the application is unlawful.

Additional information about the process may be found on our website at <u>agriculture.ks.gov/divisions-programs/dwr</u>. If you have any other questions, please contact our office at 785-564-6640 or your local Stafford Field Office at 620-234-5311. If you call, please reference the file number so we can help you more efficiently.

Sincerely,

Kristen A. Baum

New Application Unit Supervisor

ristenaBaum

Division of Water Resources

Conservation Plan Map

Customer(s): SUMNER COUNTY CONSERVATION DISTRICT

District: SUMNER COUNTY CD

Field Office: WELLINGTON SERVICE CENTER

Agency: USDA - NRCS Assisted By: KEVIN ARNET





Page 1 of 1 50/05-A

Soils Inventory Report

SUMNER COUNTY CONSERVATION DISTRICT

Map Unit Symbol	Map Unit Name	Acres	Percent
5976	Vanoss silt loam: 0 to 1 percent slopes	43.6	29%
5982	Nalim loam: 1 to 3 percent slopes	9.3	6%
6254	Waurika silt loam: 0 to 1 percent slopes: occasionally ponded	12	8%
6320	Bethany silt loam: 0 to 1 percent slopes	22.5	15%
6321	Bethany silt loam: 1 to 3 percent slopes	43.7	29%
6369	Milan loam: 1 to 3 percent slopes	13	9%
6370	Milan loam: 3 to 6 percent slopes	4.8	3%

Total: 148.9 100%