Kansas Department of Agriculture Division of Water Resources

CHANGE: P/U WORKSHEET

| 1. File Number: 25789 | 2. Status Change Date: | 3. Change Num: | 4. Field Office: 02 | 5. GMD: 05 |
|--|------------------------|-----------------------|--|--|
| 6. Status: Approved Den | ied by DWR/GMD | Dismiss by Reques | t/Failure to Return | 7. Filing Date of Change: 3/25/19 |
| 8a. Applicant(s) New to system □ | Person ID Add Seq# | 8c. Landown New to sy | | Person ID Add Seq# |
| 8b. Landowner(s) New to system □ E & L DAVIS FARMLANI 16380 53RD AVE HAVILAND KS 67059-78 | | 16380 | ostem □ DAVIS FARMLA 53RD AVE AND KS 67059- | |
| 9. Documents and Enclosure(s): ☑ D ☐ Anti-Reverse Meter ☐ Meter ☐ Conservation Plan Date Requi | Seal | □ N & P Form | ☐ Water Tube ☐ | to Comply: H & E Letter to Comply: |
| 10. Use Made of Water From: | | To: | | |
| | | | Date Prepared: 4/1/ 1 Date Entered: | 19 ву: ТЈЅ Ву: |

| File No. | 25789 | 11. County: KIOWA | KIOW | 1 1 | asin: F | Rattles | Basin: Rattlesnake Creek | Creek | | | Str | eam: F | Rattles | Stream: Rattlesnake Creek | reek | | | | Formati | Formation Code: | | Special Use: |
|--------------------------------|--|-------------------|---------------|---------------|-----------|---------|--------------------------|-------------|---|-------|----------|--------------------|---------------|---|------------------------------|-------------------------|--------------------|----------|-----------------|---------------------|-------|------------------|
| 12. Poii CHK MOD | 12. Points of Diversion CHK MOD | | | | | | | | | | - | | | Ra | Rate and Quantity Authorized | and Quant Authorized | ifty | | Additional | lal | | |
| DEL | PDIV Qualifier | Ø | ⊢ | ď | Ω | | Ž | Ŋ, | | Comi | nent (⁄ | Comment (AKA Line) | ne) | R | Rate gpm/cfs | Qui | Quantity af/mgy | R Idp | Rate gpm/cfs | Quantity af/mgy | Overk | Overlap PD Files |
| CHK | 12022 | | | | 7 | | | | | | | | | | | | | | | | 2017 | 20177051-MF |
| | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | |
| | | | 61 | 0.0 | | | | | | | | | | | | | | | | | | |
| 13. Stor | 13. Storage: Rate | | ₽ Z/i | Qua | Quantity_ | | | | | ac/ft | Adi | Additional Rate | l Rate | | | | | NF A | dditional | Additional Quantity | | ac/ft |
| 14. Limitation: Limitation: | Limitation: Limitation: | af/yr ataf/vr at | | | | |) map | | | | fs) who | en com | nbined ubined | cfs) when combined with file number(s) cfs) when combined with file number(s) | numk numb | er(s)_ | | | | | | |
| 15. 5YR | 15. 5YR Allocation: Allocation Type | 1 II | | Start Year | | | 5 YF | 5 YR Amount | t | | Amon | Amount Unit | | Ba | Base Acres | Se Se | | Comment | l t | | | |
| 16. Plac CHK | 16. Place of Use CHK | | | z | NE% | | | Ź | NW1/4 | | | SW1/4 | 4 | | | SE1/4 | | Total | al Owner | ner Chg? | | Overlap Files |
| MOD DEL ENT | PUSE S T R | О | N % | WN % | SW 7,7 | S % | N _× | WN % | SW 7/2 | SE ¼ | NE X | WN ¼ | SW % | SE % | NE NW % | N SW | | SE % | | | | |
| MOD | 34731 2 28S 17 | 17W 2 | Lot 1 13.7 | 1 Lot 2 30 | 2 30 | 41 | | | | | | | \dashv | \dashv | _ | _ | \dashv | 87.7 | 7 8b. | No | | 20177051-MF |
| | | | | | | | \perp | | | | \dashv | | \dashv | + | + | - | \dashv | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | |
| | | × | | | | | | | | | | | | | | | | | | | | |
| | | , | | | | | | | | | | | | | | | | | | | | |
| Base Acres: Comments: | Base Acres: 79.73 Year: Mult. Comments: | | mum F | Reaso | nable | Quant | ify: 1 | 29 A | Minimum Reasonable Quantity: 1.29 AF/acre | e . | | | | | | | | | X | | | |
| | | | | | | | | | | | | | | | | | | | | | | |

Submit completed application to: Kansas Department of Agriculture Division of Water Resources Field Office for your area. Call for address:

Topeka -- (785) 296-5733 Stafford -- (620) 234-5311 Stockton -- (785) 425-6787 Garden City -- (620) 276-2901 http://agriculture.ks.gov/dwr

DWR FIELD OFFICE APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF USE AND/OR THE POINT OF DIVERSION



STATE OF KANSAS

WATER METER REQUIRED

Filing Fee Must Accompany the Application, K.S.A. 82a-708b(b), as amended.

Fee Schedule is on the third page of this application form.

| than | iraph N 100 feet s) of div | , or if | olace | of use | will be | e char | e ted. (nged, i | Compl nclude | ete all e a top | other ograp | appli nic ma | cable ap or c | portio letailed | ns. If I plat | chanç showi | ge in p ng the | oint of autho | rized a | on is greater nd proposed EIVED |
|--------|---|----------------------|----------|----------------|-------------------|------------|----------------------------|-------------------|--------------------|----------------|-----------------|-------------------------|--------------------|------------------|----------------|-------------------|------------------|-------------|---------------------------------------|
| | | | | | | | | | | | | | | | | | | THE WE | Beam |
| | | | | | | a rah | ile No | 2578 | 9 | | | | | | | | | MAR | 2 5 2019 |
| | | | | | | iA ni | 000 | . <u>2010</u> | | | | dius | HWO I | | | | St | afford | Field Office |
| 1. A | pplication | on is he | reby n | nade fo | or appi | oval o | f the C | hief E | nginee | er to ch | ange t | he (ch | eck or | e or b | oth): | | Divisi | on of V | Vater Resource |
| | | | | | | ⊠ P | lace o | f Use | | | Point | of Dive | rsion | | | | | | Authoriz |
| u | nder the | water | right v | hich is | the s | ubject | of this | applic | ation i | n acco | rdance | with t | he cor | dition | s desc | ribed l | pelow. | | |
| | he sour | | | | | 1214 4 100 | round | | | FI CD IN | | ce wate | | | | | | | |
| Luci | V VV U | 1911061 | | 190 81 | | o ob | 2010 | 0.001 | | 1.07 | A CHECK | adi lo | ie later | | | | | | |
| 2. N | lame an | d addre | ess of | Applica | ant: St | teve D | avis | | | | | mida | CONTE | | | | | | H66210 |
| 1 | 6380 53 | rd Ave, | Havila | and KS | 67059 | 9-7816 | 3 | | disaid | Jasi. | | - 19 | gaane | N. Ma | lion | | | | o l |
| F | hone N | umber: | (316) | 251-55 | 548 | whee | inn 7 | | Email | addres | ss: ste | eved@ | havilaı | ndstate | ebank. | com | | in C. H | Propose |
| N | lame an | d addre | ess of | Water | Use C | orresp | onden | t: <u>E &</u> | L Dav | is Farr | nland | LP | o des | | Hata/ | Egoty | shA.C | والجا | og sid T |
| 1 | 6380 53 | 3 rd Ave, | Havila | and KS | 67059 | 9-7816 | 3 | | | | | | 1 1 | | | | | 1 | |
| F | hone N | umber: | (316) | 251-55 | 548 | | | | Email | addres | ss: ste | eved@ | havilaı | ndstate | ebank. | com | menem | nges | Z Tha cha |
| 3. T | he pres | ently au | ıthoriz | ed pla | ce of u | se is: | | | | | | | | | | | | | |
| C | wner o | | | | | | | | | | - | and the | 7 141 22 | SQUIT C | n mis | ERRENT. | 71.000 | HED HE | 34 54 5 |
| | | | | ESS: | | | | | | | | | | | | | | | |
| (| f there is | more th | an one | landov | vner, at | tach su | ppleme | ental sh | eets as | neces | sary.) | | eaY L | 3.45 | moente | gol el | ori Jae | is the t | 8. If a well, |
| | | | | NE | 1/4 | | | NV | V1/4 | , | | sv | V1⁄4 | | | SI | =1/4 | 7 - 19-77 | TOTAL |
| Sec. | Twp. | Range | NE1/4 | NW1/4 | SW1/4 | SE1/4 | NE1/4 | NW1/4 | SW1/4 | SE1/4 | NE1/4 | NW¼ | SW1/4 | SE1/4 | NE1/4 | NW1/4 | SW1/4 | SE1/4 | ACRES |
| 2 | 28S | 17W | 1 20 | Lot 2 39.73 | 40 | | | | 301 | | | | | | | | | | 79.73 |
| | | | | | -,- | | | | | | | | | | Hev | sair | oietev | e lo h | 10. If the par |
| 120 | | 11,1-1 | 100 | 11.00 | 11 | 1 1 | | |) ir gw | | | 7 | dowb | o arti | HW O | of be | op uo | / eie J | rav (s) |
| | | | | | | | <u> </u> | | | | | | | | | | | | AM |
| 4. II | this ap | plicatio | n is foi | a cha | nge in | place | of use | , it is p | ropos | ed that | the pl | ace of | use be | e chan | ged to | : Campb | | | |
| (| Owner o | | | | The second second | | | | | | | | | | | SHIP | 20.00 |) 10.78 (1. | n max - Fed |
| | | | | ESS: | | | | | | | 7 | - Arrows | | A 1-1-1-1 | 100 | | 111-37 | | about 1 |
| (| If there is | more th | an one | landov | vner, at | tach su | ıppleme | ental sh | eets as | neces | sary.) | inmos | - | 3111-10 | | 445 | 30 V | <u>V</u> | kadaalla |
| | | | | NE | 1/4 | | | , NV | N1/4 | | 16 | SV | V1⁄4 | | 1 1 | S | E1/4 | | TOTAL |
| Sec. | Twp. | Range | NE1/4 | | SW1/4 | SE1/4 | NE1/4 | NW1/4 | SW1/4 | SE1/4 | NE1/4 | NW1/4 | SW1/4 | SE1/4 | NE1/4 | NW1/4 | SW1/4 | SE1/4 | ACRES |
| 2 | 285 | 17W | 13.7 | 30 | 30 | 14 | - 10 | | | | | 2 | | Links | | 111. 3.0. | | | 87.7 |
| 18 ay | the boil | polar : | a Yin | nolei | vib to | Imeg. | 09200 | 219 91 |) i de | or Bird | | io mi | ž i di | 100 9 | 1 10 1 | 37 67 | 2 aid | W JUE | Jesi GRE |
| al tip | nullsoe | all 5161 | pril',n | Signer. | d to in | ob ga | exasi | ni ta | 251 | 101 | .116 | sipol | randa 1 | orași ann al | lo G | th 5 | grass | GOI . | doons whomous |
| - 10 0 | 1 10 10 | n cent | 190 | HT : | FTOR | BSA | 3.(9) | nois | gyilly | 290 | nen en | l bris | 701879 | ab lo i | niog b | 92000 | u srii | mile of | ner-half |
| | | landa. | | -5000 | | | - | | ort | 1010 | 100 | | n.T. | | o cit | 10.00 | 2 mil | ne nail | 33 9 1754 |

| 5. | Presently authorized point of diversion: | 4.191 | | noir originate | Marie Company |
|-----|--|-------------|--|---|--------------------|
| | One in the Quarter of the | | Quarter of the | NC NE | Quarter |
| | of Section2 , Township | | | | |
| | in <u>Kiowa</u> County, Kansas, <u>3970</u> fe | | | | |
| | Authorized Rate735 GPM Authorized Quantity | | | | |
| | (DWR use only: Computer ID No. 2 GPS | | | | |
| | ☑This point will not be changed ☐This point will be changed as | s follows: | ☐ No change, point bette | er described with GPS | as follows: |
| | Proposed point of diversion: (Complete only if change is | s request | ed or if existing point | is better described | d by GPS) |
| | One in the Quarter of the | | | | |
| | of Section, Township | | | | |
| | in County, Kansas, fe | | | | |
| 30 | Proposed Rate Proposed Quantity | n lie stoir | Proposed well dep | oth (feet) | Lacont 3 |
| 1 = | This point is: ☐ Additional Well ☐ Geo Center List other | r water rig | hts that will use this po | int <u>20177051-MF</u> | -80 n n-c <u>l</u> |
| | di vinci a | | | | 2 - 4172 |
| 6. | Presently authorized point of diversion: | | | | - |
| | One in the Quarter of the | | | | |
| | of Section, Township | | | | |
| | in County, Kansas, fe | et North _ | feet West | of Southeast corner | of section. |
| | Authorized Rate Authorized Quantity | | Depth of well | (feet) |) |
| | (DWR use only: Computer ID No GPS _ | | | | |
| | ☐ This point will not be changed ☐ This point will be changed as | | | | |
| | Proposed point of diversion: (Complete only if change is | | | | |
| | One in the Quarter of the | | | | |
| - | of Section, Township | 1 1 _ | South, Range _ | are part of the state of the | (E/W), |
| | in County, Kansas, fe | | | | |
| | Proposed Rate Proposed Quantity | | | , | . 841044 |
| L | This point is: Additional Well Geo Center List other | water rig | hts that will use this po | int | |
| 7 | The above as begin and defined for the fill of the control of | | | | |
| 7. | The changes herein are desired for the following reasons? (please be specific) <u>Installing a dragonline system</u> | | - | | |
| | to more efficiently use water and to irrigate land in the | 30 | 0 200 100 / | orth 0 100 200 | 300 |
| | E 1/2 NE 1/4 of Section 2. | E | | <u> </u> | |
| 0 | If a wall, is the test halo law attached 2 | | | | 1 |
| Ο. | If a well, is the test hole log attached? Yes No | 200 | -1+1+1- | = 1 + 1 + | 200 |
| 9. | The change(s) (was)(will be) completed by? | | | | 3 |
| | ASAP | 100 | | | 100 |
| | ASAF | 100 | -1+1+1 | 1+1+ | 100 |
| 10. | If the point of diversion is a well: | | | | 1 |
| | (a) What are you going to do with the old well? | West 0 | | K untun mitun un | □ H O East |
| | | | | | 3 |
| | <u>NA</u> | 100 | | 1+1+ | 100 |
| | (b) When will this be done? NA | 100 | | | 100 |
| | | | | 1 + 1 + | 1 |
| 11. | Groundwater Management District recommendation | 200 | -1+1+1- | - + + + | 200 |
| | attached? X Yes No 4/1/2019 TJ5-5FF0 | | | | 3 |
| 12 | Assisted by TIS SEEO | | | Findindantindan | |
| 12. | Assisted by TJS - SFFO | 300 | 0 200 100 (| 0 100 200 | 300 |
| 13a | .If the proposed point of diversion will be relocated more than | | | | |
| | 300 feet but within 2,640 feet of the existing point of diversion, attach a topographic map or aerial photograph. For | 13b.lf the | e proposed point of dive of the existing point of d | ersion will be relocat | ed within 300 |
| | groundwater sources, show all wells (including domestic) within | diag | ram shown above in | relation to the exis | sting point of |
| | one-half mile of the proposed point of diversion and the names and mailing addresses of the owners. For surface water | diver | rsion. (PLEASE NOTE ve represents the p | : The "X" in cente | r of diagram |
| R | sources, show the names and addresses of the landowner(s) | dive | rsion.) | audonze | sa point of |
| | one-half mile downstream and one-half mile upstream from your property lines | | | | |
| | your property miss | | | | |

MAR 2 5 2019 DWR 1-121 (Revised 04/5/2018)

| affected if this | rship interest of any owner o application is approved as re ☑ No (If yes, all owne | | i oeuno | (s) of use i | dentified in this applicat | ion be adversely |
|---|---|--|--|------------------------------|---|---|
| | ion is not approved expeditio □ No (If no, all owner | usly, will there be subst s must sign this applica | | mage to pro | pperty, public health or s | afety? |
| or a change in place of | ses a surface water change use, the application must be statement authorizing repre | e signed by all owners of | roundwa f the curi | ter change ently autho | in point of diversion gre rized place of use, or th | ater than 300 feet, eir duly authorized |
| age and the owner, their behalf, in rega | ng first duly sworn upon the spouse of the owne ards to the water right(s oplication are true, corre | r, or a duly authoriz) to which this appl | ed ager | nt of the o | wner(s) to make this | s application on |
| Dated at Hav | 128111 | , Kansas, this _ | 21 | _ day of | MARCH | , 20 19. |
| Sha | Qui | s and report the readin arch a following the en | | | and mainteimed in acc 3. 6-3-5e, the owner st effed annually to the C | |
| - pic | (Owner) | | | | (Spouse) | accompany |
| ELMER | DAVIS | | | | d excension of time. I | authoriza |
| NEN | (Please Print) | reprovided i uy are cinic | 10/1 (F 10/4) | o majarga Siu | (Please Print) | depliqqA [] |
| continue of lines oney | (Owner) | oll er toreign substand e copable of preventin | nical in | type or ct a | (Spouse) | 10 All diversion |
| Steve De | (Please Print) | naintaineil <u>le accords</u> | bas be | lerecu te | (Please Print) | ev koerio Applicabi |
| naed piace(s) or use c | (Owner) | No nd KAR SB-14 all c | e belo | saY (%) Sa as ame | (Spouse) | 11 Additional C 12. In accordan |
| | ible for compliance with its id with applicable provision | | | | | |
| r these province and in and discussion of th | (Please Print) | p romulgat od thereuse as amended, a <i>nd/or</i> i | TES AST | to a.S.A. | (Please Print) | result in |
| State of Kansas | y law. | | | | | |
| County of Krow | SS SS | | | | | |
| I hereby certify the | at the foreg oing applicati | On was signed in m ARY PUBLIC - State of Kansas TRENT JACKS | y prese | nce and s | sworn to before me | this $\frac{2}{}$ day |
| | Му Ар | opt. Expires 8 ·30 ·2 | 2 | 1 | 1 | Agriculture, A 1 profiled within 15 decided |
| My Commission Expire | es8.30-2[| (Print No. | de d | / | Notary Public | edny, with the re- days plyshant to review must state |
| ONLY COMPLETE APPL accurate information; map the appropriate fee must l | LICATIONS WILL BE PROCESS os, if necessary, must be include be paid. | ed; signatures of all the app | ropriate o | cable portion wners' must | s of the application form m be affixed to the application | ust be completed wit n and notarized; and |
| forth in the schedule b (1) Applicatio (2) Applicatio | ange the place of use or the elow: Make checks payable n to change a point of diversing to change a point of diversing to change the place of use | to: Kansas Departme ion 300 feet or less ion more than 300 feet | this sect | iculture | | \$100 \$200 |
| SECALNICE BELIEF | | · · · · · · · · · · · · · · · · · · · | | | | RECEIVED |
| RECEIVED AV | | | | | | |
| DWRAR121 (Revised 04/ | 5/2018) | Page 3 | | | arosvasa Fi l | le No. <u>25789</u> |


SUMMARY ORDER APPROVING APPLICATION FOR CHANGE AND IMPOSING CONDITIONS

| pro Wi | visions of the Kansas Water Appropriation Law. K.S.A. 82a- | 08b, as amended, and K.A.R. 5-5-1, et seq. and other applicable 701 et. seq., and rules and regulations promulgated thereunder ein, this Summary Order does not change the terms, conditions |
|-----------------------------------|--|---|
| 1. | A change application was received on 3/25/2019 diversion authorized under the above-referenced file numbers. | requesting that the place of use and / or point ober be changed as described in the application. |
| 2. | On and after the effective date of this summary order, the a on the topographic map accompanying the application to | uthorized place(s) of use shall be located substantially as shown change the place of use. 🏿 Applicable 🔝 Not Applicable |
| 3. | The change in point of diversion shall not impair existing right previously authorized. The point of diversion authorized by radius of the authorized point(s) of diversion. ☐ Applicab | nts and shall be limited to the same source or sources of water as by this summary order shall be located within a foot ble ☑ Not Applicable |
| 4. | The point(s) of diversion described herein is administrative Positioning System (GPS), as described in the application | ely corrected to be more accurately described using the Globa n. □ Applicable ☒ Not Applicable |
| 5. | The point(s) of diversion authorized herein shall not actually authorized point(s) of diversion. ☐ Applicable ☒ N | be located more than feet from the previously ot Applicable |
| 6. | As required by K.A.R. 5-3-5d, if the works for diversion is a tube or other device suitable for making water level accordance with K.A.R. 5-6-13. ☐ Applicable ☑ N | a well with a diversion rate of 100 gallons per minute or more, a measurements shall be installed, operated and maintained ir lot Applicable |
| 7. | operated and maintained in accordance with K.A.R. 5-1- | operly install an acceptable water flow meter on or before whichever occurs first. The water flow meter shall be installed 4 through 5-1-12. As required by K.S.A. 82a-732, as amended report the reading of the water flow meter and the total quantity of following the end of each calendar year. |
| 8. | Installation of the works for diversion of water shall be authorized extension of time. By March 1, 20 the works for diversion has been completed, on the form providing the providing providing the providing providing the providing providing the providing the providing providing the providing providing the providing providing the providing providing providing the providing providi | completed on or before December 31, 20, or within any applicant shall notify the Chief Engineer that construction of the ided by the Chief Engineer, as required by K.A.R. 5-8-4e. |
| 9. | The completed well log shall be submitted with the requi | ired notice. Applicable Not Applicable |
| 10. | with an in-line, automatic, quick-closing check valve capal | oreign substance will be injected into the water shall be equipped ble of preventing pollution of the source of the water supply. The ned in accordance with K.A.R. 5-3-5c. ⊠ Applicable ☐ No |
| 11. | Additional Conditions are attached. 🛛 Yes 🔲 No | |
| 12. | water appropriated under the above-referenced file numb limitations, as amended and/or supplemented by this Sum Appropriation Law and the Rules and Regulations promu | .R. 5-5-14, all of the owners of the authorized place(s) of use of over are responsible for compliance with its terms, conditions and nmary Order, and with applicable provisions of the <i>Kansas Water</i> allgated thereunder. Failure to comply with these provisions may be ended, and/or the suspension or revocation and dismissal of the ons authorized by law. |
| | Administrative Appeal and Effective Date of Order | FOR OFFICE USE ONLY |
| you Eng Agr | ou are aggrieved by this order, pursuant to K.S.A. 82a-1901, may request an evidentiary hearing before the Chief inneer or request administrative review by the Secretary of iculture. A request for hearing by the Chief Engineer must be | APPLICATION APPROVED AND SUMMARY ORDER ISSUED By: Camer Const |
| adn day revi File Leg | within 15 days of service of this Order and a request for ninistrative review by the Secretary must be filed within 30 s pursuant to K.S.A. 77-531. Any request for administrative ew must state a basis for review pursuant to K.S.A. 77-527. any request with Kansas Department of Agriculture, all Division, 1320 Research Park Drive, Manhattan, KS 02. Failure to timely request a hearing or review may | Duly Authorized Designee of the Chief Engineer (Print Name): Consent Division of Water Resources - Kansas Department of Agriculture Date of Issuance: 2, 2019 |
| pred | clude review under the Kansas Judicial Review Act. | State of Kansas) |
| | For Use by Register of Deeds | County of Afford |
| | | Acknowledged before me on 04/00/2019 |
| | | by Camenon Congad. |
| | | Signature: System Waged woll |
| RE | ECEIVED | JESSICA ENGELBRECHT |
| MA | R 2 5 2019 | My commission expires My Appointment Expires (Notany Setal) 2021 |

Page 4

File No.

Stafford Field Office Division of Water Resources



ADDITIONAL CONDITIONS TO SUMMARY ORDER APPROVING APPLICATION FOR CHANGE AND IMPOSING CONDITIONS

The effective date of the change shall be the date this order is executed by the Chief Engineer, after which Water Right, File No. 25789 shall be subject to the following conditions:

- 11a. If the water flowmeter is replaced with a new flowmeter then the owner of the authorized place(s) of use shall properly install an anti-reverse totalizing water flowmeter which meets or exceeds specifications adopted by the Chief Engineer
- 11b. A seal shall be placed on the water flowmeter by the Division of Water Resources in such a manner as to render the meter non-removable from the measuring chamber without breaking the seal. If the seal is broken without the permission of the chief engineer, this shall create a rebuttable presumption that the point of diversion had been unlawfully operated in violation of the order of the chief engineer and that the water right holder had been acting in violation of the conditions of his or her water right.

RECEIVED

MAR 2 5 2019



Stafford Field Office 300 S. Main Street Stafford, KS 67578-1521

Mike Beam, Interim Secretary

Phone: 620-234-5311 Fax: 620-234-6900 www.agriculture.ks.gov

Laura Kelly, Governor

April 2, 2019

E & L DAVIS FARMLAND LP 16380 53RD AVE HAVILAND KS 67059-7816

Re: Water Right, File No(s). 25789

Dear Water Right Owner:

Enclosed is the order executed by the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, approving the application for change under the above referenced file number(s).

Your attention is directed to the enclosures and to the terms, conditions and limitations specified in this approval for change. An acceptable water flow meter must be installed on your well before any water is applied as authorized under this change approval. A copy of the approved list of <u>Certified Water Flowmeters</u> as well as the regulations regarding the installation of flowmeters, measurement tubes and check valves can be found at http://agriculture.ks.gov/divisions-programs/dwr/water-appropriation/water-flowmeters. If you do not have access to the internet, please contact this office and we will send you a paper copy of the referenced information.

Since this order modifies the original document referred to above, it should be recorded with the Register of Deeds as other instruments affecting real estate.

Should you have any questions, please feel free to contact this office. If you wish to refer to a specific file, please reference it when you contact us.

Sincerely,

Jeff Lanterman

Water Commissioner

Enclosures

pc: Water Rights Section

Groundwater Management District No. 5

CERTIFICATE OF SERVICE

On this **2nd** day of **April**, **2019**, I hereby certify that the attached Change in Place of Use for Water Right, File No. **25789**, dated **April 2**, **2019** was mailed via Certified U.S. mail to the following:

E & L DAVIS FARMLAND LP 16380 53RD AVE HAVILAND KS 67059-7816

A copy of the letter was sent via First Class U.S. Mail to the following:

GMD 5

Staff



KANSAS DEPARTMENT OF AGRICULTURE

Division of Water Resources

Stafford Field Office

MEMORANDUM

TO: File

DATE: 3/26/2019

FROM: Tyler Saryerwinnie

RE: File No. 25789

This is a memorandum regarding surrounding well owner notification on irrigation field office PU changes and pertains to decisions made during the Water Commissioner meeting which took place on 11/16/2016 with directive from Lane Letourneau Program Manager.

This is applicable to field office changes to increase the place of use by 10 acres or 10% (whichever is less) or a change in place of use to create a complete overlap in which no new acres are being irrigated.

During that meeting it was determined that no surrounding well owner notification will be sent under this type of Place of Use change. All well rates and quantities will remain unchanged and the referenced change will not cause impairment or impact surrounding well owners.

The change in place of use filed on <u>3/25/2019</u> for the above referenced file meets this criteria and surrounding well owners will not be notified.

Saryerwinnie, Tyler [KDA]

From:

Saryerwinnie, Tyler [KDA]

Sent:

Tuesday, March 26, 2019 1:43 PM

To:

Orrin Feril (oferil@gmd5.org)

Cc:

Conant, Cameron [KDA]

Subject: Attachments: GMD Recommendation Request - File No. 25,789

25789.Cover Letter + Base.pdf; 25789.Change App.pdf

Orrin,

I have attached a cover letter and a copy of one (1) change application for GMD recommendation. Please provide the GMD recommendation by April 15, 2019.

Please let me know if you are needing anything else, or have any questions.

Thank you, Tyler

Tyler Saryerwinnie, Environmental Scientist Kansas Department of Agriculture Division of Water Resources Stafford Field Office Stafford Field Office 300 S. Main Street Stafford, KS 67578-1521



Phone: 620-234-5311 Fax: 620-234-6900 www.agriculture.ks.gov

Mike Beam, Interim Secretary

Laura Kelly, Governor

March 26, 2019

Orrin Feril Big Bend – GMD No. 5 125 S Main St. Stafford, KS 67578

RE: Place of Use Change Application, File No. 25,789

Dear Mr. Feril,

We are enclosing a copy of the application, as referenced above, for your review and recommendation. At this time the application appears to be in proper form.

This office will delay any further action on this file for a period of 15 business days from the date of this letter to allow you time to submit your recommendation concerning the application. Please submit your recommendation within the allotted time, or any authorized extension of time thereof.

If you have any questions, please feel free to contact the office.

Sincerely,

Tyler Saryerwinnnie Environmental Scientist Stafford Field Office tyler.saryerwinnie@ks.gov

Enclosure

Saryerwinnie, Tyler [KDA]

From:

Orrin Feril <oferil@gmd5.org>

Sent:

Friday, March 29, 2019 8:39 AM

To:

Saryerwinnie, Tyler [KDA]

Subject:

Application for Change, Water Right, File No. 25789

Attachments:

25789 2019-03-29 Rec.pdf

EXTERNAL: This email originated from outside of the organization. Do not click any links or open any attachments unless you trust the sender and know the content is safe.

Tyler,

I'm attaching the recommendation requested by your office in a letter dated March 26, 2019. Please let me know if you have any questions.

Thank you for your consideration in this matter,

Orrin

--

Orrin Feril

Manager

Big Bend GMD#5

Email: oferil@gmd5.org Phone: (620) 234-5352 Mobile: (620) 388-0172 Fax: (620) 234-5718

www.gmd5.org

Facebook/Twitter: @BigBendGMD5

Darrell Wood - Edwards (Pres.)
Fred Grunder - Pratt (V Pres.)
John Janssen - Kiowa (Treas.)
Jerry Cullop - Rice (Sec.)
Justin Gatz - Reno
Marlyn Spare - Stafford
Phil Martin - Barton
Kerry Froetschner - Pawnee
Tom Taylor - At-Large



Orrin Feril, Manager 125 South Main Street Stafford, Kansas 67578 ph: (620) 234-5352 fx: (620) 234-5718 gmd5@gmd5.org www.gmd5.org

March 29, 2019

Tyler Saryerwinnie Division of Water Resources Kansas Department of Agriculture 300 S. Main Street Stafford, Kansas 67578-1342

> RE: Water Right File No. 25789 Change in the Place of Use

Dear Mr. Saryerwinnie,

Big Bend Groundwater Management District #5 has reviewed the above referenced application. It is the understanding of the District that this change is intended to utilize more efficient water delivery by mobile drip irrigation. Based on the information received in the office, the application appears to be consistent with 5-25-20(b) and is recommended for approval.

The application to change is subject to the District's well equipment regulation K.A.R. 5-25-5 for a required flow meter.

Please feel free to give me a call if you have any questions.

Sincerely,

Orrin Feril Manager

RECEIVED

MAR 2 9 2019

Stafford Field Office Division of Water Resources