NOTICE

This scan only represents the application as filed. The information contained herein meets the requirements of K.A.R. 5-3-1 or K.A.R. 5-5-1, and has been found acceptable for filing in the office of the Chief Engineer. The application should not be considered to be a complete application as per K.A.R. 5-3-1b or K.A.R. 5-5-2a.

WATER RESOURCES RECEIVED

MAY 2 4 2019 1048 KS DEPT OF AGRICULTURE

KANSAS DEPARTMENT OF AGRICULTURE

Jackie McClaskey, Secretary of Agriculture

DIVISION OF WATER RESOURCES
David W. Barfield, Chief Engineer

File Number 50200
This item to be completed by the Division of Water Resources.

APPLICATION FOR PERMIT TO APPROPRIATE WATER FOR BENEFICIAL USE

Filing Fee Must Accompany the Application (Please refer to Fee Schedule attached to this application form.)

To the Chief Engineer of the Division of Water Resources, Kansas Department of Agriculture, 1320 Research Park Drive, Manhattan, Kansas 66502:

	City: Mount Hope		State <u>ks</u> Z	Zip Code 67108
	Telephone Number: (316) 640-6571	· .	
2.	The source of water is:	☐ surface water in	(stream	<u> </u>
	OR	groundwater in Arkar	,	,
	when water is released from	m storage for use by wate ate we receive your applic	ows established by law or may er assurance district members. If cation, you will be sent the appro	your application is subject to
_	The area of the control of the contr	water desired is 1063	acro foot OP	_ gallons per calendar year,
3.	i ne maximum quantity of v	water desired is 190.3	acie-leet Oit	_ ganono por calondar your,
3.	• •		gallons per minute OR	_ ·
3.	to be diverted at a maximu Once your application has requested quantity of water maximum rate of diversion	m rate of 1000 been assigned a priority number that priority number and maximum quantity		cubic feet per second. e of diversion and maximum se be certain your requested easonable for your proposed
3 . 4 .	to be diverted at a maximu Once your application has requested quantity of water maximum rate of diversion	im rate of 1000 been assigned a priority runder that priority number and maximum quantity ent with the Division of W	gallons per minute OR y, the requested maximum rate per can <u>NOT</u> be increased. Plea of water are appropriate and re Vater Resources' requirements.	cubic feet per second. e of diversion and maximum se be certain your requested easonable for your proposed
	to be diverted at a maximular Once your application has requested quantity of water maximum rate of diversion project and are in agreement	im rate of 1000 been assigned a priority runder that priority number and maximum quantity ent with the Division of W	gallons per minute OR y, the requested maximum rate per can <u>NOT</u> be increased. Plea of water are appropriate and re Vater Resources' requirements.	cubic feet per second. e of diversion and maximum se be certain your requested easonable for your proposed
	to be diverted at a maximular Once your application has requested quantity of water maximum rate of diversion project and are in agreement. The water is intended to be	im rate of 1000 been assigned a priority runder that priority numb and maximum quantity ent with the Division of We appropriated for (Check	gallons per minute OR	cubic feet per second. e of diversion and maximum se be certain your requested easonable for your proposed
	to be diverted at a maximular Once your application has requested quantity of water maximum rate of diversion project and are in agreement. The water is intended to be (a) Artificial Recharge	im rate of 1000 been assigned a priority runder that priority number and maximum quantity ent with the Division of Weet appropriated for (Check (b) Impropriated for (b) Impropriated for (Check (b) Impropriated for (b)	gallons per minute OR	cubic feet per second. e of diversion and maximum se be certain your requested easonable for your proposed (d) Water Power
	to be diverted at a maximul Once your application has requested quantity of water maximum rate of diversion project and are in agreemed. The water is intended to be (a) Artificial Recharge (e) Industrial	im rate of 1000 been assigned a priority runder that priority number and maximum quantity ent with the Division of West appropriated for (Check (b) In Irrigation (f) Municipal	gallons per minute OR	cubic feet per second. e of diversion and maximum se be certain your requested easonable for your proposed (d) Water Power (h) Sediment Control

DWR 1-100 (Revised 06/16/2014)

5/29/2019 CLM

		File No
5	The	location of the proposed wells, pump sites or other works for diversion of water is:
	Note	For the application to be accepted, the point of diversion location must be described to at least a 10 acre tract, unless you specifically request a 60 day period of time in which to locate the site within a specifically described, minimal legal quarter section of land.
	(A)	One in the $\underline{\text{SE}}$ quarter of the $\underline{\text{SW}}$ quarter of the $\underline{\text{SE}}$ quarter of Section $\underline{\text{25}}$, more particularly
		described as being near a point 40 feet North and 1900 feet West of the Southeast corner of said
		section, in Township $\underline{25}$ South, Range $\underline{3W}$ East/West (circle one), $\underline{Sedgwick}$ County, Kansas.
	(B)	One in the quarter of the quarter of the quarter of Section, more particularly
		described as being near a point feet North and feet West of the Southeast corner of said
		section, in Township South, Range East/West (circle one), County, Kansas.
	(C)	One in the quarter of the quarter of the quarter of Section, more particularly
		described as being near a point feet North and feet West of the Southeast corner of said
		section, in Township South, Range East/West (circle one), County, Kansas.
	(D)	One in the quarter of the quarter of the quarter of Section, more particularly
		described as being near a point feet North and feet West of the Southeast corner of said
		section, in Township South, Range East/West (circle one), County, Kansas.
	wells	e source of supply is groundwater, a separate application shall be filed for each proposed well or battery of s , except that a single application may include up to four wells within a circle with a quarter ($\frac{1}{2}$) mile radius in ame local source of supply which do not exceed a maximum diversion rate of 20 gallons per minute per well.
,	four to	ttery of wells is defined as two or more wells connected to a common pump by a manifold; or not more than wells in the same local source of supply within a 300 foot radius circle which are being operated by pumps o exceed a total maximum diversion rate of 800 gallons per minute and which supply water to a common bution system.
3.		owner of the point of diversion, if other than the applicant is (please print):
	Jeff 8	& Laura Gruenbacher, 21600 W. 85th St. North, Mount Hope, KS 67108, (316) 640-6571 (name, address and telephone number)
		(name, address and telephone number)
		(name, address and telephone number)
	lando	must provide evidence of legal access to, or control of, the point of diversion from the landowner or the owner's authorized representative. Provide a copy of a recorded deed, lease, easement or other document this application. In lieu thereof, you may sign the following sworn statement:
		I have legal access to, or control of, the point of diversion described in this application from the landowner or the landowner's authorized representative. I declare under penalty of perjury that the foregoing is true and correct. Executed on May 20 M., 20 Applicant's Signature
	The:	applicant must provide the required information or signature irrespective of whether they are the landowner.
	Failu	re to complete this portion of the application will cause it to be unacceptable for filing and the application will eturned to the applicant.

7. The proposed project for diversion of water will consist of One well

and (was)(will be) completed (by) May 1, 2020

(Month/Day/Year - each was or will be completed)

The first actual application of water for the proposed beneficial use was or is estimated to be June 1, 2020

(Mo/Day/Year)

WATER RESOURCES RECEIVED

MAY 2 4 2019

File No.50260

KS DEPT OF AGRICULTURE

9.	Will	pesticide, fertilizer, or other foreign substance be injected into the water pumped from the diversion works?
	■ .Y	es □ No If "yes", a check valve shall be required.
	All	chemigation safety requirements must be met including a chemigation permit and reporting requirements.
10.	sub	ou are planning to impound water, please contact the Division of Water Resources for assistance, prior to mitting the application. Please attach a reservoir area capacity table and inform us of the total acres of ace drainage area above the reservoir.
		re you also made an application for a permit for construction of this dam and reservoir with the Division of the Resources? ☐ Yes ☐ No
	•	If yes, show the Water Structures permit number here NA
	•	If no, explain here why a Water Structures permit is not required NA
1,100	1	and the second of the second o
11.	sho	application <u>must</u> be supplemented by a U.S.G.S. topographic map, aerial photograph or a detailed plat wing the following information. On the topographic map, aerial photograph, or plat, identify the center of the tion, the section lines or the section corners and show the appropriate section, township and range numbers. o, please show the following information:
		The location of the proposed point(s) of diversion (wells, stream-bank installations, dams, or other diversion works) should be plotted as described in Paragraph No. 5 of the application, showing the North-South distance and the East-West distance from a section line or southeast corner of section.
		If the application is for groundwater, please show the location of any existing water wells of any kind within $\frac{1}{2}$ mile of the proposed well or wells. Identify each existing well as to its use and furnish the name and mailing address of the property owner or owners. If there are no wells within $\frac{1}{2}$ mile, please advise us.
	(c)	If the application is for surface water, the names and addresses of the landowner(s) $\frac{1}{2}$ mile downstream and $\frac{1}{2}$ mile upstream from your property lines must be shown.
		The location of the proposed place of use should be shown by crosshatching on the topographic map, aerial photograph or plat.
	(e)	Show the location of the pipelines, canals, reservoirs or other facilities for conveying water from the point of diversion to the place of use.
		A 7.5 minute U.S.G.S. topographic map may be obtained by providing the section, township and range numbers to: Kansas Geological Survey, 1930 Constant, Campus West, University of Kansas, Lawrence, Kansas 66047.
12.	poir	any application, appropriation of water, water right, or vested right file number that covers the same diversion at sor any of the same place of use described in this application. Also list any other recent modifications made xisting permits or water rights in conjunction with the filing of this application.
	_	

File No.

	Information below is from:	■ Test holes	☐ Well a	as completed	Driller	s log attached					
	Well location as shown in par	agraph No.	(A)	(B)	(C)	(D)					
	Date Drilled	4	-1-2019								
	Total depth of well	7	'8 ft								
	Depth to water bearing forma	tion 2	25 ft								
	Depth to static water level	3	31 ft								
	Depth to bottom of pump intal	ke pipe	NA								
14.	The relationship of the app	olicant to the	proposed p	lace where th	e water wil	I be used is that o					
	Owner	·									
	(owner, tenant, agent or otherwise)										
	Jeff & Laura Gruenbacher, 21600 W. 85th St. North., Mount Hope, KS 67108, (316) 640-6571 (name, address and telephone number)										
		(name, addi	ess and lele	priorie riuribei	,	æ.					
		•		ephone number	•						
16.	The undersigned states that the	(name, addr	ess and tele	ephone number)	er knowledge and tha					
16.	this application is submitted in	(name, addr ne information s n good faith.	ess and tele	phone number we is true to the) best of his/h	er knowledge and tha					
16.		(name, addr ne information s n good faith.	ess and tele	phone number we is true to the) best of his/h	er knowledge and tha , 2019 (year)					
16.	this application is submitted in	(name, addr ne information s n good faith.	ess and tele	phone number we is true to the) best of his/h	2019					
16.	this application is submitted in	(name, addr ne information s n good faith.	ess and tele	phone number we is true to the) best of his/h	2019					
16.	this application is submitted in	(name, addr ne information s n good faith. , Kansas k (o.nky	ess and tele	phone number we is true to the) best of his/h	2019					
	Dated at 5-20-49 M. Hope, Sedgwice (Applicant Signature)	(name, addr ne information s n good faith. , Kansas k (o.nky	ess and tele	phone number we is true to the) best of his/h	2019					
16.	Dated at 5-20-49 M. Hope, Sedgwice (Applicant Signature)	(name, addr ne information s n good faith. , Kansas k Co.wiy	ess and tele	phone number we is true to the) best of his/h	2019					
	Dated at 5-20-49 Mit. Hope, Sedgwick (Applicant Signature)	(name, addr ne information s n good faith. , Kansas k Co.wiy	ess and tele	phone number we is true to the) best of his/h	2019					
	Dated at 5-20-49 Mit. Hope, Sedgwick (Applicant Signature)	(name, addr ne information s n good faith. , Kansas k Cowly	ess and tele	phone number we is true to the) best of his/h	2019					

 $d_{i}(x) = \frac{G_{i}(x)}{A_{i}(x)}$

 $(\mathcal{A}_{i},\mathcal{A}_{i}) = (\mathcal{A}_{i},\mathcal{A}_{i}) = (\mathcal{A}_{i},\mathcal{A}_{i})$

, ,

MAY 2 4 2019

IRRIGATION USE SUPPLEMENTAL SHEET

KS DEPT OF AGRICULTURE

							Fi	le No	5	02	le())							
			Nan	ne of	Appli	icant ((Pleas	e Prir	nt): <u>J</u> e	eff Gr	uenba	cher						_	
1. I	Please design	supp ate th	oly the	e nam ual nu	ne and imber	d addr	ess o res to	f eacl be in	n land rigated	lowne d in e	er, the ach fo	legal	l desc cre tra	riptio	n of t	the la onal p	nds to	o be i n ther	rrigated, and eof:
Land	lowne	er of l	Recor	ď	NAM	E: <u>Je</u> 1	ff & L	aura	<u>Gruer</u>	<u>ıbach</u>	er								
				AD	DRES	SS: <u>21</u>	600 V	V. 85 ^t	h St. 1	North	., Mo	ınt H	ope, k	KS 67	7108				
s	Т	R		N	E¼			NV	V 1/4			sv	V1/4			SE	Ε1/4		TOTAL
	<u> </u>	K	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	sw	SE	NE	NW	sw	SE	IOTAL
25	25S	3W													39	40	39	33	151
			IL	<u> </u>				·	<u> </u>	<u> </u>	IL		<u> </u>	<u> </u>	IL	<u> </u>	<u> </u>	1	
Land	lowne	er of l	Recor	d	NAM	E:													
				ADI	DRES	SS:													
		Ι		NII.	E¼		1	NIX	V1/4		I	CV	V¼			CI	E1/4		I
S	Т	R	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW		SE	NE	NW	SW	SE	TOTAL
														l					
				<u> </u>	<u> </u>			ļ		ļ							_		
										<u> </u>									
					I	1		1				l						1	

				ADI	ORES	S:													
C	т	,		NI	Ε1/4			NV	V1/4			sv	V1/4			SE	Ε1/4		TOTAL
S	1	R	NE	NW	sw	SE	NE	NW	sw	SE	NE	NW	sw	SE	NE	NW	sw	SE	TOTAL
																		·	
_					-														

Landowner of Record NAME:

		sheets as needed.			
a.	Indicate th	ne soils in the field(s) and the	neir intake rates:		
		Soil Name	Percent of field (%)	Intake Rate (in/hr)	Irrigation Design Group
	Vanoss S	Silt Loam	86	0.60-2.00	5
	Blanket S	Silt Loam	14	0.20-0.60	3
		Total:	100 %		
b.	Estimate t	he average land slope in the	e field(s):		
	Estimate t	he maximum land slope in	the field(s):	3 %	
c.		•			And Astronomy and
~	<u>X</u>	Center pivot	Center piv	ot - LEPA	"Big gun" sprinkler
		Gravity system (furrows)	Gravity sy	stem (borders)	Sideroll sprinkler
	Other, ple	ease describe:			
d.	System de	esign features:			
	i. Desc	cribe how you will control t	ailwater: Will sched	dule and apply irrigation	on to eliminate run-off
	ii. For s	sprinkler systems:			
	(1)	Estimate the operating p	pressure at the distrib	ution system:	-
	(2)	What is the sprinkler pa	.ckage design rate? _	gpm	
	(3)	What is the wetted dian	neter (twice the distar	nce the sprinkler throw	vs water) of a sprinkler on
	(3)	What is the wetted diameter the outer 100 feet of the		-	vs water) of a sprinkler on
	(3)		e system?	feet	vs water) of a sprinkler on
e.	(4)	the outer 100 feet of the	system?	feet ge design information.	vs water) of a sprinkler on

You may attach any additional information you believe will assist in informing the Division of the need for your request.

5-20-2019 (Date)

Kansas Department of Agriculture Division of Water Resources David W. Barfield, Chief Engineer 1320 Research Park Drive Manhattan, Kansas 66502

Re:

Application

File No.

Minimum Desirable Streamflow

Dear Sir:

I understand that a Minimum Desirable Streamflow requirement has been established by the legislature for the source of supply to which the above referenced application applies.

I understand that diversion of water pursuant to this application will be subject to regulation any time Minimum Desirable Streamflow requirements are not being met.

I also understand that if this application is approved, there could be times, as determined by the Division of Water Resources, when I would not be allowed to divert water. I realize that this could affect the economics of my decision to appropriate water.

I am aware of the above factors, and with the knowledge thereof, request that the Division of Water Resources proceed with processing and approval, if possible, of the above referenced application.

Signature of Applicant

State of Kansas

County of Segawick

) ss

(Print Applicant's Name)

I hereby certify that the foregoing instrument was signed in my presence and sworn to before me this 20° day of $\sqrt{2019}$, 2019.

ALLIE SCHNEIDER

Notary Public - State of Kansas My Appt. Expires 03/18/2023

My Commission Expires: 03 18 2023

WATER RESOURCES RECEIVED

MAY 2 4 2019

KS DEPT OF AGRICULTURE

MINIMUM DESIRABLE STREAMFLOW FORM TO BE USED WHEN APPLICABLE WHEN FILING AN APPLICATION FOR PERMIT TO APPROPRIATE WATER FOR BENEFICIAL USE

The Kansas Legislature has established minimum desirable streamflows for the streams listed below. If your proposed diversion of water is going to be from one of these watercourses or adjacent alluvial aquifers, please complete the back side of this page and submit it along with your application for permit to appropriate water.

Arkansas River
Big Blue River
Chapman Creek
Chikaskia River
Cottonwood River
Delaware River
Little Arkansas River
Little Blue River
Marais des Cygnes River
Medicine Lodge River
Mill Creek (Wabaunsee Co. area)
Neosho River

Ninnescah River
North Fork Ninnescah River
Rattlesnake Creek
Republican River
Saline River
Smoky Hill River
Solomon River
South Fork Ninnescah
Spring River
Walnut River
Whitewater River



1320 Research Park Drive Manhattan, KS 66502 785-564-6700 www. agriculture.ks.gov



900 SW Jackson, Room 456 Topeka, KS 66612 785-296-3556

Mike Beam, Secretary

Laura Kelly, Governor

May 28, 2019

JEFF GRUENBACHER 21600 W 85TH ST N MOUNT HOPE, KS 67108

RE:

Application, File No. 50260

Dear Sir or Madam:

The Division of Water Resources (Division) has received your application for a permit to appropriate water for beneficial use. Your application has been assigned the file number referenced above. Please be aware that the Division may have a large number of pending applications on hand at times and makes every attempt to process them in the order in which they are received. You will be contacted if additional information is required.

Please note, this letter only acknowledges receipt of your application and does not guarantee approval. In accordance with the provisions of the Kansas Water Appropriation Act, the use of water as proposed prior to approval of the application is unlawful.

Additional information about the process may be found on our website at <u>agriculture.ks.gov/divisions-programs/dwr</u>. If you have any other questions, please contact our office at 785-564-6640 or your local Stafford Field Office at 620-234-5311. If you call, please reference the file number so we can help you more efficiently.

Sincerely,


Kristen A. Baum

New Applications Unit Supervisor

risteraBaum

Water Appropriation Program

Application Map - File No. 50260



I declare that all water wells or diversion sites using the same source of supply and within 1/2 mile of the proposed point of diversion have been plotted on the application map.

Signature	Date
New Application Application No To Change:	Water wells within 1/2 mile of proposed point of diversion include: (type use, owner, address) 1) Domestic Well-Applicant
Point of Diversion RECEIVED Place of Use Use Made of Water Point of Diversion RESOURCES RECEIVED A 2 4 2019	2)
Proposed Point of Diversion Existing Points of Diversion Proposed Place of Use	3)
Authorized Place of Use	Completed By GMD2 Sta

Completed By GMD2 Staff T. Boese - 5/13/2019



Agriculture, Residential & Commercial

ustomer's Name		Jeff Gruenbacher	Date	4/1/2019			
ddress 21600 W 8		Mt Hope, KS 67108		Test Hole	1		
ounty	Sedgwick	Quarter SE Section 25	_ Township	255	Range	3W	
Drilled	d Footage	Description of Strata	7				
From	То	Description of Strata		ARIZANIA (A)			
		HOLE #1	SWL	YIELD	PLAIN	PERF	
		37.839977 -97.598305	31'		0-58'	58-78	
0	4	Topsoil				30 10	
4	15	Sticky Brown Clay					
15	25	Harder Tan Clay		GROW	0 201		
25	30	Very Fine Sand		- nour	0-20		
30	38	Soft Sticky Tan Clay					
38	40	Fine Sand					
40	78	Medium Sand/Some Coarse Gravel					
78		Soft Blue Shale					
90.00		The second secon					
		THE RESERVE TO BE A SECOND TO SECOND					
						A TALL	
			0.0000000000000000000000000000000000000				
000000000000000000000000000000000000000		一种的一种的一种的一种的一种的一种的一种的一种的一种的一种的一种的一种的一种的一					
Service of the last of the las							
STATE OF THE PARTY OF							
(A) (B) (B)							
1000		ACCOUNT OF THE PARTY OF THE PAR					
N Section			1				

KS DEPT OF AGRICULTURE

