

NOTICE

This scan only represents the application as filed. The information contained herein meets the requirements of K.A.R. 5-3-1 or K.A.R. 5-5-1, and has been found acceptable for filing in the office of the Chief Engineer. The application should not be considered to be a complete application as per K.A.R. 5-3-1b or K.A.R. 5-5-2a.

Submit To:
CHIEF ENGINEER
Division of Water Resources
Kansas Department of Agriculture
1320 Research Park Drive
Manhattan, Kansas 66502
<http://agriculture.ks.gov/dwr>

APPLICATION FOR TERM PERMIT TO
ESTABLISH A MULTI-YEAR FLEX ACCOUNT

WATER RESOURCES
RECEIVED

DEC 30 2020



State of Kansas

KS DEPT OF AGRICULTURE

(GROUNDWATER ONLY)

STATUTORY FILING FEE OF \$400.00 MUST ACCOMPANY THIS APPLICATION
(Make check payable to the Kansas Department of Agriculture)

Multi-Year Flex Accounts (also known as "MYFAs") allow for water management and improved conservation via a term permit for five years of flexible water planning. At the conclusion of the five years, a return to the authorizations under the base water right(s) is automatic. The MYFA program usually can be continued for an additional five-year term, however, by applying for another MYFA term permit when the previous term permit has expired.

Please note that basic requirements under state laws still exist. A list of legal requirements and recommended management practices is part of this application, as "Attachment A". The terms of this application and the requirements of its Attachment A will be incorporated as conditions of any approved MYFA application and term permit, unless otherwise stated in the approval order.

MYFA Term Permit File No. **20207035-MF** (to be completed by DWR staff)

1. Application is hereby made for approval of the Chief Engineer to establish a Multi-Year Flex Account beginning with calendar year **2020** for a point of diversion authorized under File No(s). **21268**

Notes: During the period of the MYFA, the base water right(s) is suspended and may be exercised only under the specific conditions described in K.A.R. 5-16-7.

Base water right(s) must be certified.

Multiple base water rights that have an exact overlap in both point of diversion and place of use must all be included on a single MYFA term permit.

2. Name and address of applicant: **Lawrence L & Sherry Lee Debes**
805 W 4th St, Larned KS 67550-3416 Phone Number: **(620) 793-0105**
E-mail Address: _____ Agent Owner Tenant (check one)

3. Name and address of water use correspondent: **Max Properties LP**
PO Box 515, Great Bend KS 67530 Phone Number: **(620) 792-8258**
E-mail Address: _____ **793-2015**

4. The proposed place of use under this MYFA is: Same as base water right(s) Supplemental sheet attached
Owner of Land --- NAME: **Max Properties LP**
ADDRESS: **PO Box 515, Great Bend KS 67530**

5. The point of diversion subject to this application, is as follows:
One well, located in the --- Quarter
of the --- Quarter of the **NC SW** Quarter of Section **16**, more particularly described as
being near a point **1,340** feet North and **3,980** West of the Southeast Quarter of said section, in
Township **25** South, Range **11** East West (check one) in **Stafford** County, Kansas.

6. All beneficial uses of water authorized under the base water right(s) shall be authorized by a MYFA term permit. If the base water right(s) pertaining to this MYFA authorizes more than one type of use, specify the type of use to be authorized under this specific MYFA term permit (i.e., irrigation, stockwatering, etc.).
Irrigation

7. The Rate of Diversion for the point of diversion to be authorized by this application is not to exceed
890 gpm cfs (check one). The rate of diversion cannot exceed the authorized rate of
diversion for the point of diversion described under Paragraph No. 5 above.

1/5/2021
LMoody

For Office Use Only:	F.O. 2	GMD 5	Meets K.A.R. 5-3-1 (YES/NO) Use IRR	County SF	By 1/4/20	Date BMM
Code	TPF	Fee \$ 400	TR #	Receipt Date 12-30-2020	Check # 2340	

8. The proposed quantity of water deposited in the Multi-Year Flex Account shall not exceed the greatest of the following computations.

WATER RESOURCES RECEIVED

Water Use Data (NOT to exceed authorized quantity) <input type="checkbox"/> AF <input type="checkbox"/> MGY (check one)		Reported acres lawfully irrigated:	
2000		2000	132
2001		2001	132
2002		2002	132
2003		2003	132
2004		2004	132
2005		2005	132
2006		2006	132
2007		2007	132
2008		2008	132
2009		2009	132

DEC 30 2020

KS DEPT OF AGRICULTURE

Water use verified by EKF/SFFO

8a. Average Use Calculation	8b. NIR Calculation
Average Water Use _____ AF	Highest number of acres irrigated <u>132</u> X
Average Water Use _____ X 5 years = _____ AF	<u>1.03</u> 50% NIR (per K.A.R. 5-5-12) in <u>Stafford</u> County, KS:
	<u>135.96</u> X 5 years X 110% = <u>747.78</u> AF

8c. Big Bend GMD#5 End Gun Removal Alternative Calculation (only applicable to base water right(s) within GMD#5)

Authorized Quantity --- AF X 90% X 5 years = --- AF

An approved, signed affidavit verifying that the end gun was removed must be submitted with this MYFA application to qualify for this calculation. In order to qualify for this calculation, the end gun must be removed for the entire duration of the proposed MYFA period.

Furthermore, in no case may the proposed MYFA quantity exceed the annual authorized quantity of the base water right(s) multiplied by 5.

8d. Base Water Right Annual Authorized Quantity = 149 AF

Five Times Authorized Quantity = 745 AF

Add any applicable MYFA carryover quantity of _____ AF/MGY. **MYFA carryover is only available when a new MYFA application is being filed during the calendar year in which an existing MYFA expires. The proposed carryover quantity may not exceed the base average usage as computed in 8a AND the proposed MYFA quantity may not exceed the annual authorized quantity of the base water right multiplied by 5 as computed in 8d.**

Subtract any applicable penalty, overage, or reduction in quantity of _____ AF/MGY.

9. The authorized quantity under this proposed Multi-Year Flex Account is not to exceed the following quantity to be diverted during the following five (5) consecutive calendar years.

<u>745</u> <input checked="" type="checkbox"/> AF <input type="checkbox"/> MGY	January 1, 2020 through December 31, 2024
--	--

The final authorized quantity will be determined by Division of Water Resources staff based on a review of base water right(s) documentation and may differ from these computations if an error was made (if the quantity is proposed to be reduced, you will be informed and provided an opportunity to withdraw this application).

A MYFA application must be filed with the Chief Engineer **on or before December 31st of the first calendar year of the MYFA term for which the application is being made.**

DEC 30 2020

Attachment A

The Multi-Year Flex Account term permit is based upon an existing water right(s). The base water right(s) is, in effect, suspended during the term of the MYFA term permit and may be exercised only under the specific conditions described in K.A.R. 5-16-7. Once the MYFA term ends, however, the base water right(s) resumes, unless the right(s) has been placed in another MYFA or other special program. Unless otherwise stated in the MYFA approval order and term permit or as provided by law, the legal requirements for the base water right(s) apply to the MYFA.

The following are requirements and recommendations regarding any MYFA. The requirements will be incorporated as conditions into any approved MYFA application and term permit, unless otherwise stated in the approval order.


Requirements:

- A. The applicant/owner/operator will ensure that, prior to the actual first use of water under the MYFA term permit, there is a properly installed water flowmeter on each approved point of diversion under the base water right(s), which flowmeter and its installation meet all of the current specifications described in K.A.R. 5-1-4 through 5-1-12.
- B. Each such installed water flowmeter and the measuring chamber shall be sealed to the diversion works at the point of diversion in a manner to ensure that the flowmeter and the measuring chamber cannot be removed and reinstalled without breaking the seal, and each water flowmeter register shall be sealed in a manner to ensure that the register cannot be manipulated without breaking the seal.
- C. The applicant/owner/operator agrees to allow the inspection of the water flowmeter installed to measure water use.
- D. The applicant/owner/operator agrees to report any and all instances which result in a water flowmeter malfunction on the next business day following the discovery of said malfunction.
- E. The applicant/owner/operator agrees to repair or replace any malfunctioning water flowmeter within seven (7) days of the discovery of the malfunction or within any authorized extension of time needed to complete the repairs. Any repaired or replaced water flowmeter shall be equipped with anti-reverse gears, and the repair or replacement of the malfunctioning flowmeter will result in the flowmeter and its installation meeting current specifications.
- F. The applicant/owner/operator agrees to notify the Division of Water Resources in writing on a Water Flowmeter Repair/Replacement Report form prescribed by the Chief Engineer, of the water flowmeter installation and any water flowmeter repair or replacement event.
- G. The applicant/owner/operator agrees to maintain a record of the quantity diverted under the MYFA term permit at the first of each month of the period of authorization. Further, the applicant/owner/operator agrees to make such information available upon request by the Chief Engineer or his/her authorized representative. If verifiable records to establish water use are not available for a particular year during the MYFA period, then DWR may make certain assumptions on water use for that year, including assigning 150% of the maximum annual quantity of the base water right(s) to that year, or DWR may assess civil penalties and/or revoke the MYFA term permit and suspend the base water right(s) for the duration of the term permit period, pursuant to K.S.A. 82a-736 and other applicable law. (See strongly recommended practices below, regarding backup measurements.)
- H. The use made of water authorized pursuant to the approved MYFA shall not be changed during the period of the MYFA.
- I. Any change in the point of diversion or place of use will be based on a change to the base water right(s).
- J. The MYFA, just like the base water right(s), remains subject to any and all Orders of the Chief Engineer, which includes, but is not limited to: Minimum Desirable Streamflow, Intensive Groundwater Use Control Areas, Local Enhanced Management Areas and/or orders related to impairment of a senior water right.
- K. Failure to comply with the above referenced stipulations and conditions may result in revocation of the MYFA term permit and the suspension of the base water right(s) for the duration of the term permit period, and/or the assessment of civil penalties as provided in K.S.A. 82a-736, K.A.R. 5-14-10, and other applicable law.

Strongly recommended practices:

Backup measurements: The applicant/owner/operator is strongly encouraged to install and keep verifiable records from a backup water flowmeter or alternate measurement device, such as an hour-meter or other newer technology. In the event that the water flowmeter is broken or found to be inaccurate, the backup measurements may allow DWR to determine the actual amount of water used when accurate water flowmeter records are not available. If there are questions about appropriate backup sources, please contact your local GMD, DWR Field Office, or any private meter resource.

By initialing, the applicant/owner/operator acknowledges receipt of this Attachment A



1320 Research Park Drive
Manhattan, KS 66502
785-564-6700
www. agriculture.ks.gov



900 SW Jackson, Room 456
Topeka, KS 66612
785-296-3556

Mike Beam, Secretary

Laura Kelly, Governor

January 4, 2020

LAWRENCE L & SHERRY LEE DEBES
805 W 4TH ST
LARNED KS 67550

RE: Application, File No(s). **20207035-MF**

Dear Sir or Madam:

The Division of Water Resources (Division) has received your application(s) for a permit to appropriate water for beneficial use. Your application(s) has been assigned the file number(s) referenced above. Please be aware that the Division may have a large number of pending applications on hand at times and makes every attempt to process them in the order in which they are received. You will be contacted if additional information is required.

Please note, this letter only acknowledges receipt of your application(s) and does not guarantee approval. In accordance with the provisions of the Kansas Water Appropriation Act, the use of water as proposed prior to approval of the application(s) is unlawful.

Additional information about the process may be found on our website at agriculture.ks.gov/divisions-programs/dwr. If you have any other questions, please contact our office at 785-564-6640 or your local Stafford Field Office at 620-234-5311. *Stafford Field Office at 620-234-5311*. If you call, please reference the file number so we can help you more efficiently.

Sincerely,

A handwritten signature in black ink that reads "Kris Neuhauser". The signature is fluid and cursive, with a long horizontal flourish extending to the right.

Kris Neuhauser
New Applications Lead
Water Appropriation Program

DATA ENTRY SYSTEM ID NUMBER SHEET

FILE NUMBER 20207035-MF

APPLICANT PERSON ID & SEQ #	70926	PDIV ID	BATTERY ID
25303			

LANDOWNER PERSON ID & SEQ #	16981	PUSE ID
55458		

WATER USE CORRESPONDENT PERSON ID & SEQ #
55458