Submit completed application to: Kansas Department of Agriculture Division of Water Resources Field Office for your area. Call for address:

Topeka -- (785) 296-5733 Stafford -- (620) 234-5311 Stockton -- (785) 425-6787 Garden City -- (620) 276-2901 http://agriculture.ks.gov/dwr

DWR FIELD OFFICE APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF USE AND/OR THE POINT OF DIVERSION



STATE OF KANSAS

WATER METER REQUIRED

Filing Fee Must Accompany the Application, K.S.A. 82a-708b(b), as amended. Fee Schedule is on the third page of this application form.

thar	100 f	eet, or	if place	e of us	e will t	be cor	nplete nged, i	d. Co	mplet a top	e all o	ther a	pplica o or de	able po tailed	ortions plat sh	s. If co	hange the au	in poir thorize	nt of di ed and	version propos	n is greater sed point(s)
of d	of diversion and/or place of use.											RECEIVED								
								e No. <u>5</u>										APR	273	2020 2000
1.		Application is hereby made for approval of the Chief Engineer to change the (check one or both): Place of Use Point of Diversion DIVISION OF WATER RESOURCES																		
			vater rice of sup		ich is t			f this a oundwa		tion in	accord	dance v Surface	with the water	e cond	ILIONS	desciii	Jed De	10 v v.		
2.	2. Name and address of Applicant: Rocky A & Linda J Fox 50421 SW 10 th Ave, Pratt KS 67124-8181 Phone Number: (620)672-1709 Email address: eaglesnestlcd@hotmail.com Name and address of Water Use Correspondent: Rocky A & Linda J Fox																			
3.	50421 SW 10th Ave, Pratt KS 67124-8181 Phone Number: (620)672-1709 Email address: eaglesnestlcd@hotmail.com The presently authorized place of use is: Owner of Land NAME: Rocky A & Linda J Fox ADDRESS: 50421 SW 10th Ave, Pratt KS 67124-8181																			
_	(If there is more than one landowner, attach su							oplemental sheets as necess				ary.)				SE¼			TOTAL	
,	Sec.	Twp.	Range	NE1/4		SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	ACRES
	31	28	13W			1							- 10	12		T 4 80				12
_												-								
4.	If th	nis app	lication	is for	a char	nge in	place o	of use,	it is p	ropose	d that	the pla	ace of	use be	chan	ged to:				
			Δ.	DDRE	SS:	50421	SW 10	Oth Ave	e, Prat	t KS 6	7124-8	3181								
	(If th	here is	more th	an one	landow	ner, at	tach su	ppleme	ntal sh	eets as	neces	sary.)					CE	-1/		TOTAL
	NE¼				NW¼ NE¼ NW¼ SW¼ SE¼			SW¼ NE¼ NW¼ SW¼ SE¼			SE¼ NE¼ NW¼ SW¼ SE¼			ACRES						
_	Sec. 31	Twp. 28	Range 13W	NE1⁄4	NW¼	SW1/4	SE1/4	NE1⁄4	NW¼	SVV/4	SE74	NE74	144474	12	02/4					12
_	31	20	1011		:										N.				,	
_							= 2 -													
Γ	Fo	r Offic	ce Use	Only:	Code		Fe	e \$	·	TR	#	× 5,,	R	eceipt	Date .			Chec	:k#_	


Presently author	orized point of dive	ersion:	CVA	Quarter of the South, Range	sw	Quarter
	CIVI	Quarter of the	300	South Range	13	W,
of Section	31	, Township	28	Quarter of the South, Range h5,250 feet West of S Depth of well	Southeast corner of	section.
I in Pratt				Danth of Woll	(1001)	1
Authorized Rate	1.000 gpm	Authorized Quantity	15 AF	Depth of well A feet North N//	feet West)	
AUIIIOIIZEG NAI	Computer ID No	o. <u>03</u> G	PSN/	A feet North N// s: No change, point better of	lescribed with GPS as	follows:
(DVVK use only	not be changed []	This point will be chan	ged as follow	s: No change, point better of the steel or if existing point is	botter described b	v GPS)
Inis point will	of diversion: (Co	omplete only if char	nge is reque	ested or if existing point is Quarter of the	Detter described a	Quarter
Proposed poil	it of diversion to	Quarter of the		Quarter of the South, Range		(EVV)
One in the		Township		South, Range th feet West of	a the strong of	section
of Section	Count	, Townon	feet Nor	th feet West of Proposed well depth	Southeast corner of	Section.
in	Count	y, Nansas,		tn rect week or Proposed well depth rights that will use this poin	(feet)	·
Proposed Rate		Proposed Quantity	t other water	rights that will use this poin	t	
This point is: [☐ Additional Well	Geo Center List	Courier water	rights that will use this poin		
Presently aut	horized point of di	<u>version:</u>		Quarter of the South, Range		Quarter
One in the		Quarter of the		Quarter of the		(E/W),
of Section		, Township		Quarter of theSouth, Range rth feet West of	Southeast corner o	f section.
of Section	Cour	ity, Kansas,	feet No	rth South, Range rth feet West of Depth of well	(feet)	
In	ato.	Authorized Quanti	ity	Depth of well feet North	foot West	١
Authorized Ra	he Computer ID N	lo.	GPS	Depth of Well feet North ws: \[\] No change, point better	leet West	e follows:
(DWR use on	ly: Computer in it	This point will be cha	anged as follo	ws: ☐ No change, point better uested or if existing point	described with GF5 a	by GDS)
☐This point w	II not be changed	complete only if ch	ange is reg	uested or if existing point Quarter of the	<u>is better described</u>	Dy GF3)
Proposed po	int of diversion: (C	Our day of the		Quarter of the South, Range		Quarter
One in the		Quarter of the _		South, Range		(E/W),
of Section		, TOWNSIND		foot Mest o	of Southeast corner	of section.
l in	Cou	rity, rearroad,		Proposed well dep	th (feet)	
Proposed Ra	te	Proposed Quantil	ty	er rights that will use this po	int	
This point is:	☐ Additional Well	☐ Geo Center Li	ist other wat	er rights that will use the po-		
7. The changes	herein are desired	for the following rea	asons?	No	orth 200	200
				800 200 100 Emilialianianianianianianianianianianianianiani	0 100 200	300 11114
accommodate	<u>e a center pivot syste</u>	em instead of sub-	0.11	Emhadanhanlanlan	‡	' 📑
surface drip				<u> </u>		=
	to the log offset	ned? Yes N	o	200 - 1 + 1 + 1 -	= 1 + 1 +	1 — 글 200
8. If a well, is th	e test noie log allaci	ica: 🔲 i se 🗀		200 = 1 1 1 1	<u> </u>	크
	s) (was)(will be) com	pleted by?			Ξ	. =
9. The change	s) (was)(wiii be) com	p ,		100 = 1 + 1 + 1	<u> </u>	100
Spring 2020				E ' _	Ξ	킠
	California a Malli				Ē	O Fast
10. If the point of	f diversion is a well:	والمبيد الجاريين	V	West 0	🛣 mtanlamanılın	111111111111111111111111111111111111111
(a) What ar	e you going to do wit	in the old well?		E		킄
				E	三・十・十	1 - 100
				100 - 1 + 1 + 1	= ' ' '	· 🗎
(b) When w	/ill this be done? N/A	1		E	=	3
					ニュナーナ	1 -= 200
11 Groundwate	er Management Distri	ict recommendation at	ttached?	200 = 1 + 1 + 1		3
TT. Olounana	Yes No			E	Ī . l . l .	
					0 100 200	300
12. Assisted by	EKF/SFFO			200 200 100	South Scale: 1 hashm	ark=10 ft
		will be relocated more	e than 300	and of div	ersion will be relocate	d within 300
13a. If the propos	sed point of diversion ain 2 640 feet of the 6	existing point of divers	ion, attach 1	3b. If the proposed point of div	iversion, indicate its	location on
a tonograp	hic map or aerial	photograph. For grand domestic) within on	oundwater	diagram snown above i	The WY!! in col	stor of diag
sources, sr	low all wells (literation	ion and the names a	nd mailing	diagram shown above diversion. (PLEASE NO above represents the	TE: The "X" In cer	ized point
of the prop	osed point of divers	urface water sources	s show the	above represents the diversion.)	presently address	•
names an	d addresses of th	ne landowner(s) one	e-half mile	RECEIVED		
downstream	m and one-half mile	e upstream from you	a property	RECEIVED		
lines				4 D.D. Q. PT 20	20	. =

Page 2

the switching point of diversion, complete the following:
14. If the proposed groundwater point of diversion is 300 or fewer feet from the existing point of diversion, complete the following:
(b) Will the ownership interest of any owner of the currently authorized place(s) of use identified at a second of the currently authorized place(s) of use identified at a second of the currently authorized place(s) of use identified at a second of the currently authorized place(s) of use identified at a second of the currently authorized place(s) of use identified at a second of the currently authorized place(s) of use identified at a second of the currently authorized place(s) of use identified at a second of the currently authorized place(s) of use identified at a second of the currently authorized place(s) of use identified at a second of the currently authorized place(s) of use identified at a second of the currently authorized place(s) of use identified at a second of the currently authorized place(s) of use identified at a second of the currently authorized place(s) of use identified at a second of the currently authorized place(s) of use identified at a second of the currently authorized place(s) of use identified at a second of the currently authorized place(s) of use identified at a second of the currently authorized place(s) of use identified at a second of the currently authorized place(s) of use identified at a second of the currently authorized place(s) of use identified at a second of the currently authorized place(s) of use identified at a second o
Yes No (if yes, all there be substantial damage to property, public nearly of salety)
If the application proposes a surface water change in point of diversion, a groundwater change in point of diversion greater than occurrently authorized place of use, or their duly authorized or a change in place of use, the application must be signed by all owners of the currently authorized place of use, or their duly authorized or a change in place of use, the application must be signed by all owners of the currently authorized place of use, or their duly authorized or a change in place of use, the application must be signed by all owners of the currently authorized place of use, or their duly authorized or a change in point of diversion greater than occurrently authorized place of use, or their duly authorized or a change in point of diversion greater than occurrently authorized place of use, or their duly authorized or a change in place of use, the application must be signed by all owners of the currently authorized place of use, or their duly authorized or a change in place of use, the application must be signed by all owners of the currently authorized place of use, the application for the currently authorized place of use.
I hereby verify, being first duly sworn upon my oath or affirmation and under penalty of perjury, that I am of lawful age and the owner, the spouse of the owner, or a duly authorized agent of the owner(s) to make this application on age and the owner, the spouse of the owner, or a duly authorized agent of the owner(s) to make this application on their behalf, in regards to the water right(s) to which this application pertains. I further verify that the statements their behalf, in regards to the water right(s) to which this application pertains. I further verify that the statements contained in this application are true, correct and complete.
, Kansas, tills
Daled at XINGO XINGO X
Rabult (Spouse)
Linda J. Fox
Please Print) (Please Print)
(Spouse)
(Please Print) (Please Print)
(Spouse)
(Please Print)
(Please Print)
(F. Ieggo 1, 1111-)
State of Kansas SS
County of Pratt yes signed in my presence and sworn to before me this 22 day
County of Pratty
of April Notary Public - State of Kansas Andrea Hargett Notary Public Notary Public
My Appt. Exp. 3/14/aa Notary Public
3 14 2022
My Commission Expires 3 14 2023 ONLY COMPLETE APPLICATIONS WILL BE PROCESSED. To be complete, all of the applicable portions of the application form must be completed with ONLY COMPLETE APPLICATIONS WILL BE PROCESSED. To be complete, all of the applicable portions of the application and notarized; and information; maps, if necessary, must be included; signatures of all the appropriate owners' must be affixed to the application and notarized; and
ONLY COMPLETE APPLICATIONS WILL BE PROCESSED. To be complete, all of the applicable portions of the application form must be completed when accurate information; maps, if necessary, must be included; signatures of all the appropriate owners' must be affixed to the application and notarized; and the appropriate fee must be paid.
FEE SCHEDULE
Each application to change the place of use or the point of diversion under this section shall be accompanied by the application fee set forth in the schedule below: Make checks payable to: Kansas Department of Agriculture \$100 (1) Application to change a point of diversion 300 feet or less \$200 (2) Application to change a point of diversion more than 300 feet \$200 (3) Application to change the place of use \$20
APR 2 7 2020 File No. <u>50227</u>
File No. <u>30227</u>

SUMMARY ORDER APPROVING APPLICATION FOR CHANGE AND IMPOSING CONDITIONS

SUMMARY ORDER APPROVING APPLICATION	A R 5-5-1, et seg, and other applicable
This Summary Order is issued under authority of K.S.A. 82a-708b, as provisions of the Kansas Water Appropriation Law, K.S.A. 82a-701 e With the exception of those conditions expressly contained herein, this limitetions of File No. 50227	s amended, and K.A.R. egulations promulgated thereunder,
This Summary Order is issued under authority of the K.S.A. 82a-701 e	Summary Order does not change the terms, conditions and
provisions of the Kansas Water Appropriate Contained nerein, this	outlines,
limitations of the termination o	requoesting the application.
 A change application was received on	e changed as about he located substantially as shown on
diversion authorized under the summary order, the authorized	ed place(s) of use shall be blicable Not Applicable
- Hasting date of this summary to shough t	the place of use.
 On and after the effective date of this summary order, the authorized the topographic map accompanying the application to change the topographic map accompanying the application to change in the topographic map accompanying the application to change in the topographic map accompanying the application of the authorized. The point of diversion authorized by this previously authorized point(s) of diversion.	nd shall be limited to the same southin a
· int of diversion stight for the	e shiffingly order.
DIEVIOUSI) was a point(e) of diversion.	- CONTRATEIV (JESCHIDEG GOLLS
Canno of the desired of the street of the st	THECKED TO BE THE PARTY OF THE
4. The point(s) of diversion described herein is the application.	Applicable 1 Not Applicable feet from the previously
authorized point(s) of diversion.	with a diversion rate of 100 gallons portated in accordance with
 5. The point(s) of diversion authorized herein shall not actually be a continuous authorized point(s) of diversion. ☐ Applicable ☐ Not A authorized point(s) of diversion. 6. As required by K.A.R. 5-3-5d, if the works for diversion is a well a continuous device suitable for making water level measurements. ☐ Not Applicable 	with a diversion rate of 100 gallons per minute or more, a tube with a diversion rate of 100 gallons per minute or more, a tube with shall be installed, operated and maintained in accordance with shall be installed, operated water flow meter on or before
 6. As required by K.A.R. 5-5-30, in the control of the authorized place(s) of use shall proper the first use of water, whicheve and maintained in accordance with K.A.R. 5-1-4 through 5-1 and M.A.R. 5-1 and	water flow meter on or before
N.A.N. 5 5 15.	The weter flow meter shall be installed in
7 The owner of the authorized place(s) of disorder, whichever	er occurs first. The water As a same nation of water diverted
December 31, 2020, or belove this miss. 5-1-4 through 5-1	og of the water flow meter and the total quality of water
and maintained in accordance with K.A.K. of report the readir 5-3-5e, the owner shall maintain records and report the readir 5-3-5e, the owner shall maintain records and report the readir and annually to the Chief Engineer by March 1 following the end annually to the Chief Engineer by March 1 following the end	erly install an acceptable wheter shall be installed, operated a cocurs first. The water flow meter shall be installed, operated a cocurs first. The water flow meter shall be installed, operated and K.A.R12. As required by K.S.A. 82a-732, as amended, and As required by K.S.A. 82a-732, as amended, and K.A.R12. As required by K.S.A. 82a-732, as amended, and K.A.R12. As required by K.S
5-3-5e, the own of the Engineer by March I lollowing the	thin any
Applicable Not Applicable	ompleted on or before December 31, 20 that construction of the
annually to the Chief Engineer by March 1 Tolling annually to the Chief Engineer by March 1 Tolling annually to the Chief Engineer by March 1 Applicable 8. Installation of the works for diversion of water shall be considered and the form provided the constant of	oplicant shall notify the Chief Engineer, as required by K.A.R. 5-8-4e.
8. Installation of the By March 1, 20 authorized extension of time. By March 1, 20 authorized extension of time. By March 1, 20 authorized extension of time.	ed by the Chief Engineer, as
works for diversion has been completely Not Applicable Not Applicable	pompleted on or before December 31, 20, or within any opplicant shall notify the Chief Engineer that construction of the ed by the Chief Engineer, as required by K.A.R. 5-8-4e. Applicable Not Applicable
ADDICADIC - 141 Also HOGILIF	
9. The completed well log snall be submitted or other fo	reign substance will be injected into the water shall be equipped reign substance will be injected into the water supply. The le of preventing pollution of the source of the water supply. The accordance with K.A.R. 5-3-5c. Applicable \(\square\$ Not Applicable \(\square Not Applicable \)
10. All diversion works into which any type of chernical of	le of preventing politiciti of the service of preventing politiciti of the service with K.A.R. 5-3-5c. Applicable Not Applicable
with an in-line, automatic, quick-closing and maintained in	1 accordance with the same
CHECK VAIVC(0) 5.15	(-) of use OT
11. Additional Conditions are attached.	R. 5-5-14, all of the owners of the authorized and the second and
12. In accordance with K.S.A. 82a-708a, as amended, and the same referenced file numb	er are responsible for compliance was a revisions of the Kansas water and with applicable provisions of the Kansas water
water appropriated under the above-recommend by this Sum	mary Order, and with these provision and dismissal of the
imilations, as an a pulse and Recipiquons pro-	o i i and/or the suspension of
Appropriation Law and the Rules and S2a-737, as am result in civil penalties pursuant to K.S.A. 82a-737, as am result in civil penalties pursuant to K.S.A. 82a-737, as am result in civil penalties pursuant to K.S.A. 82a-737, as am result in civil penalties and civil penalties are personal to the civil penalties and civil penalties are penalties and civil penalties and civil penalties are civil penalties and civil penalties and civil penalties are civil penalties and civil penalties are civil penalties and civil penalties are civil penalties pursuant to K.S.A. 82a-737, as am result in civil penalties pursuant to K.S.A. 82a-737, as am result in civil penalties pursuant to K.S.A. 82a-737, as am result in civil penalties pursuant to K.S.A. 82a-737, as am result in civil penalties pursuant to K.S.A. 82a-737, as am result in civil penalties pursuant to K.S.A. 82a-737, as am result in civil penalties are civil penalties	ons authorized by law.
restor or appropriation right or any other emolecular	OFFICE LISE ONLY
Administrative Appeal and Effective Date of Order	APPLICATION APPROVED AND
Administrative Appear and	SUMMARY ORDER ISSUED
If you are aggrieved by this order, pursuant to K.S.A. 82a-1901,	
If you are aggrieved by this order, pursuant to K.S.A. Chief you may request an evidentiary hearing before the Chief Engineer or request administrative review by the Secretary of Engineer or request for hearing by the Chief Engineer must be	By: Duly Authorized Designee of the Chief Engineer
you may request an evidentiative review by the Secretary of Engineer or request administrative review by the Secretary of Engineer or request for hearing by the Chief Engineer must be Agriculture. A request for Service of this Order and a request for the field within 30	Duly Authorized Designee of the Office Language
Agriculture. A request sof service of this Order and a request is	(Print Name):
	Division of Water Resources - Kansas Department of Agriculture
	Date of Issuance:
review must state a basis for review pursuant to K.S.A. review must state a basis for review pursuant to K.S.A. review must state a basis for review pursuant to K.S.A. review must state a basis for review pursuant to K.S.A. review must be review	\
	State of Kansas) SS
Legal Division, 1320 Research Park Drive, Warmattan, 66502. Failure to timely request a hearing or review may preclude review under the Kansas Judicial Review Act.	
For Use by Register of Deeds	County of)
For Use by Register 6. 2 4	A almowledged before me on
	by
	by
RECEIVED	
	Signature:Notary Public
APR 2 7 2020	
	My commission expires:(Notary Seal)
Stafford Field Office	(Notary Seal)
DIVISION OF WATER RESOURCES	
	File No. <u>50227</u>



- **Authorized Point of Diversion**
- **Domestic Well**
- Section Corner
- Section Line
- Half Mile Circle

Place of Use

- Authorized
- Proposed

Change in Place of Use Map 31-28-13W // Pratt County APR 2 7 2020

To the best of my knowledge, all wells within one-half mile of the proposed points of diversion have been shown and are owned by the Applicant. CES

EKF/SFFO 1:24,000 scale 4/14/2020 Signature / Date