NOTICE

This scan only represents the application as filed. The information contained herein meets the requirements of K.A.R. 5-3-1 or K.A.R. 5-5-1, and has been found acceptable for filing in the office of the Chief Engineer. The application should not be considered to be a complete application as per K.A.R. 5-3-1b or K.A.R. 5-5-2a.

KANSAS DEPARTMENT OF AGRICULTURE

Mike Beam, Secretary of Agriculture

DIVISION OF WATER RESOURCES

David W. Barfield, Chief Engineer

File Number

This item to be completed by the Division of Water Resources.

APPLICATION FOR PERMIT TO APPROPRIATE WATER FOR BENEFICIAL USE

Filing Fee Must Accompany the Application (Please refer to Fee Schedule attached to this application form.)

To the Chief Engineer of the Division of Water Resources, Kansas Department of Agriculture, 1320 Research Park Drive, Manhattan, Kansas 66502:

	Name of Applicant (Please Print): Richard J Schuller								
	Address: 5907 N Dean Rd								
	City: Nickerson		State KS	Zip Code <u>67561</u>					
	Telephone Number: (620)	921-5822							
2.	The source of water is:	□ surface water in	(strear	m)					
	OR	☑ groundwater in <u>Cow</u>							
	when water is released from	n storage for use by water ate we receive your applic	ows established by law or may r assurance district members. ation, you will be sent the app	If your application is subject to					
3.	The maximum quantity of v	water desired is 103 18	acre-feet OR	gallons per calendar year,					
٠.	The maximum quantity or .	rator accinca io roci io							
0.			gallons per minute OR	cubic feet per second.					
O.	to be diverted at a maximum Once your application has requested quantity of water maximum rate of diversion	been assigned a priority r under that priority number and maximum quantity of		te of diversion and maximum ase be certain your requested reasonable for your proposed					
	to be diverted at a maximum Once your application has requested quantity of water maximum rate of diversion	been assigned a priority runder that priority number and maximum quantity cent with the Division of Ward	gallons per minute OR, the requested maximum rater can <u>NOT</u> be increased. Pleof water are appropriate and rater Resources' requirements	te of diversion and maximum ase be certain your requested reasonable for your proposed					
4.	to be diverted at a maximum Once your application has requested quantity of water maximum rate of diversion project and are in agreeme	been assigned a priority runder that priority number and maximum quantity of the with the Division of Water appropriated for (Check to	gallons per minute OR, the requested maximum rater can <u>NOT</u> be increased. Pleof water are appropriate and rater Resources' requirements	te of diversion and maximum ase be certain your requested reasonable for your proposed					
	to be diverted at a maximum Once your application has requested quantity of water maximum rate of diversion project and are in agreement The water is intended to be	been assigned a priority runder that priority number and maximum quantity of the with the Division of Water appropriated for (Check to	gallons per minute OR, the requested maximum rater can NOT be increased. Ple of water are appropriate and rater Resources' requirements use intended):	te of diversion and maximum ase be certain your requested reasonable for your proposed s.					
	to be diverted at a maximum. Once your application has requested quantity of water maximum rate of diversion project and are in agreeme. The water is intended to be (a) Artificial Recharge	been assigned a priority runder that priority number and maximum quantity of the with the Division of William (Check to b) Irrigation	gallons per minute OR, the requested maximum rater can NOT be increased. Ple of water are appropriate and rater Resources' requirements use intended): (c) □ Recreational	te of diversion and maximum ase be certain your requested reasonable for your proposed s. (d) □ Water Power (h) □ Sediment Control					
	to be diverted at a maximum Once your application has requested quantity of water maximum rate of diversion project and are in agreemed. The water is intended to be (a) Artificial Recharge (e) Industrial	been assigned a priority runder that priority number and maximum quantity of ent with the Division of Water appropriated for (Check to (b) Irrigation (f) Municipal (j) Dewatering	gallons per minute OR, the requested maximum rater can NOT be increased. Ple of water are appropriate and rater Resources' requirements use intended): (c) □ Recreational (g) □ Stockwatering (k) □ Hydraulic Dredging	te of diversion and maximum ase be certain your requested reasonable for your proposed s. (d) □ Water Power (h) □ Sediment Control					

				File No.	
The less	ation of the sa	anagad walle numan	aitan ar athar warks fo	or diversion of weter is:	
				or diversion of water is:	and the second
а	acre tract, unle	ess you specifically		location must be describe d of time in which to locat nd.	
(A) On	ne in the <u>SW</u>	quarter of the <u>NE</u> qu	arter of the <u>SE</u> quarter	r of Section <u>24</u> , more part	icularly described as
bei	ing near a poi	nt 1395 feet North ar	nd 630 feet West of the	Southeast corner of said	section, in Township
22	South, Range	e <u>7</u> West, <u>Reno</u>			County, Kansas.
(B) On	ne in the SW o	guarter of the NE gu	arter of the SE quarter	r of Section 24, more part	icularly described as
				Southeast corner of said	
		e 7 West, Reno	to the second		County, Kansas.
(C) On	no in the	guarter of the	guarter of the	quarter of Section	more particularly
				feet West of the South	
				st (circle one),	
(D) On	ne in the	_ quarter of the	quarter of the	quarter of Section	, more particularly
des	scribed as be	eing near a point	feet North and	feet West of the Sour	theast corner of said
sec	ction, in Town	ship South, F	Range East/Wes	st (circle one),	County, Kansas.
wells, ex	xcept that a si	ingle application may	include up to four well	nall be filed for each propo Is within a circle with a qua n diversion rate of 20 gallor	arter (1/4) mile radius i
four well	lls in the same	e local source of sup	ply within a 300 foot ra	common pump by a manif dius circle which are being r minute and which supply	g operated by pumps
The owr	ner of the poir	nt of diversion, if other	er than the applicant is	(please print):	
		(nam	e, address and telephon	e number)	
		(nam	e, address and telephon	e number)	
landown	ner's authorize	ed representative. P		e point of diversion from traded deed, lease, easeme sworn statement:	
la	andowner or th	ne landowner's autho	rized representative. I	on described in this application described in the penalty of	perjury that the
E	xecuted on _	TUNE 30	, 20 <u>20</u>	Applicant's Signatur	
The ann	nlicant must no	rovide the required in		irrespective of whether the	
Failure t		is portion of the appl		e unacceptable for filing a	
The pro	pposed project	t for diversion of wat	er will consist of Batter	ry of 2 wells, Two Pivots	v domo oto)

(Month/Day/Year - each was or will be completed)

and (will be) completed (by) ASAP

The first actual application of water for the proposed beneficial use was or is estimated to be <u>ASAP</u>.

WATER RESOURCES RECEIVED

9.	Will pesticide, fertilizer, or other foreign substance be injected into the water pumped from the diversion works?
	☐ Yes ☑ No If "yes", a check valve shall be required.
	All chemigation safety requirements must be met including a chemigation permit and reporting requirements.
10.	If you are planning to impound water, please contact the Division of Water Resources for assistance, prior to submitting the application. Please attach a reservoir area capacity table and inform us of the total acres of surface drainage area above the reservoir.
	Have you also made an application for a permit for construction of this dam and reservoir with the Division of Water Resources? ☐ Yes ☐ No
	If yes, show the Water Structures permit number here
	If no, explain here why a Water Structures permit is not required
11.	The application <u>must</u> be supplemented by a U.S.G.S. topographic map, aerial photograph or a detailed plat showing the following information. On the topographic map, aerial photograph, or plat, identify the center of the section, the section lines or the section corners and show the appropriate section, township and range numbers. Also, please show the following information:
	(a) The location of the proposed point(s) of diversion (wells, stream-bank installations, dams, or other diversion works) should be plotted as described in Paragraph No. 5 of the application, showing the North-South distance and the East-West distance from a section line or southeast corner of section.
	(b) If the application is for groundwater, please show the location of any existing water wells of any kind within ½ mile of the proposed well or wells. Identify each existing well as to its use and furnish the name and mailing address of the property owner or owners. If there are no wells within ½ mile, please advise us.
	(c) If the application is for surface water, the names and addresses of the landowner(s) ½ mile downstream and ½ mile upstream from your property lines must be shown.
	(d) The location of the proposed place of use should be shown by crosshatching on the topographic map, aerial photograph or plat.
	(e) Show the location of the pipelines, canals, reservoirs or other facilities for conveying water from the point of diversion to the place of use.
	A 7.5 minute U.S.G.S. topographic map may be obtained by providing the section, township and range numbers to: Kansas Geological Survey, 1930 Constant, Campus West, University of Kansas, Lawrence, Kansas 66047.
12.	List any application, appropriation of water, water right, or vested right file number that covers the same diversion points or any of the same place of use described in this application. Also list any other recent modifications made to existing permits or water rights in conjunction with the filing of this application.
	34185 - Dismissed
	WATER RESOURCES
	RECEIVED

File No. _

			File No	
				water. If the well
Information below is from: ☐ Test holes	□ Well	as completed	☐ Drillers log	attached
Well location as shown in paragraph No.	(A)	(B)	(C)	(D)
Date Drilled	07/09/81	07/09/81		
Total depth of well	34'	34'		
Depth to water bearing formation	5'	4'		
Depth to static water level	9'	9'		
Depth to bottom of pump intake pipe	33'	33'		NE SE
				se print):
(name ad	dross and tol	anhone number)		
The undersigned states that the information this application is submitted in good faith.	set forth abo	ve is true to the	best of his/her kn	
			(month)	(year)
Myschulla (Applicant Signature)				
,				
(Agent or Officer Signature)				
(Agent or Officer - Please Print)				
	Information below is from: Test holes Well location as shown in paragraph No. Date Drilled Total depth of well Depth to water bearing formation Depth to static water level Depth to bottom of pump intake pipe The relationship of the applicant to the Owner (owner, tenant, agent or otherwise) The owner(s) of the property where the ware (name, add) The undersigned states that the information this application is submitted in good faith. Dated at Tank 30, 2020, Kansa	Information below is from: Test holes Well Well location as shown in paragraph No. (A) Date Drilled 07/09/81 Total depth of well 34' Depth to water bearing formation 5' Depth to static water level 9' Depth to bottom of pump intake pipe 33' The relationship of the applicant to the proposed provided from the company of the company of the water is used, if the company of the property where the water is used, if the undersigned states that the information set forth about this application is submitted in good faith. Dated at Tank 30, 2020, Kansas, this 30 (Agent or Officer Signature)	Information below is from: Test holes Well as completed Well location as shown in paragraph No. (A) (B) Date Drilled 07/09/81 07/09/81 Total depth of well 34' 34' Depth to water bearing formation 5' 4' Depth to bottom of pump intake pipe 33' 33' The relationship of the applicant to the proposed place where the Owner (owner, tenant, agent or otherwise) The owner(s) of the property where the water is used, if other than the a (name, address and telephone number) The undersigned states that the information set forth above is true to the I this application is submitted in good faith. Dated at Tank 30, 2020, Kansas, this 30 day of (Agent or Officer Signature)	Furnish the following well information if the proposed appropriation is for the use of ground has not been completed, give information obtained from test holes, if available. Information below is from: Test holes Well as completed Drillers log

(office/title)

Assisted by JNE

WATER RESOURCES RECEIVED

Date: 06/26/2020

FEE SCHEDULE

 The fee for an application for a permit to appropriate water for beneficial use, except for domestic use, shall be (see paragraph No. 2 below if requesting storage):

ACRE-FEET	FEE
0-100	\$200.00
101-320	\$300.00
More than 320	\$300.00 plus \$20.00 for each additional 100 acre-feet or any part thereof.

2. The fee for an application in which storage is requested, except for domestic use, shall be:

ACRE-FEET	FEE
0-250	\$200.00
More than 250	\$200.00 plus \$20.00 for each additional 250 acre-feet of storage or any part thereof.

Note: If an application requests both direct use and storage, the fee charged shall be as determined under No. 1 or No. 2 above, whichever is greater, but not both fees.

3. The fee for an application for a permit to appropriate water for water power or dewatering purposes shall be \$100.00 plus \$200.00 for each 100 cubic feet per second, or part thereof, of the diversion rate requested.

The applicant shall notify the Chief Engineer and pay the statutorily required field inspection fee of \$400.00 when construction of the works for diversion has been completed, except that for applications filed on or after July 1, 2009, for works constructed for sediment control use and for evaporation from a groundwater pit for industrial use shall be accompanied by a field inspection fee of \$200.00.

MAKE CHECKS PAYABLE TO THE KANSAS DEPARTMENT OF AGRICULTURE

ATTENTION

A Water Conservation Plan may be required per K.S.A. 82a-733. A statement that your application for permit to appropriate water may be subject to the minimum desirable streamflow requirements per K.S.A. 82a-703a, b, and c may also be required from you. After the Division of Water Resources has had the opportunity to review your application, you will be notified whether or not you will need to submit a Water Conservation Plan. You also may be required to install a water flow meter or water stage measuring device on your diversion works prior to diverting water. There may be other special conditions or Groundwater Management District regulations that you will need to comply with if this application is approved.

CONVERSION FACTORS

1 acre-foot equals 325,851 gallons

1 million gallons equal 3.07 acre-feet

WATER RESOURCES RECEIVED

IRRIGATION USE SUPPLEMENTAL SHEET

KS DEPT OF AGRICULTURE

									_	. 1									
d	lesign	e supp nate th	ly the	e nam ial nu	mber	addr of ac	ress or	f each be im	land	owne	r, the	legal orty ac	desc ere tra	ct or	fraction	the la	ortio	n there	rrigated, an
anu	OWIN	. 011	CCO I																
					Ξ1/4				V1/4			131	V1/4				Ξ1/4		
S	T	R	NE	NW	sw	SE	NE	NW	sw	SE	NE	NW	sw	SE	NE	NW	sw	SE	TOTAL
24	22	7W											F.		35			38.7	73.7
ind	lowne	er of I	Recor	ADI	ORES														
S	Т	R	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	E¼ SW	SE	TOTAL
			THE STATE OF THE S			O.D.	1.2			52				52			511	52	
			2010			4													
		er of I	Recor	ADI	NAM DRES								V1/4			SI	E1/4		
and S	T	er of I	Recor	ADI	DRES									SE	NE	SE NW	E1/4 SW	SE	TOTAL


DWR 1-100.23 (7/7/2000)

b. Estimat	Total:			
b. Estimat	Total:	is delicated		
b. Estimat		100 %		
	e the average land slope in th	ne field(s):	%	
Estimat	e the maximum land slope in	the field(s):	%	
c. Type of	irrigation system you propo	se to use (check one):		
V	Center pivot	Center pivo	t - LEPA	"Big gun" sprinkle
	Gravity system (furrows)	Gravity sys	tem (borders)	Sideroll sprinkler
Other, 1	please describe:			
d. System	design features:			
i. D	escribe how you will control	tailwater:		
ii. Fo	or sprinkler systems:			
(1	Estimate the operating	pressure at the distribu	tion system:	psi
(2) What is the sprinkler p	ackage design rate?	gpm	
(3) What is the wetted dia	meter (twice the distance	e the sprinkler throw	vs water) of a sprinkler o
	the outer 100 feet of th	e system?	feet	
(4) Please include a copy	of the sprinkler package	design information.	
e. Crop(s)	you intend to irrigate. Pleas	se note any planned crop	p rotations:	
f. Please	describe how you will detern	ine when to irrigate an	d how much water to	annly (narticularly
importa	nt if you do not plan a full ir	rigation).	d now much water to	apply (particularly

request.

2. Please complete the following information for the description of the operation for the irrigation project. Attach

WATER RESOURCES RECEIVED Page 2 of 2



Legend

Water Appropriation

PPD

Section Corner

Section Line

Half Mile Circle

Proposed PU

0 5001,000 2,000 3,000 4,000 US Feet

Proposed Water Appropriation, File No.

Soholle

24-22-7W // Reno County

To the best of my knowledge, all points of diversion within one-half ATERRESOURCES mile of the proposed point of diversion have been shown.


JUL 0 2 2020

KS DEPT OF AGRICULTURE

JULY 30, 2020

Signature / Date

06/26/2020 JNE/SFFO 1:24,000 scale



Legend

- Water Appropriation
- PPD
- Section Corner
- Section Line
- Half Mile Circle
- Proposed PU

0 425 850 1,700 2,550 3,400 US Feet

Proposed Water Appropriation, File No.

24-22-7W // Reno County

To the best of my knowledge, all points of diversion within one-half mile of the proposed point of diversion have been shown.

WATER RESOURCES RECEIVED

JUL 0 2 2020

KS DEPT OF AGRICULTURE

m Johnlle TUNE 30, 2020

Signature / Date

06/26/2020 JNE/SFFO 1:12,000 scale

KS DEPT OF AGRICULTURE

INPUTS	
Target Section Definition	
Section	24
Township	22
Range	7
Range Direction	W
Target Point Coordinates (/	VAD27 or NAD83)
Target Longitude	-98.033819
Target Latitude	38.119162

Load Data and Compute

Instructions

- 1. Enter values for section, township, range and range direction.
- 2. Enter NAD27 or NAD83 longitude and latitude of target point.
- 3. Click "Load Data and Compute" button.
- 4. Use feet distances corresponding to datum of target point.

Richard Schueller Application East Well

	Loaded Section	
	From LEOBASE usi	ng NAD83
Corner Cor	ner Latitudes	Corner Longitudes
SW	38.11562727	-98.05029049
NW	38.13018413	-98.05027541
NE	38.12995513	-98.03204057
SE	38.11533709	-98.03197972
Degrees Lo	ngitude per Foot	3.47595971E-06
Degrees Lat	titude per Foot	2.74603466E-06
Target Poi	nt Distances from C	orners using NAD83
Corner Fee	t North(+)/South(-)	Feet East(-)/West(+)
SW	1287	-4739
NW	-4014	-4734
NE	-3931	512
SE	1393	529

	Loaded Section	Data
	From LEOBASE usin	ng NAD27
Corner Co	rner Latitudes	Corner Longitudes
SW	38.11561600	-98.04995700
NW	38.13017300	-98.04994200
NE	38.12994400	-98.03170800
SE	38.11532600	-98.03164700
Degrees Lo	ongitude per Foot	3.47595918E-06
Degrees La	atitude per Foot	2.74598553E-06
Target Po	oint Distances from C	orners using NAD27
Corner Fe	et North(+)/South(-)	Feet East(-)/West(+)
SW	1291	-4643
NW	-4010	-4638
NE	-3927	607
SE	1397	625

INPUTS	
Target Section Definition	
Section	24
Township	22
Range	7
Range Direction	W
Target Point Coordinates (NA	
Target Longitude	-98.034169
Target Latitude	38.119167

Load Data and Compute

Instructions

- 1. Enter values for section, township, range and range direction.
- 2. Enter NAD27 or NAD83 longitude and latitude of target point.
- 3. Click "Load Data and Compute" button.
- 4. Use feet distances corresponding to datum of target point.

Richard Schueller Application West Well

F	Loaded Section rom LEOBASE using	
Corner Corn	ner Latitudes	Corner Longitudes
SW	38.11562727	-98.05029049
NW	38.13018413	-98.05027541
NE	38.12995513	-98.03204057
SE	38.11533709	-98.03197972
Degrees Lon	gitude per Foot	3.47595971E-06
Degrees Lati	tude per Foot	2.74603466E-06
Target Poir	nt Distances from C	orners using NAD83
Corner Feet	North(+)/South(-)	Feet East(-)/West(+)
SW	1289	-4638
NW	-4012	-4634
NE	-3929	612
SE	1395	630

	Loaded Section	Data
	From LEOBASE usin	ng NAD27
Corner	Corner Latitudes	Corner Longitudes
SW	38.11561600	-98.04995700
NW	38.13017300	-98.04994200
NE	38.12994400	-98.03170800
SE	38.11532600	-98.03164700
Degrees	Longitude per Foot	3.47595918E-06
Degrees	Latitude per Foot	2.74598553E-06
Target	Point Distances from C	orners using NAD27
Corner	Feet North(+)/South(-)	Feet East(-)/West(+)
SW	1293	-4542
NW	-4008	-4538
NE	-3925	708
SE	1399	725

WATER RESOURCES RECEIVED

county: Reno		4.000		444	ction Numbe			Range Number
		NE V	The state of the s		24	T 22	S	R 7 KW
	ion from nearest toy	The state of the s						
	mile south		The state of the s	ickerson, K	5			
WATER WELL		rd Schuler					214 Section 20	
R#, St. Address,		Control of the Contro						vision of Water Resour
	de M: Nicke							ot available
AN "X" IN SECT	ION BOX:	Depth(s) Groun WELL'S STATH Pun Est. Yield	dwater Encountered C WATER LEVEL . np test data: Well gpm: Well	19 9. h. i water was	below land s ck!d. ft.	2	mo/day/yr hours pum hours pum	7/9/81
w	1 1		TO BE USED AS:	5 Public wat				jection well
		1 Domestic				9 Dewatering		ther (Specify below)
SW -	SE	2 Irrigation				10 Observation we		men fobourit econi
	X							no/day/yr sample was s
-	<u> </u>	mitted	reconstruction control			tater Well Disinfecte		No X
TYPE OF BLAN	K CASING USED:	mento-	5 Wrought Iron	8 Conc				Clamped
1 Steel	3 RMP (S	Ri	6 Asbestos-Cem	ent 9 Other	(specify bel			. XX
2 PVC	4 ABS		7 Fiberglass				Throad	od
tank casino diame	ter 16	.in. to						. 10
								188
STATE OF THE PARTY	OR PERFORATIO			7 P			ostos-comon	
1 Steel	3 Stainless	a steel	5 Fiberglass	6 RI	MP (SR)	11 Oth	or (specify) .	
2 Brass	4 Gnivaniz	William Francisco	6 Concrete tile	9 AE			e used (ope	
The second second second	PORATION OPENIN			sauzed wrapped		8 Saw cut		11 None (open hole)
1 Continuous		lill slot		Vire wrapped		9 Drilled holes		
2 Louvered si		by punched		orch cut			Doerr. J	Bridge Slot
A LOCAL CONTRACTOR OF THE STATE	ATED INTERVALS:	THE PERSON NAMED IN COLUMN	13 n.	9.0	# F	om	A 100 A 100	
	ALLO MILLITALO.	From		to		om	Mile Countries of Control of College Williams	
GRAVEI	PACK INTERVALS:	CV CONTRACTOR OF THE PARTY OF T						
				to Jai	# Pr	nm.		
70.000		From	ft.	to	ft., Fr	om	ft. to	
GROUT MATER	IAL: 1 Nest	From	ft. 1 2 Cement grout	to 3 Beni	n., Fr	om 4 Other	ft. to	*************
GROUT MATER	IIAL: 1 Nest (From coment	ft. 1 2 Cement grout	to 3 Beni	ft., Fr	om 4 Other h., From	ft. to	*************
GROUT MATER frout Intervals: I	From0.	From coment	2 Cement grout)ft., From	3 Benti	nite to 10 Live	orn 4 Other	ft. to	ft. to
GROUT MATER frout Intervals: I that is the neares 1 Septic tank	IAL: <u>1 Nest of</u> From	From coment .tt. to	2 Cement grout 1ft., From 7 Pit privy	3 Bent	ft., Frontie to 10 Live 11 Fue	4 Other	14 Aba 15 Oil	ft. to
GROUT MATER frout Intervals: I what is the neares 1 Septic tank 2 Sewer lines	From	From coment .ft. to	2 Cement grout 2ft., From 7 Pit privy 8 Sewage	3 Benti ft.	10 Live 11 Fue 12 Fer	orn 4 Other	14 Abs 15 Oil 16 Ott	ft. to
GROUT MATER rout Intervals: I that is the neares 1 Septic tank 2 Sewer lines 3 Waterlight	From	From coment .ft. to	2 Cement grout 1ft., From 7 Pit privy	3 Benti ft.	to	4 Other	14 Abs 15 Oil 16 Ott	ft. to
GROUT MATER rout Intervals: I hat is the neares 1 Septic tank 2 Sewer lines 3 Waterlight s irection from well?	From	From coment .ft. to	2 Cement grout 2ft., From 7 Pit privy 8 Sewage 9 Feedyar	3 Benti ft.	to	4 Other	14 Abs 15 Oil 16 Ott	It to
GROUT MATER rout Intervals: I hat is the neares 1 Septic tank 2 Sewer lines 3 Waterlight s irection from well?	From	From coment .tt. to	2 Cement grout 2ft., From 7 Pit privy 8 Sewage 9 Feedyar	3 Bent tt. lagoon	tt., Frontie to	4 Other	14 Abs 15 Oil 16 Ott	It to
GROUT MATER rout intervals: I hat is the neares 1 Septic tank 2 Sewer lines 3 Waterlight s irection from well FROM TO	From 0 I source of possible 4 Later 5 Cess server lines 6 Seep 7	From coment .tt. to	2 Cement grout 2ft., From 7 Pit privy 8 Sewage 9 Feedyar	3 Bent tt.	tt., Frontie to	4 Other	14 Abs 15 Oil 16 Ott	It to
GROUT MATER rout Intervals: in that is the neares 1 Septic tank 2 Sewer lines 3 Watertight s irection from well FROM TO 0 4	IAL: 1 Nest of O	From coment .tt. to	ft. 2 Cement grout 2 Cement grout 3 ft., From 7 Pit privy 8 Sewage 9 Feedyar	3 Bent tt.	tt., Frontie to	4 Other	14 Abs 15 Oil 16 Ott	It to
GROUT MATER rout Intervals: I hat is the neares 1 Septic tank 2 Sewer lines 3 Waterlight s irection from well FROM TO 0 4 1.8	IAL: 1 Nest of O	From coment .tt. to10 contamination: ral lines pool cage pit LITHOLOGIC sand & grav carse	2 Cement grout 2 Cement grout 3 ft., From 7 Pit privy 8 Sewage 9 Feedyar CLOG	3 Bent tt.	tt., Frontie to	4 Other	14 Abs 15 Oil 16 Ott	It to
GROUT MATER rout Intervals: I That is the neares 1 Septic tank 2 Sewer lines 3 Watertight s irrection from well FROM TO 0 4 4 18 18 20	IAL: 1 Nest of Prom. 0 I source of possible 4 Later 5 Cess sewer lines 6 Seep? Topsoil Fine-med s & very or Medv. or	From coment .tt. to	2 Cement grout 2 Cement grout 3 ft. From 7 Pit privy 8 Sewage 9 Feedyar CLOG Vel, some cos	arse	tt., Frontie to	4 Other	14 Abs 15 Oil 16 Ott	It to
GROUT MATER frout Intervals: I That is the neares I Septic tank 2 Sewer lines 3 Watertight s FROM TO 0 4 4 18 18 20 20 24	Topsoil Fine-med s & very oc Fine sand	From coment .tt. to	2 Cement grout 2 Cement grout 3 ft. From 7 Pit privy 8 Sewage 9 Feedyar LOG vel, some cor E gravel 6/thin clay s	arse	tt., Frontie to	4 Other	14 Abs 15 Oil 16 Ott	It to
GROUT MATER Frout Intervals: 1 Septic tank 2 Sewer lines 3 Waterlight s 2 Sewer lines 4 TO 0 4 4 18	Topsoil Fine-med s & very oc Med,-v. co Fine-coars	From coment .t. to	2 Cement grout 2 Cement grout 3 ft. From 7 Pit privy 8 Sewage 9 Feedyar CLOG Vel, some cos	arse	tt., Frontie to	4 Other	14 Abs 15 Oil 16 Ott	It to
GROUT MATER Frout Intervals: I That is the neares 1 Septic tank 2 Sewer lines 3 Watertight s FROM TO 0 4 4 18 18 20 20 24 24 27	Topsoil Fine-med s & very oc Medv. co Fine sand Fine-coars black cls	From coment .t. to	2 Cement grout 2 Cement grout 3 ft. From 7 PM privy 8 Sewage 9 Feedyar CLOG Vel, some cor E gravel s/thin clay s streaks brown	arse	tt., Frontie to	orn 4 Other	If. to 14 Abr 15 Oil 16 Oth	ift. to
GROUT MATER rout Intervals: I That is the neares 1 Septic tank 2 Sewer lines 3 Watertight s FROM TO 0 4 4 18 18 20 20 24	Topsoil Fine-med s & very oc Medv. co Fine sand Fine-coars black cls	From coment .t. to	2 Cement grout 2 Cement grout 3 ft. From 7 PM privy 8 Sewage 9 Feedyar CLOG Vel, some cor E gravel s/thin clay s streaks brown	arse strks	tt., Frontie to	orn 4 Other	If. to 14 Abr 15 Oil 16 Oth	ift. to
GROUT MATER rout Intervals: I hat is the neares 1 Septic tank 2 Sewer lines 3 Watertight s rection from well FROM TO 0 4 4 18 18 20 20 24 24 27	Topsoil Fine-med s & very oc Medv. co Fine sand Fine-coars black cls	From coment .t. to	2 Cement grout 2 Cement grout 3 ft. From 7 PM privy 8 Sewage 9 Feedyar CLOG Vel, some cor E gravel s/thin clay s streaks brown	arse strks	tt., Frontie to	orn 4 Other	If. to 14 Abr 15 Oil 16 Oth	It to
GROUT MATER rout Intervals: I hat is the neares 1 Septic tank 2 Sewer lines 3 Watertight s rection from well FROM TO 0 4 4 18 18 20 20 24 24 27	Topsoil Fine-med s & very oc Medv. co Fine sand Fine-coars black cls	From coment .t. to	2 Cement grout 2 Cement grout 3 ft. From 7 PM privy 8 Sewage 9 Feedyar CLOG Vel, some cor E gravel s/thin clay s streaks brown	arse strks	tt., Frontie to	orn 4 Other	III. to 14 Abs 15 Oil 16 Oth LITHOLOGIC	tt. to
GROUT MATER rout Intervals: I hat is the neares 1 Septic tank 2 Sewer lines 3 Watertight s rection from well FROM TO 0 4 4 18 18 20 20 24 24 27	Topsoil Fine-med s & very oc Medv. co Fine sand Fine-coars black cls	From coment .t. to	2 Cement grout 2 Cement grout 3 ft. From 7 PM privy 8 Sewage 9 Feedyar CLOG Vel, some cor E gravel s/thin clay s streaks brown	arse strks	tt., Frontie to	orn 4 Other	III. to 14 Abs 15 Oil 16 Oth LITHOLOGIC	ft. to
GROUT MATER rout Intervals: I hat is the neares 1 Septic tank 2 Sewer lines 3 Watertight s rection from well FROM TO 0 4 4 18 18 20 20 24 24 27	Topsoil Fine-med s & very oc Medv. co Fine sand Fine-coars black cls	From coment .t. to	2 Cement grout 2 Cement grout 3 ft. From 7 PM privy 8 Sewage 9 Feedyar CLOG Vel, some cor E gravel s/thin clay s streaks brown	arse strks	tt., Frontie to	orn 4 Other	III. to 14 Abi 15 Oil 16 Oth LITHOLOGIC	tt. to
GROUT MATER rout Intervals: I fhat is the neares 1 Septic tank 2 Sewer lines 3 Watertight s irroction from well FROM TO 0 4 4 18 18 20 20 24 24 27	Topsoil Fine-med s & very oc Medv. co Fine sand Fine-coars black cls	From coment .t. to	2 Cement grout 2 Cement grout 3 ft. From 7 PM privy 8 Sewage 9 Feedyar CLOG Vel, some cor E gravel s/thin clay s streaks brown	arse strks	tt., Frontie to	orn 4 Other	III. to 14 Abi 15 Oil 16 Oth LITHOLOGIC	tt. to
GROUT MATER rout Intervals: I fhat is the neares 1 Septic tank 2 Sewer lines 3 Watertight s irroction from well FROM TO 0 4 4 18 18 20 20 24 24 27	Topsoil Fine-med s & very oc Medv. co Fine sand Fine-coars black cls	From coment .t. to	2 Cement grout 2 Cement grout 3 ft. From 7 PM privy 8 Sewage 9 Feedyar CLOG Vel, some cor E gravel s/thin clay s streaks brown	arse strks	tt., Frontie to	orn 4 Other	III. to 14 Abi 15 Oil 16 Oth LITHOLOGIC	tt. to
GROUT MATER rout Intervals: I fhat is the neares 1 Septic tank 2 Sewer lines 3 Waterlight s frection from well FROM TO 0 4 4 18 18 20 20 24 24 27 27 34	Topsoil Fine-med s & very oc Medv. co Fine sand Fine-coars black cls Medcoars	From cement th. to	2 Cement grout 2 Cement grout 3 ft. From 7 Pit privy 8 Sewage 9 Feedyar 2 LOG Vel, some cor E gravel s/thin clay s streaks brown gravel	arse strks	tt., Fronties to	torn 4 Other	VATER REPLACE	tt to
GROUT MATER Frout Intervals: I Vhat is the neares 1 Septic tank 2 Sewer lines 3 Watertight : Virection from well FROM TO 0 4 4 18 18 20 20 24 24 27 27 34	Topsoil Fine-med a & very oc Medv. co Fine sand Fine-coars black cls Medcoars	From coment th to	2 Cement grout 2 Cement grout 3	arse strks 6 6 6 6 6 6 6 6 6 6 6 6 6	tt., Frontite to	orn 4 Other	III. to 14 Abi 15 Oil 16 Ott LITHOLOGIC VATER RE- RECE JUL 0	tt. to
GROUT MATER rout Intervals: I fhat is the neares 1 Septic tank 2 Sewer lines 3 Watertight s irpction from well FROM TO 0 4 4 18 18 20 20 24 24 27 27 34 CONTRACTOR:	Topsoil Fine-med a & very or Med,-v. co Fine sand Fine-coars black cls Mad,-coars	From coment th to	2 Cement grout 2 Cement grout 3 ft. From 7 Pit privy 8 Sewage 9 Feedyar CLOG Vel, some cor E gravel W/thin clay streaks brown gravel	arse strks a & a & a & a & a & a & a & a & a & a &	tt., Frontite to	orn 4 Other	VATER REPLANTED TO THE PROPERTY OF A PROPERT	tt. to
GROUT MATER rout Intervals: I hat is the neares 1 Septic tank 2 Sewer lines 3 Waterlight s rection from well* FROM TO 0 4 4 18 18 20 20 24 24 27 27 34 CONTRACTOR: repleted on (mo/o	Topsoil Fine-med s & very or Medcoars black cls Medcoars S OR LANDOWNES Layyear) 7/9/ tors License No.	From Coment .t. to	2 Cement grout 2	arse strks a & a & a & a & a & a & a & a & a & a &	tt., Frontite to	constructed, or (3) p constructed, or (3) p con is true to the be- did on (morday 2).	VATER REPLANTED TO THE PROPERTY OF A PROPERT	tt. to
GROUT MATER out Intervals: I hat is the neares 1 Septic lank 2 Sewer lines 3 Waterlight s rection from well* ROM TO 0 4 4 18 18 20 20 24 24 27 27 34 CONTRACTOR: repleted on (mo/o	Topsoil Fine-med s & very or Medv. or Fine sand Fine-coars black cls Medcoars S OR LANDOWNES Laylyear) 7/9/ tors License No. name of Clark	From coment th to	2 Cement grout 2	arse FROM arse strks n &	tt., Frontite to	constructed, or (3) poord is true to the best on (morday 9).	III. to 14 Abs 15 Oil 16 Ott LITHOLOGIC LITHOLOGIC DEPT OF	tt to

	Well	The state of the s	WAT	TER WELL RECORD F			ta-1212	de la Contra	
		ATER WELL:	Fraction		100000	tion Numbe			Range Number
ounty: I	Reno			14 SE 14 SE	1/4	24	T 22	S	R 7 68W
				address of well if located					
			The second secon	miles east of N	1CKersor	n, KS			
	WELL O			d Schuller			1000000		
	Address, B		Route						water Resource
White State of State	ZIP Code	LOCATION WITH	THE RESERVE OF THE PERSON NAMED IN COLUMN 2 IS NOT THE OWNER.	Son, KS 67561				SOUTH BUILDING TO A TO THE TE	not available
TYPE O	rel C	CASING USED: 3 RMP (S	WELL'S STAT Pu Est. Yield Bore Hole Dia WELL WATEF 1 Domest 2 Imigatio Was a chemic mitted	tic 3 Feedfol 6 n 4 Industrial 7 al/bacteriological sample su	9 ft. b was not. c was	elow land s ck d. h. h. h. r supply ter supply garden only epartment? W ete tile (specify bel	uriace measured on after	hours puri hours puri hours puri in. 11 ir 12 C	7/9/81
ank casir	ng diamete	F 1D	in 10 13.		In. 10			or annua No.	.188
Market Street, and the Street, St.				in., weight 31.7	7 PV			or gauge ivo estos-cemen	
		OR PERFORATIO		5 Fiberglass	7,150,00	Contractor 17			
1 Ste 2 Brs		3 Stainles 4 Galvanio		6 Concrete tile		2001200		e used (ope	
	The same of the last	DRATION OPENIN			wrapped		8 Saw cut		15 None (open hole)
	otinuous s		Aid slot		BODED		9 Drilled holes		in such fabour manny
	riunioqua a	OUL ON	THE DRUT						
210	wile bases	mor A K	four numerical		Charles Charles			Doerr	Bridge Slot
	uvered six		Key punched	7 Torch o	aut		10 Other (specify		.Bridge. Slot
		mer 4 K TED INTERVALS:	From	7 Torch c	aut 33		10 Other (specify	ft. to	
CREEN-F	PERFORA	TED INTERVALS:	From	7 Torch c .13t. to ft. to	aut 33	t., Fr	10 Other (specify om	ft. to	
CREEN-F	PERFORA		From From	7 Torch c .13 ft. to ft. to10 ft. to	aut 33		10 Other (specify om	ft. to ft. to ft. to	
CREEN-F	PERFORA BRAVEL P	TED INTERVALS:	From From From	7 Torch c .13	aut 33	t., Fr t., Fr ft., Fr	10 Other (specify om	ft. to ft. to ft. to ft. to	
GROUT	PERFORA BRAVEL P	TED INTERVALS: ACK INTERVALS: 1 Nost	From From From	7 Torch c .13	33	ft., Fr	10 Other (specify om	ft. to ft. to ft. to	
GROUT GROUT	PERFORA BRAVEL P MATERIA Vals: Fr	ACK INTERVALS:	From From From cement	7 Torch c .13	33	ft., Fr ft., Fr ft., Fr onite	10 Other (specify om	ft. to	
GROUT GROUT Frout Inter	PERFORA BRAVEL P MATERIA IVAIS: Fr o nearest	ACK INTERVALS: AL: 1 Neat orn	From From From cement	7 Torch c .13	33	t., Fr ft., Fr ft., Fr nite 10	10 Other (specify om	ft. to ft. to ft. to ft. to	. R. to
GROUT Frout Inter that is the	PERFORA BRAVEL P MATERIA I MATERIA I	ACK INTERVALS: AL: 1 Next orn	From From From From	7 Torch c .13	33	t., Fr t., Fr tt., Fr onite 10 10 Live 11 Fue	10 Other (specify orm	ft. to ft. to ft. to ft. to 14 Ab 15 Oil	ft. to andoned water well well/Gas well
GROUT rout Inter that is the 1 Sep 2 Ser	PERFORATION OF THE PERFORATION OF THE PERFORATION OF THE PERFORMANCE THE PERFORATION OF T	AL: 1 Next orn	From From From From From From comert .ft. to 10 contamination: rel lines s pool	7 Torch c .13	33	t., Frt., Fr.	om	14 Ab	. ft. toandoned water woll
GROUT rout Inter that is the 1 Sep 2 Sep 3 Wa	PERFORA BRAVEL P MATERIA IVals: From the meanest of pilot tank over times allottight so	ACK INTERVALS: AL: 1 Next orn	From From From From From From comert .ft. to 10 contamination: rel lines s pool	7 Torch c .13	33	t., Fr. tt., Fr.	10 Other (specify orm	14 Ab	nt. to
GROUT rout inter that is the 1 Sep 2 Sep 3 Wa irection Ir	PERFORATION OF THE PERFORATION OF THE PERFORATION OF THE PERFORMANCE THE PERFORATION OF T	AL: 1 Next orn	From From From From From From comert .ft. to 10 contamination: rel lines s pool	7 Torch of 13	33	t., Fr. tt., Fr.	10 Other (specify om	14 Ab	it. to
GROUT rout Inter that is the 1 Sec 2 Sec 3 Wa	PERFORA RAVEL P MATERIA Vals: Fr e nearest: ptic tank wer lines stortight se rom well?	ACK INTERVALS: ACK INTERVALS: 1 Neat on	From From From From 10 10	7 Torch of 13	33	t., Fr. tt., Fr.	10 Other (specify om	14 Ab	it. to
GROUT rout Inter that is the 1 Sec 3 Wa irection Ir	PERFORATION RAVEL P MATERIA I	ACK INTERVALS: ACK INTERVALS: AL: 1 Neat com 0	From From From From From From From cement It to 10 contamination: ral lines s pool page pit LITHOLOGI Boil ray clay	7 Torch c .13	33	t., Fr. tt., Fr.	10 Other (specify om	14 Ab	it. to
GROUT rout Inter hat is the 1 Sep 2 Ser 3 Wa irrection in	PERFORA RAVEL P MATERIA Vals: From e nearest: ptic tank over lines stortight so rom well? TO 3	ACK INTERVALS: ACK INTERVALS: AL: 1 Neat com 0	From From From From From From From cement It to 10 contamination: ral lines s pool page pit LITHOLOGI Boil ray clay	7 Torch of 13	33	t., Fr. tt., Fr.	10 Other (specify om	14 Ab 15 Oil	it. to
GROUT rout Inter that is the 1 Sep 2 Ser 3 Wa irrection fr	PERFORA BRAVEL P MATERIA vals: From the second trees storight so from well? TO 3	ACK INTERVALS: ACK INTERVALS: 1 Neat om	From	7 Torch c .13	33	t., Fr. tt., Fr.	10 Other (specify om	14 Ab 15 Oil	it. to
GROUT rout Inter that is the 1 Sep 2 Ser 3 Wa irrection fr	PERFORA BRAVEL P MATERIA vals: From the second trees storight so from well? TO 3	ACK INTERVALS: ACK INTERVALS: 1 Neat om	From	7 Torch c .13	3 Bento ft.	t., Fr. tt., Fr.	10 Other (specify om	14 Ab 15 Oil	it. to
GROUT rout Inter feat is the 1 Sec 2 Sec 3 Wa irrection for	PERFORA BRAVEL P MAYERI I MAYERI	ACK INTERVALS: ACK INTERVALS: AL: 1 Neat com. 0 source of possible 4 Late 5 Cess nwer lines 6 See Brown 6 g: Med. coar: coarse Black cla: Fine-med	From	7 Torch c 13	3 Bento ft.	t., Fr. tt., Fr.	10 Other (specify orm	ft to	it. to
GROUT rout Inter that is the 1 Sep 2 Ser 3 Was irrection 1 FROM 0 3 5	PERFORA RAVEL P MATERIA vals: Fr e nearest: ptic tank wer lines abortight se rom well? TO 3 5 19	ACK INTERVALS: ACK INTERVALS: 1 Neat on	From	7 Torch c 13	3 Bento ft.	t., Fr. tt., Fr.	10 Other (specify orm	It to ft. to ft. to ft. to ft. to	It. to
GROUT rout inter that is the 1 Sec. 2 Sec. 3 Wa irection 11 FROM 0 3 5	PERFORA BRAVEL P MAYERU vals: From enearest: ptic tank wer fines atertight se rom well? TO 3 5 19	ACK INTERVALS: ACK INTERVALS: AL: 1 Neat com. 0 source of possible 4 Late 5 Cess nwer lines 6 See Brown 6 g: Med. coar: coarse Black cla: Fine-med	From	7 Torch c 13	3 Bento ft.	t., Fr. tt., Fr.	10 Other (specify orm	It to ft. to ft. to ft. to ft. to	it. to
GROUT rout Inter that is the 1 Sep 2 Sep 3 Wastrection In FROM 0 3 5 19 21	PERFORA RAVEL P MATERIA vals: Fr e nearest: ptic tank wer lines abortight se rom well? TO 3 5 19	ACK INTERVALS: ACK INTERVALS: 1 Neat on	From Fr	7 Torch c 13	3 Bento ft.	t., Fr. tt., Fr.	10 Other (specify orm	It to ft. to ft. to ft. to ft. to	it to andoned water well well/Gas well ner (specify below) FIELD CLOG
GROUT rout Inter that is the 1 Sep 2 Sep 3 Wastrection In FROM 0 3 5 19 21	PERFORA RAVEL P MATERIA vals: From e nearest: ptic tank wer lines abortight so rom well? TO 3 5 19 21 29	ACK INTERVALS: ACK INTERVALS: 1 Neat on	From Fr	7 Torch c 13	3 Bento ft.	t., Fr. tt., Fr.	10 Other (specify orm	It to ft. to ft. to ft. to ft. to	It. to
GROUT rout Inter that is the 1 Sep 2 Sep 3 Wastrection In FROM 0 3 5 19 21	PERFORA RAVEL P MATERIA vals: From e nearest: ptic tank wer lines abortight so rom well? TO 3 5 19 21 29	ACK INTERVALS: ACK INTERVALS: 1 Neat on	From Fr	7 Torch c 13	3 Bento ft.	t., Fr. tt., Fr.	10 Other (specify orm	ITHOLOGIC	nt. to
GROUT rout Inter that is the 1 Sep 2 Sep 3 Wastrection In FROM 0 3 5 19 21	PERFORA RAVEL P MATERIA vals: From e nearest: ptic tank wer lines abortight so rom well? TO 3 5 19 21 29	ACK INTERVALS: ACK INTERVALS: 1 Neat on	From Fr	7 Torch c 13	3 Bento ft.	t., Fr. tt., Fr.	10 Other (specify om	IL THOLOGIC	it to andoned water well well/Gas well ner (specify below) FIELD CLOG
GROUT rout Inter that is the 1 Sep 2 Sep 3 Was rection 1 FROM 0 3 5 19 21	PERFORA RAVEL P MATERIA vals: From e nearest: ptic tank wer lines abortight so rom well? TO 3 5 19 21 29	ACK INTERVALS: ACK INTERVALS: 1 Neat on	From Fr	7 Torch c 13	3 Bento ft.	t., Fr. tt., Fr.	10 Other (specify om	ITHOLOGIC	nt. to
GROUT rout Inter that is the 1 Sep 2 Ser 3 Was irrection 11 FROM 0 3 5	PERFORA RAVEL P MATERIA vals: From e nearest: ptic tank wer lines abortight so rom well? TO 3 5 19 21 29	ACK INTERVALS: ACK INTERVALS: 1 Neat on	From Fr	7 Torch c 13	3 Bento ft.	t., Fr. tt., Fr.	10 Other (specify om	IL THOLOGIC	nt. to
GROUT roul inter that is the 1 So 2 Ser 3 Wa irrection 11 FROM 0 3 5 19 21	PERFORA BRAVEL P MATERIA I MAT	ACK INTERVALS: ACK INTERVALS: 1 Neat orn	From	7 Torch c .13	3 Bento ft.	tt, Fronte to	10 Other (specify om	It to ft.	Acriculture
GROUT rout inter hat is the 1 Sec. 2 Sec. 3 Warection 1 FROM 0 3 5 5 19 21 29	PERFORA BRAVEL P MATERIA IVAIS: From rearest: ptic tank over fines attentight se rorn well? TO 3 5 19 21 29 34	ACK INTERVALS: ACK INTERVALS: AL: 1 Neat orn. 0 source of possible 4 Late 5 Cess ower times 6 Seeg Sandy tope Brown 6 g: Med. coar: coarse Black cla; Fine-med streak f: Fine sand	From	7 Torch c .13	33	tt, Fronte to	10 Other (specify om	ITHOLOGIC AVATER RECE JUL 0 DEPT OF	nt. to
GROUT rout inter that is the 1 So 2 Se 3 Wa rection 1 FROM 0 3 5 19 21 29	PERFORA BRAVEL P MATERIA IVAIS: From rearest: ptic tank over fines atertight se rorn well? TO 3 5 19 21 29 34	ACK INTERVALS: ACK INTERVALS: AL: 1 Neat orn. 0 source of possible 4 Late 5 Cess ower times 6 Seeg Sandy tope Brown 6 g: Med. coar: coarse Black cla; Fine-med streak f: Fine sand OR LANDOWNE	From	7 Torch c .13	33	tt, Fronte to to try to the try	10 Other (specify om	AMATER RECE JUL 0 SDEPT OF	M. to
GROUT out Inter hat is the 1 Sep 2 Ser 3 Was rection in FROM 0 3 5 5 21 29 CONTR implicited after Well after Well	PERFORA BRAVEL P MATERIA vals: From enearest: ptic tank wer tines stortight so rom well? TO 3 5 19 21 29 34 MACTOR'S on (mo/de) Contractor	ACK INTERVALS: ACK INTERVALS: AL: 1 Neat orn. 0 source of possible 4 Late 5 Cess ower times 6 Seeg Sandy tope Brown 6 g: Med. coar: coarse Black cla; Fine-med streak f: Fine sand OR LANDOWNE	From	7 Torch c .13	33	tt., Fr. tt.	10 Other (specify om	AMATER RECE JUL 0 SDEPT OF	A. to

JUNE	30	20	20
(0	ate)		F. P.

Kansas Department of Agriculture Division of Water Resources David W. Barfield, Chief Engineer 1320 Research Park Drive Manhattan, Kansas 66502

Re: Application
File No. ______

Minimum Desirable Streamflow

Dear Sir:

I understand that a Minimum Desirable Streamflow requirement has been established by the legislature for the source of supply to which the above referenced application applies.

I understand that diversion of water pursuant to this application will be subject to regulation any time Minimum Desirable Streamflow requirements are not being met.

I also understand that if this application is approved, there could be times, as determined by the Division of Water Resources, when I would not be allowed to divert water. I realize that this could affect the economics of my decision to appropriate water.

I am aware of the above factors, and with the knowledge thereof, request that the Division of Water Resources proceed with processing and approval, if possible, of the above referenced application.

State of Kansas

County of Reno

Signature of Applicant

Pichard Schuller

(Print Applicant's Name)

I hereby certify that the foregoing instrument was signed in my presence and sworn to before me this 304 day of June, 2020.

Katharene Dwagmer

My Commission Expires: 4-16-2023

KATHARINE D. WAGONER
Notary Public - State of Kansas
My Appt. Expires 4 - 16 - 20 23

VATER RESOURCES
RECEIVED

WATER USE CORRESPONDENT CHANGE FORM

KS DEPT OF AGRATUENTION LANDOWNER(S): COMPLETE ONLY IF A NON-OWNER IS TO REPORT WATER USE

To: Kansas Department of Agriculture	Re: Water Use Correspondent for
Division of Water Resources 1320 Research Park Drive Manhattan, Kansas 66502 http://agriculture.ks.gov/dwr	File No(s) 3248, 8197, 8853, 12648, 19800, 23204, 24332, 25207, 255
I am aware that Kansas law (K.S.A. 82a-732) requappropriate water for beneficial use, except for don with the Division of Water Resources, Kansas Depfollowing the end of the previous calendar year. I use file the report or submission of an incomplete or inapart owner) of the above file number(s) to a civil penfalsifying the report could be charged with a class C r	nestic use, to file an annual water use reportant of Agriculture on or before March anderstand that the law provides that failure occurate report could subject me, as owner (alty not to exceed \$1,000 and that any personal that are the personal transfer and transf
I further understand that as water use correspondent receive an annual water use report from the Division reporting requirement. Information of the new water use correspondent:	
Stowart or Rochal Stahol	
Address: 2913 N Hwy 25	City, State, Zip: Lakin KS 67860
E-mail: jaycestabel@gmail.com	Telephone: 620-290-4040
I designate the above as the water use correspondence this authority in writing.	ndent for the above file number(s) until I Jayce Stabel
Owner/Agent Signature	Print Name
2913 N Hwy 25	620-290-4040
Address Lakin KS 67860	Telephone
City, State, Zip	
State of Kansas County of Keorny I hereby certify that the foregoing instrument was signed and of June 2020.	ed in my presence and sworn to before me the management of the man
My Commission Expires:	Notary Public
MEIS MEIS	SA A. BLEVINS slic - State of Kansas contraent Expires DWR Initia

DATA ENTRY SYSTEM ID NUMBER SHEET

50407

APPLICANT PERSON ID & SEQ #		5064	PDIV	ID		BATTER	Y ID
15925		11855					
· · · · · · · · · · · · · · · · · · ·	4						
							
							
	. *	•	•				
LANDOWNER PERSON ID & SEQ #		13963	PUSE	ID			
15925							
		١.				,	
			-				
		Andrew Control of the					
WATER USE CORRESPONDE	ENT		•				
PERSON ID & SEQ # 15925							
					,		

1320 Research Park Drive Manhattan, KS 66502 785-564-6700 www. agriculture.ks.gov



900 SW Jackson, Room 456 Topeka, KS 66612 785-296-3556

Mike Beam, Secretary

Laura Kelly, Governor

July 2, 2020

RICHARD J SCHULLER 5907 N DEAN ROAD NICKERSON KS 67561

> RE: Application, File No(s). 50407

Dear Sir or Madam:

The Division of Water Resources (Division) has received your application(s) for a permit to appropriate water for beneficial use. Your application(s) has been assigned the file number(s) referenced above. Please be aware that the Division may have a large number of pending applications on hand at times and makes every attempt to process them in the order in which they are received. You will be contacted if additional information is required.

Please note, this letter only acknowledges receipt of your application(s) and does not guarantee approval. In accordance with the provisions of the Kansas Water Appropriation Act, the use of water as proposed prior to approval of the application(s) is unlawful.

Additional information about the process may be found on our website at agriculture.ks.gov/divisionsprograms/dwr. If you have any other questions, please contact our office at 785-564-6640 or your local Stafford Field Office at 620-234-5311. If you call, please reference the file number so we can help you more efficiently.

Sincerely,

Kristen A. Baum

New Applications Unit Supervisor

Srister a Baum

Water Appropriation Program