NOTICE

This scan only represents the application as filed. The information contained herein meets the requirements of K.A.R. 5-3-1 or K.A.R. 5-5-1, and has been found acceptable for filing in the office of the Chief Engineer. The application should not be considered to be a complete application as per K.A.R. 5-3-1b or K.A.R. 5-5-2a.



KANSAS DEPARTMENT OF AGRICULTURE

Mike Beam, Secretary of Agriculture

DIVISION OF WATER RESOURCES

David W. Barfield, Chief Engineer

File Number

This item to be completed by the Division of Water Resources.

WATER RESOURCES RECEIVED

APPLICATION FOR F LINION APPROPRIATE WATER FOR BENEFICIAL USE KS DEPT OF AGRICULTURE

(Please refer to Fee Schedule attached to this application form.)

To the Chief Engineer of the Division of Water Resources, Kansas Department of Agriculture, 1320 Research Park Drive, Manhattan, Kansas 66502:

Name of Applicant (Please Print): Weber Land, LLC Address: 247 Main St State KANSAS Zip Code 67056 City: Halstead Telephone Number: (316) 835-3555 / 316-772-8900 2. The source of water is: ☐ surface water in _______ OR □ groundwater in Little Arkansas River (drainage basin) Certain streams in Kansas have minimum target flows established by law or may be subject to administration when water is released from storage for use by water assurance district members. If your application is subject to these regulations on the date we receive your application, you will be sent the appropriate form to complete and return to the Division of Water Resources. 3. The maximum quantity of water desired is 237 _____ acre-feet OR _____ gallons per calendar year, to be diverted at a maximum rate of 851 gallons per minute OR cubic feet per second. Once your application has been assigned a priority, the requested maximum rate of diversion and maximum requested quantity of water under that priority number can NOT be increased. Please be certain your requested maximum rate of diversion and maximum quantity of water are appropriate and reasonable for your proposed project and are in agreement with the Division of Water Resources' requirements. The water is intended to be appropriated for (Check use intended): (a) Artificial Recharge (b) ⊠ Irrigation (c) Recreational (d) Water Power (f) Municipal (g) ☐ Stockwatering (h) ☐ Sediment Control (e) ☐ Industrial (i) Domestic (i) Dewatering (k) ☐ Hydraulic Dredging (I) Fire Protection (m) ☐ Thermal Exchange (n) ☐ Contamination Remediation YOU MUST COMPLETE AND ATTACH ADDITIONAL DIVISION OF WATER RESOURCES FORM(S) PROVIDING INFORMATION TO SUBSTANTIATE YOUR REQUEST FOR THE AMOUNT OF WATER FOR THE INTENDED USE REFERENCED ABOVE.

ile No.				
ile IVO.			nd -	-

5.	The I	location of the proposed wells, pump sites or other works for diversion of water is:
	Note	e: For the application to be accepted, the point of diversion location must be described to at least a 10 acre tract, unless you specifically request a 60 day period of time in which to locate the site within a specifically described, minimal legal quarter section of land.
	(A)	One in the \underline{SW} quarter of the \underline{NW} quarter of the \underline{SE} quarter of Section $\underline{3}$, more particularly described as
		being near a point <u>1830</u> feet North and <u>2580</u> feet West of the Southeast corner of said section, in Township
		24 South, Range 2 West, Harvey County, Kansas.
	(B)	One in the quarter of the quarter of the quarter of Section, more particularly
		described as being near a point feet North and feet West of the Southeast corner of said
		section, in Township South, Range East/West (circle one), County, Kansas.
	(C)	One in the quarter of the quarter of the, more particularly
	PACE OF THE PACE O	described as being near a point feet North and feet West of the Southeast corner of said
		section, in Township South, Range East/West (circle one), County, Kansas.
	(D)	One in the quarter of the quarter of the, more particularly
		described as being near a point feet North and feet West of the Southeast corner of said
		section, in Township South, Range East/West (circle one), County, Kansas.
	A bar four	s, except that a single application may include up to four wells within a circle with a quarter (¼) mile radius in same local source of supply which do not exceed a maximum diversion rate of 20 gallons per minute per well. attery of wells is defined as two or more wells connected to a common pump by a manifold; or not more than wells in the same local source of supply within a 300 foot radius circle which are being operated by pumps
3 .	A bar four not to distri	same local source of supply which do not exceed a maximum diversion rate of 20 gallons per minute per well. attery of wells is defined as two or more wells connected to a common pump by a manifold; or not more than
6.	A bar four not to distri	same local source of supply which do not exceed a maximum diversion rate of 20 gallons per minute per well. attery of wells is defined as two or more wells connected to a common pump by a manifold; or not more than wells in the same local source of supply within a 300 foot radius circle which are being operated by pumps to exceed a total maximum diversion rate of 800 gallons per minute and which supply water to a common ribution system.
3.	A bar four not to distri	same local source of supply which do not exceed a maximum diversion rate of 20 gallons per minute per well. attery of wells is defined as two or more wells connected to a common pump by a manifold; or not more than wells in the same local source of supply within a 300 foot radius circle which are being operated by pumps to exceed a total maximum diversion rate of 800 gallons per minute and which supply water to a common ribution system. owner of the point of diversion, if other than the applicant is (please print):
6.	A bar four not to distri	same local source of supply which do not exceed a maximum diversion rate of 20 gallons per minute per well. attery of wells is defined as two or more wells connected to a common pump by a manifold; or not more than wells in the same local source of supply within a 300 foot radius circle which are being operated by pumps to exceed a total maximum diversion rate of 800 gallons per minute and which supply water to a common ribution system. owner of the point of diversion, if other than the applicant is (please print): (name, address and telephone number)
6.	A bar four not to distri	same local source of supply which do not exceed a maximum diversion rate of 20 gallons per minute per well. attery of wells is defined as two or more wells connected to a common pump by a manifold; or not more than wells in the same local source of supply within a 300 foot radius circle which are being operated by pumps to exceed a total maximum diversion rate of 800 gallons per minute and which supply water to a common ribution system. owner of the point of diversion, if other than the applicant is (please print): (name, address and telephone number) must provide evidence of legal access to, or control of, the point of diversion from the landowner or the lowner's authorized representative. Provide a copy of a recorded deed, lease, easement or other document
3.	The Failube re	same local source of supply which do not exceed a maximum diversion rate of 20 gallons per minute per well. Attery of wells is defined as two or more wells connected to a common pump by a manifold; or not more than wells in the same local source of supply within a 300 foot radius circle which are being operated by pumps to exceed a total maximum diversion rate of 800 gallons per minute and which supply water to a common ribution system. Owner of the point of diversion, if other than the applicant is (please print): (name, address and telephone number) (name, address and telephone number) must provide evidence of legal access to, or control of, the point of diversion from the landowner or the lowner's authorized representative. Provide a copy of a recorded deed, lease, easement or other document this application. In lieu thereof, you may sign the following sworn statement: I have legal access to, or control of, the point of diversion described in this application from the landowner's authorized representative. I declare under penalty of perjury that the foregoing is true and correct. Executed on July 10, 20, 20 Example Tweeter Applicant's Signature applicant must provide the required information or signature irrespective of whether they are the landowner ure to complete this portion of the application will cause it to be unacceptable for filing and the application will returned to the applicant.
7.	The Failube re	same local source of supply which do not exceed a maximum diversion rate of 20 gallons per minute per well. Attery of wells is defined as two or more wells connected to a common pump by a manifold; or not more than wells in the same local source of supply within a 300 foot radius circle which are being operated by pumps to exceed a total maximum diversion rate of 800 gallons per minute and which supply water to a common ribution system. Owner of the point of diversion, if other than the applicant is (please print): (name, address and telephone number) (name, address and telephone number) must provide evidence of legal access to, or control of, the point of diversion from the landowner or the lowner's authorized representative. Provide a copy of a recorded deed, lease, easement or other document this application. In lieu thereof, you may sign the following sworn statement: I have legal access to, or control of, the point of diversion described in this application from the landowner's authorized representative. I declare under penalty of perjury that the foregoing is true and correct. Executed on July 10, 20, 20 Example Tweeter Applicant's Signature applicant must provide the required information or signature irrespective of whether they are the landowner ure to complete this portion of the application will cause it to be unacceptable for filing and the application will returned to the applicant.
	The Failube re	same local source of supply which do not exceed a maximum diversion rate of 20 gallons per minute per well. Attery of wells is defined as two or more wells connected to a common pump by a manifold; or not more than wells in the same local source of supply within a 300 foot radius circle which are being operated by pumps to exceed a total maximum diversion rate of 800 gallons per minute and which supply water to a common ribution system. Owner of the point of diversion, if other than the applicant is (please print): (name, address and telephone number) (name, address and telephone number) must provide evidence of legal access to, or control of, the point of diversion from the landowner or the lowner's authorized representative. Provide a copy of a recorded deed, lease, easement or other document this application. In lieu thereof, you may sign the following sworn statement: I have legal access to, or control of, the point of diversion described in this application from the landowner or the landowner's authorized representative. I declare under penalty of perjury that the foregoing is true and correct. Executed on July 10, 20, 20 Applicant's Signature applicant must provide the required information or signature irrespective of whether they are the landowner under the application will cause it to be unacceptable for filing and the application will

RECEIVED

JUL 1 6 2020

9.		pesticide, fertilizer, or other foreign substance be injected into the water pumped from the diversion works?
		'es □ No If "yes", a check valve shall be required.
	All	chemigation safety requirements must be met including a chemigation permit and reporting requirements.
10.	sub	bu are planning to impound water, please contact the Division of Water Resources for assistance, prior to mitting the application. Please attach a reservoir area capacity table and inform us of the total acres of ace drainage area above the reservoir.
		re you also made an application for a permit for construction of this dam and reservoir with the Division of the Resources?
	•	If yes, show the Water Structures permit number here
	•	If no, explain here why a Water Structures permit is not required
11.		application must be supplemented by a U.S.G.S. topographic map, aerial photograph or a detailed pla
	sec	wing the following information. On the topographic map, aerial photograph, or plat, identify the center of the tion, the section lines or the section corners and show the appropriate section, township and range numbers o, please show the following information:
	(a)	The location of the proposed point(s) of diversion (wells, stream-bank installations, dams, or other diversion works) should be plotted as described in Paragraph No. 5 of the application, showing the North-South distance and the East-West distance from a section line or southeast corner of section.
	(b)	If the application is for groundwater, please show the location of any existing water wells of any kind within ½ mile of the proposed well or wells. Identify each existing well as to its use and furnish the name and mailing address of the property owner or owners. If there are no wells within ½ mile, please advise us.
	(c)	If the application is for surface water, the names and addresses of the landowner(s) $\frac{1}{2}$ mile downstream and $\frac{1}{2}$ mile upstream from your property lines must be shown.
	(d)	The location of the proposed place of use should be shown by crosshatching on the topographic map, aeria photograph or plat.
	(e)	Show the location of the pipelines, canals, reservoirs or other facilities for conveying water from the point of diversion to the place of use.
		A 7.5 minute U.S.G.S. topographic map may be obtained by providing the section, township and range numbers to: Kansas Geological Survey, 1930 Constant, Campus West, University of Kansas, Lawrence Kansas 66047.
12.	poi	any application, appropriation of water, water right, or vested right file number that covers the same diversion and of the same place of use described in this application. Also list any other recent modifications made existing permits or water rights in conjunction with the filing of this application.
	PD	/PU Overlap 2854 and 6139
	Maritin .	[2]

WATER RESOURCES RECEIVED

File No. _

				File No	
13.	Furnish the following well information has not been completed, give information				ndwater. If the well
	Information below is from:	t holes U	ell as completed	☐ Drillers lo	og attached
	Well location as shown in paragraph	No. (A)	(B)	(C)	(D)
	Date Drilled	Sec	Attache	d	
	Total depth of well				
	Depth to water bearing formation				
	Depth to static water level				
	Depth to bottom of pump intake pipe				
14.	The relationship of the applicant	to the propose	d place where the	ne water will b	e used is that of
	(owner, tenant, agent or otherwise)				
15.	The owner(s) of the property where t	the water is used	I, if other than the	applicant, is (ple	ease print):
			Aslambana mumba		
	(nar	ne, address and	telephone numbe	er)	
	(nar	ne, address and	telephone numbe	er)	
16.	The undersigned states that the infor this application is submitted in good	foith			knowledge and that
	Dated at Halstead	Kansas, this	O day of	uly	2020
				(month)	(year)
	Edward J Webe				
	(Applicant Signature)				
B	y (Apont or Officer Cignetius)				
	(Agent or Officer Signature)				
=	(Agent or Officer - Please Print)				
Assiste	ed by JNE		SFFO/ESII	Date: 07/	09/2020

WATER RESOURCES RECEIVED

FEE SCHEDULE

 The fee for an application for a permit to appropriate water for beneficial use, except for domestic use, shall be (see paragraph No. 2 below if requesting storage):

ACRE-FEET	FEE
0-100	\$200.00
101-320	\$300.00
More than 320	\$300.00 plus \$20.00 for each additional 100 acre-feet or any part thereof.

2. The fee for an application in which storage is requested, except for domestic use, shall be:

ACRE-FEET	FEE
0-250	\$200.00
More than 250	\$200.00 plus \$20.00 for each additional 250 acre-feet of storage or any part thereof.

Note: If an application requests both direct use and storage, the fee charged shall be as determined under No. 1 or No. 2 above, whichever is greater, but not both fees.

3. The fee for an application for a permit to appropriate water for water power or dewatering purposes shall be \$100.00 plus \$200.00 for each 100 cubic feet per second, or part thereof, of the diversion rate requested.

Note: The applicant shall notify the Chief Engineer and pay the statutorily required field inspection fee of \$400.00 when construction of the works for diversion has been completed, except that for applications filed on or after July 1, 2009, for works constructed for sediment control use and for evaporation from a groundwater pit for industrial use shall be accompanied by a field inspection fee of \$200.00.

MAKE CHECKS PAYABLE TO THE KANSAS DEPARTMENT OF AGRICULTURE

ATTENTION

A Water Conservation Plan may be required per K.S.A. 82a-733. A statement that your application for permit to appropriate water may be subject to the minimum desirable streamflow requirements per K.S.A. 82a-703a, b, and c may also be required from you. After the Division of Water Resources has had the opportunity to review your application, you will be notified whether or not you will need to submit a Water Conservation Plan. You also may be required to install a water flow meter or water stage measuring device on your diversion works prior to diverting water. There may be other special conditions or Groundwater Management District regulations that you will need to comply with if this application is approved.

CONVERSION FACTORS

1 acre-foot equals 325,851 gallons

1 million gallons equal 3.07 acre-feet

WATER RESOURCES
RECEIVED

JUL 1 6 2020

JUL 1 6 2020


IRRIGATION USE SUPPLEMENTAL SHEET

KS DEPT OF AGRICULTURE

	owne	r of			DRES				., Hal	stead.	KS	57056	7						
	Т	R	301	NI	E¼		il in	NV	V1/4	12	14	SV	V1/4			SE¼		TOTAL	
+		•	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	TOTAL
1	24S	2W	23.20	23.00	40.00	39.00			16.40	20.00					12.00	40.00	35.00	5.00	253.60
1																			
de	owne	r of	Recor	d I	NAM	E:	We	ebe u 7	n	La	nd	1	1.1.	. 1			V c	, -	70.5
ıdo			Recor		NAM DRES	E:	we a		n V4	La	nd		Lc lal:	ste	ad		KS.,	6	
do	owne T	r of l	Recor			E: SS: SE	NE			Lana	nd NE			st e	e a d			SE	
ndo				NI	E1/4		3	NV	V1/4			sv	V1/4			SI	E¼		7 0 S
ndo				NI	E1/4		3	NV	V1/4			sv	V1/4			SI	E¼		
	T	R		NI NW	E¼ SW	SE	3	NV	V1/4			sv	V1/4			SI	E¼		
	T	R	NE	NI NW	E¼ SW	SE	3	NW NW	V1/4			SV	V1/4			SI NW	E¼		TOTAL

		soils in the field(s) and			
		oil	Percent	Intake	Irrigation
	Na	ime	of field	Rate	Design
Г		EC	(%)	(in/hr)	Group
T	-arn vm	FI	-60		
	Farnu	411	10		
	Maron			7	
	Naron	Na	10		들다면 이 경기 기계를 있다. 지원에
	Crere	otal:	100 %	-	
				3	WATER RESOUR
. E	Estimate the	e average land slope in	the field(s):		RECEIVED
E	Estimate the	e maximum land slope	in the field(s):	6 %	JUL 1 6 202
Т.	Type of irri	gation system you prop	pose to use (check	one):	KS DEPT OF AGRICUL
	1 Ce	enter pivot	Cent	er pivot - LEPA	"Big gun" sprinkler
	Gr	avity system (furrows)) Grav	ity system (borders)	Sideroll sprinkler
(se describe:			
		ign features:	ol tailwater		
. S i.	. Descr	ign features: ibe how you will control orinkler systems:	rol tailwater:		
i.	. Descr	ibe how you will control		listribution system:	40 psi
i.	. Descr	rinkler systems: Estimate the operation	ng pressure at the c	listribution system: ute?7 5 0_ gpm	<u>40</u> psi
i.	. Descr i. For sp (1)	ibe how you will controlled in the controlled in	ng pressure at the d	te?	yo psi psi hrows water) of a sprinkler on
i.	Descr i. For sp (1)	ibe how you will controlled in the controlled in	ng pressure at the design rate of the design rate o	te?	
i.	Descr i. For sp (1)	be how you will controlled by the controlled by the sprinkle what is the sprinkle what is the wetted do the outer 100 feet of	ng pressure at the design rate of the design rate of the system?	distance the sprinkler the distance the distance the sprinkler the distance the sprinkler the distance the d	
i. ii	Descri. For sp (1) (2) (3) (4) Crop(s) you	ibe how you will control or inkler systems: Estimate the operation what is the sprinkles what is the wetted of the outer 100 feet of Please include a copulation of the original control of the original copulation of the original copulation of the original control of the original copulation of the original control of	ng pressure at the derivative repackage design rational repackage repack	distance the sprinkler the distance the sprinkler the distance the sprinkler the distance design information and distance design information.	hrows water) of a sprinkler on
i. ii	Descri. For sp (1) (2) (3) (4) Crop(s) you	ibe how you will control or inkler systems: Estimate the operation what is the sprinkles what is the wetted of the outer 100 feet of Please include a cop	ng pressure at the derivative repackage design rational repackage repack	distance the sprinkler the distance the sprinkler the distance the sprinkler the distance design information and distance design information.	hrows water) of a sprinkler on
i. ii	Descrii. For sp (1) (2) (3) (4) Crop(s) you	ibe how you will control or inkler systems: Estimate the operation what is the sprinkle. What is the wetted of the outer 100 feet of Please include a copulation of the country of the c	ng pressure at the derivative repackage design rational rational repackage design rational repackage design rational repac	distance the sprinkler the distance the sprinkler the distance the sprinkler the distance the sprinkler the distance design information and crop rotations:	hrows water) of a sprinkler on

You may attach any additional information you believe will assist in informing the Division of the need for your request.



Legend

- Water Appropriation
- Proposed Point of Diversion
- Section Corner
- Section Line
- Half Mile Circle

Proposed Water Appropriation, File 3-24S-2W // Harvey County




JUL 1 6 2020

KS DEPT OF AGRICULTURE

To the best of my knowledge, all points of diversion within one-half mile of the proposed point of diversion have been shown.

Edward J Weber 7-10-20



Legend

- Water Appropriation
- Proposed Point of Diversion
- Section Corner
- Section Line
- Half Mile Circle

Proposed Water Appropriation, File _ 3-24S-2W // Harvey County



KS DEPT OF AGRICULTURE

To the best of my knowledge, all points of diversion within one-half mile of the proposed point of diversion have been shown.

Edward J Weber 7/10/20

WISHNE-37038N		JUNE 12, 2020		LINDSAY GEN II - 90
	IRRIGATOR WEBER MALONES		NTAGE RD	DEALER CARMICHAEL IRRIG 210 N. 96 HWY FROM MOUNT HOPE, KANS
SPANS LENGTH PIPE I.D.	140	FRICTION FACTOR USED	750.00	TOTAL TARGET GPM
1 137.60 6.395	1700.60	TOTAL LENGTH	40.00	TOP OF PIVOT PRESSURE
2 135.00 6.395	10	NUMBER OF TOWERS	86.23	ENDGUN TARGET GPM
7 179.00 6.395	114	NUMBER OF SPRINKLERS	237	NUMBER OF OUTLETS
OH 40.00 6.395				
1 137.60 6.395 2 135.00 6.395 7 179.00 6.395	WEBER MALONES 140 1700.60 10	TOTAL LENGTH NUMBER OF TOWERS	NTAGE RD SAS 67108 750.00 40.00 86.23 237	CARMICHAEL IRRIG 210 N. 96 HWY FROM MOUNT HOPE, KANS TOTAL TARGET GPM TOP OF PIVOT PRESSURE ENDGUN TARGET GPM

NELSON R3000 ROTATORS - D4 GREEN PLATES
NO REGULATORS
DROPS AVERAGE 8 FT GROUND CLEARANCE OF 3/4 INCH POLYETHYLENE PIPE
ELEVATION IS 0 FT UP AND 0 FT DOWN

CAUTIONS AND WARNINGS

- 1. Inadequate crop clearance and/or structural interference may cause poor water distribution, resulting in decreased uniformity and possible streaking.
- 2. Over watering at beginning of system due to practical limitations on smallest nozzle sizes available and/or allowable for proper operation.
- 3. Waste water and/or surface water may affect sprinkler performance, water pattern and/or cause plugging.

WATER RESOURCES RECEIVED

JUL 1 6 2020

KS DEPT OF AGRICULTURE



WATER RESOURCES RECEIVED

JUL 1 6 2020

KS DEPT OF AGRICULTURE

Custome	r's Name	Eddie Webe	er		He 1		Date_	12/6/20:	19
Address	247 Main	Street		Halstead, K	67056		Test #_	1	
County	Harvey	Quarter	SE	Section	3	Township	245	Range	2W

rom	To	I Description of Strata	The second second			
		Description of Strata			R. A. L.	
		TEST HOLE #1 UNCASED	SWL	YIELD	PLAIN	PERF
		37.989985 -97.527565	20'			
0	9	Topsoil				
9	30	Tan Medium Coarse Sand				
30	38	Dark Grey Clay				
38	39	Fine Grey Sand Streak				
39	45	Dark Grey Clay				
45	49	Dark Grey Clay with Fine Sand Streaks				
49	57	Grey Fine Sand				
57	58	Grey Clay				
58	70	Grey Sand, Some Fine , Mostly Medium				
70	71	Grey Clay				
71	95	Grey Medium Sand				
95	100	Grey Medium Sand/Some Fine Sand				
100	115	Grey Sand Medium/Coarse				Desc.
115	120	White Clay				
120	127	Fine White Sand				
127	133	White Clay				
133	135	Fine White Sand				
135	136	White Clay				
136	140	Fine White Sand				
90%	The state of				PERI	
						AND THE STREET
	STEEL STORY					
	BEET AND	A STATE OF THE STA	2511			

DATA ENTRY SYSTEM ID NUMBER SHEET

FILE NUMBER			•		
APPLICANT PERSON ID & SEQ #		PDI	V ID		BATTERY ID
	•				
	•				
	•	,		V-Mala	
LANDOWNER PERSON ID & SEQ #		PUS	E ID		
FERSON ID & SEQ#					
	•	· ,			,
	•				
		<u> </u>			
WATER USE CORRESPON	DENT				
PERSON ID & SEQ #					
				`	·