Kansas Department of Agriculture Division of Water Resources CHANGE: P/D WORKSHEET

1. File Number: 8296	2. Status Change Date: 4–13–2020	3. Change Num:	4. Field Office: 02	5. GMD:
6. Status: Approved □ Deni	ed by DWR/GMD	Dismiss by Reques	t/Failure to Return	7. Filing Date of Change: 4/10/2020
8a. LANDOWNER, WUC, applicant New to system ☐ RICHARD & LYNETTE D. 27471 SW D RD JETMORE, KS 67854-550		8c. Correspo		Person ID Add Seq#
8b. Landowner(s), New to system □	Person ID Add Seq#	8d. correspor		Person ID Add Seq#
	VR Meter(s) Date to Compl Seal ⊠ Check Valve ed: Da	⊠ N & P Form	☑ Water Tube	o Comply: 3/1/2021 Driller Copy
10. Use Made of Water From:		To: _		
			Date Prepared: 4/13 Date Entered:	/20 By: MAM By:

File No. 8296	11. County:	HG	Ва	sin: Bl	UCKN	ER CF	REEK	-		S	tream:	7 -						Fo	rmation C	ode: 21	Special Use:
12. Points of Diversion CHK													-1,0		and Q	uantity	4	^	dditional		15 N
MOD DEL PDIV ENT Qualifier	S	Т	R	ID		N	'W		Com	ment	(AKA	Line)		Rate	9	Quanti af	у	Rate	e Qu	antity af	Overlap PD Files
ENT NENWNW	11	24	25W		4	770	44	84					H	2	80	160		280		160	NONE
DEL 21515												1112									
		¥.	Section	2	1		14		1	75.						Y	1 3				
				- 200				7.7		1			-						-	21.0	
			71	- 4		1					1										
			6				- 1					1	-		-	*			6 10	- 1	
13. Storage: Rate		IF I	Oua	ntity	1			, har	ac/ft	А	ddition	nal Rat	е.				NF	: Addi	tional Qua	antity	a
	THE RESERVE			_4_			V ag			1 9						I sitting	9.48				
14. Limitation:																					
15. 5YR Allocation: Allocation 16. Place of Use CHK	Type	Sta		r E¼		5 YR		V ¹ / ₄		Amo		N1/4		Base		BE1/4	_ C				? Overlap Files
MOD DEL ENT PUSE S T R	ID	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4		317		TOP
CHK 3593				1				ė.		7											
				5			-					M :	Œ,		eje i	Ĕ.			8-1-1		
Land the same	4	La-		-				gail.	3				V	1		B					
				- 1		P.		-	10		1										
															3						
			Les .	1.75	117		Pin al					File			W E	M.			+ 1		
		1.3		Law.	1000									A CONTRACTOR			CT S				

Garden City Field Office 4532 W. Jones, Suite B Garden City, KS 67846



Phone: 620-276-2901 Fax: 620-276-9315 www.agriculture.ks.gov

Mike Beam, Secretary

Laura Kelly, Governor

April 13, 2020

RICHARD & LYNETTE DANSEL 27471 SW D RD JETMORE, KS 67854-5500

> RE: Water Right, File No. 8296

Dear Sir and Madam:

Enclosed is an order executed by the designee of the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, approving the application for change under the above referenced file number.

Your attention is directed to the enclosures and to the terms, conditions, and limitations specified in this approval for change. A condition of this approval is that an acceptable water flow meter must be installed on the diversion works authorized under the referenced file number and meet current specifications. Please return the required notification of completion of the diversion works and/or installation of the required meter as soon as these actions are completed.

Since this order modifies the original document referred to above, it should be recorded with the Register of Deeds as other instruments affecting real estate.

The abandoned well must be plugged in accordance with the requirements of Article 30 of the Rules and Regulations as adopted by the Kansas Department of Health and Environment.

Should you have any questions, please feel free contact this office. If you would prefer, you could arrange an appointment for additional assistance.

Sincerely,

Michael A. Meyer

Water Commissioner

MAM: Enclosures

CERTIFICATE OF SERVICE

On this 13th day of April 2020, I hereby certify that the foregoing Approval of Application for Change in Point of Diversion, Water Right, File No. 8,296 dated 13th day of April 2020 was mailed postage prepaid, first class, US mail to the following:

RICHARD & LYNETTE DANSEL 27471 SW D RD JETMORE, KS 67854-5500

pc (via email):

Division of Water Resources Stafford Field Office 300 S Main Street Stafford KS 67578-1521

ment de ser la partie de la la companya de la comp Division of Water Resources Staff

Submit completed application to: Kansas Department of Agriculture Division of Water Resources Field Office for your area. Call for address:

Topeka -- (785) 296-5733 Stafford -- (620) 234-5311 Stockton -- (785) 425-6787 Garden City -- (620) 276-2901 http://agriculture.ks.gov/dwr

DWR FIELD OFFICE APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF USE AND/OR THE POINT OF DIVERSION



STATE OF KANSAS

Filing Fee Must Accompany the Application, K.S.A. 82a-708b(b), as amended. Fee Schedule is on the third page of this application form.

Paragraph Nos. 1, 2, 3 & 5 must be completed. Complete all other applicable portions. If change in point of diversion is greater than 100 feet, or if place of use will be changed, include a topographic map or detailed plat showing the authorized and proposed point(s) of diversion and/or place of use.

I. A						F	ile No	. <u>8296</u>									Δ	PR 1	0 2020
	pplication	n is he	reby n	nade fo	or appi	oval o	f the C	hief E	nginee	r to ch	ange t	the (ch	eck on	e or b	oth):		Gar	den City	Field Office
						□ P	lace o	f Use			Point	of Dive	ersion			1	DIVISIO	N OF WA	TER RESOURCE
u	nder the	water	right w	hich is	the s	ubject	of this	applic	ation i	n acco	rdance	with t	he cor	ditions	desc	ribed b	elow.		
Т	he sour	ce of su	ipply is	s :		⊠ G	round	water			Surfac	ce wate	er						
2. N	lame an	d addre	ess of	Applica	ant: R	ICHAF	RD DA	NSEL											
2	7471 SV	VDRD) JETN	IORE,	KS. 6	7854													
P	hone Nu	umber:	(620)	357-57	769				Email	addres	ss:						12.00	SILIBATI	
N	lame an	d addre	ess of	Water	Use C	orresp	onden	t: RIC	HARD	& LYI	NNETE	DAN	SEL			1.34			
2	7471 SV	V D RD) JETN	IORE,	KS. 6	7854									12			711	
P	hone No	umber:	(620)	357-57	769				Email	addres	ss:					70.8	ng/Yel.		
	he prese																		
C	Owner of					100	The Court of the C												
			ADDRE																
(1	If there is	more th	an one	landow	vner, at	tach su	ppleme	ental sh	eets as	neces	sary.)	61.18		-10			1000	Gar.	
			NE1/4			NW¼				SW1/4				SE1/4				TOTAL ACRES	
Sec.	Twp.	Range	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE¼	ACRES
		140		9-11															
		BOB												<u> </u>		Mag		111	
					14.77											84			
C	f this app Dwner of	Land -	NA	AME: ESS:	NO CH	HANGE						ace of	use be	chang	ged to				
				NI	Ε1/4			N	V1/4			SV	N1/4			SE¼			TOTAL
Sec.	Twp.	Range	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	ACRES
							/					AAA.							
					ava.	100	1				100					The state of			
					58 (176)														

٥.	resently authorized point of diversion.				
	One in the Quarter of the				
	of Section, Township	24	South, Range _	25	(W),
	in <u>HG</u> County, Kansas, <u>4680</u> fee				
	Authorized Rate Authorized Quantity		Depth of well	96 (fee	t)
	(DWR use only: Computer ID No. 1 GPS	1794	feet North	774 feet We	st)
	☐This point will not be changed ☐This point will be changed as	follows:	No change, point bett	er described with GPS	as follows:
	Proposed point of diversion: (Complete only if change is	requested	or if existing point	is better describe	d by GPS)
	One in the Quarter of the	NW	Quarter of the _	NW	Quarter
	of Section, Township				
	in HG County, Kansas, 4779 1 fee				
	Proposed Rate Proposed Quantity				Modern Commence (modern
	This point is: Additional Well Geo Center List other	water right	s that will use this po	pint	
	x 4770'	# 4	14841	AS DEA GA	15 above
6.	Presently authorized point of diversion:			and we	11/09
	One in the Quarter of the	/	Quarter of the		Quarter
	of Section, Township		South, Range		(W).
	in County, Kansas, fee	et North	feet West	of Southeast corner	of section.
	Authorized Rate Authorized Quantity		Depth of well	(fee	
	(DWR use only: Computer ID NoGPS		feet North	feet We	st)
	☐This point will not be changed ☐This point will be changed as	follows:	No change, point bette	er described with GPS	as follows:
	Proposed point of diversion: (Complete only if change is	requested	or if existing point	t is better describe	d by GPS)
	One in the Quarter of the	ENTRE OF THE RESERVE			THE RESERVE OF THE PARTY OF THE
	of SectionTownship				
-	in County, Kansas, fee				
	Proposed Rate Proposed Quantity				
	This point is: Additional Well Geo Center List other				
7.	The changes herein are desired for the following reasons? (please be specific) lack of production on current PD If a well, is the test hole log attached? Yes □ No	E	200 100 	<u> </u>	-
	The change(s) (was)(will be) completed by?	200	1+1+1-	= + + + + = = =	200
		100	1 1 1 1 1		100
		100	1+1+1-		1=100
10.	If the point of diversion is a well:	F			1
	(a) What are you going to do with the old well?	West 0	ուկումիուկումիումը 	=	3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3
	To be plugged	E		I	. 🖠
	(b) When will this be done?	100	 	_ + +	100
11.	Groundwater Management District recommendation attached? ☐ Yes ☐ No	200			1 = 200
12.	Assisted by <u>CAC/GCFO</u>	300		0 100 200	ப்பட் 300
13a	If the proposed point of diversion will be relocated <u>more than 300 feet but within 2,640 feet</u> of the existing point of diversion, attach a topographic map or aerial photograph. For groundwater sources, show all wells (including domestic) within one-half mile of the proposed point of diversion and the names and mailing addresses of the owners. For surface water sources, show the names and addresses of the landowner(s) one-half mile downstream and one-half mile upstream from your property	13b.If the pof the diagra divers	proposed point of diver existing point of div m shown above in ion. (PLEASE NOTE represents the	sion will be relocated ersion, indicate its le relation to the eximate. The "X" in cent	within 300 feet ocation on the isting point of er of diagram

14. If the proposed groundwater point of diversion is 3	300 or fewer feet from the existing point of diversion, complete the following	g:
	f the currently authorized place(s) of use identified in this application? must sign this application.)	
affected if this application is approved as requ	the currently authorized place(s) of use identified in this application be aduested? must sign this application.)	versely
	ly, will there be substantial damage to property, public health or safety? must sign this application.)	
	point of diversion, a groundwater change in point of diversion greater than gned by all owners of the currently authorized place of use, or their duly authorized place of use, or their duly authorized place of use.	
age and the owner, the spouse of the owner, their behalf, in regards to the water right(s) to contained in this application are true, correct		ation on
Dated at GARDEIX CITY	, Kansas, this _/Oth_ day ofAPRiL, 20_e	20
Richard Dansel		
(Owner)	(Spouse)	
(Please Print)	(Please Print)	
(Owner)	(Spouse)	
(Please Print)	(Please Print)	
(Owner)	(Spouse)	
(Please Print)	(Please Print)	
State of Kansas County of SS		
		H day
My Commission Expires 9-14-22 STATE OF KAN	STATE OF KANSAS	
	. To be complete, all of the applicable portions of the application form must be comp signatures of all the appropriate owners' must be affixed to the application and notar	
	FEE SCHEDULE	
forth in the schedule below: Make checks payable to (1) Application to change a point of diversion (2) Application to change a point of diversion	300 feet or less	100

SUMMARY ORDER APPROVING APPLICATION FOR CHANGE AND IMPOSING CONDITIONS

pro Wit Iimi	visions of the <i>Kansas Water Appropriation Law, K.S.A. 82a</i> -h the exception of those conditions expressly contained herein tations of File No.	8b, as amended, and K.A.R. 5-5-1, et seq. and other applicable 701 et. seq., and rules and regulations promulgated thereunder, n, this Summary Order does not change the terms, conditions and
1.	A change application was received on	requesting that the place of use and / or point of per be changed as described in the application.
2.	On and after the effective date of this summary order, the aut the topographic map accompanying the application to cha	horized place(s) of use shall be located substantially as shown on nge the place of use. Applicable Not Applicable
3.	The change in point of diversion shall not impair existing right previously authorized. The point of diversion authorized by radius of the authorized point(s) of diversion.	ats and shall be limited to the same source or sources of water as y this summary order shall be located within a foot le Not Applicable
4.	The point(s) of diversion described herein is administrative Positioning System (GPS), as described in the application	ely corrected to be more accurately described using the Global . Applicable Not Applicable
5.	The point(s) of diversion authorized herein shall not actually authorized point(s) of diversion. ☐ Applicable ☑ N	be located more than feet from the previously ot Applicable
6.	As required by K.A.R. 5-3-5d, if the works for diversion is a wor other device suitable for making water level measureme K.A.R. 5-6-13. Applicable Not Applicable	vell with a diversion rate of 100 gallons per minute or more, a tube nts shall be installed, operated and maintained in accordance with
7.	December 31, 20 20, or before the first use of water, operated and maintained in accordance with K.A.R. 5-1-4	operly install an acceptable water flow meter on or before whichever occurs first. The water flow meter shall be installed, through 5-1-12. As required by K.S.A. 82a-732, as amended, and the reading of the water flow meter and the total quantity of water ng the end of each calendar year.
8.		completed on or before December 31, 20 20, or within any applicant shall notify the Chief Engineer that construction of the ided by the Chief Engineer, as required by K.A.R. 5-8-4e.
9.	The completed well log shall be submitted with the requi	red notice. Applicable
10.	with an in-line, automatic, quick-closing check valve capal	oreign substance will be injected into the water shall be equipped ble of preventing pollution of the source of the water supply. The in accordance with K.A.R. 5-3-5c. Applicable \(\subseteq \) Not Applicable
11.	Additional Conditions are attached.	
12.	water appropriated under the above-referenced file numb limitations, as amended and/or supplemented by this Sun Appropriation Law and the Rules and Regulations promu	.R. 5-5-14, all of the owners of the authorized place(s) of use of oper are responsible for compliance with its terms, conditions and nmary Order, and with applicable provisions of the <i>Kansas Water</i> algated thereunder. Failure to comply with these provisions may be ended, and/or the suspension or revocation and dismissal of the ons authorized by law.
	Administrative Appeal and Effective Date of Order	FOR OFFICE USE ONLY
you Eng Agr	ou are aggrieved by this order, pursuant to K.S.A. 82a-1901, may request an evidentiary hearing before the Chief pineer or request administrative review by the Secretary of iculture. A request for hearing by the Chief Engineer must be	APPLICATION APPROVED AND SUMMARY ORDER ISSUED By:
adn day revi File Leg 665	d within 15 days of service of this Order and a request for ninistrative review by the Secretary must be filed within 30 is pursuant to K.S.A. 77-531. Any request for administrative iew must state a basis for review pursuant to K.S.A. 77-527. Is any request with Kansas Department of Agriculture, gal Division, 1320 Research Park Drive, Manhattan, KS 102. Failure to timely request a hearing or review may clude review under the Kansas Judicial Review Act.	Duly Authorized Designee of the Chief Engineer (Print Name):
	For Use by Register of Deeds	County of Finney) SS
		Acknowledged before me on April 13, 2020
		by Michael A. Meyer
		Signature:
		My commission expires: My Appointment Expires My Appointment Expires
		Public Motary Sealmber 15, 2022

File No. 8296

3795 W. Jones Ave. Garden City, KS 67846 PH: 620-277-2389



PO Box 639
Garden City, KS 67846
Fax: 620-277-0224

RICHARD DANSEL 620-357-5769 620-357-6451

Customer Name:	Richard Mansel			19896	Date: 4	3-20
Street Address:	27471	SW D. ROAD	Test #:	4	E LOG:	
City, State:	JETM ORE	Ks 67854	Driller: [Dale Gu	100	
	Quarter: NW	Section: 1/	Township:	24	Range: 2	5
Location: 24' Sout	1111 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	xisting Well	GPS: N37, 98432	W100.	04308	
Rig#: 10002		Elevation:	Static WL:	47'	Estimated?	
			Proposed We		107	
		POSSIBLE	WELL LOCATION		20'Sum	其 有三月

		Footage	TO SECURE	POSSIBLE WELL LOCATION 20'SUM
0/	From	Pay	То	Description of Strata
%	O	ray	THE RESERVE OF THE PERSON NAMED IN	
		A TOTAL OF THE PARTY OF	6	Top Sail
	2	and the public of the public of		White Calich + Line Rock
	6		22	
•	22	The second second		Lime Rock
	29	Section 1	46	Line Rock & Some Comented Fine Sand
5	46	4	51	Brown Sandy Clay & Fine Sand Mixad
5	51	6	57	Cerented Sand + Tan Clay Mixed
	57		70	Light Green Clay
15	70	7	77	Fine Med Course Sand w / White Rock & Green Clay Mixed
35	77	10	87	Fine Med Course Sand w/White Pock
	87		189	Green Clay
	89		100	Black Shale
				Super Gel X -1 Grout -1
4.4	Section 1			
				Hok Plug 3/4 -5
				Perma Plug -1
				\$10.00 Water Londont In Jetmore
44 (4)				
	P pro states			
		5 SE 15 15 15 15 15 15 15 15 15 15 15 15 15		
			1700	
			1	
		Section 1		
	TOTAL			
		Zarra give	Service Control	
	S STANFO			

