

# NOTICE

This scan only represents the application as filed. The information contained herein meets the requirements of K.A.R. 5-3-1 or K.A.R. 5-5-1, and has been found acceptable for filing in the office of the Chief Engineer. The application should not be considered to be a complete application as per K.A.R. 5-3-1b or K.A.R. 5-5-2a.

Submit To: CHIEF ENGINEER  
 Division of Water Resources  
 Kansas Department of Agriculture  
 1320 Research Park Drive  
 Manhattan, Kansas 66502  
<http://agriculture.ks.gov/dwr>

**APPLICATION FOR TERM PERMIT**

- GROUNDWATER  
 SURFACE WATER  
 (check one)

WATER RESOURCES  
 RECEIVED

MAY 11 2021

1:40

State of Kansas  
 KS DEPT OF AGRICULTURE



20219038

**STATUTORY FILING FEE MUST ACCOMPANY THIS APPLICATION**  
 (Make check payable to the Kansas Department of Agriculture)

1. Applicant: (Please print or type)


Name Concrete Enterprises, Inc.  
 Street 319 East Sherman P.O. Box 394  
 City and State Kingman Kansas  
 Zip Code 67068 Telephone No. ( 620 ) 532-1165  
 E-Mail Address connie.beste@concreteenterprisesinc.com  
 Social Security I.D. No. \_\_\_\_\_  
 and/or Taxpayer I.D. No. \_\_\_\_\_

2. Location of Point of Diversion:

Sec. 5, Twp. 28S, Rng. 13, (E/W),  
Pratt County, Kansas.  
 Distance from Southeast Corner of Section:  
1750 feet North from Southeast Corner  
330 feet West from Southeast Corner  
 NOTE: If point of diversion is not site specific (i.e. groundwater pit) show the approximate geographic center.

3. Water Use Data:

Proposed Max. Pumping Rate (gpm) 1880 gpm  
 Amount Requested (acre-feet) 326.78 AF  
 per calendar year  
 Depth of Well (feet) \_\_\_\_\_  
 Date (completed) (will be completed) \_\_\_\_\_  
 Drainage Basin SF Ninnescah  
 Name of Stream \_\_\_\_\_



4. Water is to be used for (briefly describe proposed use and explain the rate and quantity requested):

Hydraulic Dredging at sand pit (54 acres)

5. Location of place of use:

SE 1/4 5-28S-13W and W 1/2 and SE 1/4 of SW 1/4 4-28S-13W  
Pratt County, Kansas

6. Period of use:

Commencing date: 1-1-2021  
 Ending Date: 1-1-2031 Also enter on Item 12

If off-stream pit, check here .

Will pit floor intersect water table? Yes  No

7. Location of the proposed point of diversion and those of other water users within 1/2 mile shall be indicated on the diagram to the lower-left, scale 1 inch = 2,000 feet. If surface water, indicate on the diagram the course of the stream, and its name. List other D.W.R. permit numbers that cover the requested point(s) of diversion or place of use here:

File No. 44,940 evap for sand pit

WSN PR-001 Stream Obstruction Permit

**FEE SCHEDULE**

1. The filing fee for an application is based on the maximum amount of water use proposed within a year. Except for storage, the fee is:

Acre-feet	Fee
0-100	\$200.00
101-320	\$300.00
More than 320	\$300.00 <b>320.00</b>

plus \$20 for each additional 100 acre-feet or any part thereof.

2. The fee for an application in which storage is requested, is:

Acre-feet	Fee
0-250	\$200.00
More than 250	\$200.00

plus \$20.00 for each additional 250 acre-feet of storage or any part thereof.

NOTE: If an application requests both direct use and storage, the fee charged shall be as determined under No. 1 or No. 2 above, whichever is greater, but not both fees.

3. A request for an extension of time to extend the term of a term permit shall be accompanied by a fee of \$100.00.

4. There is a separate application form for domestic use. Do not use this form for domestic use.

**CONVERSION FACTORS**

1 acre-foot equals 325,851 gallons  
 1 million gallons equal 3.07 acre-feet

Assisted by \_\_\_\_\_

5/13/2021  
 LMoody

HYD?

For Office Use Only:  
 F.O. 2 GMD 5 Meets K.A.R. 5-3-1 (YES/NO) Use IND Source G/S County PR By BMM Date 5/12/21  
 Code TR3 Fee \$ 320 TR # \_\_\_\_\_ Receipt Date 5-11-21 Check # 047226

...the results of the study are consistent with the theoretical framework...

...the findings suggest that there is a significant relationship between...

...the data indicates that the model explains a significant portion of the variance...

...the results show that the independent variables have a positive impact on...

...the study also found that the control variables did not have a significant effect...

...the overall findings support the hypotheses and provide valuable insights into...

...the implications of these findings for future research and practice are discussed...

...the study concludes that the theoretical model is supported by the empirical data...

...the authors recommend further research to explore the underlying mechanisms...

...the study contributes to the existing literature by providing a comprehensive...

...the findings have practical implications for managers and policymakers...

...the study is limited by its cross-sectional design and self-reported data...

...despite these limitations, the study provides a robust and informative analysis...

...the authors thank the participants and the funding agency for their support...

...the study is published in the Journal of Management, Volume 35, Number 5, 2009.

...the authors are grateful to the anonymous reviewers for their constructive comments.

WATER RESOURCES  
RECEIVED  
MAY 11 2021

8. For groundwater use, list below all wells within 1/2 mile of the proposed well, and plot locations upon the diagram on reverse side. If additional space is needed, attach a map.

Other wells -

Well A Owner(s): Rayman Edward Barnes ET AL  
Address: 40011 SW 50th Ave Pratt Ks. 67124

KS DEPT OF AGRICULTURE

Well B Owner(s): \_\_\_\_\_  
Address: \_\_\_\_\_

9. For surface water use, list below the names and addresses of all landowners from a point 1/2 mile upstream to a point 1/2 mile downstream of the tract of land upon which the point of diversion is located. If additional space is needed, attach sheet.

Tract A Owner(s): \_\_\_\_\_  
Address: \_\_\_\_\_

Tract B Owner(s): \_\_\_\_\_  
Address: \_\_\_\_\_

10. The owner of the point of diversion, if other than the applicant is (please print):

Rayman Edward Barnes ET AL as above

(name, address and telephone number)

You must provide evidence of legal access to, or control of, the point of diversion from the landowner or the landowner's authorized representative. Provide a copy of a recorded deed, lease, easement or other document with this application. In lieu thereof, you may sign the following sworn statement:

I have legal access to, or control of, the point of diversion described in this application from the landowner or the landowner's authorized representative. I declare under penalty of perjury that the foregoing is true and correct.

Executed on April 29, 2021.

[Signature]  
Applicant's Signature

The applicant must provide the required information or signature irrespective of whether they are the landowner. Failure to complete this portion of the application will cause it to be unacceptable for filing and the application will be returned to the applicant.

11. The applicant states that the information set hereon is true and accurate to the best of his/her knowledge.

12. The applicant agrees to waive any right to a hearing on the matter of abandonment of this appropriation right and further agrees that this appropriation right may be dismissed and terminated upon completion of the proposed project, said dismissal date to be on 1-1-2031 or within any extension of time authorized by the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture.

13. The applicant agrees to provide water to nearby water users, at no charge to said users, should their rights to use water become impaired by the project proposed by this application.

14. Water use contact person (in event emergency contact is needed):

Name: Connie Beste

Telephone No. ( 620 ) 532-1165

[Signature]  
Signature of Applicant

or

[Signature]  
Authorized Representative

4-29-21  
Date

Derick Tyler

Applicant's Name Printed

General Manager

Title

**DO NOT WRITE BELOW THIS LINE**

**CONDITIONS OF APPROVAL:**

The applicant shall maintain accurate and complete records from which the quantity of water diverted during each calendar year may be readily determined. Accurate and complete records shall be furnished to the Chief Engineer by March 1 following the end of each calendar year. Failure to file the annual water use report by the due date, shall cause the applicant to be subject to a civil penalty.

The use of water herein authorized shall not be made so as to impair any use under existing water rights nor prejudicially and unreasonably affect the public interest.

The Chief Engineer specifically retains jurisdiction in this matter with authority to make such reasonable reductions in the approved rate of diversion and quantity authorized, and such changes in other terms, conditions, and limitation set forth in this approval and permit to proceed as may be deemed to be in the public interest.

Acct# 630710 Cost Ctr 301-1 Amt 320.00

Acct# \_\_\_\_\_ Cost Ctr \_\_\_\_\_ Amt \_\_\_\_\_

Acct# \_\_\_\_\_ Cost Ctr \_\_\_\_\_ Amt \_\_\_\_\_

Due Date 4-30-21 Vendor # 101829

Checked [Signature] Period # 4

**DATA ENTRY SYSTEM ID NUMBER SHEET**

FILE NUMBER 20219038

APPLICANT PERSON ID & SEQ #	PDIV ID	BATTERY ID
<u>61156</u>	<u>76857</u>	

LANDOWNER PERSON ID & SEQ #	PUSE ID
<u>56959</u>	<u>55109</u>
	<u>63160</u>

WATER USE CORRESPONDENT  
PERSON ID & SEQ #

61156

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_