Submit completed application to: Kansas Department of Agriculture Division of Water Resources Field Office for your area. Call for address:

Topeka -- (785) 296-5733 Stafford -- (620) 234-5311 Stockton -- (785) 425-6787 Garden City -- (620) 276-2901 http://agriculture.ks.gov/dwr

### **DWR FIELD OFFICE** APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF **USE AND/OR THE** POINT OF DIVERSION



#### **STATE OF KANSAS**

#### WATER METER REQUIRED

Filing Fee Must Accompany the Application, K.S.A. 82a-708b(b), as amended. Fee Schedule is on the third page of this application form.

Paragraph Nos. 1, 2, 3 & 5 must be completed. Complete all other applicable portions. If change in point of diversion is greater

	00 feet, ersion ar				I be ch	anged	l, inclu	de a to	pogra	phic m	ap or c	letaile	d plat s	howin	g the a	authori	zed ar	ıd prop	osed point(s)
						F	ile No	. 2625	7 DB				- 7 - 7					OCT 1	9 2021
	pplication					☐ P	lace of	Use		$\boxtimes$	Point o	of Dive	rsion			nibed b		afford F	ield Office ER RESOURCES
Т	he source	ce of su	pply is	3:		⊠G	round	water			Surfac	e wate	er						
	Name and address of Applicant: <u>James R. Pfister Revocable Trust No. 1 % James R Pfister</u> 130 SE 10 <sup>th</sup> RD, Great Bend, KS. 67530																		
	Phone Number: (620)786-0779 Email address:  Name and address of Water Use Correspondent:																		
F	hone N	umber:		)					Email	addres	ss:								
	The presonant of there is	Land -	NA ADDRE	ME:	James 130 SI	R. Pfi E 10th	RD, G	reat B	end, K	S. 675	30	ames F	R Pfiste	er			ž (20)	2 a	
	THOIC IS	more an			=1/4	tuon ou	ppionic		V1/4	110000	Jul. 7.7	SV	V1/4			SI	Ξ1/4		TOTAL
Sec.	Twp.	Range	NE¼	NW¼		SE1/4	NE1/4	NW¼		SE1/4	NE¼		SW1/4	SE¼	NE1/4	NW¼	SW1/4	SE1/4	ACRES
_NO	CHG		* * *			-	1 -						7.75						
	f this app	Land -	NA	AME:								ace of	use be	e chan	ged to	:		, "	
,	If there is				wner at		innleme	antal eh	neets as	nacas	eary)					*			
	ii tilele is	more u	lan one			lacii st	ppiem		N1/4	5 110003	Jary.)	SI	N1/4				E¼		TOTAL
Sec.	Twp.	Range	NE1/4		E¼ SW¼	SE1/4	NE¼		SW1/4	SE1/4	NE¼			SE¼	NE¼		SW1/4	SE1/4	ACRES
NO		rango	11274		7,				,					10		×			
						ü											1.		
						100			8.							a			
	For Offic	ce Use	Only:	Code	CG	T Fe	e \$ 6	300	TR	#		Re	eceipt	Date			Chec	:k#	360

. П	Presently authorized point of diversion:	
	One in the SE Quarter of the N	W Quarter of the NE Quarter
- 1	of Section 19 , Township 2	South, Range 10 (W),
l i	n <u>Reno</u> County, Kansas, <u>4540</u> feet	North 1960 feet West of Southeast corner of section.
	Authorized Rate 166 GPM Authorized Quantity 7.79M	
	DWR use only: Computer ID No. 1 GPS	
П	☐This point will not be changed ☑This point will be changed as fo	ollows: No change, point better described with GPS as follows:
	Proposed point of diversion: (Complete only if change is r	
	One in the SW Quarter of the	
١,	of Section, Township2	South, Range 10 (W),
	in <u>Reno</u> County, Kansas, <u>4537</u> feet	North 684 feet West of Southeast corner of section.
	Proposed Rate 166 GPM Proposed Quantity 7.79MC	
	. ,	ater rights that will use this point None
_		
Г	Presently authorized point of diversion:	
		Quarter of the Quarter
	of Section, Township	South Range (F/M)
	in fownshipfeet	North feet West of Southeast corner of section
	Authorized Rate Authorized Quantity	
	(DWR use only: Computer ID No GPS	
1	☐ This point will not be changed ☐ This point will be changed as f	bllows: No change point better described with GPS as follows:
	Proposed point of diversion: (Complete only if change is i	· ·
	one in the Quarter of the	Quarter of the Quarter
	in founty, Kansas, fee	South, Range (E/W),
	In County, Kansas, lee	Dramand well don'th (foot)
	Proposed Rate Proposed Quantity	Proposed well depth (feet)
L	This point is: 🔲 Additional Well 🔃 Geo Center List other v	OCT 1 9 2021
	The changes herein are desired for the following reasons? (please be specific) There was an error on the 5/4/2020 change application. This more accurately reflects the location of the proposed PD.	North Stafford Field Office 300 200 100 0 100 DIVEGON OF 300 FER RESO
	If a well, is the test hole log attached?   Yes   No	200 + + + + + = + + + + = 200
	The change(s) (was)(will be) completed by?	<u> </u>
	as soon as approved	100 +   +   +   =   +   +   = 100
	as soon as approved	
0.	If the point of diversion is a well:	
	(a) What are you going to do with the old well?	West 0
	Not completed	100
	(b) When will this be done? see above	100
	(b) When will this be done: see above	
1	Groundwater Management District recommendation attached?	200 = 1 + 1 + 1 = 1 + 1 = 200
1.	Yes No	
	11/8/21 OPC	■ 「「」」「「」」「「」」「「」「」「」「」「」「」「」「」「」「」「」「」「
2.	Assisted by Jeff Lanterman	300 200 100 0 100 200 300
	If the proposed point of diversion will be relocated more than 300	300 200 100 0 100 200 300 South Scale: 1 hashmark=10 ft  13b. If the proposed point of diversion will be relocated within 300 fee of the existing point of diversion, indicate its location on the diagram shown above in relation to the existing point of diversion. (PLEASE NOTE: The "X" in center of diagram above represents the presently authorized point of diversion.)

<ol><li>If the proposed groundwater point of diversion is 300 or fewer feet from</li></ol>	the existing point of diversion, complete the following:
(a) Does the undersigned represent all owners of the currently authorized Yes ☐ No (If no, all owners must sign this applicate	ion.)
<ul> <li>(b) Will the ownership interest of any owner of the currently authorize affected if this application is approved as requested?</li> <li>☐ Yes</li> <li>☑ No</li> <li>(If yes, all owners must sign this application)</li> </ul>	
(c) If this application is not approved expeditiously, will there be substance Yes ☐ No (If no, all owners must sign this application)	antial damage to property, public health or safety? tion.)
If the application proposes a surface water change in point of diversion, a goor a change in place of use, the application must be signed by all owners or agent (attach notarized statement authorizing representation).	roundwater change in point of diversion greater than 300 feet, f the currently authorized place of use, or their duly authorized
I hereby verify, being first duly sworn upon my oath or affirmating age and the owner, the spouse of the owner, or a duly authorize their behalf, in regards to the water right(s) to which this application are true, correct and complete.	ed agent of the owner(s) to make this application on ication pertains. I further verify that the statements
Dated at Great Bend, Kansas, this	19th day of October, 2021.
James R. Pfister James R. Pfister	(Spouse)
(Please Print)	(Please Print)
(Owner)	(Spouse)
(Please Print)	(Please Print)
(Owner)	(Spouse)
(Please Print)	(Please Print)
State of Kansas  County of BAV+0  SS	
I hereby certify that the foregoing application was signed in m	ny presence and sworn to before me this 1979 day
NOTARY PUBLIC - State CONNIE P	
My Commission Expires 11/11/2022	(123
ONLY COMPLETE APPLICATIONS WILL BE PROCESSED. To be complete, all caccurate information; maps, if necessary, must be included; signatures of all the apthe appropriate fee must be paid.	of the applicable portions of the application form must be completed with propriate owners' must be affixed to the application and notarized; and
FEE SCHEDU	
Each application to change the place of use or the point of diversion unde forth in the schedule below: Make checks payable to: Kansas Departme (1) Application to change a point of diversion 300 feet or less (2) Application to change a point of diversion more than 300 feet (3) Application to change the place of use	ent of Agriculture \$100 \$200
	RECEIVED


OCT 1 9 2021

File No. <u>26257-</u>DB

## SUMMARY ORDER APPROVING APPLICATION FOR CHANGE AND IMPOSING CONDITIONS

oro Vit	s Summary Order is issued under authority of K.S.A. 82a-708b, as amended, and K.A.R. 5-5-1, et seq. and other applicable visions of the Kansas Water Appropriation Law, K.S.A. 82a-701 et. seq., and rules and regulations promulgated thereunder, he the exception of those conditions expressly contained herein, this Summary Order does not change the terms, conditions and tations of File No. 26257 DB							
1.	A change application was received on October 19, 2021 requesting that the place of use and / or point of diversion authorized under the above-referenced file number be changed as described in the application.							
2.	On and after the effective date of this summary order, the authorized place(s) of use shall be located substantially as shown on the topographic map accompanying the application to change the place of use.   Applicable							
3.	The change in point of diversion shall not impair existing rights and shall be limited to the same source or sources of water as previously authorized. The point of diversion authorized by this summary order shall be located within a foot radius of the authorized point(s) of diversion.  Applicable Not Applicable							
4.	The point(s) of diversion described herein is administratively corrected to be more accurately described using the Global Positioning System (GPS), as described in the application. ☐ Applicable ☒ Not Applicable							
5.	The point(s) of diversion authorized herein shall not actually be located more than feet from the previously authorized point(s) of diversion.							
6.	As required by K.A.R. 5-3-5d, if the works for diversion is a well with a diversion rate of 100 gallons per minute or more, a tube or other device suitable for making water level measurements shall be installed, operated and maintained in accordance with K.A.R. 5-6-13. Applicable Not Applicable							
7.	The owner of the authorized place(s) of use shall properly install an acceptable water flow meter on or before December 31, 20 22, or before the first use of water, whichever occurs first. The water flow meter shall be installed, operated and maintained in accordance with K.A.R. 5-1-4 through 5-1-12. As required by K.S.A. 82a-732, as amended, and K.A.R. 5-3-5e, the owner shall maintain records and report the reading of the water flow meter and the total quantity of water diverted annually to the Chief Engineer by March 1 following the end of each calendar year.  Applicable  Not Applicable							
8.	Installation of the works for diversion of water shall be completed on or before December 31, 20 <a href="22">22</a> , or within any authorized extension of time. By March 1, 20 <a href="23">23</a> the applicant shall notify the Chief Engineer that construction of the works for diversion has been completed, on the form provided by the Chief Engineer, as required by K.A.R. 5-8-4e.  Applicable  Not Applicable							
9.	The completed well log shall be submitted with the required notice.							
10.	. All diversion works into which any type of chemical or other foreign substance will be injected into the water shall be equipped with an in-line, automatic, quick-closing check valve capable of preventing pollution of the source of the water supply. The check valve(s) shall be installed, operated and maintained in accordance with K.A.R. 5-3-5c. ☐ Applicable ☐ Not Applicable							
	. Additional Conditions are attached. 🔲 Yes 🔭 🗹 No							
12	In accordance with K.S.A. 82a-708a, as amended, and K.A.R. 5-5-14, all of the owners of the authorized place(s) of use of water appropriated under the above-referenced file number are responsible for compliance with its terms, conditions and limitations, as amended and/or supplemented by this Summary Order, and with applicable provisions of the Kansas Water Appropriation Law and the Rules and Regulations promulgated thereunder. Failure to comply with these provisions may result in civil penalties pursuant to K.S.A. 82a-737, as amended, and/or the suspension or revocation and dismissal of the water or appropriation right or any other enforcement actions authorized by law.							
	Administrative Appeal and Effective Date of Order  FOR OFFICE USE ONLY							
yo En Ad	APPLICATION APPROVED AND Summary of the Chief engineer or request administrative review by the Secretary of contribution. A request for hearing by the Chief Engineer must be  APPLICATION APPROVED AND SUMMARY ORDER ISSUED  By:							
ad da rev Fil Le	filed within 15 days of service of this Order and a request for administrative review by the Secretary must be filed within 30 days pursuant to K.S.A. 77-531. Any request for administrative review must state a basis for review pursuant to K.S.A. 77-527. File any request with Kansas Department of Agriculture, Legal Division, 1320 Research Park Drive, Manhattan, KS							
pre	502. Failure to timely request a hearing or review may eclude review under the Kansas Judicial Review Act.							
	For Use by Register of Deeds County of Stathard							
	Acknowledged before me on							
	by Faith Curtis							
	Signature: Faith C							
	Notary Public							
	My commission - Apple							
	RECEIVED FAITH (DISTRICT Seal)  MOTHER MY Appointment Expires							
D۱	NR 1-121 (Revised 04/5/2018) Page 40CT 1 9 202 April 29, 2023 File No. 24 257-05							

OCT 2 2 2021



## Legend

- Water Appropriation
- Proposed Point of Diversion
- Authorized Point of Diversion
- ☆ Domestic Well
- Section Corner
- Proposed Place of use

Half Mile Circle

# Water Right, File No. 26257-DB

Change in point of diversion map 19-21-10W // Rice County

To the best of my knowledge, all points of diversion within one-half mile of the proposed point of diversion have been shown.

Signature / Date 03/2

10-19-21

03/24/2020 ikl/SFFO 1:24,000 scale