Submit completed application to: Kansas Department of Agriculture Division of Water Resources Field Office for your area. Call for address:

> Topeka -- (785) 296-5733 Stafford -- (620) 234-5311 Stockton -- (785) 425-6787 Garden City -- (620) 276-2901 http://agriculture.ks.gov/dwr

DWR FIELD OFFICE APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF **USE AND/OR THE** POINT OF DIVERSION



STATE OF KANSAS

WATER METER REQUIRED

Filing Fee Must Accompany the Application, K.S.A. 82a-708b(b), as amended. Fee Schedule is on the third page of this application form.

than	100 feet	, or if pla	ace of	use wi													ized a	nd prop	ion is greater oosed point(s)
oi div	iversion and/or place of use. File No. <u>26,681</u>											NOV 01 2021							
1. <i>F</i>	∖pplicati	oplication is hereby made for approval of the Chief Engineer to change the (check one or both): □ Place of Use □ Point of Diversion Stafford Field Office Division of Water Resource										Office							
under the water right which is the subject of this application in accordance with the conditions described below.																			
	The sour				5 2020		Ground				Surfac								
<u>3</u> F	30380 N US Highway 281, Pratt, KS 67124-7918 Phone Number: (620)546-5553 Email address: donaldkrusemark@gmail.com																		
	Name and address of Water Use Correspondent: <u>Donald R Krusemark</u> 30380 N US Highway 281, Pratt, KS 67124-791																		
_	Phone N	-				50112	4-191		⊏mail	addre	ss: doi	naldkri	a	rk@ar	mail co				
	The pres								Lilian	audica	55. <u>uo</u>	Haluni	<u>изстта</u>	TRUGGI	Han.co	<u>/III</u>			
	Dwner o						isema	rk											
	JWIIGI G								1 Prat	t KS 6	7124-7	 7 <u>9</u> 18							
(If there is											0.0							
	(If there is more than one landowner, attach supplemental sheets as necessary.) NE½ NW½ SW½ SE½ TOTAL											TOTAL							
Sec.	Twp.	Range	NE¼			SE1/4	NE¼	NW¼		SE1/4	NE¼	NW¼	SW1/4	SE1/4	NE¼	NW¼		SE1/4	TOTAL ACRES
10	27	13W	111-/4	1441/4	011/4	01/4	1112/4	1117.75	01.74	02,4	1112/4	28.0	28.0	02,4	111-7-1	111.75	01.,	52,4	56.0
10	27	13W									40.0			31.0					71.0
		-1011																	
	f this ap Owner o	f Land -		AME: J	NO CH	HANGE	Ξ	, it is p	ropose	ed that	the pla	ace of	use be	chan	ged to	:		<u> </u>	
(If there is			-				ental sh	eets as	neces:	sary.)								
(If there is more than one landowner, attach supplemental sheets as necessary.) NE½ NW½ SW½											SE1/4			TOTAL					
Sec.	Twp.	Range	NE¼		SW1/4	SE1/4	NE1/4		SW1/4	SE1/4	NE¼	NW¼		SE1/4	NE1/4	NW¼	T	SE1/4	ACRES
																	-		
F	or Offic	ce Use	Only:	Code	COT	Fe	e \$ 1	0000	TR	#		Re	eceipt	Date_			Chec	k#_7	769

	One in the	NW	Quarter of th	ne	NW	Qu	arter of the	SW	<u> </u>	Quarter
	of Section	10	, Township		27	So	uth, Range ₋	1	3	W,
		att County, Kansas, 2112 f								
	Authorized Rate 1									
	(DWR use only:	Computer ID N	o. <u>1</u>	GPS		feet	North	f	eet West	:)
	☐This point will no									
	Proposed point of	of diversion: (C	omplete only i	f change	is request	ed or if ex	kisting poin	t is better d	escribed	by GPS)
	One in the	NW	Quarter of th	ne	NW	Qu	arter of the	SW	I	Quarter
	of Section	10	, Township		27	So	uth, Range ₋	1	3	W,
	in Pratt	Coun	ty, Kansas,	2122 f	eet North _	4818	_ feet West	of Southeas	t corner c	of section.
	Proposed Rate									
	This point is: \[\] A	Additional Well	☐ Geo Center	List othe	er water rig	hts that w	ill use this p	oint <u>14,139</u>		
_										
6.	Presently author	ized point of di	version:							
٠.	One in the		Quarter of th	ne		Qu	arter of the			Quarter
	of Section									
	in <u></u>									
	Authorized Rate _									
	(DWR use only:									
	☐This point will no									
	Proposed point of									
	One in the									
	of Section									
	in <u></u>									
	Proposed Rate									
	This point is:									
7.	The changes here (please be specific)				30	0 200	100	orth 0 100	200	300
							որուվուսիու	#''''	hinhanh	'''∄
8.	If a well, is the test	hole log attache	d? ☐ Yes 🗵] No	200			<u> </u>	_ 	200
0	The alaman (a) (-)(المالم ما			: ' ' :		Ξ ' '		3
9.	The change(s) (wa	s)(will be) compl	eted by?				-	Ξ .	_	3
	12/31/2022				100	-1 +	+	를 +	+	100
10	If the point of divers	eion is a well:					_	- -	_	4
10.			U I d IIO		West 0	: [1	atumbuntun	& []	anndnut	IHH O Fast
	(a) What are you	going to do with i	ne ola well?		West	=		Ξ	111-	3
	Plug it.							Ē,		1
	(b) When will this	be done? when I	new well is drille	d	100	-1+	1 + 1		1 + 1	100
							_		_	1
11.	Groundwater Mana		ecommendation	attached?	200	- +	 	<u>-</u> □ 十.	 	200
12.	Assisted by JNE / S	SFFO			30		100	100 100	200	300
13a	a. If the proposed poir feet but within 2,64 a topographic ma sources, show all w of the proposed po addresses of the o names and addressem and olines	Ofeet of the exist por aerial pho vells (including do bint of diversion wners. For surfaesses of the la	ing point of diver tograph. For gomestic) within o and the names ace water source andowner(s) on	rsion, attac groundwate ne-half mil and mailin es, show th ne-half mil	h 13b.If the er of th e diag g dive e abor e dive	ne existing ram show rsion. (PI	I point of dive point of dive n above in EASE NOT	rsion will be re version, indic relation to E: The "X"	ate its loc the exist in center	

SW

Quarter

Presently authorized point of diversion:

14. If the proposed groundwater point of diversion is 300 or fewer feet from	n the existing point of diversion, complete the following:
(a) Does the undersigned represent all owners of the currently author ⊠ Yes □ No (If no, all owners must sign this applica	ized place(s) of use identified in this application? ation.)
 (b) Will the ownership interest of any owner of the currently authorize affected if this application is approved as requested? ☐ Yes ☑ No (If yes, all owners must sign this application) 	
(c) If this application is not approved expeditiously, will there be subs ⊠ Yes □ No (If no, all owners must sign this application)	
If the application proposes a surface water change in point of diversion, a gor a change in place of use, the application must be signed by all owners agent (attach notarized statement authorizing representation).	groundwater change in point of diversion greater than 300 feet, of the currently authorized place of use, or their duly authorized
I hereby verify, being first duly sworn upon my oath or affirma age and the owner, the spouse of the owner, or a duly authoriz their behalf, in regards to the water right(s) to which this application are true, correct and complete.	ed agent of the owner(s) to make this application on
Dated at Stafford , Kansas, this 1	st day of <u>November, 2021</u>
Cond P. Fremengel	•
(Owner)	(Spouse)
(Please Print)	(Please Print)
(Flease Fillity	(i loade i mily
(Owner)	(Spouse)
(Please Print)	(Please Print)
(Owner)	(Spouse)
(Please Print)	(Please Print)
State of Kansas)	
County of Stafford SS	
I hereby certify that the foregoing application was signed in m	y presence and sworn to before me this 15th day
FAITH CURTIS My Appointment Expires	Faith a
My Commission Expires April 29, 2023	Notary Public
ONLY COMPLETE APPLICATIONS WILL BE PROCESSED. To be complete, all of accurate information; maps, if necessary, must be included; signatures of all the appropriate fee must be paid.	f the applicable portions of the application form must be completed with propriate owners' must be affixed to the application and notarized; and
FEE SCHEDU	
Each application to change the place of use or the point of diversion under forth in the schedule below: Make checks payable to: Kansas Departme (1) Application to change a point of diversion 300 feet or less (2) Application to change a point of diversion more than 300 feet (3) Application to change the place of use	nt of Agriculture \$100 \$200

SUMMARY ORDER APPROVING APPLICATION FOR CHANGE AND IMPOSING CONDITIONS

This Summary Order is issued under authority of K.S.A. 82a-708b, as amended, and K.A.R. 5-5-1, et seq. and other applicable provisions of the Kansas Water Appropriation Law, K.S.A. 82a-701 et. seq., and rules and regulations promulgated thereunder, With the exception of those conditions expressly contained herein, this Summary Order does not change the terms, conditions and limitations of File No. 26,681 requesting that the place of use and / or point of A change application was received on November 1, 2021 diversion authorized under the above-referenced file number be changed as described in the application. On and after the effective date of this summary order, the authorized place(s) of use shall be located substantially as shown on 2. the topographic map accompanying the application to change the place of use. ☐ Applicable The change in point of diversion shall not impair existing rights and shall be limited to the same source or sources of water as 3. previously authorized. The point of diversion authorized by this summary order shall be located within a <u>50</u> radius of the authorized point(s) of diversion.

Applicable The point(s) of diversion described herein is administratively corrected to be more accurately described using the Global Positioning System (GPS), as described in the application. ☐ Applicable ☒ Not Applicable feet from the previously The point(s) of diversion authorized herein shall not actually be located more than 60 authorized point(s) of diversion. Applicable \(\square\) Not Applicable As required by K.A.R. 5-3-5d, if the works for diversion is a well with a diversion rate of 100 gallons per minute or more, a tube or other device suitable for making water level measurements shall be installed, operated and maintained in accordance with Applicable ☐ Not Applicable K.A.R. 5-6-13. The owner of the authorized place(s) of use shall properly install an acceptable water flow meter on or before December 31, 2022, or before the first use of water, whichever occurs first. The water flow meter shall be installed, operated and maintained in accordance with K.A.R. 5-1-4 through 5-1-12. As required by K.S.A. 82a-732, as amended, and K.A.R. 5-3-5e, the owner shall maintain records and report the reading of the water flow meter and the total quantity of water diverted annually to the Chief Engineer by March 1 following the end of each calendar year.

Applicable

Not Applicable Applicable Installation of the works for diversion of water shall be completed on or before December 31, 2022, or within any authorized extension of time. By March 1, 2023 the applicant shall notify the Chief Engineer that construction of the works for diversion has been completed, on the form provided by the Chief Engineer, as required by K.A.R. 5-8-4e. ☐ Not Applicable The completed well log shall be submitted with the required notice. ☐ Not Applicable Applicable 10. All diversion works into which any type of chemical or other foreign substance will be injected into the water shall be equipped with an in-line, automatic, quick-closing check valve capable of preventing pollution of the source of the water supply. The check valve(s) shall be installed, operated and maintained in accordance with K.A.R. 5-3-5c. ☒ Applicable ☒ Not Applicable ⊠ No 11. Additional Conditions are attached. 12. In accordance with K.S.A. 82a-708a, as amended, and K.A.R. 5-5-14, all of the owners of the authorized place(s) of use of water appropriated under the above-referenced file number are responsible for compliance with its terms, conditions and limitations, as amended and/or supplemented by this Summary Order, and with applicable provisions of the *Kansas Water* Appropriation Law and the Rules and Regulations promulgated thereunder. Failure to comply with these provisions may result in civil penalties pursuant to K.S.A. 82a-737, as amended, and/or the suspension or revocation and dismissal of the water or appropriation right or any other enforcement actions authorized by law. FOR OFFICE USE ONLY Administrative Appeal and Effective Date of Order APPLICATION APPROVED AND If you are aggrieved by this order, pursuant to K.S.A. 82a-1901, SUMMARY ORDER ISSUED you may request an evidentiary hearing before the Chief Engineer or request administrative review by the Secretary of Agriculture. A request for hearing by the Chief Engineer must be filed within 15 days of service of this Order and a request for Duly Authorized Designee of the Chief Engineer administrative review by the Secretary must be filed within 30 days pursuant to K.S.A. 77-531. Any request for administrative ameron Conga. (Print Name): Division of Water Resources - Kansas Department of Agriculture review must state a basis for review pursuant to K.S.A. 77-527. File any request with Kansas Department of Agriculture, Legal Division, 1320 Research Park Drive, Manhattan, KS Date of Issuance: Nove 66502. Failure to timely request a hearing or review may State of Kansas preclude review under the Kansas Judicial Review Act. SS For Use by Register of Deeds County of Acknowledged before me on Signature: **Notary Public** My commission expires: (Notary Seal)

FAITH CURTIS

My Appointment Expires

And the response that the property of the prop

April 29, 2023 File No. 2