Submit completed application to: Kansas Department of Agriculture Division of Water Resources Field Office for your area. Call for address:

> Topeka -- (785) 296-5733 Stafford -- (620) 234-5311 Stockton -- (785) 425-6787 Garden City -- (620) 276-2901 http://agriculture.ks.gov/dwr

DWR FIELD OFFICE APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF USE AND/OR THE POINT OF DIVERSION



STATE OF KANSAS

WATER METER REQUIRED

Filing Fee Must Accompany the Application, K.S.A. 82a-708b(b), as amended. Fee Schedule is on the third page of this application form.

Paragraph Nos. 1, 2, 3 & 5 must be completed. Complete all other applicable portions. If change in point of diversion is greater than 100 feet, or if place of use will be changed, include a topographic map or detailed plat showing the authorized and proposed point(s)

of o	diversion and/or place of use.										
	File No. 48670 MAR 0 9 2022										
1.	Application is hereby made for approval of the Chief Engineer to change the (check one or both): DIVISION OF WATER RESOURCE Under the water right which is the subject of this application in accordance with the conditions described below.										
	The source of supply is:										
1.7											
2.	Name and address of Applicant: Brian R & Rebecca Ball										
	2150 20 th Rd, Sterling KS 67579-8874										
	Phone Number: (620)727-4543 Email address: bsball@lrmutual.com										
	Name and address of Water Use Correspondent: Brian R & Rebecca Ball										
	2150 20th Rd, Sterling KS 67579-8874										
	Phone Number: (620)727-4543 Email address: bsball@Irmutual.com										
3.	The presently authorized place of use is:										
	Owner of Land NAME: Brian R & Rebecca Ball										
	ADDRESS: 2150 20th Rd, Sterling KS 67579-8874										
	(If there is more than one landowner, attach supplemental sheets as necessary.)										
	NE¼ NW¼ SW¼ SE¼ TOTAL										
0	Sec. Two Range NEW NWW SWW SEW NEW SWW SEW NEW NWW SWW SEW NEW NWW SWW SEW ACRES										

				NE	=1/4		NW¼			SW¼			SE¼				TOTAL		
Sec.	Twp.	Range	NE1/4	NW¼	SW1/4	SE1/4	NE1/4	NW¼	SW1/4	SE1/4	NE1/4	NW¼	SW1/4	SE1/4	NE1/4	NW¼	SW1/4	SE1/4	ACRES
20	21S	7W					1	1 10	0.1		32.5	16.5	32.5	32.5	- 15	6 1,541		37 100	114
							-						10			. 2 11.	131 - 1	1.00	er al-H of
1 13 7			11.						ace de				91-1-1		o	18 11		i in to	76 (s)

If this application is for a change in place of use, it is proposed that the place of use be changed to:

	ADDRESS: 2150 20th Rd, Sterling KS 67579-8874																		
(If	(If there is more than one landowner, attach supplemental sheets as necessary.)																		
NE¼							NW¼			SW¼			SE1/4				TOTAL		
Sec.	Twp.	Range	NE1/4	NW¼	SW1/4	SE1/4	NE1/4	NW¼	SW1/4	SE¼	NE1/4	NW¼	SW1/4	SE1/4	NE1/4	NW¼	SW1/4	SE¼	ACRES
20	21S	7W	La de	10		X U	1,121				30	18.5	27.5	38					114
2.1	on dies				n. 4	S 1 -2575			1.1.		rti e la					in a lay			a vota di Galeria La veta Lagra
(files	4,1,		16.	E.V.	W	Park			10	Tari.	G (M.)	31 38			41		- 2	191 2 1	. 00 5 6
)	1, , ,			-	J. T. A.		1801/2	40		- Sungr	1 2 3	n of April	i edel			4		ic, briti

For Office Use Only: Code	_ Fee \$ TR #	Receipt Date	Check # <u>2734</u>

Owner of Land ---- NAME: Brian R & Rebecca Ball

	One in the	NW	Quarter of the	SE	Quarter of th	ieS'	W Quarter
	of Section	20	, Township	21	South, Rang	e	7 W,
	in <u>Rice</u>	Cοι	inty, Kansas, <u>1,137</u>	feet North	3,812 feet We	est of Southea	ast corner of section.
	Authorized Rate	800 gpm	Authorized Quantity	/ <u>159.6 AF</u>	Depth of well _	82	(feet)
	(DWR use only:	Computer ID	No. <u>03</u> G	PS1,165	feet North	3,841	feet West)
	☐This point will r	ot be changed	☐This point will be chan	ged as follows:	⊠ No change, point l	etter described	with GPS as follows:
	Proposed point	of diversion: (Complete only if char	nge is request	ed or if existing po	oint is better	described by GPS)
	One in the	NW	Quarter of the	SE	Quarter of th	e SI	W Quarter
	of Section	20	, Township	21	South, Rang	e	7 W,
	in <u>Rice</u>	Cou	nty, Kansas, <u>1,165</u>	feet North _	3,841 feet We	est of Southea	st corner of section.
	Proposed Rate _	no change	Proposed Quantity	no change	Proposed well	depth (feet)	N/A .
	This point is:	Additional Well	☐ Geo Center List	other water rig	hts that will use this	point None	
•						:	
6.	Presently author	rized point of o	liversion:				
Ŭ.			Quarter of the		Quarter of th	e	Quarter
l	of Section		, Township		South Rang	o	Quarter
	in	Cou	nty, Kansas,	feet North	feet \Me	est of Southea	st corner of section
			Authorized Quantity				
	(DWR use only:	Computer ID	No G	PS	Boptil of Well		feet Meet)
			☐This point will be chang				
			Complete only if char				
	of Section		Quarter of the		Quarter or th	e	Quarter
	in	Cou	, Township nty, Kansas,	foot North	South, Rang	et of Couthoo	(⊏/VV),
	Proposed Rate	000	Proposed Quantity	reet North _	Drapand well	st of Southea donth (foot)	st comer or section.
	This point is:	Additional Well	_ 1 Toposed Quartity .	other water ria	hts that will use this	nepin (ieei)	
L	тно ролго.	7 taditional VVCII		other water rig	into triat will use triis	point	•
7.	The changes her	ein are desired	for the following reaso	ns?			
			ce of use to include	-		North	
	unauthorized acre	S		300) 200 100 	0 100	200 300
				-		'''' <u>‡</u> ''''	11
8.	If a well, is the tes	t hole log attache	ed? 🗌 Yes 🔲 No			=	
0,	11 4 17011, 10 1110 100	t noto log attaont	и:	200	-1+1+1	= 1 +	十 = 200
9.	The change(s) (wa	as)(will be) comp	leted by?		- - -		
	approval of chang	e application		100	: 	= , _	+ = 100
		<u> </u>		- 100	-1+1+1		
10.	If the point of dive	rsion is a well:					
	(a) What are you	going to do with	the old well?	West 0	ա վուդուդուիութ	n 🛣 m [m m] m	
	***		•				_ =
	N/A			. 100	-1 + 1 + 1	- + - +	1 1 = 100
	(b) When will this	be done? N/A		. 100			1 + 1 = 100
					<u> </u>		- =
11.	Groundwater Man	agement District	recommendation attach	ed? 200	-1 + 1 + 1	= 1 +	l
	□ Y	′es 🗌 No				Ξ ΄	=
40	A : - 4	NEEO.				<u>=</u>	L
12.	Assisted by EKF/S	SEFO		. 300		0 100	200 300
13a	.If the proposed po	nt of diversion wi	ll be relocated more thar	n 300			e: 1 hashmark=10 ft
	feet but within 2,64	10 feet of the exis	ting point of diversion, a	ttach 13b.If the	proposed point of div	ersion will be r	elocated within 300 feet
	sources, show all	p סו aeriai phd wells (including d	tograph. For groundy omestic) within one-half		e existing point of o	uversion, indic in relation to	cate its location on the the existing point of
	of the proposed p	oint of diversion	and the names and ma	ailing diver	sion. (PLEASE NO	TE: The "X"	in center of diagram
	addresses of the d	owners. For surfaces	ace water sources, show andowner(s) one-half	v the abov	re represents the rsion.)	presently	authorized point of
	downstream and	one-half mile up	ostream from your pro	perty arve			

lines

5. Presently authorized point of diversion:

14. If the proposed groundwater point	of diversion is 300 or fewer feet from the	ne existing point of diversion, complete the following	g:
(a) Does the undersigned repres ☐ Yes ☐ No (If	ent all owners of the currently authorize no, all owners must sign this applicatio	ed place(s) of use identified in this application? n.)	
affected if this application is a	f any owner of the currently authorized approved as requested? yes, all owners must sign this applicati	I place(s) of use identified in this application be acon.)	dversely
(c) If this application is not appro ☐ Yes ☐ No (If	ved expeditiously, will there be substar no, all owners must sign this applicatio	ntial damage to property, public health or safety?	
If the application proposes a surface wor a change in place of use, the applicagent (attach notarized statement auth	ation must be signed by all owners of t	oundwater change in point of diversion greater than he currently authorized place of use, or their duly a	300 feet, uthorized
age and the owner, the spouse of	of the owner, or a duly authorized ater right(s) to which this application to the correct and complete.	on and under penalty of perjury, that I am of agent of the owner(s) to make this application pertains. I further verify that the state	ation on
Dated at	, Kansas, this	day of $2/25$, 20_	2d
13 - Bul			
(Owner)		(Spouse)	59.1 D
BRIAN BA	14		
(Please Par		(Please Print)	1 1
(Owner)		(Spouse)	111 /6
ROCKY R	20,11		
(Please Prin	<u> </u>	(Please Print)	ipia i fi
(Owner)	conversely to the careful to the car	(Spouse)	7
(Please Pri	nt)	(Please Print)	<u> </u>
State of Kansas County of	SS	and the content of th	
I_hereby certify that the forego	ing application was signed in my	presence and sworn to before me this 25	day
of F2B 25 , 20 <u>22</u>			
	SHERRY JONES Notary Public - State of Kansas My Appt. Expires	Notary Public	
My Commission Expires \(\lambda - 17 - 2 \omega \)	25 CM TAPLE EXPIRES 1 1 - 2625	J. J. Garage	
ONLY COMPLETE APPLICATIONS WILL accurate information; maps, if necessary, the appropriate fee must be paid.	BE PROCESSED. To be complete, all of the must be included; signatures of all the approximation of the signatures of all the approximation.	ne applicable portions of the application form must be con priate owners' must be affixed to the application and nota	npleted wit
	FEE SCHEDULE		
forth in the schedule below: Make ch (1) Application to change a p (2) Application to change a p	of use or the point of diversion under the ecks payable to: Kansas Department point of diversion 300 feet or less	nis section shall be accompanied by the application	\$100 \$200
(5) Application to change the	, place of use		
FAITH CURTIS			

SUMMARY ORDER APPROVING APPLICATION FOR CHANGE AND IMPOSING CONDITIONS

This Summary Order is issued under authority of K.S.A. 82a-708b, as amended, and K.A.R. 5-5-1, et seq. and other applicable provisions of the Kansas Water Appropriation Law, K.S.A. 82a-701 et. seq., and rules and regulations promulgated thereunder, With the exception of those conditions expressly contained herein, this Summary Order does not change the terms, conditions and limitations of File No. 48670 A change application was received on requesting that the place of use and / or point of diversion authorized under the above-referenced file number be changed as described in the application. On and after the effective date of this summary order, the authorized place(s) of use shall be located substantially as shown on the topographic map accompanying the application to change the place of use. Applicable ☐ Not Applicable The change in point of diversion shall not impair existing rights and shall be limited to the same source or sources of water as previously authorized. The point of diversion authorized by this summary order shall be located within a radius of the authorized point(s) of diversion.

Applicable Not Applicable The point(s) of diversion described herein is administratively corrected to be more accurately described using the Global Positioning System (GPS), as described in the application.

☐ Applicable ☐ Not Applicable The point(s) of diversion authorized herein shall not actually be located more than _ feet from the previously authorized point(s) of diversion. ☐ Applicable ☒ Not Applicable As required by K.A.R. 5-3-5d, if the works for diversion is a well with a diversion rate of 100 gallons per minute or more, a tube or other device suitable for making water level measurements shall be installed, operated and maintained in accordance with K.A.R. 5-6-13. ☐ Applicable The owner of the authorized place(s) of use shall properly install an acceptable water flow meter on or before December 31, 2022, or before the first use of water, whichever occurs first. The water flow meter shall be installed, operated and maintained in accordance with K.A.R. 5-1-4 through 5-1-12. As required by K.S.A. 82a-732, as amended, and K.A.R. 5-3-5e, the owner shall maintain records and report the reading of the water flow meter and the total quantity of water diverted annually to the Chief Engineer by March 1 following the end of each calendar year. ☐ Not Applicable Applicáble Installation of the works for diversion of water shall be completed on or before December 31, 20_____, or within any authorized extension of time. By March 1, 20_____ the applicant shall notify the Chief Engineer that construction of the works for diversion has been completed, on the form provided by the Chief Engineer, as required by K.A.R. 5-8-4e. ☐ Applicable The completed well log shall be submitted with the required notice. ☐ Applicable 10. All diversion works into which any type of chemical or other foreign substance will be injected into the water shall be equipped with an in-line, automatic, quick-closing check valve capable of preventing pollution of the source of the water supply. The check valve(s) shall be installed, operated and maintained in accordance with K.A.R. 5-3-5c.


Applicable 11. Additional Conditions are attached. ☐ Yes ⊠ No 12. In accordance with K.S.A. 82a-708a, as amended, and K.A.R. 5-5-14, all of the owners of the authorized place(s) of use of water appropriated under the above-referenced file number are responsible for compliance with its terms, conditions and limitations, as amended and/or supplemented by this Summary Order, and with applicable provisions of the Kansas Water Appropriation Law and the Rules and Regulations promulgated thereunder. Failure to comply with these provisions may result in civil penalties pursuant to K.S.A. 82a-737, as amended, and/or the suspension or revocation and dismissal of the water or appropriation right or any other enforcement actions authorized by law. Administrative Appeal and Effective Date of Order FOR OFFICE USE ONLY APPLICATION APPROVED AND If you are aggrieved by this order, pursuant to K.S.A. 82a-1901, SUMMARY ORDER ISSUED you may request an evidentiary hearing before the Chief Engineer or request administrative review by the Secretary of Agriculture. A request for hearing by the Chief Engineer must be filed within **15 days** of service of this Order and a request for Duly Authorized Designee of the Chief Engineer administrative review by the Secretary must be filed within 30 days pursuant to K.S.A. 77-531. Any request for administrative (Print Name): nterma review must state a basis for review pursuant to K.S.A. 77-527. File any request with Kansas Department of Agriculture, Division of Water Resources - Kansas Department of Agriculture Date of Issuance: Legal Division, 1320 Research Park Drive, Manhattan, KS 66502. Failure to timely request a hearing or review may preclude review under the Kansas Judicial Review Act. State of Kansas SS For Use by Register of Deeds County of Statton Acknowledged before me on Signature: My con FAITH CURTIS (Notary Beal) My Appointment Expires

Page 4

DWR 1-121 (Revised 04/5/2018)

April 29, 2023

File No. 48670



Legend

- Water Appropriation
- Authorized Point of Diversion
- ★ Domestic Well
- Section Corner
- Section Line
- Half Mile Circle
- Authorized Place of Use
- Proposed Place of Use

Water Appropriation, File No. 48670

Change in Place of Use Map 20-21S-7W // Rice County



To the best of my knowledge, all wells within one-half mile of the proposed points of diversion have been shown.

MAR 0 9 2022

Stafford Field Office
DIVISION OF WATER RESOURCES