NOTICE

This scan only represents the application as filed. The information contained herein meets the requirements of K.A.R. 5-3-1 or K.A.R. 5-5-1, and has been found acceptable for filing in the office of the Chief Engineer. The application should not be considered to be a complete application as per K.A.R. 5-3-1b or K.A.R. 5-5-2a.

WATER RESOURCES RECEIVED



OF KANSAS SEP 0 9 2022

DIVISION OF WATER RESOURCES Earl D. Lewis Jr., Chief Engineer

KANSAS DEPARTMENT OF AGRICULTURE

Mike Beam, Secretary of Agriculture

50855

File Number This item to be completed by the Division of Water Resources.

APPLICATION FOR PERMIT TO APPROPRIATE WATER FOR BENEFICIAL USE

Filing Fee Must Accompany the Application (Please refer to Fee Schedule attached to this application form.)

To the Chief Engineer of the Division of Water Resources, Kansas Department of Agriculture, 1320 Research Park Drive, Manhattan, Kansas 66502:

City: Hutchinson				State KS	Zip Co	ode <u>67502</u>	
Telephone Number: (620	474 08	56 (620)	899-1	990			4 0
The source of water is:	⊠ surf	ace water in	Little Ark	ansas River	(stream)	,	
OR	☐ grou	undwater in .		(dra	inage basin)		
Certain streams in Kansas when water is released fro to these regulations on the and return to the Division	m storag date we of Water	e for use by verceive you Resources.	water assurable application	rance district men on, you will be sen	nbers. If you at the appro	ur application priate form to	is subject complete
The maximum quantity of	water de	sired is 233.5	AF (REC) 52 (combined	acre-feet OR	gal	lons per caler	ndar year
to be diverted at a maximu							
						. oab.o .oo. po	1 3000110
Once your application has requested quantity of wa requested maximum rate or proposed project and are	ter unde of diversi	r that priorit on and maxir	ority, the r y number mum quan	equested maximu can <u>NOT</u> be inc tity of water are ap	m rate of d creased. Fopropriate a	iversion and lease be celling in the contract of the contract	maximun tain you
requested quantity of wa requested maximum rate of	ter unde of diversi in agreer	r that priorit on and maxir ment with the	ority, the r y number mum quan e Division o	equested maximu can NOT be incentity of water are apost of water Resource	m rate of d creased. Fopropriate a	iversion and lease be celling in the contract of the contract	maximun tain you
requested quantity of wa requested maximum rate of proposed project and are	ter unde of diversi in agreer e approp	r that priorit on and maxir ment with the	ority, the representation of the control of the con	equested maximu can NOT be incentity of water are apost of water Resource	m rate of d creased. F opropriate a es' requirem	iversion and lease be celling in the contract of the contract	maximum tain you e for you
requested quantity of wa requested maximum rate of proposed project and are The water is intended to b	ter unde of diversi in agreer e approp (b) 🏻	er that priority on and maximate the maximate of the priority of the priority of the maximate	ority, the ray number mum quan control of the contr	equested maximu can NOT be inceptity of water are apof Water Resource	m rate of d creased. F opropriate a es' requirem (d)	liversion and Please be cel and reasonable	maximum tain you e for you wer
requested quantity of warequested maximum rate of proposed project and are. The water is intended to b. (a) Artificial Recharge	ter unde of diversion in agreer e approp (b) (f)	er that priority on and maximent with the priated for (Charrigation	ority, the r y number mum quan e Division on neck use int (c)	equested maximu can <u>NOT</u> be inceptity of water are applicated with the second of the	m rate of d creased. F opropriate a es' requirem (d)	iversion and Please be cellend reasonable nents.	maximum tain you e for you wer t Control
requested quantity of warequested maximum rate of proposed project and are. The water is intended to b. (a) Artificial Recharge. (e) Industrial	ter unde of diversi- in agreer e approp (b) (f) (j)	er that priority on and maximent with the oriated for (Chairigation Municipal	ority, the representation of the control of the con	equested maximu can NOT be incompleted by tity of water are applicated by the content of the con	m rate of d creased. F opropriate a es' requirem (d)	iversion and Please be cellend reasonable nents.	maximun tain you e for you wer t Control

Fee \$ <

Code

Receipt Date

22 Check #

5.	The location of the proposed wells, pump sites or other works for diversion of water is:										
	Note	For the application to be accepted, the point of diversion location must be described to at least a 10 acre tract, unless you specifically request a 60 day period of time in which to locate the site within a specifically described, minimal legal quarter section of land.									
	(A)	One in the <u>SW</u> quarter of the <u>NE</u> quarter of the <u>NW</u> quarter of Section <u>11</u> , more particularly described as									
		peing near a point 4461 feet North and 3696 feet West of the Southeast corner of said section, in									
		Fownship <u>22</u> South, Range <u>5</u> West , <u>Reno</u> County, Kansas.									
	(B)	One in the quarter of the quarter of the quarter of Section, more particularly									
		lescribed as being near a point feet North and feet West of the Southeast corner of said									
		section, in Township South, Range , County, Kansas.									
	(C)	One in the quarter of the quarter of the quarter of Section, more particularly									
	(-)	lescribed as being near a point feet North and feet West of the Southeast corner of said									
		ection, in Township South, Range , County, Kansas.									
	(D)	One in the quarter of the quarter of the quarter of Section, more particularly									
		lescribed as being near a point feet North and feet West of the Southeast corner of said									
		ection, in Township South, Range , County, Kansas.									
	than pum com	ery of wells is defined as two or more wells connected to a common pump by a manifold; or not more our wells in the same local source of supply within a 300 foot radius circle which are being operated by s not to exceed a total maximum diversion rate of 800 gallons per minute and which supply water to a on distribution system.									
6.	The	wner of the point of diversion, if other than the applicant is (please print):									
	(name, address and telephone number)										
	(name, address and telephone number)										
	You must provide evidence of legal access to, or control of, the point of diversion from the landowner or the landowner's authorized representative. Provide a copy of a recorded deed, lease, easement or other document with this application. In lieu thereof, you may sign the following sworn statement:										
		I have legal access to, or control of, the point of diversion described in this application from the landowner or the landowner's authorized representative. I declare under penalty of perjury that the foregoing is true and correct. Executed on									
	land	applicant must provide the required information or signature irrespective of whether they are the wner. Failure to complete this portion of the application will cause it to be unacceptable for filing and the ation will be returned to the applicant.									
7.	The	roposed project for diversion of water will consist of One pump site and one, 15 acre pond (number of wells, pumps or dams, etc.)									
	and	ill be completed As soon as approved (Month/Day/Year - each was or will be completed)									
	8. appr	The first actual application of water for the proposed beneficial use was or is estimated to be As soon as									
	appi	(Mo/Day/Year)									

9.	Will	pesticide, fertilizer, or other foreign substance be injected into the water pumped from the diversion works?								
		Yes ⊠ No If "yes", a check valve shall be required.								
	All	chemigation safety requirements must be met including a chemigation permit and reporting requirements.								
10.	sub	If you are planning to impound water, please contact the Division of Water Resources for assistance, prior to submitting the application. Please attach a reservoir area capacity table and inform us of the total acres of surface drainage area above the reservoir.								
		ve you also made an application for a permit for construction of this dam and reservoir with the Division of ter Resources? $\ \square$ Yes $\ \boxtimes$ No								
	•	If yes, show the Water Structures permit number here								
	•	If no, explain here why a Water Structures permit is not required								
11.	sho the	e application <u>must</u> be supplemented by a U.S.G.S. topographic map, aerial photograph or a detailed plate owing the following information. On the topographic map, aerial photograph, or plat, identify the center of section, the section lines or the section corners and show the appropriate section, township and range mbers. Also, please show the following information:								
	(a)	The location of the proposed point(s) of diversion (wells, stream-bank installations, dams, or other diversion works) should be plotted as described in Paragraph No. 5 of the application, showing the North-South distance and the East-West distance from a section line or southeast corner of section.								
	(b)	If the application is for groundwater, please show the location of any existing water wells of any kind within $\frac{1}{2}$ mile of the proposed well or wells. Identify each existing well as to its use and furnish the name and mailing address of the property owner or owners. If there are no wells within $\frac{1}{2}$ mile, please advise us.								
	(c)	If the application is for surface water, the names and addresses of the landowner(s) $\frac{1}{2}$ mile downstream and $\frac{1}{2}$ mile upstream from your property lines must be shown.								
	(d)	The location of the proposed place of use should be shown by crosshatching on the topographic map, aerial photograph or plat.								
	(e)	Show the location of the pipelines, canals, reservoirs or other facilities for conveying water from the point of diversion to the place of use.								
		A 7.5 minute U.S.G.S. topographic map may be obtained by providing the section, township and range numbers to: Kansas Geological Survey, 1930 Constant, Campus West, University of Kansas, Lawrence, Kansas 66047.								
12.	dive	any application, appropriation of water, water right, or vested right file number that covers the same ersion points or any of the same place of use described in this application. Also list any other recent diffications made to existing permits or water rights in conjunction with the filing of this application.								
	-									

KS DEPT OF AGRICULTURE


WATER RESOURCES RECEIVED

SEP 09 2022

File No. _____

13.	Furnish the following well in well has not been completed						f groundwa	ter. If the		
	Information below is from:	☐ Test holes	☐ Well a	as compl	eted	☐ Drillers	log attache	ed		
	Well location as shown in p	paragraph	(A)	(B)		(C)	(D)			
	Date Drilled	_								
	Total depth of well	_					***************************************			
	Depth to water bearing for	mation _						_		
	Depth to static water level	_								
	Depth to bottom of pump in	ntake pipe _	*	-				_		
14. 15.	The relationship of the appli Owner (owner, tenant, agent or otherwis The owner(s) of the property	<u>e)</u>						t):		
	(name, address and telephone number)									
		/n a m a . a d d r a	as and tale	nhono n	, ma h a r\					
		(name, addre			,					
16.	The undersigned states that this application is subm			ove is tr	ue to the	e best of hi	s/her know	edge and		
	Dated at 8/4/22	. Kansas.	this 4	dav of	ava	ust	7	2022		
	1	, ,				(month)	,	(year)		
<u>By</u>	(Agent or Officer Signature (Agent or Officer Signature (Print Name)	ature)	_							
Assisted	d by JNE	SF	FO/ESII			Date: <u>0</u>	7/06/2022			
			(0	ffice/title)						

File No. _____



Legend

- Water Appropriation
- Proposed Point of Diversion
- Section Corner
- Section Line
- Proposed Place of Use
- Reservoir Pond

Application, File No. _

11-22-5W // Reno County

WATER RESOURCES
RECEIVED

SEP 09 2022


To the best of my knowledge, all points of diversion within one-half mile of the proposed point of diversion have been shown.

KS DEPT OF AGRICULTURE

Janny Windell 8/4/2022

Signature / Date

07/06//2022 JNE/SFFO 1:12,000 scale



- Water Appropriation
- Proposed Point of Diversion
- **Section Corner**
- Section Line
- Proposed Place of Use
- Reservoir Pond

Signature / Date

11-22-5W // Reno County

SEP 09 2022

To the best of my knowledge, all points of diversion within one half mile of the proposed point of diversion have been shown.

814/2022

07/06//2022

JNE/SFFO 1:24,000 scale

IRRIGATION USE SUPPLEMENTAL SHEET

							Fi	le No											
			Nar	ne of	Appl	icant	(Pleas	se Prir	nt): <u>J</u>	eremy	Wen	idell							
1. F	Please lesign	supp ate th	oly the	e nam ual nu	ne and imber	l addi of ac	ress o res to	f eacl be in	n land rigate	lowne d in e	er, the	e lega orty a	l desc ere tra	cription act or	n of fracti	the la	nds to	o be i n ther	rrigated, and eof:
Land	lowne	r of l	Recoi	rd	NAM	E: <u>Je</u>	remy	Wend	lell							<u></u>			
				AD	DRES	SS: <u>45</u>	602 E	95 th ,	Hutcl	ninso	n, KS	6750	2						
				NI	NE1/4			NV	N1/4			SV	V1/4			SI	Ξ1/4		
S	Т	R	NE	NW	SW	SE	NE	NW	sw	SE	NE	NW	SW	SE	NE	NW	sw	SE	TOTAL
11	22	5W											5.0	40.0					45.0
			1																
Land	owne	r of l	Recor	·d	NAM	E:													
				ADI	DRES	SS:													
C	T	D		NI	E1/4			NV	W1/4			SV	V1/4			SI	E1/4		TOTAL
S	T	R	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	TOTAL
				72						_		_							
Land	owne	r of l	Recor	·d	NAM	E:													
				ADI	DRES	S:													
		= //2		NI	Ε1/4			NV	V1/4			SV	V1/4			SF	E1/4		
S	T	R	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	TOTAL
				*															
														_			- 81		
														V	VATE	R RE	SOL	RCE	S

DWR 1-100.23 (7/7/2000)

a.	Indicate the soils in the fie	eld(s) and their intake rates:		
	Soil Name	Percent of field (%)	Intake Rate (in/hr)	Irrigation Design Group
	1 1100 110		- Lij	
	Total:	100 %		10
b.	Estimate the average land	slope in the field(s):	%	
	Estimate the maximum lar	nd slope in the field(s):	%	
c.	Type of irrigation system	you propose to use (check one):		
	Center pivot	Center piv	ot - LEPA	"Big gun" sprinkle
	Gravity system (1	furrows) Gravity sy	vstem (borders)	Sideroll sprinkler
	Other, please describe:			
d.	System design features:			
	i. Describe how you w	ill control tailwater:		
	ii. For sprinkler system	s:		
	(1) Estimate the	operating pressure at the distrib	oution system:	psi
	(2) What is the s	prinkler package design rate? _	gpm	
	(3) What is the v	vetted diameter (twice the distan	nce the sprinkler throw	ws water) of a sprinkler o
	the outer 100	feet of the system?	feet	
	(4) Please includ	le a copy of the sprinkler packag	ge design information	
e.	Crop(s) you intend to irrig	ate. Please note any planned cr	op rotations:	
			11 1	1 (
f.	Please describe how you wimportant if you do not pla	vill determine when to irrigate a in a full irrigation).	nd now much water to	o apply (particularly

You may attach any additional information you believe will assist in informing the Division of the need for your request.

RECREATIONAL USE SUPPLEMENTAL SHEET

	File No
	Name of Applicant (Please Print): <u>Jeremy Wendell</u>
1.	Please indicate type of recreational use (boating, fishing, swimming, etc.): <u>Hunting, Fishing, and dual</u>
	use irrigation.
2.	Please summarize how the water will be used and justify the quantity of water requested: <u>Per K.A.R.</u>
	5-6-5(b) will be requesting the reservoir capacity and 1 year supply of water for indirect use (Evap)
	14.21 acres surface area x 10 feet average depth = 142.1 acre-feet
	Yearly Evap 14.21 acres surface acrea x 24" (POT NET EVAP) / 12 = 28.42 acre-feet
	Yearly Use (storage + evap) = 142.1 AF + 28.42 AF = 170.52 AF (Requested Quantity for Rec Use)

3. Please complete the following table showing estimated future water requirements:

ESTIMATED FUTURE WATER DIVERTED/STORED

NEXT 5 YEARS	WATER TO BE DIVERTED (ACRE-FEET OR GALLONS)						
Year 1	170.52 AF						
Year 2	170.52 AF						
Year 3	170.52 AF						
Year 4	170.52 AF						
Year 5	170.52 AF						

Please attach any additional information, tables, or curves showing past, present and estimated future water requirements to substantiate the amount of water requested.

4. Please designate the legal description of the location where the water is to be used by providing the fractional part of the Section, Township and Range.

15 acre pond located in the Northeast ¼ of the Northwest ¼ of Section 11, Township 22 South

Range 5 West, in Reno County, Kansas.

You may attach any additional information you believe will assist in informing the Division of the need for your request.

FEE SCHEDULE

1. The fee for an application for a permit to appropriate water for beneficial use, except for domestic use, shall be (see paragraph No. 2 below if requesting storage):

ACRE-FEET	FEE
0-100	\$200.00
101-320	\$300.00
More than 320	\$300.00 plus \$20.00 for each additional 100 acre-feet or any part thereof.

2. The fee for an application in which storage is requested, except for domestic use, shall be:

ACRE-FEET	FEE
0-250	\$200.00
More than 250	\$200.00 plus \$20.00 for each additional 250 acre-feet of storage or any part thereof.

Note: If an application requests both direct use *and* storage, the fee charged shall be as determined under No. 1 or No. 2 above, whichever is greater, but not both fees.

3. The fee for an application for a permit to appropriate water for water power or dewatering purposes shall be \$100.00 plus \$200.00 for each 100 cubic feet per second, or part thereof, of the diversion rate requested.

Note: The applicant shall notify the Chief Engineer and pay the statutorily required field inspection fee of \$400.00 when construction of the works for diversion has been completed, except that for applications filed on or after July 1, 2009, for works constructed for sediment control use and for evaporation from a groundwater pit for industrial use shall be accompanied by a field inspection fee of \$200.00.

MAKE CHECKS PAYABLE TO THE KANSAS DEPARTMENT OF AGRICULTURE

ATTENTION

A Water Conservation Plan may be required per K.S.A. 82a-733. A statement that your application for permit to appropriate water may be subject to the minimum desirable streamflow requirements per K.S.A. 82a-703a, b, and c may also be required from you. After the Division of Water Resources has had the opportunity to review your application, you will be notified whether or not you will need to submit a Water Conservation Plan. You also may be required to install a water flow meter or water stage measuring device on your diversion works prior to diverting water. There may be other special conditions or Groundwater Management District regulations that you will need to comply with if this application is approved.

CONVERSION FACTORS

1 acre-foot equals 325,851 gallons

1 million gallons equal 3.07 acre-feet

WATER RESOURCES RECEIVED

WATER RESOURCE

SEP 09 2022

RECEIVED 9/7/22 (Date)

Kansas Department of Agriculture KS DEPT OF AGRICULTURE Division of Water Resources David W. Barfield, Chief Engineer 1320 Research Park Drive Manhattan, Kansas 66502

Re:	Application File No.					
	Minimum Desirable Streamflow					

Dear Sir:

I understand that a Minimum Desirable Streamflow requirement has been established by the legislature for the source of supply to which the above referenced application applies.

I understand that diversion of water pursuant to this application will be subject to regulation any time Minimum Desirable Streamflow requirements are not being met.

I also understand that if this application is approved, there could be times, as determined by the Division of Water Resources, when I would not be allowed to divert water. I realize that this could affect the economics of my decision to appropriate water.

I am aware of the above factors, and with the knowledge thereof, request that the Division of Water Resources proceed with processing and approval, if possible, of the above referenced application.


Signature of Applicant

Serem / Vendell

(Print Applicant's Name) State of Kansas County of PlM

I hereby certify that the foregoing instrument was signed in my presence and sworn to before me this _____ day of _____.

My Commission Expires:



MINIMUM DESIRABLE STREAMFLOW FORM TO BE USED WHEN APPLICABLE WHEN FILING AN APPLICATION FOR PERMIT TO APPROPRIATE WATER FOR BENEFICIAL USE

The Kansas Legislature has established minimum desirable streamflows for the streams listed below. If your proposed diversion of water is going to be from one of these watercourses or adjacent alluvial aquifers, please complete the back side of this page and submit it along with your application for permit to appropriate water.

Arkansas River
Big Blue River
Chapman Creek
Chikaskia River
Cottonwood River
Delaware River
Little Arkansas River
Little Blue River
Marais des Cygnes River
Medicine Lodge River
Mill Creek (Wabaunsee Co. area)
Neosho River

Ninnescah River
North Fork Ninnescah River
Rattlesnake Creek
Republican River
Saline River
Smoky Hill River
Solomon River
South Fork Ninnescah
Spring River
Walnut River
Whitewater River



DATA ENTRY SYSTEM ID NUMBER SHEET

FILE NUMBER	50855			•
APPLICANT PERSON ID & SEQ # 68582		89784 IRF	IV ID R & REC	BATTERY ID
	<u></u> -			 ·····
				·
			<u> </u>	1530-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1
	. •	•		
LANDOWNER PERSON ID & SEQ #		PU: IRR - 71000	SE ID	
68582		REC - 71001	•	
	· · · ·	٠.		,
		<u></u>		
WATER USE CORRESPO	ONDENT			
PERSON ID & SEQ #				
68582				
			,	
				
:			•	