

NOTICE

This scan only represents the application as filed. The information contained herein meets the requirements of K.A.R. 5-3-1 or K.A.R. 5-5-1, and has been found acceptable for filing in the office of the Chief Engineer. The application should not be considered to be a complete application as per K.A.R. 5-3-1b or K.A.R. 5-5-2a.

THE STATE OF KANSAS



KANSAS DEPARTMENT OF AGRICULTURE
Mike Beam, Secretary of Agriculture

DIVISION OF WATER RESOURCES
Earl D. Lewis Jr., Chief Engineer

File Number 50866
This item to be completed by the Division of Water Resources.

WATER RESOURCES RECEIVED

APPLICATION FOR PERMIT TO APPROPRIATE WATER FOR BENEFICIAL USE

Filing Fee Must Accompany the Application
(Please refer to Fee Schedule attached to this application form.)

SEP 22 2022 9:55
KS DEPT OF AGRICULTURE

To the Chief Engineer of the Division of Water Resources, Kansas Department of Agriculture,
1320 Research Park Drive, Manhattan, Kansas 66502:

1. Name of Applicant (Please Print): Scot Willis
Address: 4007 E 118th Place
City: Tulsa State OK Zip Code 74137
Telephone Number: (318) 918-4477

2. The source of water is: [] surface water in -- (stream)
OR [x] groundwater in North Fork Ninnescah (drainage basin)

Certain streams in Kansas have minimum target flows established by law or may be subject to administration when water is released from storage for use by water assurance district members. If your application is subject to these regulations on the date we receive your application, you will be sent the appropriate form to complete and return to the Division of Water Resources.

3. The maximum quantity of water desired is 15 acre-feet OR 4,887,765 gallons per calendar year, to be diverted at a maximum rate of 99 gallons per minute OR -- cubic feet per second.

Once your application has been assigned a priority, the requested maximum rate of diversion and maximum requested quantity of water under that priority number can NOT be increased. Please be certain your requested maximum rate of diversion and maximum quantity of water are appropriate and reasonable for your proposed project and are in agreement with the Division of Water Resources' requirements.

4. The water is intended to be appropriated for (Check use intended):
(a) [] Artificial Recharge (b) [] Irrigation (c) [x] Recreational (d) [] Water Power
(e) [] Industrial (f) [] Municipal (g) [] Stockwatering (h) [] Sediment Control
(i) [] Domestic (j) [] Dewatering (k) [] Hydraulic Dredging (l) [] Fire Protection
(m) [] Thermal Exchange (n) [] Contamination Remediation

9/27/2022
LMoody

YOU MUST COMPLETE AND ATTACH ADDITIONAL DIVISION OF WATER RESOURCES FORM(S) PROVIDING INFORMATION TO SUBSTANTIATE YOUR REQUEST FOR THE AMOUNT OF WATER FOR THE INTENDED USE REFERENCED ABOVE.

For Office Use Only:
F.O. 2 GMD 5 Meets K.A.R. 5-3-1 (YES/NO) Use REC Source G/S County SF By ALB Date 9/23/22
Code REG Fee \$ 200 TR # Receipt Date 9/22/22 Check # 2591

5. The location of the proposed wells, pump sites or other works for diversion of water is:

Note: For the application to be accepted, the point of diversion location must be described to at least a 10 acre tract, unless you specifically request a 60 day period of time in which to locate the site within a specifically described, minimal legal quarter section of land.

- (A) One in the NE quarter of the SW quarter of the NE quarter of Section 27, more particularly described as being near a point 3600 feet North and 1554 feet West of the Southeast corner of said section, in Township 24 South, Range 11 West, Stafford County, Kansas.
- (B) One in the _____ quarter of the _____ quarter of the _____ quarter of Section _____, more particularly described as being near a point _____ feet North and _____ feet West of the Southeast corner of said section, in Township _____ South, Range _____ East/West (circle one), _____ County, Kansas.
- (C) One in the _____ quarter of the _____ quarter of the _____ quarter of Section _____, more particularly described as being near a point _____ feet North and _____ feet West of the Southeast corner of said section, in Township _____ South, Range _____ East/West (circle one), _____ County, Kansas.
- (D) One in the _____ quarter of the _____ quarter of the _____ quarter of Section _____, more particularly described as being near a point _____ feet North and _____ feet West of the Southeast corner of said section, in Township _____ South, Range _____ East/West (circle one), _____ County, Kansas.

If the source of supply is groundwater, a separate application shall be filed for each proposed well or battery of wells, except that a single application may include up to four wells within a circle with a quarter (1/4) mile radius in the same local source of supply which do not exceed a maximum diversion rate of 20 gallons per minute per well.

A battery of wells is defined as two or more wells connected to a common pump by a manifold; or not more than four wells in the same local source of supply within a 300 foot radius circle which are being operated by pumps not to exceed a total maximum diversion rate of 800 gallons per minute and which supply water to a common distribution system.

6. The owner of the point of diversion, if other than the applicant is (please print):

Scot Willis, 4007 E 118th Place, Tulsa, OK 74137


(name, address and telephone number)

(name, address and telephone number)

You must provide evidence of legal access to, or control of, the point of diversion from the landowner or the landowner's authorized representative. Provide a copy of a recorded deed, lease, easement or other document with this application. In lieu thereof, you may sign the following sworn statement:

I have legal access to, or control of, the point of diversion described in this application from the landowner or the landowner's authorized representative. I declare under penalty of perjury that the foregoing is true and correct.

Executed on 9-15, 2022.



Applicant's Signature

The applicant must provide the required information or signature irrespective of whether they are the landowner. Failure to complete this portion of the application will cause it to be unacceptable for filing and the application will be returned to the applicant.

7. The proposed project for diversion of water will consist of one well and one pump

(number of wells, pumps or dams, etc.)

and (was) completed in August of 2022.

(Month/Day/Year - each was or will be completed)

8. The first actual application of water for the proposed beneficial use was or is estimated to be September 2023

(Mo/Day/Year)

WATER RESOURCES RECEIVED

SEP 22 2022

- 9. Will pesticide, fertilizer, or other foreign substance be injected into the water pumped from the diversion works?
 Yes No If "yes", a check valve shall be required.

All chemigation safety requirements must be met including a chemigation permit and reporting requirements.

- 10. If you are planning to impound water, please contact the Division of Water Resources for assistance, prior to submitting the application. Please attach a reservoir area capacity table and inform us of the total acres of surface drainage area above the reservoir.

Have you also made an application for a permit for construction of this dam and reservoir with the Division of Water Resources? Yes No

- If yes, show the Water Structures permit number here n/a
- If no, explain here why a Water Structures permit is not required no structures permit needed, this pond is too small and not located in an area that requires Water Structures permitting.

- 11. The application must be supplemented by a U.S.G.S. topographic map, aerial photograph or a detailed plat showing the following information. On the topographic map, aerial photograph, or plat, identify the center of the section, the section lines or the section corners and show the appropriate section, township and range numbers. Also, please show the following information:

- (a) The location of the proposed point(s) of diversion (wells, stream-bank installations, dams, or other diversion works) should be plotted as described in Paragraph No. 5 of the application, showing the North-South distance and the East-West distance from a section line or southeast corner of section.
- (b) If the application is for groundwater, please show the location of any existing water wells of any kind within 1/2 mile of the proposed well or wells. Identify each existing well as to its use and furnish the name and mailing address of the property owner or owners. If there are no wells within 1/2 mile, please advise us.
- (c) If the application is for surface water, the names and addresses of the landowner(s) 1/2 mile downstream and 1/2 mile upstream from your property lines must be shown.
- (d) The location of the proposed place of use should be shown by crosshatching on the topographic map, aerial photograph or plat.
- (e) Show the location of the pipelines, canals, reservoirs or other facilities for conveying water from the point of diversion to the place of use.

A 7.5 minute U.S.G.S. topographic map may be obtained by providing the section, township and range numbers to: Kansas Geological Survey, 1930 Constant, Campus West, University of Kansas, Lawrence, Kansas 66047.

- 12. List any application, appropriation of water, water right, or vested right file number that covers the same diversion points or any of the same place of use described in this application. Also list any other recent modifications made to existing permits or water rights in conjunction with the filing of this application.

NONE

WATER RESOURCES RECEIVED

SEP 22 2022

KS DEPT OF AGRICULTURE

13. Furnish the following well information if the proposed appropriation is for the use of groundwater. If the well has not been completed, give information obtained from test holes, if available.

Information below is from: Test holes Well as completed Drillers log attached

Well location as shown in paragraph No.	(A)	(B)	(C)	(D)
Date Drilled	<u>8/17/22</u>	_____	_____	_____
Total depth of well	<u>90</u>	_____	_____	_____
Depth to water bearing formation	<u>28</u>	_____	_____	_____
Depth to static water level	<u>34</u>	_____	_____	_____
Depth to bottom of pump intake pipe	<u>unknown</u>	_____	_____	_____

14. The relationship of the applicant to the proposed place where the water will be used is that of

Owner
(owner, tenant, agent or otherwise)


15. The owner(s) of the property where the water is used, if other than the applicant, is (please print):

Scot Willis, 4007 E 118th Place, Tulsa, OK 74137
(name, address and telephone number)

(name, address and telephone number)

16. The undersigned states that the information set forth above is true to the best of his/her knowledge and that this application is submitted in good faith.

Dated at Stafford, Kansas, this 13 day of Sept, 2022.
(month) (year)



(Applicant Signature)

By _____
(Agent or Officer Signature)

Scot Willis

(Agent or Officer - Please Print)

Assisted by CRC SFFO/Assistant Water Commissioner Date: September 14, 2022
(office/title)

WATER RESOURCES
RECEIVED
SEP 22 2022
KS DEPT OF AGRICULTURE

FEE SCHEDULE

1. The fee for an application for a permit to appropriate water for beneficial use, except for domestic use, shall be (see paragraph No. 2 below if requesting storage):

ACRE-FEET	FEE
0-100	\$200.00
101-320	\$300.00
More than 320	\$300.00 plus \$20.00 for each additional 100 acre-feet or any part thereof.

2. The fee for an application in which storage is requested, except for domestic use, shall be:

ACRE-FEET	FEE
0-250	\$200.00
More than 250	\$200.00 plus \$20.00 for each additional 250 acre-feet of storage or any part thereof.

Note: If an application requests both direct use *and* storage, the fee charged shall be as determined under No. 1 or No. 2 above, whichever is greater, but not both fees.

3. The fee for an application for a permit to appropriate water for water power or dewatering purposes shall be \$100.00 plus \$200.00 for each 100 cubic feet per second, or part thereof, of the diversion rate requested.

Note: The applicant shall notify the Chief Engineer and pay the statutorily required field inspection fee of \$400.00 when construction of the works for diversion has been completed, except that for applications filed on or after July 1, 2009, for works constructed for sediment control use and for evaporation from a groundwater pit for industrial use shall be accompanied by a field inspection fee of \$200.00.

MAKE CHECKS PAYABLE TO THE KANSAS DEPARTMENT OF AGRICULTURE

ATTENTION

A Water Conservation Plan may be required per K.S.A. 82a-733. A statement that your application for permit to appropriate water may be subject to the minimum desirable streamflow requirements per K.S.A. 82a-703a, b, and c may also be required from you. After the Division of Water Resources has had the opportunity to review your application, you will be notified whether or not you will need to submit a Water Conservation Plan. You also may be required to install a water flow meter or water stage measuring device on your diversion works prior to diverting water. There may be other special conditions or Groundwater Management District regulations that you will need to comply with if this application is approved.

CONVERSION FACTORS

1 acre-foot equals 325,851 gallons

1 million gallons equal 3.07 acre-feet

WATER RESOURCES
RECEIVED

SEP 22 2022

KS DEPT OF AGRICULTURE

RECREATIONAL USE SUPPLEMENTAL SHEET

File No. _____

Name of Applicant (Please Print): Scot Willis

1. Please indicate type of recreational use (boating, fishing, swimming, etc.): hunting and general wildlife benefits, potential water source for cattle

2. Please summarize how the water will be used and justify the quantity of water requested: _____

Water from the well will be used to fill the pond and maintain the desired water level each year.

The pond will be up to 1.5 acres in size with an average depth of 3'. Calculated quantity as follows:

(storage = 1.5 acres x 3' = 4.5 acre-feet) (evaporation = 1.5 acres x 31" = 3.9 AF)

(seepage = 1.5 acres x 0.145"/day = 5.7 AF), Total requested is 4.5 AF + 3.9 AF + 6.6 AF = 15 AF

3. Please complete the following table showing estimated future water requirements:

ESTIMATED FUTURE WATER DIVERTED/STORED	
NEXT 5 YEARS	WATER TO BE DIVERTED (ACRE-FEET OR GALLONS)
Year 1	15
Year 2	15
Year 3	15
Year 4	15
Year 5	15

Please attach any additional information, tables, or curves showing past, present and estimated future water requirements to substantiate the amount of water requested.

4. Please designate the legal description of the location where the water is to be used by providing the fractional part of the Section, Township and Range.


The pond is located in the E½ of the W½ of the NE¼ of Section 27, Township 24 South, Range 11 West, Stafford County.






You may attach any additional information you believe will assist in informing the Division of the need for your request.

WATER RESOURCES
RECEIVED

SEP 22 2022

New Application Map
Appropriation File No. _____
Section 27-24S-11W in Stafford County




-  proposed well location (3600'N & 1554'W)
-  proposed place of use is a pond covering ~1.5 acres
-  1/2 mile circle around well
-  nearby wells
-  section corners

List of wells within 1/2 mile of point of diversion:

WATER RESOURCES RECEIVED
 SEP 22 2022
 KS DEPT OF AGRICULTURE









By signing I agree that all water rights w/in 1/2 mile of the proposed point of diversion have been shown on the map.

 signature 9-15-22
date

1 inch = 1,167 feet
 map created on 9/14/22 scale 1:14,000

New Application Map
Appropriation File No.
Section 27-24S-11W in Stafford County




-  proposed well location (3600'N & 1554'W)
-  proposed place of use is a pond covering ~1.5 acres
-  1/2 mile circle around well
-  nearby wells
-  section corners

List of wells within 1/2 mile of point of diversion:

WATER RESOURCES
 RECEIVED
 SEP 22 2022
 KS DEPT OF AGRICULTURE



By signing I agree that all water rights w/in 1/2 mile of the proposed point of diversion have been shown on the map.

 signature
 9-15-22 date

1 inch = 1,167 feet
 map created on 9/14/22 scale 1:14,000

**MINIMUM DESIRABLE STREAMFLOW FORM TO BE USED WHEN
APPLICABLE WHEN FILING AN APPLICATION FOR PERMIT
TO APPROPRIATE WATER FOR BENEFICIAL USE**

The Kansas Legislature has established minimum desirable streamflows for the streams listed below. If your proposed diversion of water is going to be from one of these watercourses or adjacent alluvial aquifers, please complete the back side of this page and submit it along with your application for permit to appropriate water.

Arkansas River
Big Blue River
Chapman Creek
Chikaskia River
Cottonwood River
Delaware River
Little Arkansas River
Little Blue River
Marais des Cygnes River
Medicine Lodge River
Mill Creek (Wabaunsee Co. area)
Neosho River

Ninnescah River
North Fork Ninnescah River
Rattlesnake Creek
Republican River
Saline River
Smoky Hill River
Solomon River
South Fork Ninnescah
Spring River
Walnut River
Whitewater River

WATER RESOURCES
RECEIVED

SEP 23 2022

KS DEPT OF AGRICULTURE

WATER WELL RECORD Form WWC-5

Original Record Correction Change in Well Use

Division of Water Resources App. No.

Well ID

1 LOCATION OF WATER WELL: County: Stafford Fraction: NE 1/4 NE 1/4 SW 1/4 NE 1/4 Section Number: 27 Township Number: T 24 S Range Number: R 11 E 17W

2 WELL OWNER: Last Name: Willis First: Scott Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here:
 Business Address: 4007 E 118th Place 1 mile East on 80th Hwy from Zenith. South on SE 130th Ave about 1/4 mile. West into about 1600A
 City: Tulsa State: OK ZIP: 74137

3 LOCATE WELL WITH "X" IN SECTION BOX:
 N

 W E
 S
 |-----1 mile-----|

4 DEPTH OF COMPLETED WELL: 96 ft.
 Depth(s) Groundwater Encountered: 1) ft.
 2) ft. 3) ft., or 4) Dry Well
 WELL'S STATIC WATER LEVEL: 34 ft.
 below land surface, measured on (mo-day-yr).....
 above land surface, measured on (mo-day-yr).....
 Pump test data: Well water was ft.
 after..... hours pumping gpm
 Well water was ft.
 after..... hours pumping gpm
 Estimated Yield: 100 gpm
 Bore Hole Diameter: 10 9/8 in. to ft. and
 in. to ft.

5 Latitude: 37.935760.....(decimal degrees)
Longitude: -98.514490.....(decimal degrees)
Horizontal Datum: NAD 83 NAD 27
Source for Latitude/Longitude:
 GPS (unit make/model:)
 (WAAS enabled? Yes No)
 Land Survey Topographic Map
 Online Mapper: Google Earth Pro
6 Elevation:ft. Ground Level TOC
Source: Land Survey GPS Topographic Map
 Other

7 WELL WATER TO BE USED AS:

1. Domestic: <input type="checkbox"/> Household <input type="checkbox"/> Lawn & Garden <input type="checkbox"/> Livestock	2. <input type="checkbox"/> Irrigation	3. <input type="checkbox"/> Feedlot	4. <input type="checkbox"/> Industrial	5. <input type="checkbox"/> Public Water Supply: well ID	6. <input type="checkbox"/> Dewatering: how many wells?	7. <input type="checkbox"/> Aquifer Recharge: well ID	8. <input type="checkbox"/> Monitoring: well ID	9. Environmental Remediation: well ID	<input type="checkbox"/> Air Sparge <input type="checkbox"/> Soil Vapor Extraction	<input type="checkbox"/> Recovery <input type="checkbox"/> Injection	10. <input type="checkbox"/> Oil Field Water Supply: lease	11. Test Hole: well ID	<input type="checkbox"/> Cased <input type="checkbox"/> Uncased <input type="checkbox"/> Geotechnical	12. Geothermal: how many bores?	a) Closed Loop <input type="checkbox"/> Horizontal <input type="checkbox"/> Vertical	b) Open Loop <input type="checkbox"/> Surface Discharge <input type="checkbox"/> Inj. of Water	13. <input checked="" type="checkbox"/> Other (specify): <u>pond</u>
--	--	-------------------------------------	--	--	---	---	---	---	--	--	--	------------------------------	---	---------------------------------------	--	--	--

Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:

Water well disinfected? Yes No

8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded
 Casing diameter 5 in. to ft., Diameter in. to ft., Diameter in. to ft.
 Casing height above land surface 24 in. Weight lbs./ft. Wall thickness or gauge No.
TYPE OF SCREEN OR PERFORATION MATERIAL:
 Steel Stainless Steel Fiberglass PVC Other (Specify)
 Brass Galvanized Steel Concrete tile None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE:
 Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)
 Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)
SCREEN-PERFORATED INTERVALS: From 90 ft. to 70 ft., From ft. to ft., From ft. to ft.
GRAVEL PACK INTERVALS: From 70 ft. to 30 ft., From ft. to ft., From ft. to ft.

9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other
 Grout Intervals: From 30 ft. to 0 ft., From ft. to ft., From ft. to ft.
Nearest source of possible contamination:
 Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage
 Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well
 Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well/Gas Well
 Other (Specify) pond
 Direction from well? 200' Distance from well? North ft.

10 FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHO. LOG (cont.)
0	3	Sandy Top Soil			RECEIVED
3	28	Tan Clay			
28	38	Fine sand			SEP 23 2022
38	44	Tan Clay			
44	65	Fine Tan Sand			KS DEPT OF AGRICULTURE
65	90	Coarse sand			
Notes:					

11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) 8/17/22 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 1673 This Water Well Record was completed on (mo-day-year) 8/17/22

Stafford Field Office
300 S. Main Street
Stafford, KS 67578-1521



Phone: 620-234-5311
Fax: 620-234-6900
www.agriculture.ks.gov

Mike Beam, Secretary

Laura Kelly, Governor

September 16, 2022

Scot Willis
4007 E 118th Place
Tulsa, OK 74137

RE: Unpermitted Well in NE¼ Sec. 27-24S-11W

Dear Mr. Willis,

On the reverse of this correspondence is a Notice of Non-Compliance directing you to cease diversion from the unpermitted well located in the NE SW NE of Section 27, Township 24 South, Range 11 West, Stafford County, Kansas. As we understand it, a well is being used to fill a recently constructed pond. The current use of this well is unauthorized and needs to stop until an application is approved allowing the recreational use to fill the pond.

Please be aware that K.S.A. 82a-728 makes it unlawful to use water from a well for non-domestic recreational use that is not currently authorized by a permit to appropriate water without the prior approval of the Chief Engineer. It also provides for penalty actions for any such violation. You are hereby notified that it will be unlawful for you or anyone else to use the unpermitted well for anything other than domestic use until appropriate applications have been approved. Installing a stock tank at the well would be appropriate if you would like to provide water for cattle.

Through discussions with my staff, I understand you were under the impression this project didn't require additional permitting through our office. We do have some domestic exceptions where a water right would not be required, but this project does not meet the domestic use criteria and it does require a recreational water right to fill the pond. I understand you have filed an application to properly permit this well and pond. The application will be processed in Headquarters in Manhattan and will go through additional review including by the local Groundwater Management District No. 5 and there is no guarantee the application will be approved. The entire application process could take 6 months or more.

If you have any questions regarding the enclosed notice or the new application, please contact this office at (620) 234-5311.

Sincerely,

A handwritten signature in blue ink that reads "Jeff Lanterman".

Jeff Lanterman
Water Commissioner

Enclosure

pc: Compliance and Enforcement

**KANSAS DEPARTMENT OF AGRICULTURE
DIVISION OF WATER RESOURCES
NOTICE OF NON-COMPLIANCE**



Date 9/16/2022

File No. unpermitted well in NE¼ Sec. 27-24S-11W

Except for domestic use, the Kansas Water Appropriation Act, K.S.A. 82a-701, *et seq.*, establishes requirements for all diversion of water within the state. Every water right of every kind includes terms and conditions with which the water user must comply. This document indicates a compliance problem may exist which needs your attention.

TO:

Scot Willis

4007 E 118th Place

Tulsa, OK 74137

Your attention to this Notice is required.

**Please take corrective action
upon receipt of this notice.**

This notice may not be a complete listing of all violations which may be identified for the file number referenced above.

Any response to this notice must be submitted to:

**Division of Water Resources
Stafford Field Office
300 S Main St
Stafford, KS 67578**

Telephone: (620) 234-5311

FAX: (620) 234-6900

CEASE DIVERSION IMMEDIATELY

By: 
(authorized representative of the chief engineer)

<input type="checkbox"/> K.A.R. 5-14-12 – Exceeding Authorized Quantity of Water
K.A.R. 5-14-10 (c) – Lower-Tier Miscellaneous Violation
<input type="checkbox"/> (1) Meter Out of Compliance per K.A.R. 5-1-9
<input type="checkbox"/> (2) Water Conservation Plan Failure
<input type="checkbox"/> (3) Committing Waste of Water
<input type="checkbox"/> (4) Violating an Order of the Chief Engineer
K.A.R. 5-14-10 (d) – Failure to Provide Information
<input type="checkbox"/> (1) Failure to File Required Monthly Report
<input type="checkbox"/> (2) Failure to Provide Complete & Accurate Water Use Data
K.A.R. 5-14-10 (e) – Unauthorized Diversion / Threat to Divert
<input type="checkbox"/> (1) Threat to Divert Without Authorization
<input type="checkbox"/> (2) Irrigating an Unauthorized Place of Use
<input type="checkbox"/> (3) Diverting Water at a Rate in Excess of Authorized
<input checked="" type="checkbox"/> (4) Diverting from an Unauthorized Point of Diversion
<input type="checkbox"/> (5) Applying Water to an Unauthorized Beneficial Use
<input type="checkbox"/> K.A.R. 5-14-10 (f) – Denial of Access. Denying access to authorized agents of the Chief Engineer per K.S.A 82a-706b.
<input type="checkbox"/> K.A.R. 5-14-10 (g) – Lack of Water Flowmeter. Failure to timely install and/or replace required water flowmeter.
K.A.R. 5-14-10 (h) – Non-Compliance with a Substantial Order
<input type="checkbox"/> (1) Violating a Cease-and-Desist Order
<input type="checkbox"/> (2) Violating an Order issued per K.S.A 82a-706b
<input type="checkbox"/> (3) Violating an IGUCA, LEMA, or WCA Order
<input type="checkbox"/> (4) Violating an MDS Order
K.A.R. 5-14-10 (i) – Meter Manipulation
<input type="checkbox"/> (1)(A) Causing a water flowmeter to show incorrect or inaccurate readings by any method
<input type="checkbox"/> (1)(B) Removing a seal placed on a pump, diversion device, or water flowmeter without written permission
K.A.R. 5-14-10 (j) – Falsification
<input type="checkbox"/> (1) Providing False Water Use Data
<input type="checkbox"/> (2) Falsifying any Other Required Data
<input type="checkbox"/> K.A.R. 5-14-10 (k) – Violating a Special Condition of a Change Application Approval

Description of Non-Compliance: An unpermitted well is being used to supply water for recreational use by filling a small pond in the NE¼ of Section 27-24S-11W, Stafford County.

More information on reverse

Date Entered _____ by _____

DATA ENTRY SYSTEM ID NUMBER SHEET

FILE NUMBER 50866

APPLICANT PERSON ID & SEQ #	PDIV ID	BATTERY ID
<u>68597</u>	<u>89799</u>	

LANDOWNER PERSON ID & SEQ #	PUSE ID
<u>68597</u>	<u>71007</u>

WATER USE CORRESPONDENT PERSON ID & SEQ #
<u>68597</u>