

Submit completed application to:
 Kansas Department of Agriculture
 Division of Water Resources
 Field Office for your area.

Call for address:

Topeka -- (785) 296-5733
 Stafford -- (620) 234-5311
 Stockton -- (785) 425-6787
 Garden City -- (620) 276-2901
<http://agriculture.ks.gov/dwr>

DWR FIELD OFFICE APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF USE AND/OR THE POINT OF DIVERSION



STATE OF KANSAS

WATER METER REQUIRED

Filing Fee Must Accompany the Application, K.S.A. 82a-708b(b), as amended.
 Fee Schedule is on the third page of this application form.

Paragraph Nos. 1, 2, 3 & 5 must be completed. Complete all other applicable portions. If change in point of diversion is greater than 100 feet, or if place of use will be changed, include a topographic map or detailed plat showing the authorized and proposed point(s) of diversion and/or place of use.

File No. 37215

RECEIVED
 9:40am
 JAN 08 2024

1. Application is hereby made for approval of the Chief Engineer to change the (check one or both):

Place of Use Point of Diversion

Stafford Field Office
 Division of Water Resources

under the water right which is the subject of this application in accordance with the conditions described below.

The source of supply is: Groundwater Surface water

2. Name and address of Applicant: K C D D Inc
11621 S Hillside St, Mulvane KS 67110

Phone Number: (316)777-1092 Email address: ottbusinesses@gmail.com

Name and address of Water Use Correspondent: K C D D Inc
11621 S Hillside St, Mulvane KS 67110

Phone Number: (316)777-1092 Email address: ottbusinesses@gmail.com

3. The presently authorized place of use is:
 Owner of Land ---- NAME: K C D D Inc
 ADDRESS: 11621 S Hillside St, Mulvane KS 67110

(If there is more than one landowner, attach supplemental sheets as necessary.)

Sec.	Twp.	Range	NE¼				NW¼				SW¼				SE¼				TOTAL ACRES
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
29	29S	1E									33	33	33	33					132

4. If this application is for a change in place of use, it is proposed that the place of use be changed to:
 Owner of Land ---- NAME: NO CHANGE
 ADDRESS: _____

(If there is more than one landowner, attach supplemental sheets as necessary.)

Sec.	Twp.	Range	NE¼				NW¼				SW¼				SE¼				TOTAL ACRES
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

For Office Use Only: Code CLT Fee \$ 100⁰⁰ TR # _____ Receipt Date _____ Check # 3285

5. **Presently authorized point of diversion:**
 One in the Southeast Quarter of the Northwest Quarter of the Southwest Quarter of Section 29 , Township 29 South, Range 1 EAST, in Sedgwick County, Kansas, 1,640 feet North 4,000 feet West of Southeast corner of section. Authorized Rate 405 gpm Authorized Quantity 94 AF Depth of well --- (feet)
(DWR use only: Computer ID No. 1 GPS 1,596 feet North 3,995 feet West)
 This point will not be changed This point will be changed as follows: No change, point better described with GPS as follows:
Proposed point of diversion: (Complete only if change is requested or if existing point is better described by GPS)
 One in the Southeast Quarter of the Northwest Quarter of the Southwest Quarter of Section 29 , Township 29 South, Range 1 EAST, in Sedgwick County, Kansas, 1,596 feet North 3,995 feet West of Southeast corner of section. Proposed Rate see GeoCenter Proposed Quantity see GeoCenter Proposed well depth (feet) N/A.
 This point is: Additional Well Geo Center List other water rights that will use this point 37368

6. **Presently authorized point of diversion:**
 One in the _____ Quarter of the _____ Quarter of the _____ Quarter of Section _____, Township _____ South, Range _____, in _____ County, Kansas, _____ feet North _____ feet West of Southeast corner of section. Authorized Rate _____ Authorized Quantity _____ Depth of well _____ (feet)
(DWR use only: Computer ID No. _____ GPS _____ feet North _____ feet West)
 This point will not be changed This point will be changed as follows: No change, point better described with GPS as follows:
Proposed point of diversion: (Complete only if change is requested or if existing point is better described by GPS)
 One in the Southeast Quarter of the Northwest Quarter of the Southwest Quarter of Section 29 , Township 29 South, Range 1 EAST, in Sedgwick County, Kansas, 1,449 feet North 3,997 feet West of Southeast corner of section. Proposed Rate 405 gpm Proposed Quantity 94 AF Proposed well depth (feet) N/A.
 This point is: Additional Well Geo Center List other water rights that will use this point 37368

7. The changes herein are desired for the following reasons?
 (please be specific) To change the single wells under File No. 37215 & 37368 to a battery of two (2) wells.

8. If a well, is the test hole log attached? Yes No


9. The change(s) (was)(will be) completed by?
upon approval of change application

10. If the point of diversion is a well:
 (a) What are you going to do with the old well?
N/A
 (b) When will this be done? N/A

11. Groundwater Management District recommendation attached?
 Yes No

12. Assisted by EKF/SFFO

13a. If the proposed point of diversion will be relocated more than 300 feet but within 2,640 feet of the existing point of diversion, attach a topographic map or aerial photograph. For groundwater sources, show all wells (including domestic) within one-half mile of the proposed point of diversion and the names and mailing addresses of the owners. For surface water sources, show the names and addresses of the landowner(s) one-half mile downstream and one-half mile upstream from your property lines



13b. If the proposed point of diversion will be relocated within 300 feet of the existing point of diversion, indicate its location on the diagram shown above in relation to the existing point of diversion. (PLEASE NOTE: The "X" in center of diagram above represents the presently authorized point of diversion.)

RECEIVED
 JAN 08 2024

14. If the proposed groundwater point of diversion is 300 or fewer feet from the existing point of diversion, complete the following:

- (a) Does the undersigned represent all owners of the currently authorized place(s) of use identified in this application?
 Yes No (If no, all owners must sign this application.)
- (b) Will the ownership interest of any owner of the currently authorized place(s) of use identified in this application be adversely affected if this application is approved as requested?
 Yes No (If yes, all owners must sign this application.)
- (c) If this application is not approved expeditiously, will there be substantial damage to property, public health or safety?
 Yes No (If no, all owners must sign this application.)

If the application proposes a surface water change in point of diversion, a groundwater change in point of diversion greater than 300 feet, or a change in place of use, the application must be signed by all owners of the currently authorized place of use, or their duly authorized agent (attach notarized statement authorizing representation).

I hereby verify, being first duly sworn upon my oath or affirmation and under penalty of perjury, that I am of lawful age and the owner, the spouse of the owner, or a duly authorized agent of the owner(s) to make this application on their behalf, in regards to the water right(s) to which this application pertains. I further verify that the statements contained in this application are true, correct and complete.

Dated at McLeane, Kansas, this 4 day of January, 2024.

RCDD Inc by Scott Sec
(Owner)

(Spouse)

RCDD Inc by Kenton Sec
(Please Print)

(Please Print)

(Owner)

(Spouse)

(Please Print)

(Please Print)

(Owner)

(Spouse)

(Please Print)

(Please Print)

State of Kansas }
County of Sumner } SS

I hereby certify that the foregoing application was signed in my presence and sworn to before me this 4th day of January, 2024.

SHAYLA A. DIEKER
Notary Public - State of Kansas
My Appt. Expires 11/02/24

Shayla A Dieker
Notary Public

My Commission Expires 11/02/24

ONLY COMPLETE APPLICATIONS WILL BE PROCESSED. To be complete, all of the applicable portions of the application form must be completed with accurate information; maps, if necessary, must be included; signatures of all the appropriate owners' must be affixed to the application and notarized; and the appropriate fee must be paid.

FEE SCHEDULE

Each application to change the place of use or the point of diversion under this section shall be accompanied by the application fee set forth in the schedule below: Make checks payable to: **Kansas Department of Agriculture**

- (1) Application to change a point of diversion 300 feet or less \$100
- (2) Application to change a point of diversion more than 300 feet \$200
- (3) Application to change the place of use \$200

RECEIVED

JAN 08 2024

APPLICATION FOR APPROVAL TO CHANGE
THE PLACE OF USE AND/OR POINT OF DIVERSION
SUPPLEMENTAL SHEET
FILE NO. 37215

Presently authorized point of diversion:

One in the _____ Quarter of the _____ Quarter of the _____ Quarter
of Section _____, Township _____ South, Range _____ (E/W),
in _____ County, Kansas, _____ feet North _____ feet West of Southeast corner of section.

Authorized Rate _____ Authorized Quantity _____ Depth of well _____ (feet)

(DWR use only: Computer ID No. _____ GPS _____ feet North _____ feet West)

This point will not be changed This point will be changed as follows:

Proposed point of diversion: (Complete only if change is requested)

One in the _____ Southeast _____ Quarter of the _____ Northwest _____ Quarter of the _____ Southwest _____ Quarter
of Section _____ 29 _____, Township _____ 29 _____ South, Range _____ 1 _____ EAST,
in Sedgwick _____ County, Kansas, _____ 1,301 _____ feet North _____ 3,998 _____ feet West of Southeast corner of section.

Proposed Rate _____ see GeoCenter _____ Proposed Quantity _____ See GeoCenter _____ Proposed well depth (feet) _____ N/A _____.

This point is: Additional Well Geo Center List other water rights that will use this point 37368.

RECEIVED

JAN 08 2024

Stafford Field Office
Division of Water Resources

ADDITIONAL CONDITION TO
SUMMARY ORDER APPROVING APPLICATION FOR CHANGE
AND IMPOSING CONDITIONS

The effective date of the change shall be the date this order is executed by the Chief Engineer, after which the following condition is included as a condition of the approval of this application for change in point of diversion.

1. That this approval is further limited such that both wells of the battery shall be located within a (300) foot radius circle, in the same local source of supply and shall be limited to a total maximum diversion rate not in excess of 800 gallons per minute (1.78 c.f.s.)

RECEIVED

JAN 08 2024

Stafford Field Office
Division of Water Resources