## NOTICE

This scan only represents the application as filed. The information contained herein meets the requirements of K.A.R. 5-3-1 or K.A.R. 5-5-1, and has been found acceptable for filing in the office of the Chief Engineer. The application should not be considered to be a complete application as per K.A.R. 5-3-1b or K.A.R. 5-5-2a.



RECEIVED NOV 1 3 2023 1543 KS DEPT OF AGRICULTURE

WATER RESOURCES

## KANSAS DEPARTMENT OF AGRICULTURE

Jackie McClaskey, Secretary of Agriculture

**DIVISION OF WATER RESOURCES** David W. Barfield, Chief Engineer

51135 File Number This item to be completed by the Division of Water Resources.

#### **APPLICATION FOR PERMIT TO** APPROPRIATE WATER FOR BENEFICIAL USE

Filing Fee Must Accompany the Application (Please refer to Fee Schedule attached to this application form.)

To the Chief Engineer of the Division of Water Resources, Kansas Department of Agriculture, 1320 Research Park Drive, Manhattan, Kansas 66502:

	Address: 3841 N Watercr	ess C								
	City: Maize				State KS	Zip Co	ode <u>67101</u>			
	Telephone Number: (31)	<u>, ) </u>	41-3145							
	The source of water is:		urface water in			stream)				
	OR		roundwater in	Arkansas	River	nage basin)				
	Certain streams in Kansas when water is released fro to these regulations on the and return to the Division	m sto e date	rage for use by we receive you	vater ass	urance district mem	bers. If you	ur application is subjec			
	The maximum quantity of	water	desired is 21		acre-feet OR	gall	lons per calendar year			
	to be diverted at a maximum rate of 99 gallons per minute OR 0.22 cubic feet per second.									
	Once your application has requested quantity of wa requested maximum rate proposed project and are	iter u	nder that prioritersion and maxir	y numbe num quai	r can <b>NOT</b> be incontity of water are ap	reased. Propriate a	Please be certain you and reasonable for you			
	requested quantity of warequested maximum rate	iter un of dive in agr	nder that prioritersion and maxing ement with the	y numbe num qua Division	r can <u>NOT</u> be inco ntity of water are ap of Water Resource	reased. Propriate a	Please be certain you and reasonable for you			
	requested quantity of wa requested maximum rate proposed project and are	iter un of dive in agr	nder that prioritersion and maxing ement with the	y numbe num qua Division eck use in	r can <u>NOT</u> be inco ntity of water are ap of Water Resource	reased. F propriate a s' requirem	Please be certain you and reasonable for you			
	requested quantity of warequested maximum rate proposed project and are  The water is intended to be	iter un of dive in agr	nder that prioritersion and maxineement with the ropriated for (Ch	y numbe num quai Division eck use in (c)	r can <u>NOT</u> be incomplify of water are ap of Water Resources tended):	reased. F propriate a s' requirem (d)	Please be certain you and reasonable for you nents.			
	requested quantity of warequested maximum rate proposed project and are  The water is intended to be  (a)   Artificial Recharge	iter un of dive in agr e app (b)	nder that prioritersion and maxineement with the ropriated for (Choose Irrigation Municipal	y numbe num quar Division eck use in (c)	r can <u>NOT</u> be incontity of water are ap of Water Resource: tended): ) □ Recreational	reased. F propriate a s' requirem (d) (h)	Please be certain you and reasonable for you nents.  ☐ Water Power			
	requested quantity of warequested maximum rate proposed project and are  The water is intended to be  (a) □ Artificial Recharge  (e) □ Industrial	ter unof diversin agriculture (b) (f)	nder that prioritersion and maxineement with the ropriated for (Choose Irrigation Municipal	y numbe num qual Division eck use in (c) (g) (k)	r can <u>NOT</u> be incontity of water are ap of Water Resource:  tended):  Recreational  Stockwatering  Hydraulic Dred	reased. F propriate a s' requirem (d) (h)	Please be certain you and reasonable for you nents.  Water Power  Sediment Control			

### NOV 1 3 2023

File	No.	

## KS DEPT OF AGRICULTURE

5.	The	location of the proposed wells, pump sites or other works for diversion of water is:
	Not	e: For the application to be accepted, the point of diversion location must be described to at least a 10 acre tract, unless you specifically request a 60 day period of time in which to locate the site within a specifically described, minimal legal quarter section of land.
	(A)	One in the NE quarter of the SW quarter of the SW quarter of Section 29, more particularly described as
		being near a point 1,096 feet North and 3,980 feet West of the Southeast corner of said section, in
		Township <u>26</u> South, Range <u>1</u> West, <u>Sedgwick</u> County, Kansas.
	(B)	One in the quarter of the quarter of the quarter of Section, more particularly
		described as being near a point feet North and feet West of the Southeast corner of said
		section, in Township South, Range East/West (circle one), County, Kansas.
	(C)	One in the quarter of the quarter of the quarter of Section, more particularly
		described as being near a point feet North and feet West of the Southeast corner of said
		section, in Township South, Range East/West (circle one), County, Kansas.
	(D)	One in the quarter of the quarter of the quarter of Section, more particularly
		described as being near a point feet North and feet West of the Southeast corner of said
		section, in Township South, Range East/West (circle one), County, Kansas.
	thar	attery of wells is defined as two or more wells connected to a common pump by a manifold; or not more in four wells in the same local source of supply within a 300 foot radius circle which are being operated by not to exceed a total maximum diversion rate of 800 gallons per minute and which supply water to a moon distribution system.
6.		owner of the point of diversion, if other than the applicant is (please print):
	App	licant (name, address and telephone number)
	land	must provide evidence of legal access to, or control of, the point of diversion from the landowner or the downer's authorized representative. Provide a copy of a recorded deed, lease, easement or other ument with this application. In lieu thereof, you may sign the following sworn statement:
		I have legal access to, or control of, the point of diversion described in this application from the landowner or the landowner's authorized representative. I declare under penalty of perjury that the foregoing is true and correct.
		the foregoing is true and correct.  Executed on Nov I, 2023.  Applicant's Signature  applicant must provide the required information or signature irrespective of whether they are the
	land	applicant must provide the required information or signature irrespective of whether they are the downer. Failure to complete this portion of the application will cause it to be unacceptable for filing and the lication will be returned to the applicant.
7.	The	proposed project for diversion of water will consist of one well and diversion works  (number of wells, pumps or dams, etc.)
	and	was completed (by) 1/22/08 (Month/Day/Year - each was or will be completed)
8.	The	first actual application of water for the proposed beneficial use was or is estimated to be 2008.
	THE A	

NOV 1 3 2023

File	No.			

	Will pesticide, fertilizer, or other foreign substance be injected into the water pumped from the diversion works?
	☐ Yes ☑ No If "yes", a check valve shall be required.
	All chemigation safety requirements must be met including a chemigation permit and reporting requirements.
0.	If you are planning to impound water, please contact the Division of Water Resources for assistance, prior to submitting the application. Please attach a reservoir area capacity table and inform us of the total acres of surface drainage area above the reservoir.
	Have you also made an application for a permit for construction of this dam and reservoir with the Division of Water Resources? ☐ Yes ☐ No
	If yes, show the Water Structures permit number here
	If no, explain here why a Water Structures permit is not required
1.	The application <u>must</u> be supplemented by a U.S.G.S. topographic map, aerial photograph or a detailed plat showing the following information. On the topographic map, aerial photograph, or plat, identify the center of the section, the section lines or the section corners and show the appropriate section, township and range numbers. Also, please show the following information:
	(a) The location of the proposed point(s) of diversion (wells, stream-bank installations, dams, or other diversion works) should be plotted as described in Paragraph No. 5 of the application, showing the North- South distance and the East-West distance from a section line or southeast corner of section.
	(b) If the application is for groundwater, please show the location of any existing water wells of any kind within ½ mile of the proposed well or wells. Identify each existing well as to its use and furnish the name and mailing address of the property owner or owners. If there are no wells within ½ mile, please advise us.
	(c) If the application is for surface water, the names and addresses of the landowner(s) ½ mile downstream and ½ mile upstream from your property lines must be shown.
	(d) The location of the proposed place of use should be shown by crosshatching on the topographic map, aerial photograph or plat.
	(e) Show the location of the pipelines, canals, reservoirs or other facilities for conveying water from the point of diversion to the place of use.
	A 7.5 minute U.S.G.S. topographic map may be obtained by providing the section, township and range numbers to: Kansas Geological Survey, 1930 Constant, Campus West, University of Kansas, Lawrence, Kansas 66047.
2.	List any application, appropriation of water, water right, or vested right file number that covers the same diversion points or any of the same place of use described in this application. Also list any other recent modifications made to existing permits or water rights in conjunction with the filing of this application.
	This new application will overlap the same point of diversion as File No. 46348 & 49826. There will be a
	complete place of use overlap with the irrigation portion of File No. 46348. File No. 49826 will be dismissed
	contingent upon approval of the new application.

## NOV 1 3 2023

File	No.			

## KS DEPT OF AGRICULTURE

By —	(Applicant Signature)  (Agent or Officer Signature)  (Agent or Officer - Please Print)	SFFO/ESII	Date: 10/20	
By	(Agent or Officer Signature)			(Joan)
By	(Agent or Officer Signature)			(Joan)
				(Joan)
Bv				(Joan)
·	(Applicant Signature)			(Joan)
·	(Applicant Signature)			(Joan)
<				(Jour)
				(Jour)
			(month)	(year)
	Dated at Nov I , Kansa	as, this day of	(man Alex	, 2023
16.	The undersigned states that the information that this application is submitted in good fa		ne best of his/he	r knowledge ar
		dress and telephone number)		
		days and balant are as a supplier.		
	Applicant (name, add	dress and telephone number)		
15.	The owner(s) of the property where the wa	ter is used, if other than the a	ipplicant, is (plea	se print):
	(owner, tenant, agent or otherwise)			
14.	The relationship of the applicant to the proposition of the applicant to the proposition.	posed place where the water	will be used is th	nat of
	Depth to bottom of pump intake pipe			
	Depth to static water level	9		
	Depth to water bearing formation			
	Total depth of well	70		
	Date Drilled	10/2/06		
	Well location as shown in paragraph No.	(A) (B)	(C)	(D)
	The material below to trem.		☐ Drillers log	attached
	Information below is from:   Test holes			

NOV 1 3 2023

#### **FEE SCHEDULE**

KS DEPT OF AGRICULTURE

1. The fee for an application for a permit to appropriate water for beneficial use, except for domestic use, shall be (see paragraph No. 2 below if requesting storage):

ACRE-FEET	FEE
0-100	\$200.00
101-320	\$300.00
More than 320	\$300.00 plus \$20.00 for each additional 100 acre-feet or any part thereof.

2. The fee for an application in which storage is requested, except for domestic use, shall be:

ACRE-FEET	FEE
0-250	\$200.00
More than 250	\$200.00 plus \$20.00 for each additional 250 acre-feet of storage or any part thereof.

Note: If an application requests both direct use *and* storage, the fee charged shall be as determined under No. 1 or No. 2 above, whichever is greater, but not both fees.

3. The fee for an application for a permit to appropriate water for water power or dewatering purposes shall be \$100.00 plus \$200.00 for each 100 cubic feet per second, or part thereof, of the diversion rate requested.

Note: The applicant shall notify the Chief Engineer and pay the statutorily required field inspection fee of \$400.00 when construction of the works for diversion has been completed, except that for applications filed on or after July 1, 2009, for works constructed for sediment control use and for evaporation from a groundwater pit for industrial use shall be accompanied by a field inspection fee of \$200.00.

#### MAKE CHECKS PAYABLE TO THE KANSAS DEPARTMENT OF AGRICULTURE

#### **ATTENTION**

A Water Conservation Plan may be required per K.S.A. 82a-733. A statement that your application for permit to appropriate water may be subject to the minimum desirable streamflow requirements per K.S.A. 82a-703a, b, and c may also be required from you. After the Division of Water Resources has had the opportunity to review your application, you will be notified whether or not you will need to submit a Water Conservation Plan. You also may be required to install a water flow meter or water stage measuring device on your diversion works prior to diverting water. There may be other special conditions or Groundwater Management District regulations that you will need to comply with if this application is approved.

#### **CONVERSION FACTORS**

1 acre-foot equals 325,851 gallons

1 million gallons equal 3.07 acre-feet


#### IRRIGATION USE SUPPLEMENTAL SHEET

KS DEPT OF AGRICULTURE


							Fi	le No											
			Nan	ne of	Appli	cant (	(Pleas	e Prir	nt): <u>W</u>	Vatero	ress l	HOA							
d	lesign	ate th	e actu	ial nu	mber NAM	of ac	res to	be in	o OA	d in e	ach fo	orty ac	ere tra	ict or	fracti	onal p	oortio	n there	
						S: <u>38</u>	41 N			Ct, N	Maize								
S	Т	R	NE	NW	SW	SE	NE	NW	V <sup>1</sup> / <sub>4</sub> SW	SE	NE	NW	V¼ SW	SE	NE	NW	sw	SE	TOTAL
29	26	1W									0.7	0.4	2.0	3.9					7.0
S	Tall		NE1/4						V¹/4		SW¼ SE¼						TOTAL		
3	Т	R	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	TOTAL
Land	lowne	er of l	Recoi		NAM DRES	9.7													
				NI	E1/4			NW¼				SV	V1/4			S	E¼		TOTAL
S	T	R	NE	NW	sw	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	TOTAL
				74															
									-	-									

DWR 1-100.23 (7/7/2000)

	Indicate the soils in the field(s) ar								
	Soil Name	Percent of field	Intake Rate	Irrigation Design					
	Name	(%)	(in/hr)	Group					
	Sandy Loam	100							
				-					
				of Carolina					
	Total:	100 %							
b.	Estimate the average land slope is	n the field(s):	<1%						
	Estimate the maximum land slope	e in the field(s):	4%						
c.	Type of irrigation system you pro	pose to use (check one	e):						
	Center pivot	Center	pivot - LEPA	"Big gun" sprinkler					
	Gravity system (furrow	vs) Gravit	y system (borders)	Sideroll sprinkler					
	Other, please describe: Comme	ercial scale landscape in	rigation system						
d.	System design features:								
	i. Describe how you will control tailwater: there will be no tailwater								
	ii. For sprinkler systems:								
		ing pressure at the disti		psi					
	(1) Estimate the operation	ing pressure at the distrer package design rate?	ribution system: 70	psi					
	<ul><li>(1) Estimate the operation</li><li>(2) What is the sprinkle</li></ul>	er package design rate?	ribution system: 70	psi  s water) of a sprinkler on					
	<ul><li>(1) Estimate the operation</li><li>(2) What is the sprinkle</li><li>(3) What is the wetted of</li></ul>	er package design rate?	ribution system: 70  99 gpm tance the sprinkler throw						
	<ul> <li>(1) Estimate the operation</li> <li>(2) What is the sprinkle</li> <li>(3) What is the wetted of the outer 100 feet of</li> </ul>	er package design rate?  diameter (twice the dis  f the system? N/A	ribution system: 70  99 gpm tance the sprinkler throw						
e.	<ul> <li>(1) Estimate the operation</li> <li>(2) What is the sprinkle</li> <li>(3) What is the wetted of the outer 100 feet of</li> </ul>	er package design rate?  diameter (twice the dis  f the system? N/A  by of the sprinkler pack	ribution system: 70  99 gpm  tance the sprinkler throw  feet  sage design information.	rs water) of a sprinkler on					
e.	<ul> <li>(1) Estimate the operation</li> <li>(2) What is the sprinkle</li> <li>(3) What is the wetted of the outer 100 feet of</li> <li>(4) Please include a coperation</li> </ul>	er package design rate?  diameter (twice the dis  f the system? N/A  by of the sprinkler pack	ribution system: 70  99 gpm  tance the sprinkler throw  feet  sage design information.	rs water) of a sprinkler on					
e.	<ul> <li>(1) Estimate the operation</li> <li>(2) What is the sprinkle</li> <li>(3) What is the wetted of the outer 100 feet of</li> <li>(4) Please include a coperation</li> </ul>	er package design rate?  diameter (twice the dis  f the system? N/A  by of the sprinkler pack	ribution system: 70  99 gpm  tance the sprinkler throw  feet  sage design information.	rs water) of a sprinkler on					
e.	<ul> <li>(1) Estimate the operation</li> <li>(2) What is the sprinkle</li> <li>(3) What is the wetted of the outer 100 feet of</li> <li>(4) Please include a coperation</li> </ul>	er package design rate?  diameter (twice the dis  f the system? N/A  by of the sprinkler pack  ease note any planned  ermine when to irrigate	gpm gpm tance the sprinkler throw feet gage design information. crop rotations: grass ya	rs water) of a sprinkler on rds /trees /shrubs					




KS DEPT OF AGRICULTURE



## Legend

- Water Appropriations
- **Domestic Well**
- Section Line
- 660 ft
  - 1000 ft
    - Proposed Place of Use



## New Application, File No. \_

**New Application Zoomed Map** 29-26S-1W // Sedgwick County

## NOV 1 3 2023

KS DEPT	T OF AGRICULTURE		
			(Date)
Kansas Department of Agriculture Division of Water Resources Earl D. Lewis, Jr, Chief Engineer 1320 Research Park Drive Manhattan, Kansas 66502			
	1	Re:	Application File No
Dear Sir:			Minimum Desirable Streamflow
I understand that a Minimum the legislature for the source of sup			requirement has been established by referenced application applies.
I understand that diversion regulation any time Minimum Desira			o this application will be subject to ements are not being met.
	s, when I would r	ot be	d, there could be times, as determined allowed to divert water. I realize that the water.
			knowledge thereof, request that the nd approval, if possible, of the above
		Signat	ure of Applicant
State of Kansas	)	B	Applicant's Name)
County of Selquick	) ss )	(Print )	Applicant's Name)
V.			signed in my presence and sworn to
		Notary	Pts   Crapley Public
My Commission Expires:			
PETER J. O NOTARY I STATE OF MY APPT. EXPIRES //-/	PUBLIC		

# MINIMUM DESIRABLE STREAMFLOW FORM TO BE USED WHEN KS DEPT OF AGRICULTURE APPLICABLE WHEN FILING AN APPLICATION FOR PERMIT TO APPROPRIATE WATER FOR BENEFICIAL USE

The Kansas Legislature has established minimum desirable streamflows for the streams listed below. If your proposed diversion of water is going to be from one of these watercourses or adjacent alluvial aquifers, please complete the back side of this page and submit it along with your application for permit to appropriate water.

Arkansas River
Big Blue River
Chapman Creek
Chikaskia River
Cottonwood River
Delaware River
Little Arkansas River
Little Blue River
Marais des Cygnes River
Medicine Lodge River
Mill Creek (Wabaunsee Co. area)

Neosho River

Ninnescah River
North Fork Ninnescah River
Rattlesnake Creek
Republican River
Saline River
Smoky Hill River
Solomon River
South Fork Ninnescah
Spring River
Walnut River
Whitewater River

## **DATA ENTRY SYSTEM ID NUMBER SHEET**

**5113**5

FILE NUMBER		
APPLICANT PERSON ID & SEQ #	PDIV ID 72181	BATTERY ID
65107	· · · · · · · · · · · · · · · · · · ·	
LANDOWNER PERSON ID & SEQ #	PUSE ID <b>57495</b>	
65107		
	· · · · · · · · · · · · · · · · · · ·	
WATER USE CORRESPONDENT		
PERSON ID & SEQ #	11/13/2023	
65107	FO 2	
<del></del>	USE IRR	
	SOURCE G	·
,	CNTY SG	
	ARKANSAS RIVER	
	21AF	
	99GPM	