*STREAM NAME



JAN 1 9 2024

WATER PERCURCES

JAN 19 2024

KS Dept. of Agriculture

KANSAS DEPARTMENT OF AGRICULTURE

Mike Beam, Secretary of Agriculture

DIVISION OF WATER RESOURCESEarl D. Lewis Jr., Chief Engineer

File Number ______51175
This item to be completed by the Division of Water Resources.

APPLICATION FOR PERMIT TO APPROPRIATE WATER FOR BENEFICIAL USE

Filing Fee Must Accompany the Application (Please refer to Fee Schedule attached to this application form.)

To the Chief Engineer of the Division of Water Resources, Kansas Department of Agriculture, 1320 Research Park Drive, Manhattan, Kansas 66502:

Name of Applicant (Please Print): 775 7500 FUE

	Address: 553. 5. MA	YEZELD Rd						
	City: Wallington		State 15. Z	Zip Code 6 > 152				
	Telephone Number: (620) 32							
2.	The source of water is: Surfa	ace water in	(stream)				
	OR 🗆 grou	ndwater in	(drainage b	asin)				
	Certain streams in Kansas have min when water is released from storage to these regulations on the date we and return to the Division of Water	nimum target flows estab eforuse by water assurar receive your application	lished by law or may ace district members.	be subject to administration If your application is subject				
3.	The maximum quantity of water des	sired is <u>448</u> acre	-feet OR	_ gallons per calendar year,				
	to be diverted at a maximum rate of 1500 gallons per minute OR cubic feet per second.							
	Once your application has been as: requested quantity of water under th maximum rate of diversion and max project and are in agreement with the	at priority number can NC timum quantity of water a)T be increased. Plea are appropriate and re	se be certain your requested easonable for your proposed				
4.	requested quantity of water under th maximum rate of diversion and max	at priority number can No. imum quantity of water and Division of Water Res	<u>DT</u> be increased. Plea are appropriate and re ources' requirements.	se be certain your requested easonable for your proposed				
4.	requested quantity of water under the maximum rate of diversion and max project and are in agreement with the The water is intended to be appropriate to the property of the water is intended to be appropriate to the property of the water is intended to the property of the water in the water is intended to the property of the water in the water is intended to the property of the water in the water in the water is intended to the property of the water in the water is intended to the property of the water in the water is intended to the property of the water in the water in the water is intended to the property of the water in the water is intended to the property of the water in the water i	at priority number can Notice imum quantity of water and Division of Water Resertated for (Check use intended)	<u>DT</u> be increased. Plea are appropriate and re ources' requirements.	se be certain your requested easonable for your proposed				
4.	requested quantity of water under the maximum rate of diversion and max project and are in agreement with the The water is intended to be approped (a) Artificial Recharge (b)	at priority number can Notimum quantity of water and the Division of Water Restricted for (Check use intended Intigation (c)	<u>DT</u> be increased. Plea are appropriate and re ources' requirements. ded):	se be certain your requested easonable for your proposed				
4.	requested quantity of water under the maximum rate of diversion and max project and are in agreement with the The water is intended to be approped (a) Artificial Recharge (b) (c) Industrial (f)	at priority number can Notimum quantity of water and policy of water and policy of water and policy of water and policy of water Reservated for (Check use intended Irrigation (c)	DT be increased. Plea are appropriate and re ources' requirements. ded): Recreational	(d) Water Power (h) Sediment Control				
4.	requested quantity of water under the maximum rate of diversion and max project and are in agreement with the The water is intended to be approped (a) Artificial Recharge (b) (c) Industrial (f) (i) Domestic (j)	at priority number can Notimum quantity of water and policy of water and policy of water and policy of water and policy of water Reservated for (Check use intended Irrigation (c)	DT be increased. Plea are appropriate and re ources' requirements. ded): Recreational Stockwatering Hydraulic Dredging	(d) Water Power (h) Sediment Control				

JAN 19 2024

File No.	

5.	The	location of the proposed wells, pump sites or other works for diversion of water is:
		For the application to be accepted, the point of diversion location must be described to at least a 10 acre tract, unless you specifically request a 60 day period of time in which to locate the site within a specifically described, minimal legal quarter section of land.
	(A)	One in the 50 quarter of the $5E$ quarter of the $5E$ quarter of Section 5 , more particularly
		described as being near a point 130 feet North and 200 feet West of the Southeast corner of said
		section, in Township <u>33</u> South, Range <u>A</u> EastWest (circle one), <u>Sumber</u> County, Kansas.
	(B)	One in the quarter of the quarter of the quarter of Section, more particularly
		described as being near a point feet North and feet West of the Southeast corner of said
		section, in Township South, Range East/West (circle one), County, Kansas.
	(C)	One in the quarter of the quarter of the quarter of Section, more particularly
		described as being near a point feet North and feet West of the Southeast corner of said
		section, in Township South, Range East/West (circle one), County, Kansas.
	(D)	One in the quarter of the quarter of the quarter of Section, more particularly
		described as being near a point feet North and feet West of the Southeast corner of said
		section, in Township South, Range East/West (circle one), County, Kansas.
	wells	e source of supply is groundwater, a separate application shall be filed for each proposed well or battery of s, except that a single application may include up to four wells within a circle with a quarter (¼) mile radius in ame local source of supply which do not exceed a maximum diversion rate of 20 gallons per minute per well.
	four not to	ttery of wells is defined as two or more wells connected to a common pump by a manifold; or not more than wells in the same local source of supply within a 300 foot radius circle which are being operated by pumps o exceed a total maximum diversion rate of 800 gallons per minute and which supply water to a common libution system.
6.	The	owner of the point of diversion, if other than the applicant is (please print):
		(name, address and telephone number)
		(name, address and telephone number)
	land	must provide evidence of legal access to, or control of, the point of diversion from the landowner or the owner's authorized representative. Provide a copy of a recorded deed, lease, easement or other document this application. In lieu thereof, you may sign the following sworn statement:
	K	I have legal access to, or control of, the point of diversion described in this application from the landowner or the landowner's authorized representative. I declare under penalty of perjury that the foregoing is true and correct. Executed on
	Failu	applicant must provide the required information or signature irrespective of whether they are the landowner. are to complete this portion of the application will cause it to be unacceptable for filing and the application will be a pullication will be applicant.
7.	The	proposed project for diversion of water will consist of
	and	(mumber of wells, pumps or dams, etc.) (was)(will be) completed (by) (Month/Day/Year - each was or will be completed)
8.	The (Mo/D	first actual application of water for the proposed beneficial use was or is estimated to be 8/10-24.

JAN 19 2024

ET A I			
	File No		

KS Dept. of Agriculture

9.	Will pesticide, fertilizer, or other foreign substance be injected into the water pumped from the diversion works?								
	X Yes ☐ No If "yes", a check valve shall be required.								
	All chemigation safety requirements must be met including a chemigation permit and reporting requirements.								
10.	If you are planning to impound water, please contact the Division of Water Resources for assistance, prior to submitting the application. Please attach a reservoir area capacity table and inform us of the total acres of surface drainage area above the reservoir.								
	Have you also made an application for a permit for construction of this dam and reservoir with the Division of Water Resources? ▼ Yes □ No								
	If yes, show the Water Structures permit number here								
	• If no, explain here why a Water Structures permit is not required The water Structures PERMIT is being filed the SAME time AS this Application.								
	PERMIT IS being filed the same time AS this								
	Application								
11.	The application <u>must</u> be supplemented by a U.S.G.S. topographic map, aerial photograph or a detailed plat showing the following information. On the topographic map, aerial photograph, or plat, identify the center of the section, the section lines or the section corners and show the appropriate section, township and range numbers. Also, please show the following information:								
	The location of the proposed point(s) of diversion (wells, stream-bank installations, dams, or other diversion works) should be plotted as described in Paragraph No. 5 of the application, showing the North-South distance and the East-West distance from a section line or southeast corner of section.								
	(b) If the application is for groundwater, please show the location of any existing water wells of any kind within ½ mile of the proposed well or wells. Identify each existing well as to its use and furnish the name and mailing address of the property owner or owners. If there are no wells within ½ mile, please advise us.								
	(c) If the application is for surface water, the names and addresses of the landowner(s) ½ mile downstream and ½ mile upstream from your property lines must be shown.								
	The location of the proposed place of use should be shown by crosshatching on the topographic map, aerial photograph or plat.								
	Show the location of the pipelines, canals, reservoirs or other facilities for conveying water from the point of diversion to the place of use.								
	A 7.5 minute U.S.G.S. topographic map may be obtained by providing the section, township and range numbers to: Kansas Geological Survey, 1930 Constant, Campus West, University of Kansas, Lawrence, Kansas 66047.								
12.	List any application, appropriation of water, water right, or vested right file number that covers the same diversion points or any of the same place of use described in this application. Also list any other recent modifications made to existing permits or water rights in conjunction with the filing of this application.								

JAN 19 2024

File No. _____

13.	Furnish the following well information if the pi has not been completed, give information o	S Dept. or oposed ap btained fro	f Agriculture propriation is fo m test holes, if	orthe use of gro available.	undwater. If the well				
	Information below is from: Test holes	□ Well	as completed	☐ Drillers	log attached				
	Well location as shown in paragraph No.	(A)	(B)	(C)	(D)				
	Date Drilled								
	Total depth of well								
	Depth to water bearing formation								
	Depth to static water level								
	Depth to bottom of pump intake pipe								
14.	The relationship of the applicant to the Owner, tenant, agent or otherwise)	proposed	place where t	he water will	be used is that of				
15.	The owner(s) of the property where the water is used, if other than the applicant, is (please print):								
	(name, add	ress and te	lephone numbe	er)					
	(name, add	ress and te	lephone number	er)					
16.	The undersigned states that the information states this application is submitted in good faith.		,		knowledge and that				
	Dated at Wolling fon, Kansas	s, this <u></u>	day of	(month)	, <u>2024</u> . (year)				
7	Alemeni Les fice (Applicant Signature)								
<u>By</u>	(Agent or Officer Signature)								
-	(Agent or Officer - Please Print)								
Assiste	ed by		(office/title)	Date:					

IAN 19 2024

FEE SCHEDULE

KS Dept. of Agriculture

1. The fee for an application for a permit to appropriate water for beneficial use, except for domestic use, shall be (see paragraph No. 2 below if requesting storage):

ACRE-FEET	FEE	
0-100	\$20	0.00
101-320	\$300	0.00
More than 320	\$300	0.00 plus \$20.00 for each additional 100 acre-feet or any part thereof.

2. The fee for an application in which storage is requested, except for domestic use, shall be:

ACRE-FEET	1	FEE		
0-250 More than 250			acre-feet of	Iditional 250 any part
			thereof.	

If an application requests both direct use *and* storage, the fee charged shall be as determined under No. 1 or No. 2 above, whichever is greater, but not both fees.

3. The fee for an application for a permit to appropriate water for water power or dewatering purposes shall be \$100.00 plus \$200.00 for each 100 cubic feet per second, or part thereof, of the diversion rate requested.

The applicant shall notify the Chief Engineer and pay the statutorily required field inspection fee of \$400.00 when construction of the works for diversion has been completed, except that for applications filed on or after July 1, 2009, for works constructed for sediment control use and for evaporation from a groundwater pit for industrial use shall be accompanied by a field inspection fee of \$200.00.

MAKE CHECKS PAYABLE TO THE KANSAS DEPARTMENT OF AGRICULTURE

ATTENTION

A Water Conservation Plan may be required per K.S.A. 82a-733. A statement that your application for permit to appropriate water may be subject to the minimum desirable streamflow requirements per K.S.A. 82a-703a, b, and c may also be required from you. After the Division of Water Resources has had the opportunity to review your application, you will be notified whether or not you will need to submit a Water Conservation Plan. You also may be required to install a water flow meter or water stage measuring device on your diversion works prior to diverting water. There may be other special conditions or Groundwater Management District regulations that you will need to comply with if this application is approved.

CONVERSION FACTORS

1 acre-foot equals 325,851 gallons

1 million gallons equal 3.07 acre-feet

JAN 19 2024


IRRIGATION USE SUPPLEMENTAL SHEET

KS Dept. of Agriculture

		ľ	Name	of A _I	pplica	nt (Pl	File lease	No Print)	: <u>/</u>	DEN	NI	5 /	EN	c 2 c	EVE				
1. I	Please lesign:	suppl ate the	y the	nam ıal nu	e and	addr of ac	ess o	f each	land	owne d in e	r, the	legal orty a	descre tra	riptio act or	n of t	he lai	nds to portio	be in	rigated, and reof:
Land	lowne	r of R	Recor	d		NAM	IE:	Di	EN	NI	5	7	Eve	ZE	VE DO	4. /	1/	r 4	
	,				AD	DRES	SS:	55	5.5	//	1/49	FI	ELI) #	4	We	2/1/3	19/01	1KS
S	T	R			E1/4	_			V1/4		<u> </u>		V1/4		\vdash		Ε1/4		TOTAL
Per			NE	NW	SW	SE		NW	SW	SE	NE	NW	SW	SE	NE 10		SW	SE	737
5_	335	2w					50	40	40	40					40	40	40	40	32D
											1.								
Lanc	Landowner of Record NAME:ADDRESS:																		
				NI	E¼			NV	N 1/4		SW1/4			SE¼					
S	Т	R	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	TOTAL
		\vdash	-				-	-		_	-	-			-	_	-	\vdash	
Land	lowne	r of F	Recor	d		NAM	1E:												
					AD	DRE	SS:												
		_		N	E1/4			N	W1/4			SV	W ¹ / ₄			SI	E1/4		TOTAL
S	Т	R	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	TOTAL
																		\vdash	
	-		-				-			-	_				-	_		\vdash	
	1		II.		l .		EE .			1	11				ш	l .	1		1

JAN 19 2024

	Indicate the	e soils in the field(s) a	and their intake rates:		
	Soil Name		Percent of field (%)	Intake Rate (in/hr)	Irrigation Design Group
	To	otal:	100 %		
b.	Estimate th	e average land slope	in the field(s):		%
	Estimate th	e maximum land slop	be in the field(s):	-	%
c.	Type of irri	gation system you pro	opose to use (check one):		
	Cent	er pivot	Center pivot	- LEPA	"Big gun" sprinkler
	Grav	ity system (furrows)	Gravity syste	em (borders)	Sideroll sprinkler
	Other, ple	ease describe:			
d.	System de	sign features:			
		ribe how you will con			
	1	10. J.11 V	Vater		
		prinkler systems:	Vatar		
		prinkler systems:	ing pressure at the distribu	ution system: 3	5 psi
	ii. For s	prinkler systems: Estimate the operat			5 psi
	ii. For s	prinkler systems: Estimate the operat What is the sprinkle	ing pressure at the distribuer package design rate?	<i>800</i> gpm	
	ii. For s (1) (2)	Estimate the operat What is the sprinkle What is the wetted of	ing pressure at the distribuer package design rate?	SEO gpm	
	ii. For s (1) (2)	Estimate the operat What is the sprinkle What is the wetted of outer 100 feet of the	ing pressure at the distributer package design rate?	SEO gpm e the sprinkler throw	vs water) of a sprinkler on th
e.	ii. For s (1) (2) (3) (4) Crop(s) yo	Estimate the operate What is the sprinkle what is the wetted of outer 100 feet of the Please include a copuration intend to irrigate.	ring pressure at the distributer package design rate?	gpm e the sprinkler throw feet e design information rop rotations:	vs water) of a sprinkler on th
e.	ii. For s (1) (2) (3) (4) Crop(s) you OR.	Estimate the operate What is the sprinkle what is the wetted of outer 100 feet of the Please include a copulation intend to irrigate.	ring pressure at the distributer package design rate? diameter (twice the distance e system? by of the sprinkler package please note any planned cr whoot. Coffi determine when to irrigate	gpm e the sprinkler throw feet e design information rop rotations:	vs water) of a sprinkler on th



		(Date)				
Kansas Department of Agriculture Division of Water Resources Earl D. Lewis, Jr., Chief Engineer 1320 Research Park Drive Manhattan, Kansas 66502						
	Re:	Application File No				
		Minimum Desirable Streamflow				
I understand that a Minimum Desirable Streethe legislature for the source of supply to which the						
I understand that diversion of water purs regulation any time Minimum Desirable Streamflow						
I also understand that if this application is approved, there could be times, as determined by the Division of Water Resources, when I would not be allowed to divert water. I realize that this could affect the economics of my decision to appropriate water.						
I am aware of the above factors, and w Division of Water Resources proceed with proces referenced application.						
	Signatu	Janua Les ure of Applicant				
State of Kansas)		ENNIS /ENCLEVE				
County of <u>Siemner</u>) ss	(Print A	Applicant's Name)				
I hereby certify that the foregoing instrume before me this 10th day of January, 20 20	ent was	signed in my presence and sworn to				
NOTARY PUBLIC - State of Kansas ASHLEIGH HUCK My Appt Expires 5/11/24	Notary	Mligh Duk				

JAN 19 2024

My Commission Expires: May 11,2024

1320 Research Park Drive Manhattan, KS 66502 785-564-6700 www. agriculture.ks.gov



900 SW Jackson, Room 456 Topeka, KS 66612 785-296-3556

Mike Beam, Secretary

Laura Kelly, Governor

January 26, 2024

DENNIS TENCLEVE 553 S MAYFIELD RD WELLINGTON KS 67152

RE: Application, File No(s). 51175

Dear Sir or Madam:

The Division of Water Resources (Division) has received your application(s) for a permit to appropriate water for beneficial use. Your application(s) has been assigned the file number(s) referenced above. Please be aware that the Division may have a large number of pending applications on hand at times and makes every attempt to process them in the order in which they are received. You will be contacted if additional information is required.

Please note, this letter only acknowledges receipt of your application(s) and does not guarantee approval. In accordance with the provisions of the Kansas Water Appropriation Act, the use of water as proposed prior to approval of the application(s) is unlawful.

Additional information about the process may be found on our website at <u>agriculture.ks.gov/divisions-programs/dwr</u>. If you have any other questions, please contact our office at 785-564-6640 or your local Stafford Field Office at 620-234-5311. If you call, please reference the file number so we can help you more efficiently.

Sincerely,

Kris Neuhauser New Applications Lead Water Appropriation Program